





FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 57 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-63. 6dB BW & 99% OBW Antenna 4a (NB UNII HDT2, ePA- 5788MHz)



Plot 7-64. 6dB BW & 99% OBW Antenna 4a (NB UNII HDT4, ePA- 5788MHz)

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 58 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 59 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.3.3 Antenna 2a 6dB & 99% Bandwidth Measurements (U-NII-3)


Frequency [MHz]	Data Rate [Mbps]	Mode	Power Scheme	Measured 99% Occupied Bandwidth [MHz]	Measured 6dB Bandwidth [MHz]	Minimum 6dB Bandwidth [MHz]	Pass / Fail
5733	1.0	NB UNII BDR	ePA	0.936	0.505	0.500	Pass
5788	1.0	NB UNII BDR	ePA	0.937	0.506	0.500	Pass
5844	1.0	NB UNII BDR	ePA	0.938	0.506	0.500	Pass
5733	1.0	NB UNII LE1M	ePA	1.032	0.664	0.500	Pass
5788	1.0	NB UNII LE1M	ePA	1.032	0.663	0.500	Pass
5844	1.0	NB UNII LE1M	ePA	1.032	0.663	0.500	Pass
5733	2.0	NB UNII LE2M	ePA	2.042	1.178	0.500	Pass
5788	2.0	NB UNII LE2M	ePA	2.040	1.181	0.500	Pass
5844	2.0	NB UNII LE2M	ePA	2.041	1.180	0.500	Pass
5733	4.0	NB UNII HDR4	ePA	2.347	1.570	0.500	Pass
5788	4.0	NB UNII HDR4	ePA	2.347	1.568	0.500	Pass
5844	4.0	NB UNII HDR4	ePA	2.348	1.578	0.500	Pass
5733	8.0	NB UNII HDR8	ePA	4.634	0.545	0.500	Pass
5788	8.0	NB UNII HDR8	ePA	4.646	0.514	0.500	Pass
5844	8.0	NB UNII HDR8	ePA	4.628	0.891	0.500	Pass
5733	2.0	NB UNII HDRPS2	ePA	2.383	2.065	0.500	Pass
5788	2.0	NB UNII HDRPS2	ePA	2.367	2.052	0.500	Pass
5844	2.0	NB UNII HDRPS2	ePA	2.375	2.075	0.500	Pass
5733	6.0	NB UNII XHDRPM6	ePA	4.704	4.059	0.500	Pass
5788	6.0	NB UNII XHDRPM6	ePA	4.704	4.051	0.500	Pass
5844	6.0	NB UNII XHDRPM6	ePA	4.703	4.060	0.500	Pass
5733	16.0	NB UNII HDRPM16	ePA	4.690	1.197	0.500	Pass
5788	16.0	NB UNII HDRPM16	ePA	4.687	1.186	0.500	Pass
5844	16.0	NB UNII HDRPM16	ePA	4.687	0.814	0.500	Pass
5733	12.0	NB UNII HDRPL12	ePA	9.306	6.105	0.500	Pass
5788	12.0	NB UNII HDRPL12	ePA	9.367	6.108	0.500	Pass
5844	12.0	NB UNII HDRPL12	ePA	9.356	6.110	0.500	Pass
5733	32.0	NB UNII HDRPL32	ePA	9.285	6.109	0.500	Pass
5788	32.0	NB UNII HDRPL32	ePA	9.279	6.108	0.500	Pass
5844	32.0	NB UNII HDRPL32	ePA	9.283	6.109	0.500	Pass
5733	2.0	NB UNII HDT2	ePA	2.388	2.082	0.500	Pass
5788	2.0	NB UNII HDT2	ePA	2.388	2.083	0.500	Pass
5844	2.0	NB UNII HDT2	ePA	2.387	2.083	0.500	Pass
5733	4.0	NB UNII HDT4	ePA	2.397	2.083	0.500	Pass
5788	4.0	NB UNII HDT4	ePA	2.397	2.083	0.500	Pass
5844	4.0	NB UNII HDT4	ePA	2.397	2.083	0.500	Pass
5733	6.0	NB UNII HDT6	ePA	2.395	2.084	0.500	Pass
5788	6.0	NB UNII HDT6	ePA	2.395	2.084	0.500	Pass
5844	6.0	NB UNII HDT6	ePA	2.395	2.084	0.500	Pass

Table 7-7. Conducted BW Measurements Antenna 2a

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 60 of 432

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 61 of 432

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 62 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-70. 6dB BW & 99% OBW Antenna 2a (NB UNII HDR8, ePA – 5788MHz)




Plot 7-71. 6dB BW & 99% OBW Antenna 2a (NB UNII HDRPS2, ePA – 5788MHz)

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 63 of 432



Plot 7-72. 6dB BW & 99% OBW Antenna 2a (NB UNII XHDRPM6, ePA – 5788MHz)




Plot 7-73. 6dB BW & 99% OBW Antenna 2a (NB UNII HDRPM16, ePA – 5788MHz)


FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 64 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-74. 6dB BW & 99% OBW Antenna 2a (NB UNII HDRPL12, ePA – 5788MHz)





Plot 7-75. 6dB BW & 99% OBW Antenna 2a (NB UNII HDRPL32, ePA – 5788MHz)

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 65 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 66 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-78. 6dB BW & 99% OBW Antenna 2a (NB UNII HDT6, ePA- 5788MHz)

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 67 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.4 Conducted Output Power Measurement

§15.407(a.1.iv) §15.407(a.3.i)

Test Overview and Limits

A transmitter antenna terminal of the EUT is connected to the input of an RF pulse power sensor. Measurement is made using a broadband average power meter while the EUT is operating at its maximum duty cycle, at its maximum power control level, as defined in ANSI C63.10-2020 and KDB 789033 D02 v02r01, and at the appropriate frequencies.

In the 5.15 – 5.25GHz band, the maximum permissible conducted output power is 250mW (23.98dBm).

In the 5.725 – 5.850GHz band, the maximum permissible conducted output power is 1W (30dBm).

Test Procedure Used

ANSI C63.10-2020 – Subclause 12.4.3.2 Method PM-G
KDB 789033 D02 v02r01 – Section E)3)b) Method PM-G
ANSI C63.10-2020 – Subclause 14.4 Measure-and-Sum Technique
KDB 662911 v02r01 – Section E)1) Measure-and-Sum Technique

Test Settings

Average power measurements were performed only when the EUT was transmitting at its maximum power control level using a broadband power meter with a pulse sensor. The power meter implemented triggering and gating capabilities which were set up such that power measurements were recorded only during the ON time of the transmitter. The trace was averaged over 100 traces to obtain the final measured average power.

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-3. Test Instrument & Measurement Setup

Test Notes

None

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 68 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.4.1 Conducted Output Power Measurements (U-NII-1)

Frequency [MHz]	Data Rate	Mode	Power Scheme	Conducted Powers [dBm]	Conducted Power Limit [dBm]	Conducted Power Margin [dB]
5162	1.0	NB UNII BDR	ePA	9.57	23.98	-14.41
5203	1.0	NB UNII BDR	ePA	9.73	23.98	-14.25
5245	1.0	NB UNII BDR	ePA	9.81	23.98	-14.17
5162	1.0	NB UNII BDR	iPA	0.23	23.98	-23.75
5203	1.0	NB UNII BDR	iPA	0.01	23.98	-23.97
5245	1.0	NB UNII BDR	iPA	0.46	23.98	-23.52
5162	1.0	NB UNII LE1M	ePA	10.13	23.98	-13.85
5203	1.0	NB UNII LE1M	ePA	9.78	23.98	-14.20
5245	1.0	NB UNII LE1M	ePA	9.88	23.98	-14.10
5162	1.0	NB UNII LE1M	iPA	0.50	23.98	-23.48
5203	1.0	NB UNII LE1M	iPA	0.84	23.98	-23.15
5245	1.0	NB UNII LE1M	iPA	0.42	23.98	-23.56
5162	2.0	NB UNII LE2M	ePA	10.89	23.98	-13.10
5203	2.0	NB UNII LE2M	ePA	10.87	23.98	-13.12
5245	2.0	NB UNII LE2M	ePA	10.63	23.98	-13.35
5162	2.0	NB UNII LE2M	iPA	0.23	23.98	-23.75
5203	2.0	NB UNII LE2M	iPA	0.33	23.98	-23.66
5245	2.0	NB UNII LE2M	iPA	0.44	23.98	-23.54
5162	4.0	NB UNII HDR4	ePA	12.23	23.98	-11.75
5203	4.0	NB UNII HDR4	ePA	12.19	23.98	-11.79
5245	4.0	NB UNII HDR4	ePA	12.14	23.98	-11.85
5162	4.0	NB UNII HDR4	iPA	-2.40	23.98	-26.38
5203	4.0	NB UNII HDR4	iPA	-2.40	23.98	-26.38
5245	4.0	NB UNII HDR4	iPA	-2.31	23.98	-26.29
5162	8.0	NB UNII HDR8	ePA	12.05	23.98	-11.93
5203	8.0	NB UNII HDR8	ePA	12.43	23.98	-11.55
5245	8.0	NB UNII HDR8	ePA	12.08	23.98	-11.90
5162	8.0	NB UNII HDR8	iPA	-2.02	23.98	-26.00
5203	8.0	NB UNII HDR8	iPA	-2.29	23.98	-26.27
5245	8.0	NB UNII HDR8	iPA	-2.37	23.98	-26.35
5162	2.0	NB UNII HDRPS2	ePA	11.69	23.98	-12.29
5203	2.0	NB UNII HDRPS2	ePA	11.81	23.98	-12.17
5245	2.0	NB UNII HDRPS2	ePA	12.04	23.98	-11.94
5162	2.0	NB UNII HDRPS2	iPA	-2.09	23.98	-26.07
5203	2.0	NB UNII HDRPS2	iPA	-2.22	23.98	-26.20
5245	2.0	NB UNII HDRPS2	iPA	-2.16	23.98	-26.14
5162	6.0	NB UNII XHDRPM6	ePA	12.26	23.98	-11.72
5203	6.0	NB UNII XHDRPM6	ePA	12.30	23.98	-11.69
5245	6.0	NB UNII XHDRPM6	ePA	12.09	23.98	-11.90
5162	6.0	NB UNII XHDRPM6	iPA	-2.35	23.98	-26.33
5203	6.0	NB UNII XHDRPM6	iPA	-2.85	23.98	-26.83
5245	6.0	NB UNII XHDRPM6	iPA	-2.34	23.98	-26.32
5162	16.0	NB UNII HDRPM16	ePA	9.99	23.98	-13.99
5203	16.0	NB UNII HDRPM16	ePA	10.15	23.98	-13.83
5245	16.0	NB UNII HDRPM16	ePA	9.65	23.98	-14.33
5162	16.0	NB UNII HDRPM16	iPA	-5.35	23.98	-29.33
5203	16.0	NB UNII HDRPM16	iPA	-5.48	23.98	-29.46
5245	16.0	NB UNII HDRPM16	iPA	-5.28	23.98	-29.26
5164	12.0	NB UNII HDRPL12	ePA	12.26	23.98	-11.72
5203	12.0	NB UNII HDRPL12	ePA	12.32	23.98	-11.66
5242	12.0	NB UNII HDRPL12	ePA	12.28	23.98	-11.70
5164	12.0	NB UNII HDRPL12	iPA	-2.31	23.98	-26.29
5203	12.0	NB UNII HDRPL12	iPA	-2.34	23.98	-26.32
5242	12.0	NB UNII HDRPL12	iPA	-2.11	23.98	-26.09
5164	32.0	NB UNII HDRPL32	ePA	10.31	23.98	-13.67
5203	32.0	NB UNII HDRPL32	ePA	10.29	23.98	-13.69
5242	32.0	NB UNII HDRPL32	ePA	10.38	23.98	-13.60
5164	32.0	NB UNII HDRPL32	iPA	-5.17	23.98	-29.15
5203	32.0	NB UNII HDRPL32	iPA	-5.23	23.98	-29.21
5242	32.0	NB UNII HDRPL32	iPA	-5.38	23.98	-29.36
5162	2.0	NB UNII HDT2	ePA	12.20	23.98	-11.78
5203	2.0	NB UNII HDT2	ePA	12.28	23.98	-11.70
5245	2.0	NB UNII HDT2	ePA	12.29	23.98	-11.69
5162	2.0	NB UNII HDT2	iPA	-2.13	23.98	-26.11
5203	2.0	NB UNII HDT2	iPA	-2.20	23.98	-26.18
5245	2.0	NB UNII HDT2	iPA	-2.50	23.98	-26.48
5162	4.0	NB UNII HDT4	ePA	12.22	23.98	-11.76
5203	4.0	NB UNII HDT4	ePA	12.30	23.98	-11.68
5245	4.0	NB UNII HDT4	ePA	12.33	23.98	-11.65
5162	4.0	NB UNII HDT4	iPA	-2.06	23.98	-26.04
5203	4.0	NB UNII HDT4	iPA	-2.17	23.98	-26.15
5245	4.0	NB UNII HDT4	iPA	-2.48	23.98	-26.46
5162	6.0	NB UNII HDT6	ePA	10.38	23.98	-13.60
5203	6.0	NB UNII HDT6	ePA	10.44	23.98	-13.55
5245	6.0	NB UNII HDT6	ePA	10.37	23.98	-13.61
5162	6.0	NB UNII HDT6	iPA	-5.45	23.98	-29.43
5203	6.0	NB UNII HDT6	iPA	-5.07	23.98	-29.05
5245	6.0	NB UNII HDT6	iPA	-5.39	23.98	-29.37

Table 7-8. Antenna WF5B Maximum Conducted Output Power

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 69 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Frequency [MHz]	Data Rate	Mode	Power Scheme	Conducted Powers [dBm]	Conducted Power Limit [dBm]	Conducted Power Margin [dB]
5162	1.0	NB UNII BDR	ePA	9.55	23.98	-14.43
5203	1.0	NB UNII BDR	ePA	9.92	23.98	-14.06
5245	1.0	NB UNII BDR	ePA	9.91	23.98	-14.08
5162	1.0	NB UNII BDR	iPA	3.85	23.98	-20.13
5203	1.0	NB UNII BDR	iPA	3.43	23.98	-20.55
5245	1.0	NB UNII BDR	iPA	3.92	23.98	-20.06
5162	1.0	NB UNII LE1M	ePA	10.14	23.98	-13.84
5203	1.0	NB UNII LE1M	ePA	10.10	23.98	-13.88
5245	1.0	NB UNII LE1M	ePA	9.95	23.98	-14.03
5162	1.0	NB UNII LE1M	iPA	3.62	23.98	-20.36
5203	1.0	NB UNII LE1M	iPA	3.60	23.98	-20.38
5245	1.0	NB UNII LE1M	iPA	3.77	23.98	-20.21
5162	2.0	NB UNII LE2M	ePA	10.97	23.98	-13.01
5203	2.0	NB UNII LE2M	ePA	10.86	23.98	-13.12
5245	2.0	NB UNII LE2M	ePA	10.77	23.98	-13.21
5162	2.0	NB UNII LE2M	iPA	3.81	23.98	-20.17
5203	2.0	NB UNII LE2M	iPA	3.83	23.98	-20.15
5245	2.0	NB UNII LE2M	iPA	3.69	23.98	-20.29
5162	4.0	NB UNII HDR4	ePA	11.99	23.98	-11.99
5203	4.0	NB UNII HDR4	ePA	12.01	23.98	-11.97
5245	4.0	NB UNII HDR4	ePA	11.84	23.98	-12.14
5162	4.0	NB UNII HDR4	iPA	0.37	23.98	-23.61
5203	4.0	NB UNII HDR4	iPA	0.93	23.98	-23.06
5245	4.0	NB UNII HDR4	iPA	0.54	23.98	-23.44
5162	8.0	NB UNII HDR8	ePA	13.33	23.98	-10.65
5203	8.0	NB UNII HDR8	ePA	13.43	23.98	-10.55
5245	8.0	NB UNII HDR8	ePA	13.25	23.98	-10.73
5162	8.0	NB UNII HDR8	iPA	0.50	23.98	-23.48
5203	8.0	NB UNII HDR8	iPA	0.81	23.98	-23.17
5245	8.0	NB UNII HDR8	iPA	0.82	23.98	-23.16
5162	2.0	NB UNII HDRP52	ePA	12.05	23.98	-11.93
5203	2.0	NB UNII HDRP52	ePA	12.00	23.98	-11.98
5245	2.0	NB UNII HDRP52	ePA	11.80	23.98	-12.18
5162	2.0	NB UNII HDRP52	iPA	0.82	23.98	-23.16
5203	2.0	NB UNII HDRP52	iPA	0.58	23.98	-23.40
5245	2.0	NB UNII HDRP52	iPA	0.33	23.98	-23.66
5162	6.0	NB UNII XHDRPM6	ePA	12.84	23.98	-11.14
5203	6.0	NB UNII XHDRPM6	ePA	12.64	23.98	-11.34
5245	6.0	NB UNII XHDRPM6	ePA	12.86	23.98	-11.12
5162	6.0	NB UNII XHDRPM6	iPA	0.57	23.98	-23.41
5203	6.0	NB UNII XHDRPM6	iPA	0.54	23.98	-23.45
5245	6.0	NB UNII XHDRPM6	iPA	0.11	23.98	-23.87
5162	16.0	NB UNII HDRPM16	ePA	11.48	23.98	-12.50
5203	16.0	NB UNII HDRPM16	ePA	10.90	23.98	-13.08
5245	16.0	NB UNII HDRPM16	ePA	10.62	23.98	-13.36
5162	16.0	NB UNII HDRPM16	iPA	-2.09	23.98	-26.07
5203	16.0	NB UNII HDRPM16	iPA	-2.19	23.98	-26.17
5245	16.0	NB UNII HDRPM16	iPA	-2.11	23.98	-26.09
5164	12.0	NB UNII HDRPL12	ePA	13.31	23.98	-10.67
5203	12.0	NB UNII HDRPL12	ePA	13.28	23.98	-10.70
5242	12.0	NB UNII HDRPL12	ePA	13.04	23.98	-10.94
5164	12.0	NB UNII HDRPL12	iPA	0.91	23.98	-23.07
5203	12.0	NB UNII HDRPL12	iPA	0.67	23.98	-23.31
5242	12.0	NB UNII HDRPL12	iPA	0.67	23.98	-23.31
5164	32.0	NB UNII HDRPL32	ePA	10.61	23.98	-13.37
5203	32.0	NB UNII HDRPL32	ePA	10.73	23.98	-13.25
5242	32.0	NB UNII HDRPL32	ePA	10.56	23.98	-13.42
5164	32.0	NB UNII HDRPL32	iPA	-2.49	23.98	-26.47
5203	32.0	NB UNII HDRPL32	iPA	-2.28	23.98	-26.26
5242	32.0	NB UNII HDRPL32	iPA	-2.11	23.98	-26.09
5162	2.0	NB UNII HDT2	ePA	12.07	23.98	-11.91
5203	2.0	NB UNII HDT2	ePA	12.46	23.98	-11.53
5245	2.0	NB UNII HDT2	ePA	12.36	23.98	-11.62
5162	2.0	NB UNII HDT2	iPA	0.78	23.98	-23.20
5203	2.0	NB UNII HDT2	iPA	0.69	23.98	-23.29
5245	2.0	NB UNII HDT2	iPA	0.78	23.98	-23.20
5162	4.0	NB UNII HDT4	ePA	12.43	23.98	-11.55
5203	4.0	NB UNII HDT4	ePA	12.45	23.98	-11.53
5245	4.0	NB UNII HDT4	ePA	12.32	23.98	-11.66
5162	4.0	NB UNII HDT4	iPA	0.80	23.98	-23.18
5203	4.0	NB UNII HDT4	iPA	0.72	23.98	-23.26
5245	4.0	NB UNII HDT4	iPA	0.80	23.98	-23.18
5162	6.0	NB UNII HDT6	ePA	10.76	23.98	-13.22
5203	6.0	NB UNII HDT6	ePA	10.86	23.98	-13.12
5245	6.0	NB UNII HDT6	ePA	10.64	23.98	-13.34
5162	6.0	NB UNII HDT6	iPA	-2.22	23.98	-26.20
5203	6.0	NB UNII HDT6	iPA	-2.32	23.98	-26.30
5245	6.0	NB UNII HDT6	iPA	-2.25	23.98	-26.23

Table 7-9. Antenna 4a Maximum Conducted Output Power

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 70 of 432

Frequency [MHz]	Data Rate	Mode	Power Scheme	Conducted Powers [dBm]	Conducted Power Limit [dBm]	Conducted Power Margin [dB]
5162	1.0	NB UNII BDR	ePA	9.93	23.98	-14.05
5203	1.0	NB UNII BDR	ePA	9.77	23.98	-14.21
5245	1.0	NB UNII BDR	ePA	9.70	23.98	-14.28
5162	1.0	NB UNII BDR	IPA	0.89	23.98	-23.09
5203	1.0	NB UNII BDR	IPA	0.43	23.98	-23.55
5245	1.0	NB UNII BDR	IPA	0.48	23.98	-23.50
5162	1.0	NB UNII LE1M	ePA	10.06	23.98	-13.92
5203	1.0	NB UNII LE1M	ePA	9.81	23.98	-14.17
5245	1.0	NB UNII LE1M	ePA	9.74	23.98	-14.24
5162	1.0	NB UNII LE1M	IPA	0.67	23.98	-23.31
5203	1.0	NB UNII LE1M	IPA	0.83	23.98	-23.15
5245	1.0	NB UNII LE1M	IPA	0.90	23.98	-23.08
5162	2.0	NB UNII LE2M	ePA	10.45	23.98	-13.53
5203	2.0	NB UNII LE2M	ePA	10.67	23.98	-13.31
5245	2.0	NB UNII LE2M	ePA	10.58	23.98	-13.40
5162	2.0	NB UNII LE2M	IPA	0.46	23.98	-23.52
5203	2.0	NB UNII LE2M	IPA	0.97	23.98	-23.01
5245	2.0	NB UNII LE2M	IPA	0.45	23.98	-23.53
5162	4.0	NB UNII HDR4	ePA	11.82	23.98	-12.16
5203	4.0	NB UNII HDR4	ePA	11.91	23.98	-12.07
5245	4.0	NB UNII HDR4	ePA	12.06	23.98	-11.92
5162	4.0	NB UNII HDR4	IPA	-2.01	23.98	-25.99
5203	4.0	NB UNII HDR4	IPA	-2.38	23.98	-26.36
5245	4.0	NB UNII HDR4	IPA	-2.30	23.98	-26.28
5162	8.0	NB UNII HDR8	ePA	12.43	23.98	-11.56
5203	8.0	NB UNII HDR8	ePA	12.23	23.98	-11.75
5245	8.0	NB UNII HDR8	ePA	12.23	23.98	-11.75
5162	8.0	NB UNII HDR8	IPA	-2.07	23.98	-26.05
5203	8.0	NB UNII HDR8	IPA	-2.44	23.98	-26.42
5245	8.0	NB UNII HDR8	IPA	-2.35	23.98	-26.33
5162	2.0	NB UNII HDRP52	ePA	12.08	23.98	-11.90
5203	2.0	NB UNII HDRP52	ePA	12.19	23.98	-11.79
5245	2.0	NB UNII HDRP52	ePA	12.24	23.98	-11.74
5162	2.0	NB UNII HDRP52	IPA	-2.48	23.98	-26.46
5203	2.0	NB UNII HDRP52	IPA	-2.04	23.98	-26.02
5245	2.0	NB UNII HDRP52	IPA	-2.11	23.98	-26.09
5162	6.0	NB UNII XHDRPM6	ePA	11.91	23.98	-12.07
5203	6.0	NB UNII XHDRPM6	ePA	11.96	23.98	-12.03
5245	6.0	NB UNII XHDRPM6	ePA	12.17	23.98	-11.81
5162	6.0	NB UNII XHDRPM6	IPA	-2.51	23.98	-26.49
5203	6.0	NB UNII XHDRPM6	IPA	-2.38	23.98	-26.36
5245	6.0	NB UNII XHDRPM6	IPA	-2.30	23.98	-26.28
5162	16.0	NB UNII HDRPM16	ePA	10.04	23.98	-13.94
5203	16.0	NB UNII HDRPM16	ePA	10.14	23.98	-13.84
5245	16.0	NB UNII HDRPM16	ePA	9.82	23.98	-14.17
5162	16.0	NB UNII HDRPM16	IPA	-5.17	23.98	-29.15
5203	16.0	NB UNII HDRPM16	IPA	-5.50	23.98	-29.48
5245	16.0	NB UNII HDRPM16	IPA	-5.03	23.98	-29.01
5164	12.0	NB UNII HDRPL12	ePA	12.04	23.98	-11.94
5203	12.0	NB UNII HDRPL12	ePA	12.42	23.98	-11.56
5242	12.0	NB UNII HDRPL12	ePA	12.39	23.98	-11.59
5164	12.0	NB UNII HDRPL12	IPA	-2.45	23.98	-26.43
5203	12.0	NB UNII HDRPL12	IPA	-2.30	23.98	-26.28
5242	12.0	NB UNII HDRPL12	IPA	-2.20	23.98	-26.18
5164	32.0	NB UNII HDRPL32	ePA	10.21	23.98	-13.77
5203	32.0	NB UNII HDRPL32	ePA	10.49	23.98	-13.50
5242	32.0	NB UNII HDRPL32	ePA	10.39	23.98	-13.59
5164	32.0	NB UNII HDRPL32	IPA	-5.40	23.98	-29.38
5203	32.0	NB UNII HDRPL32	IPA	-5.23	23.98	-29.21
5242	32.0	NB UNII HDRPL32	IPA	-5.14	23.98	-29.12
5162	2.0	NB UNII HDT2	ePA	12.47	23.98	-11.51
5203	2.0	NB UNII HDT2	ePA	12.46	23.98	-11.53
5245	2.0	NB UNII HDT2	ePA	12.37	23.98	-11.61
5162	2.0	NB UNII HDT2	IPA	-2.32	23.98	-26.30
5203	2.0	NB UNII HDT2	IPA	-2.20	23.98	-26.18
5245	2.0	NB UNII HDT2	IPA	-2.13	23.98	-26.11
5162	4.0	NB UNII HDT4	ePA	12.49	23.98	-11.49
5203	4.0	NB UNII HDT4	ePA	12.47	23.98	-11.51
5245	4.0	NB UNII HDT4	ePA	12.38	23.98	-11.60
5162	4.0	NB UNII HDT4	IPA	-2.33	23.98	-26.31
5203	4.0	NB UNII HDT4	IPA	-2.21	23.98	-26.19
5245	4.0	NB UNII HDT4	IPA	-2.14	23.98	-26.12
5162	6.0	NB UNII HDT6	ePA	10.22	23.98	-13.76
5203	6.0	NB UNII HDT6	ePA	10.13	23.98	-13.85
5245	6.0	NB UNII HDT6	ePA	10.44	23.98	-13.54
5162	6.0	NB UNII HDT6	IPA	-5.17	23.98	-29.15
5203	6.0	NB UNII HDT6	IPA	-5.06	23.98	-29.04
5245	6.0	NB UNII HDT6	IPA	-5.06	23.98	-29.04

Table 7-10. Antenna 2a Maximum Conducted Output Power

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 71 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Frequency [MHz]	Data Rate	Mode	Power Scheme	Conducted Powers [dBm]			Conducted Power Limit [dBm]	Conducted Power Margin [dB]
				Antenna WFSB	Antenna 4a	Summed		
5162	1.0	NB UNII BDR	ePA	6.86	6.78	9.83	23.98	-14.15
5203	1.0	NB UNII BDR	ePA	6.98	6.70	9.85	23.98	-14.13
5245	1.0	NB UNII BDR	ePA	6.62	6.74	9.69	23.98	-14.29
5162	1.0	NB UNII BDR	iPA	0.83	3.92	5.65	23.98	-18.33
5203	1.0	NB UNII BDR	iPA	0.92	3.87	5.65	23.98	-18.33
5245	1.0	NB UNII BDR	iPA	0.24	3.70	5.31	23.98	-18.67
5162	1.0	NB UNII LE1M	ePA	7.15	7.24	10.21	23.98	-13.77
5203	1.0	NB UNII LE1M	ePA	6.77	6.72	9.75	23.98	-14.23
5245	1.0	NB UNII LE1M	ePA	6.85	7.10	9.98	23.98	-14.00
5162	1.0	NB UNII LE1M	iPA	0.62	3.70	5.44	23.98	-18.54
5203	1.0	NB UNII LE1M	iPA	0.52	3.79	5.47	23.98	-18.51
5245	1.0	NB UNII LE1M	iPA	0.72	3.32	5.22	23.98	-18.76
5162	2.0	NB UNII LE2M	ePA	7.61	7.90	10.76	23.98	-13.22
5203	2.0	NB UNII LE2M	ePA	7.91	7.73	10.83	23.98	-13.15
5245	2.0	NB UNII LE2M	ePA	7.90	7.59	10.76	23.98	-13.22
5162	2.0	NB UNII LE2M	iPA	0.72	3.43	5.29	23.98	-18.69
5203	2.0	NB UNII LE2M	iPA	0.82	3.54	5.40	23.98	-18.58
5245	2.0	NB UNII LE2M	iPA	0.64	3.64	5.40	23.98	-18.58
5162	4.0	NB UNII HDR4	ePA	9.00	9.05	12.03	23.98	-11.95
5203	4.0	NB UNII HDR4	ePA	9.14	9.06	12.11	23.98	-11.87
5245	4.0	NB UNII HDR4	ePA	8.78	8.94	11.87	23.98	-12.11
5162	4.0	NB UNII HDR4	iPA	-2.65	0.37	2.12	23.98	-21.86
5203	4.0	NB UNII HDR4	iPA	-2.45	0.51	2.29	23.98	-21.69
5245	4.0	NB UNII HDR4	iPA	-2.49	0.02	1.95	23.98	-22.03
5162	8.0	NB UNII HDR8	ePA	11.47	11.09	14.29	23.98	-9.69
5203	8.0	NB UNII HDR8	ePA	11.17	11.09	14.14	23.98	-9.84
5245	8.0	NB UNII HDR8	ePA	11.25	10.93	14.10	23.98	-9.88
5162	8.0	NB UNII HDR8	iPA	-2.39	0.85	2.53	23.98	-21.45
5203	8.0	NB UNII HDR8	iPA	-2.35	0.61	2.39	23.98	-21.59
5245	8.0	NB UNII HDR8	iPA	-2.11	0.60	2.47	23.98	-21.51
5162	2.0	NB UNII HDRPS2	ePA	8.98	9.17	12.08	23.98	-11.90
5203	2.0	NB UNII HDRPS2	ePA	8.80	9.01	11.92	23.98	-12.06
5245	2.0	NB UNII HDRPS2	ePA	8.93	9.24	12.10	23.98	-11.88
5162	2.0	NB UNII HDRPS2	iPA	-2.40	0.74	2.46	23.98	-21.52
5203	2.0	NB UNII HDRPS2	iPA	-2.37	0.85	2.54	23.98	-21.44
5245	2.0	NB UNII HDRPS2	iPA	-2.12	0.96	2.69	23.98	-21.29
5162	6.0	NB UNII XHDRPM6	ePA	11.53	11.75	14.65	23.98	-9.33
5203	6.0	NB UNII XHDRPM6	ePA	11.64	11.66	14.66	23.98	-9.32
5245	6.0	NB UNII XHDRPM6	ePA	11.99	11.49	14.76	23.98	-9.22
5162	6.0	NB UNII XHDRPM6	iPA	-2.19	0.50	2.37	23.98	-21.61
5203	6.0	NB UNII XHDRPM6	iPA	-2.59	0.84	2.47	23.98	-21.51
5245	6.0	NB UNII XHDRPM6	iPA	-2.87	0.67	2.26	23.98	-21.72
5162	16.0	NB UNII HDRPM16	ePA	9.83	10.82	13.36	23.98	-10.62
5203	16.0	NB UNII HDRPM16	ePA	10.25	10.91	13.60	23.98	-10.38
5245	16.0	NB UNII HDRPM16	ePA	10.31	10.94	13.64	23.98	-10.34
5162	16.0	NB UNII HDRPM16	iPA	-5.12	-2.14	-0.37	23.98	-24.35
5203	16.0	NB UNII HDRPM16	iPA	-5.29	-2.27	-0.51	23.98	-24.49
5245	16.0	NB UNII HDRPM16	iPA	-5.09	-2.19	-0.39	23.98	-24.37
5164	12.0	NB UNII HDRPL12	ePA	12.15	13.01	15.61	23.98	-8.37
5203	12.0	NB UNII HDRPL12	ePA	12.49	13.11	15.82	23.98	-8.16
5242	12.0	NB UNII HDRPL12	ePA	12.48	13.34	15.94	23.98	-8.04
5164	12.0	NB UNII HDRPL12	iPA	-2.01	0.75	2.59	23.98	-21.39
5203	12.0	NB UNII HDRPL12	iPA	-2.10	0.50	2.41	23.98	-21.57
5242	12.0	NB UNII HDRPL12	iPA	-2.04	0.81	2.62	23.98	-21.36
5164	32.0	NB UNII HDRPL32	ePA	10.17	10.92	13.57	23.98	-10.41
5203	32.0	NB UNII HDRPL32	ePA	10.03	10.72	13.40	23.98	-10.58
5242	32.0	NB UNII HDRPL32	ePA	10.10	11.09	13.63	23.98	-10.35
5164	32.0	NB UNII HDRPL32	iPA	-5.26	-2.16	-0.43	23.98	-24.41
5203	32.0	NB UNII HDRPL32	iPA	-5.32	-2.37	-0.59	23.98	-24.57
5242	32.0	NB UNII HDRPL32	iPA	-5.23	-2.21	-0.46	23.98	-24.44
5162	2.0	NB UNII HDT2	ePA	9.43	9.47	12.46	23.98	-11.52
5203	2.0	NB UNII HDT2	ePA	9.07	9.38	12.24	23.98	-11.74
5245	2.0	NB UNII HDT2	ePA	9.15	9.25	12.21	23.98	-11.77
5162	2.0	NB UNII HDT2	iPA	-2.49	0.69	2.39	23.98	-21.59
5203	2.0	NB UNII HDT2	iPA	-2.41	0.60	2.36	23.98	-21.62
5245	2.0	NB UNII HDT2	iPA	-2.18	0.71	2.51	23.98	-21.47
5162	4.0	NB UNII HDT4	ePA	9.31	9.39	12.36	23.98	-11.62
5203	4.0	NB UNII HDT4	ePA	9.46	9.37	12.43	23.98	-11.55
5245	4.0	NB UNII HDT4	ePA	9.08	9.22	12.16	23.98	-11.82
5162	4.0	NB UNII HDT4	iPA	-2.40	0.67	2.41	23.98	-21.57
5203	4.0	NB UNII HDT4	iPA	-2.49	0.54	2.30	23.98	-21.68
5245	4.0	NB UNII HDT4	iPA	-2.25	0.66	2.45	23.98	-21.53
5162	6.0	NB UNII HDT6	ePA	8.79	8.84	11.83	23.98	-12.15
5203	6.0	NB UNII HDT6	ePA	8.94	8.84	11.90	23.98	-12.08
5245	6.0	NB UNII HDT6	ePA	9.02	9.22	12.13	23.98	-11.85
5162	6.0	NB UNII HDT6	iPA	-5.36	-2.32	-0.56	23.98	-24.54
5203	6.0	NB UNII HDT6	iPA	-5.33	-2.33	-0.56	23.98	-24.54
5245	6.0	NB UNII HDT6	iPA	-5.25	-2.36	-0.56	23.98	-24.54

Table 7-11. TxBF Primary Maximum Conducted Output Power

FCC ID: BCGA3361	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 72 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Frequency [MHz]	Data Rate	Mode	Power Scheme	Conducted Powers [dBm]			Conducted Power Limit [dBm]	Conducted Power Margin [dB]
				Antenna 4a	Antenna 2a	Summed		
5162	1.0	NB UNII BDR	ePA	6.78	6.69	9.75	23.98	-14.23
5203	1.0	NB UNII BDR	ePA	6.70	6.96	9.84	23.98	-14.14
5245	1.0	NB UNII BDR	ePA	6.74	6.82	9.79	23.98	-14.19
5162	1.0	NB UNII BDR	iPA	3.92	0.81	5.65	23.98	-18.33
5203	1.0	NB UNII BDR	iPA	3.87	0.46	5.50	23.98	-18.48
5245	1.0	NB UNII BDR	iPA	3.70	0.64	5.44	23.98	-18.54
5162	1.0	NB UNII LE1M	ePA	7.24	7.04	10.15	23.98	-13.83
5203	1.0	NB UNII LE1M	ePA	6.72	6.82	9.78	23.98	-14.20
5245	1.0	NB UNII LE1M	ePA	7.10	6.76	9.94	23.98	-14.04
5162	1.0	NB UNII LE1M	iPA	3.70	0.89	5.53	23.98	-18.45
5203	1.0	NB UNII LE1M	iPA	3.79	0.55	5.48	23.98	-18.50
5245	1.0	NB UNII LE1M	iPA	3.32	0.67	5.21	23.98	-18.77
5162	2.0	NB UNII LE2M	ePA	7.90	7.97	10.94	23.98	-13.04
5203	2.0	NB UNII LE2M	ePA	7.73	7.80	10.78	23.98	-13.20
5245	2.0	NB UNII LE2M	ePA	7.59	7.67	10.64	23.98	-13.34
5162	2.0	NB UNII LE2M	iPA	3.43	0.78	5.32	23.98	-18.66
5203	2.0	NB UNII LE2M	iPA	3.54	0.33	5.24	23.98	-18.74
5245	2.0	NB UNII LE2M	iPA	3.64	0.66	5.41	23.98	-18.57
5162	4.0	NB UNII HDR4	ePA	9.05	8.83	11.95	23.98	-12.03
5203	4.0	NB UNII HDR4	ePA	9.06	9.04	12.06	23.98	-11.92
5245	4.0	NB UNII HDR4	ePA	8.94	8.99	11.98	23.98	-12.00
5162	4.0	NB UNII HDR4	iPA	0.37	-2.35	2.23	23.98	-21.75
5203	4.0	NB UNII HDR4	iPA	0.51	-2.16	2.39	23.98	-21.59
5245	4.0	NB UNII HDR4	iPA	0.02	-2.40	1.99	23.98	-21.99
5162	8.0	NB UNII HDR8	ePA	11.09	11.36	14.24	23.98	-9.74
5203	8.0	NB UNII HDR8	ePA	11.09	11.05	14.08	23.98	-9.90
5245	8.0	NB UNII HDR8	ePA	10.93	11.46	14.21	23.98	-9.77
5162	8.0	NB UNII HDR8	iPA	0.85	-2.75	2.42	23.98	-21.56
5203	8.0	NB UNII HDR8	iPA	0.61	-2.22	2.43	23.98	-21.55
5245	8.0	NB UNII HDR8	iPA	0.60	-2.16	2.45	23.98	-21.53
5162	2.0	NB UNII HDRPS2	ePA	9.17	8.88	12.04	23.98	-11.94
5203	2.0	NB UNII HDRPS2	ePA	9.01	8.93	11.98	23.98	-12.00
5245	2.0	NB UNII HDRPS2	ePA	9.24	8.93	12.10	23.98	-11.88
5162	2.0	NB UNII HDRPS2	iPA	0.74	-2.14	2.55	23.98	-21.43
5203	2.0	NB UNII HDRPS2	iPA	0.85	-2.31	2.56	23.98	-21.42
5245	2.0	NB UNII HDRPS2	iPA	0.96	-2.16	2.68	23.98	-21.30
5162	6.0	NB UNII XHDRPM6	ePA	11.75	11.85	14.81	23.98	-9.17
5203	6.0	NB UNII XHDRPM6	ePA	11.66	11.65	14.66	23.98	-9.32
5245	6.0	NB UNII XHDRPM6	ePA	11.49	11.61	14.56	23.98	-9.42
5162	6.0	NB UNII XHDRPM6	iPA	0.50	-2.30	2.33	23.98	-21.65
5203	6.0	NB UNII XHDRPM6	iPA	0.84	-2.11	2.62	23.98	-21.36
5245	6.0	NB UNII XHDRPM6	iPA	0.67	-2.02	2.54	23.98	-21.44
5162	16.0	NB UNII HDRPM16	ePA	10.82	10.46	13.66	23.98	-10.32
5203	16.0	NB UNII HDRPM16	ePA	10.91	10.46	13.70	23.98	-10.28
5245	16.0	NB UNII HDRPM16	ePA	10.94	10.33	13.65	23.98	-10.33
5162	16.0	NB UNII HDRPM16	iPA	-2.14	-5.33	-0.44	23.98	-24.42
5203	16.0	NB UNII HDRPM16	iPA	-2.27	-5.50	-0.58	23.98	-24.56
5245	16.0	NB UNII HDRPM16	iPA	-2.19	-5.13	-0.41	23.98	-24.39
5164	12.0	NB UNII HDRPL12	ePA	13.01	12.24	15.66	23.98	-8.32
5203	12.0	NB UNII HDRPL12	ePA	13.11	12.13	15.66	23.98	-8.32
5242	12.0	NB UNII HDRPL12	ePA	13.34	12.05	15.75	23.98	-8.23
5164	12.0	NB UNII HDRPL12	iPA	0.75	-2.19	2.53	23.98	-21.45
5203	12.0	NB UNII HDRPL12	iPA	0.50	-2.00	2.44	23.98	-21.54
5242	12.0	NB UNII HDRPL12	iPA	0.81	-2.38	2.51	23.98	-21.47
5164	32.0	NB UNII HDRPL32	ePA	10.92	10.34	13.65	23.98	-10.33
5203	32.0	NB UNII HDRPL32	ePA	10.72	10.28	13.52	23.98	-10.46
5242	32.0	NB UNII HDRPL32	ePA	11.09	10.29	13.72	23.98	-10.26
5164	32.0	NB UNII HDRPL32	iPA	-2.16	-5.11	-0.38	23.98	-24.36
5203	32.0	NB UNII HDRPL32	iPA	-2.37	-5.34	-0.60	23.98	-24.58
5242	32.0	NB UNII HDRPL32	iPA	-2.21	-5.36	-0.50	23.98	-24.48
5162	2.0	NB UNII HDT2	ePA	9.47	9.27	12.38	23.98	-11.60
5203	2.0	NB UNII HDT2	ePA	9.38	9.01	12.21	23.98	-11.77
5245	2.0	NB UNII HDT2	ePA	9.25	9.41	12.34	23.98	-11.64
5162	2.0	NB UNII HDT2	iPA	0.69	-2.12	2.51	23.98	-21.47
5203	2.0	NB UNII HDT2	iPA	0.60	-2.48	2.34	23.98	-21.64
5245	2.0	NB UNII HDT2	iPA	0.71	-2.35	2.45	23.98	-21.53
5162	4.0	NB UNII HDT4	ePA	9.39	9.20	12.31	23.98	-11.67
5203	4.0	NB UNII HDT4	ePA	9.37	9.45	12.42	23.98	-11.56
5245	4.0	NB UNII HDT4	ePA	9.22	9.35	12.30	23.98	-11.68
5162	4.0	NB UNII HDT4	iPA	0.67	-2.08	2.52	23.98	-21.46
5203	4.0	NB UNII HDT4	iPA	0.54	-2.50	2.29	23.98	-21.69
5245	4.0	NB UNII HDT4	iPA	0.66	-2.37	2.41	23.98	-21.57
5162	6.0	NB UNII HDT6	ePA	8.84	9.17	12.02	23.98	-11.96
5203	6.0	NB UNII HDT6	ePA	8.84	8.93	11.90	23.98	-12.08
5245	6.0	NB UNII HDT6	ePA	9.22	8.84	12.05	23.98	-11.93
5162	6.0	NB UNII HDT6	iPA	-2.32	-5.43	-0.59	23.98	-24.57
5203	6.0	NB UNII HDT6	iPA	-2.33	-5.27	-0.54	23.98	-24.52
5245	6.0	NB UNII HDT6	iPA	-2.36	-5.30	-0.57	23.98	-24.55

Table 7-12. TxBF Diversity Maximum Conducted Output Power

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 73 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.4.2 Conducted Output Power Measurements (U-NII-3)

Frequency [MHz]	Data Rate	Mode	Power Scheme	Conducted Powers [dBm]	Conducted Power Limit [dBm]	Conducted Power Margin [dB]
5733	1.0	NB UNII BDR	ePA	18.31	30.00	-11.70
5788	1.0	NB UNII BDR	ePA	18.22	30.00	-11.78
5844	1.0	NB UNII BDR	ePA	18.38	30.00	-11.62
5733	1.0	NB UNII BDR	iPA	1.79	30.00	-28.21
5788	1.0	NB UNII BDR	iPA	1.75	30.00	-28.25
5844	1.0	NB UNII BDR	iPA	1.69	30.00	-28.31
5733	1.0	NB UNII LE1M	ePA	18.39	30.00	-11.61
5788	1.0	NB UNII LE1M	ePA	18.32	30.00	-11.68
5844	1.0	NB UNII LE1M	ePA	18.37	30.00	-11.63
5733	1.0	NB UNII LE1M	iPA	1.61	30.00	-28.39
5788	1.0	NB UNII LE1M	iPA	1.96	30.00	-28.04
5844	1.0	NB UNII LE1M	iPA	2.00	30.00	-28.00
5733	2.0	NB UNII LE2M	ePA	18.37	30.00	-11.63
5788	2.0	NB UNII LE2M	ePA	18.47	30.00	-11.53
5844	2.0	NB UNII LE2M	ePA	18.28	30.00	-11.72
5733	2.0	NB UNII LE2M	iPA	1.78	30.00	-28.22
5788	2.0	NB UNII LE2M	iPA	1.03	30.00	-28.97
5844	2.0	NB UNII LE2M	iPA	1.70	30.00	-28.31
5733	4.0	NB UNII HDR4	ePA	13.30	30.00	-16.71
5788	4.0	NB UNII HDR4	ePA	13.05	30.00	-16.95
5844	4.0	NB UNII HDR4	ePA	12.94	30.00	-17.06
5733	4.0	NB UNII HDR4	iPA	-1.04	30.00	-31.04
5788	4.0	NB UNII HDR4	iPA	-1.07	30.00	-31.07
5844	4.0	NB UNII HDR4	iPA	-1.44	30.00	-31.44
5733	8.0	NB UNII HDR8	ePA	13.21	30.00	-16.80
5788	8.0	NB UNII HDR8	ePA	13.20	30.00	-16.80
5844	8.0	NB UNII HDR8	ePA	13.23	30.00	-16.77
5733	8.0	NB UNII HDR8	iPA	-1.31	30.00	-31.31
5788	8.0	NB UNII HDR8	iPA	-1.50	30.00	-31.50
5844	8.0	NB UNII HDR8	iPA	-1.35	30.00	-31.35
5733	2.0	NB UNII HDRPS2	ePA	13.07	30.00	-16.93
5788	2.0	NB UNII HDRPS2	ePA	13.09	30.00	-16.91
5844	2.0	NB UNII HDRPS2	ePA	13.20	30.00	-16.80
5733	2.0	NB UNII HDRPS2	iPA	-1.31	30.00	-31.31
5788	2.0	NB UNII HDRPS2	iPA	-1.45	30.00	-31.45
5844	2.0	NB UNII HDRPS2	iPA	-1.48	30.00	-31.48
5733	6.0	NB UNII XHDRPM6	ePA	13.44	30.00	-16.56
5788	6.0	NB UNII XHDRPM6	ePA	13.41	30.00	-16.60
5844	6.0	NB UNII XHDRPM6	ePA	13.13	30.00	-16.87
5733	6.0	NB UNII XHDRPM6	iPA	-1.20	30.00	-31.20
5788	6.0	NB UNII XHDRPM6	iPA	-1.21	30.00	-31.21
5844	6.0	NB UNII XHDRPM6	iPA	-1.36	30.00	-31.36
5733	16.0	NB UNII HDRPM16	ePA	11.37	30.00	-18.63
5788	16.0	NB UNII HDRPM16	ePA	11.18	30.00	-18.82
5844	16.0	NB UNII HDRPM16	ePA	11.28	30.00	-18.72
5733	16.0	NB UNII HDRPM16	iPA	-4.26	30.00	-34.26
5788	16.0	NB UNII HDRPM16	iPA	-4.35	30.00	-34.35
5844	16.0	NB UNII HDRPM16	iPA	-4.02	30.00	-34.02
5733	12.0	NB UNII HDRPL12	ePA	12.96	30.00	-17.04
5788	12.0	NB UNII HDRPL12	ePA	13.42	30.00	-16.58
5844	12.0	NB UNII HDRPL12	ePA	12.97	30.00	-17.03
5733	12.0	NB UNII HDRPL12	iPA	-1.08	30.00	-31.08
5788	12.0	NB UNII HDRPL12	iPA	-1.09	30.00	-31.09
5844	12.0	NB UNII HDRPL12	iPA	-1.26	30.00	-31.26
5733	32.0	NB UNII HDRPL32	ePA	11.17	30.00	-18.83
5788	32.0	NB UNII HDRPL32	ePA	11.46	30.00	-18.54
5844	32.0	NB UNII HDRPL32	ePA	11.01	30.00	-18.99
5733	32.0	NB UNII HDRPL32	iPA	-4.44	30.00	-34.44
5788	32.0	NB UNII HDRPL32	iPA	-4.59	30.00	-34.59
5844	32.0	NB UNII HDRPL32	iPA	-4.05	30.00	-34.05
5733	2.0	NB UNII HDT2	ePA	13.41	30.00	-16.59
5788	2.0	NB UNII HDT2	ePA	13.28	30.00	-16.72
5844	2.0	NB UNII HDT2	ePA	13.36	30.00	-16.64
5733	2.0	NB UNII HDT2	iPA	-1.30	30.00	-31.30
5788	2.0	NB UNII HDT2	iPA	-1.42	30.00	-31.42
5844	2.0	NB UNII HDT2	iPA	-1.10	30.00	-31.10
5733	4.0	NB UNII HDT4	ePA	13.49	30.00	-16.51
5788	4.0	NB UNII HDT4	ePA	13.32	30.00	-16.68
5844	4.0	NB UNII HDT4	ePA	13.48	30.00	-16.52
5733	4.0	NB UNII HDT4	iPA	-1.30	30.00	-31.30
5788	4.0	NB UNII HDT4	iPA	-1.39	30.00	-31.39
5844	4.0	NB UNII HDT4	iPA	-1.09	30.00	-31.09
5733	6.0	NB UNII HDT6	ePA	11.17	30.00	-18.83
5788	6.0	NB UNII HDT6	ePA	11.45	30.00	-18.55
5844	6.0	NB UNII HDT6	ePA	11.40	30.00	-18.60
5733	6.0	NB UNII HDT6	iPA	-4.32	30.00	-34.32
5788	6.0	NB UNII HDT6	iPA	-4.45	30.00	-34.45
5844	6.0	NB UNII HDT6	iPA	-4.16	30.00	-34.16

Table 7-13. Antenna WF5B Maximum Conducted Output Power

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 74 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Frequency [MHz]	Data Rate	Mode	Power Scheme	Conducted Powers [dBm]	Conducted Power Limit [dBm]	Conducted Power Margin [dB]
5733	1.0	NB UNII BDR	ePA	17.92	30.00	-12.08
5788	1.0	NB UNII BDR	ePA	18.02	30.00	-11.98
5844	1.0	NB UNII BDR	ePA	17.66	30.00	-12.34
5733	1.0	NB UNII BDR	iPA	3.81	30.00	-26.19
5788	1.0	NB UNII BDR	iPA	3.98	30.00	-26.02
5844	1.0	NB UNII BDR	iPA	4.41	30.00	-25.59
5733	1.0	NB UNII LE1M	ePA	18.36	30.00	-11.64
5788	1.0	NB UNII LE1M	ePA	18.26	30.00	-11.74
5844	1.0	NB UNII LE1M	ePA	18.39	30.00	-11.61
5733	1.0	NB UNII LE1M	iPA	4.28	30.00	-25.72
5788	1.0	NB UNII LE1M	iPA	4.21	30.00	-25.79
5844	1.0	NB UNII LE1M	iPA	4.06	30.00	-25.94
5733	2.0	NB UNII LE2M	ePA	17.93	30.00	-12.07
5788	2.0	NB UNII LE2M	ePA	17.95	30.00	-12.05
5844	2.0	NB UNII LE2M	ePA	17.75	30.00	-12.25
5733	2.0	NB UNII LE2M	iPA	4.31	30.00	-25.69
5788	2.0	NB UNII LE2M	iPA	4.20	30.00	-25.80
5844	2.0	NB UNII LE2M	iPA	3.68	30.00	-26.32
5733	4.0	NB UNII HDR4	ePA	13.63	30.00	-16.37
5788	4.0	NB UNII HDR4	ePA	13.73	30.00	-16.27
5844	4.0	NB UNII HDR4	ePA	13.91	30.00	-16.09
5733	4.0	NB UNII HDR4	iPA	1.50	30.00	-28.50
5788	4.0	NB UNII HDR4	iPA	1.02	30.00	-28.98
5844	4.0	NB UNII HDR4	iPA	0.99	30.00	-29.01
5733	8.0	NB UNII HDR8	ePA	13.89	30.00	-16.11
5788	8.0	NB UNII HDR8	ePA	13.64	30.00	-16.36
5844	8.0	NB UNII HDR8	ePA	13.82	30.00	-16.18
5733	8.0	NB UNII HDR8	iPA	1.28	30.00	-28.72
5788	8.0	NB UNII HDR8	iPA	1.47	30.00	-28.53
5844	8.0	NB UNII HDR8	iPA	0.54	30.00	-29.46
5733	2.0	NB UNII HDRPS2	ePA	13.98	30.00	-16.03
5788	2.0	NB UNII HDRPS2	ePA	13.94	30.00	-16.06
5844	2.0	NB UNII HDRPS2	ePA	13.79	30.00	-16.21
5733	2.0	NB UNII HDRPS2	iPA	1.27	30.00	-28.73
5788	2.0	NB UNII HDRPS2	iPA	0.95	30.00	-29.05
5844	2.0	NB UNII HDRPS2	iPA	1.44	30.00	-28.56
5733	6.0	NB UNII XHDRPM6	ePA	13.88	30.00	-16.12
5788	6.0	NB UNII XHDRPM6	ePA	13.81	30.00	-16.19
5844	6.0	NB UNII XHDRPM6	ePA	13.88	30.00	-16.12
5733	6.0	NB UNII XHDRPM6	iPA	1.03	30.00	-28.97
5788	6.0	NB UNII XHDRPM6	iPA	1.07	30.00	-28.93
5844	6.0	NB UNII XHDRPM6	iPA	1.05	30.00	-28.95
5733	16.0	NB UNII HDRPM16	ePA	11.54	30.00	-18.46
5788	16.0	NB UNII HDRPM16	ePA	11.79	30.00	-18.21
5844	16.0	NB UNII HDRPM16	ePA	11.73	30.00	-18.27
5733	16.0	NB UNII HDRPM16	iPA	-1.57	30.00	-31.57
5788	16.0	NB UNII HDRPM16	iPA	-1.64	30.00	-31.64
5844	16.0	NB UNII HDRPM16	iPA	-1.90	30.00	-31.90
5733	12.0	NB UNII HDRPL12	ePA	13.44	30.00	-16.56
5788	12.0	NB UNII HDRPL12	ePA	13.79	30.00	-16.21
5844	12.0	NB UNII HDRPL12	ePA	13.99	30.00	-16.01
5733	12.0	NB UNII HDRPL12	iPA	1.22	30.00	-28.78
5788	12.0	NB UNII HDRPL12	iPA	1.10	30.00	-28.90
5844	12.0	NB UNII HDRPL12	iPA	1.13	30.00	-28.87
5733	32.0	NB UNII HDRPL32	ePA	11.99	30.00	-18.01
5788	32.0	NB UNII HDRPL32	ePA	11.81	30.00	-18.19
5844	32.0	NB UNII HDRPL32	ePA	12.00	30.00	-18.00
5733	32.0	NB UNII HDRPL32	iPA	-1.70	30.00	-31.70
5788	32.0	NB UNII HDRPL32	iPA	-1.88	30.00	-31.88
5844	32.0	NB UNII HDRPL32	iPA	-1.57	30.00	-31.57
5733	2.0	NB UNII HDT2	ePA	13.81	30.00	-16.19
5788	2.0	NB UNII HDT2	ePA	13.67	30.00	-16.33
5844	2.0	NB UNII HDT2	ePA	13.74	30.00	-16.26
5733	2.0	NB UNII HDT2	iPA	1.22	30.00	-28.78
5788	2.0	NB UNII HDT2	iPA	1.24	30.00	-28.76
5844	2.0	NB UNII HDT2	iPA	1.28	30.00	-28.72
5733	4.0	NB UNII HDT4	ePA	13.85	30.00	-16.15
5788	4.0	NB UNII HDT4	ePA	13.70	30.00	-16.30
5844	4.0	NB UNII HDT4	ePA	13.74	30.00	-16.26
5733	4.0	NB UNII HDT4	iPA	1.21	30.00	-28.79
5788	4.0	NB UNII HDT4	iPA	1.23	30.00	-28.77
5844	4.0	NB UNII HDT4	iPA	1.34	30.00	-28.66
5733	6.0	NB UNII HDT6	ePA	11.82	30.00	-18.18
5788	6.0	NB UNII HDT6	ePA	11.70	30.00	-18.30
5844	6.0	NB UNII HDT6	ePA	11.81	30.00	-18.19
5733	6.0	NB UNII HDT6	iPA	-1.71	30.00	-31.71
5788	6.0	NB UNII HDT6	iPA	-1.72	30.00	-31.72
5844	6.0	NB UNII HDT6	iPA	-1.99	30.00	-31.99

Table 7-14. Antenna 4a Maximum Conducted Output Power

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 75 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Frequency [MHz]	Data Rate	Mode	Power Scheme	Conducted Powers [dBm]	Conducted Power Limit [dBm]	Conducted Power Margin [dB]
5733	1.0	NB UNII BDR	ePA	18.02	30.00	-11.98
5788	1.0	NB UNII BDR	ePA	18.42	30.00	-11.58
5844	1.0	NB UNII BDR	ePA	17.87	30.00	-12.14
5733	1.0	NB UNII BDR	iPA	1.67	30.00	-28.33
5788	1.0	NB UNII BDR	iPA	1.96	30.00	-28.04
5844	1.0	NB UNII BDR	iPA	1.89	30.00	-28.11
5733	1.0	NB UNII LE1M	ePA	18.08	30.00	-11.92
5788	1.0	NB UNII LE1M	ePA	18.46	30.00	-11.55
5844	1.0	NB UNII LE1M	ePA	18.08	30.00	-11.92
5733	1.0	NB UNII LE1M	iPA	1.85	30.00	-28.15
5788	1.0	NB UNII LE1M	iPA	1.70	30.00	-28.30
5844	1.0	NB UNII LE1M	iPA	1.63	30.00	-28.37
5733	2.0	NB UNII LE2M	ePA	17.92	30.00	-12.08
5788	2.0	NB UNII LE2M	ePA	18.12	30.00	-11.88
5844	2.0	NB UNII LE2M	ePA	17.76	30.00	-12.24
5733	2.0	NB UNII LE2M	iPA	1.33	30.00	-28.67
5788	2.0	NB UNII LE2M	iPA	1.83	30.00	-28.17
5844	2.0	NB UNII LE2M	iPA	1.94	30.00	-28.07
5733	4.0	NB UNII HDR4	ePA	13.00	30.00	-17.00
5788	4.0	NB UNII HDR4	ePA	13.46	30.00	-16.54
5844	4.0	NB UNII HDR4	ePA	13.46	30.00	-16.54
5733	4.0	NB UNII HDR4	iPA	-1.24	30.00	-31.24
5788	4.0	NB UNII HDR4	iPA	-1.48	30.00	-31.48
5844	4.0	NB UNII HDR4	iPA	-1.26	30.00	-31.26
5733	8.0	NB UNII HDR8	ePA	12.69	30.00	-17.32
5788	8.0	NB UNII HDR8	ePA	12.85	30.00	-17.15
5844	8.0	NB UNII HDR8	ePA	13.33	30.00	-16.68
5733	8.0	NB UNII HDR8	iPA	-1.03	30.00	-31.03
5788	8.0	NB UNII HDR8	iPA	-1.11	30.00	-31.11
5844	8.0	NB UNII HDR8	iPA	-1.25	30.00	-31.25
5733	2.0	NB UNII HDRPS2	ePA	13.28	30.00	-16.72
5788	2.0	NB UNII HDRPS2	ePA	13.21	30.00	-16.79
5844	2.0	NB UNII HDRPS2	ePA	13.09	30.00	-16.91
5733	2.0	NB UNII HDRPS2	iPA	-1.28	30.00	-31.28
5788	2.0	NB UNII HDRPS2	iPA	-1.20	30.00	-31.20
5844	2.0	NB UNII HDRPS2	iPA	-1.10	30.00	-31.10
5733	6.0	NB UNII XHDRPM6	ePA	13.11	30.00	-16.89
5788	6.0	NB UNII XHDRPM6	ePA	13.02	30.00	-16.98
5844	6.0	NB UNII XHDRPM6	ePA	13.37	30.00	-16.63
5733	6.0	NB UNII XHDRPM6	iPA	-1.33	30.00	-31.33
5788	6.0	NB UNII XHDRPM6	iPA	-1.42	30.00	-31.42
5844	6.0	NB UNII XHDRPM6	iPA	-1.19	30.00	-31.19
5733	16.0	NB UNII HDRPM16	ePA	11.41	30.00	-18.60
5788	16.0	NB UNII HDRPM16	ePA	11.32	30.00	-18.69
5844	16.0	NB UNII HDRPM16	ePA	11.34	30.00	-18.66
5733	16.0	NB UNII HDRPM16	iPA	-4.67	30.00	-34.67
5788	16.0	NB UNII HDRPM16	iPA	-4.33	30.00	-34.33
5844	16.0	NB UNII HDRPM16	iPA	-4.49	30.00	-34.49
5733	12.0	NB UNII HDRPL12	ePA	13.22	30.00	-16.78
5788	12.0	NB UNII HDRPL12	ePA	13.04	30.00	-16.96
5844	12.0	NB UNII HDRPL12	ePA	13.23	30.00	-16.77
5733	12.0	NB UNII HDRPL12	iPA	-1.25	30.00	-31.25
5788	12.0	NB UNII HDRPL12	iPA	-1.35	30.00	-31.35
5844	12.0	NB UNII HDRPL12	iPA	-1.11	30.00	-31.11
5733	32.0	NB UNII HDRPL32	ePA	11.11	30.00	-18.89
5788	32.0	NB UNII HDRPL32	ePA	11.03	30.00	-18.97
5844	32.0	NB UNII HDRPL32	ePA	10.99	30.00	-19.01
5733	32.0	NB UNII HDRPL32	iPA	-4.14	30.00	-34.14
5788	32.0	NB UNII HDRPL32	iPA	-4.27	30.00	-34.27
5844	32.0	NB UNII HDRPL32	iPA	-4.10	30.00	-34.10
5733	2.0	NB UNII HDT2	ePA	13.49	30.00	-16.51
5788	2.0	NB UNII HDT2	ePA	13.37	30.00	-16.64
5844	2.0	NB UNII HDT2	ePA	13.33	30.00	-16.67
5733	2.0	NB UNII HDT2	iPA	-1.11	30.00	-31.11
5788	2.0	NB UNII HDT2	iPA	-1.20	30.00	-31.20
5844	2.0	NB UNII HDT2	iPA	-1.48	30.00	-31.48
5733	4.0	NB UNII HDT4	ePA	12.94	30.00	-17.06
5788	4.0	NB UNII HDT4	ePA	13.32	30.00	-16.68
5844	4.0	NB UNII HDT4	ePA	13.36	30.00	-16.64
5733	4.0	NB UNII HDT4	iPA	-1.07	30.00	-31.07
5788	4.0	NB UNII HDT4	iPA	-1.25	30.00	-31.25
5844	4.0	NB UNII HDT4	iPA	-1.01	30.00	-31.01
5733	6.0	NB UNII HDT6	ePA	11.26	30.00	-18.74
5788	6.0	NB UNII HDT6	ePA	11.05	30.00	-18.95
5844	6.0	NB UNII HDT6	ePA	11.43	30.00	-18.57
5733	6.0	NB UNII HDT6	iPA	-4.16	30.00	-34.16
5788	6.0	NB UNII HDT6	iPA	-4.24	30.00	-34.24
5844	6.0	NB UNII HDT6	iPA	-4.02	30.00	-34.02

Table 7-15. Antenna 2a Maximum Conducted Output Power

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 76 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Frequency [MHz]	Data Rate	Mode	Power Scheme	Conducted Powers [dBm]			Conducted Power Limit [dBm]	Conducted Power Margin [dB]
				Antenna WFSB	Antenna 4a	Summed		
5733	1.0	NB UNII BDR	ePA	18.43	17.93	21.19	30.00	-8.81
5788	1.0	NB UNII BDR	ePA	18.36	17.59	21.00	30.00	-9.00
5844	1.0	NB UNII BDR	ePA	17.62	18.45	21.06	30.00	-8.94
5733	1.0	NB UNII BDR	iPA	1.76	4.28	6.21	30.00	-23.79
5788	1.0	NB UNII BDR	iPA	1.65	4.14	6.08	30.00	-23.92
5844	1.0	NB UNII BDR	iPA	1.60	4.28	6.15	30.00	-23.85
5733	1.0	NB UNII LE1M	ePA	18.46	18.41	21.45	30.00	-8.55
5788	1.0	NB UNII LE1M	ePA	18.37	18.29	21.34	30.00	-8.66
5844	1.0	NB UNII LE1M	ePA	18.33	18.43	21.39	30.00	-8.61
5733	1.0	NB UNII LE1M	iPA	1.87	4.17	6.18	30.00	-23.82
5788	1.0	NB UNII LE1M	iPA	1.88	4.19	6.20	30.00	-23.80
5844	1.0	NB UNII LE1M	iPA	1.99	4.02	6.13	30.00	-23.87
5733	2.0	NB UNII LE2M	ePA	18.15	18.21	21.19	30.00	-8.81
5788	2.0	NB UNII LE2M	ePA	17.72	18.28	21.02	30.00	-8.98
5844	2.0	NB UNII LE2M	ePA	18.38	18.11	21.25	30.00	-8.75
5733	2.0	NB UNII LE2M	iPA	1.45	4.40	6.18	30.00	-23.82
5788	2.0	NB UNII LE2M	iPA	1.48	3.95	5.90	30.00	-24.10
5844	2.0	NB UNII LE2M	iPA	1.42	4.27	6.08	30.00	-23.92
5733	4.0	NB UNII HDR4	ePA	12.98	13.16	16.08	30.00	-13.92
5788	4.0	NB UNII HDR4	ePA	13.12	13.97	16.57	30.00	-13.43
5844	4.0	NB UNII HDR4	ePA	13.02	13.20	16.12	30.00	-13.88
5733	4.0	NB UNII HDR4	iPA	-1.30	1.13	3.09	30.00	-26.91
5788	4.0	NB UNII HDR4	iPA	-1.47	1.38	3.20	30.00	-26.80
5844	4.0	NB UNII HDR4	iPA	-1.50	1.06	2.97	30.00	-27.03
5733	8.0	NB UNII HDR8	ePA	13.09	13.51	16.31	30.00	-13.69
5788	8.0	NB UNII HDR8	ePA	13.16	13.82	16.51	30.00	-13.49
5844	8.0	NB UNII HDR8	ePA	13.48	13.71	16.60	30.00	-13.40
5733	8.0	NB UNII HDR8	iPA	-1.04	1.16	3.21	30.00	-26.79
5788	8.0	NB UNII HDR8	iPA	-1.19	1.45	3.34	30.00	-26.66
5844	8.0	NB UNII HDR8	iPA	-1.33	1.24	3.15	30.00	-26.85
5733	2.0	NB UNII HDRPS2	ePA	12.86	13.94	16.44	30.00	-13.56
5788	2.0	NB UNII HDRPS2	ePA	13.30	13.71	16.52	30.00	-13.48
5844	2.0	NB UNII HDRPS2	ePA	13.22	13.66	16.46	30.00	-13.54
5733	2.0	NB UNII HDRPS2	iPA	-1.04	1.17	3.21	30.00	-26.79
5788	2.0	NB UNII HDRPS2	iPA	-1.25	0.95	3.00	30.00	-27.00
5844	2.0	NB UNII HDRPS2	iPA	-1.12	1.37	3.31	30.00	-26.69
5733	6.0	NB UNII XHDRPM6	ePA	13.17	13.86	16.54	30.00	-13.46
5788	6.0	NB UNII XHDRPM6	ePA	12.64	13.77	16.25	30.00	-13.75
5844	6.0	NB UNII XHDRPM6	ePA	13.09	13.84	16.49	30.00	-13.51
5733	6.0	NB UNII XHDRPM6	iPA	-1.39	1.40	3.24	30.00	-26.76
5788	6.0	NB UNII XHDRPM6	iPA	-1.38	1.31	3.18	30.00	-26.82
5844	6.0	NB UNII XHDRPM6	iPA	-1.09	1.46	3.38	30.00	-26.62
5733	16.0	NB UNII HDRPM16	ePA	11.47	11.47	14.48	30.00	-15.52
5788	16.0	NB UNII HDRPM16	ePA	11.42	11.59	14.52	30.00	-15.48
5844	16.0	NB UNII HDRPM16	ePA	11.48	11.68	14.59	30.00	-15.41
5733	16.0	NB UNII HDRPM16	iPA	-4.43	-1.71	0.15	30.00	-29.85
5788	16.0	NB UNII HDRPM16	iPA	-4.11	-1.75	0.24	30.00	-29.76
5844	16.0	NB UNII HDRPM16	iPA	-4.27	-2.02	0.01	30.00	-29.99
5733	12.0	NB UNII HDRPL12	ePA	13.32	13.87	16.61	30.00	-13.39
5788	12.0	NB UNII HDRPL12	ePA	13.20	13.81	16.53	30.00	-13.47
5844	12.0	NB UNII HDRPL12	ePA	13.26	13.89	16.60	30.00	-13.40
5733	12.0	NB UNII HDRPL12	iPA	-1.25	1.05	3.06	30.00	-26.94
5788	12.0	NB UNII HDRPL12	iPA	-1.24	1.10	3.09	30.00	-26.91
5844	12.0	NB UNII HDRPL12	iPA	-1.34	1.10	3.06	30.00	-26.94
5733	32.0	NB UNII HDRPL32	ePA	11.29	12.00	14.67	30.00	-15.33
5788	32.0	NB UNII HDRPL32	ePA	11.20	11.82	14.53	30.00	-15.47
5844	32.0	NB UNII HDRPL32	ePA	11.26	12.00	14.65	30.00	-15.35
5733	32.0	NB UNII HDRPL32	iPA	-4.19	-1.86	0.14	30.00	-29.86
5788	32.0	NB UNII HDRPL32	iPA	-4.27	-1.91	0.08	30.00	-29.92
5844	32.0	NB UNII HDRPL32	iPA	-4.44	-1.58	0.23	30.00	-29.77
5733	2.0	NB UNII HDT2	ePA	13.06	13.82	16.47	30.00	-13.53
5788	2.0	NB UNII HDT2	ePA	13.43	13.72	16.59	30.00	-13.41
5844	2.0	NB UNII HDT2	ePA	13.49	13.75	16.63	30.00	-13.37
5733	2.0	NB UNII HDT2	iPA	-1.16	1.20	3.19	30.00	-26.81
5788	2.0	NB UNII HDT2	iPA	-1.14	1.21	3.21	30.00	-26.79
5844	2.0	NB UNII HDT2	iPA	-1.30	1.27	3.19	30.00	-26.81
5733	4.0	NB UNII HDT4	ePA	13.03	13.89	16.49	30.00	-13.51
5788	4.0	NB UNII HDT4	ePA	13.41	13.72	16.58	30.00	-13.42
5844	4.0	NB UNII HDT4	ePA	13.46	13.76	16.62	30.00	-13.38
5733	4.0	NB UNII HDT4	iPA	-1.15	1.16	3.17	30.00	-26.83
5788	4.0	NB UNII HDT4	iPA	-1.17	1.26	3.22	30.00	-26.78
5844	4.0	NB UNII HDT4	iPA	-1.28	1.22	3.16	30.00	-26.84
5733	6.0	NB UNII HDT6	ePA	11.27	11.76	14.53	30.00	-15.47
5788	6.0	NB UNII HDT6	ePA	11.37	11.66	14.53	30.00	-15.47
5844	6.0	NB UNII HDT6	ePA	11.42	11.75	14.60	30.00	-15.40
5733	6.0	NB UNII HDT6	iPA	-4.18	-1.77	0.20	30.00	-29.80
5788	6.0	NB UNII HDT6	iPA	-4.24	-1.84	0.13	30.00	-29.87
5844	6.0	NB UNII HDT6	iPA	-4.37	-2.10	-0.07	30.00	-30.07

Table 7-16. TxBF Primary Maximum Conducted Output Power

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 77 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Frequency [MHz]	Data Rate	Mode	Power Scheme	Conducted Powers [dBm]			Conducted Power Limit [dBm]	Conducted Power Margin [dB]
				Antenna 4a	Antenna 2a	Summed		
5733	1.0	NB UNII BDR	ePA	17.93	18.34	21.15	30.00	-8.85
5788	1.0	NB UNII BDR	ePA	17.59	18.41	21.03	30.00	-8.97
5844	1.0	NB UNII BDR	ePA	18.45	18.47	21.47	30.00	-8.53
5733	1.0	NB UNII BDR	iPA	4.28	1.95	6.28	30.00	-23.72
5788	1.0	NB UNII BDR	iPA	4.14	1.87	6.16	30.00	-23.84
5844	1.0	NB UNII BDR	iPA	4.28	1.33	6.06	30.00	-23.94
5733	1.0	NB UNII LE1M	ePA	18.41	18.43	21.43	30.00	-8.57
5788	1.0	NB UNII LE1M	ePA	18.29	18.32	21.32	30.00	-8.68
5844	1.0	NB UNII LE1M	ePA	18.43	18.24	21.34	30.00	-8.66
5733	1.0	NB UNII LE1M	iPA	4.17	1.62	6.09	30.00	-23.91
5788	1.0	NB UNII LE1M	iPA	4.19	1.81	6.17	30.00	-23.83
5844	1.0	NB UNII LE1M	iPA	4.02	1.84	6.08	30.00	-23.92
5733	2.0	NB UNII LE2M	ePA	18.21	18.23	21.23	30.00	-8.77
5788	2.0	NB UNII LE2M	ePA	18.28	17.92	21.11	30.00	-8.89
5844	2.0	NB UNII LE2M	ePA	18.11	18.05	21.09	30.00	-8.91
5733	2.0	NB UNII LE2M	iPA	4.40	1.73	6.28	30.00	-23.72
5788	2.0	NB UNII LE2M	iPA	3.95	1.73	5.99	30.00	-24.01
5844	2.0	NB UNII LE2M	iPA	4.27	1.80	6.22	30.00	-23.78
5733	4.0	NB UNII HDR4	ePA	13.16	13.39	16.29	30.00	-13.71
5788	4.0	NB UNII HDR4	ePA	13.97	12.97	16.51	30.00	-13.49
5844	4.0	NB UNII HDR4	ePA	13.20	13.14	16.18	30.00	-13.82
5733	4.0	NB UNII HDR4	iPA	1.13	-1.13	3.15	30.00	-26.85
5788	4.0	NB UNII HDR4	iPA	1.38	-1.19	3.29	30.00	-26.71
5844	4.0	NB UNII HDR4	iPA	1.06	-1.08	3.13	30.00	-26.87
5733	8.0	NB UNII HDR8	ePA	13.51	13.06	16.30	30.00	-13.70
5788	8.0	NB UNII HDR8	ePA	13.82	13.08	16.47	30.00	-13.53
5844	8.0	NB UNII HDR8	ePA	13.71	13.45	16.59	30.00	-13.41
5733	8.0	NB UNII HDR8	iPA	1.16	-1.18	3.15	30.00	-26.85
5788	8.0	NB UNII HDR8	iPA	1.45	-1.16	3.35	30.00	-26.65
5844	8.0	NB UNII HDR8	iPA	1.24	-1.18	3.21	30.00	-26.79
5733	2.0	NB UNII HDRPS2	ePA	13.94	13.03	16.52	30.00	-13.48
5788	2.0	NB UNII HDRPS2	ePA	13.71	13.42	16.58	30.00	-13.42
5844	2.0	NB UNII HDRPS2	ePA	13.66	13.28	16.48	30.00	-13.52
5733	2.0	NB UNII HDRPS2	iPA	1.17	-1.47	3.06	30.00	-26.94
5788	2.0	NB UNII HDRPS2	iPA	0.95	-1.27	2.99	30.00	-27.01
5844	2.0	NB UNII HDRPS2	iPA	1.37	-1.22	3.28	30.00	-26.72
5733	6.0	NB UNII XHDRPM6	ePA	13.86	13.38	16.64	30.00	-13.36
5788	6.0	NB UNII XHDRPM6	ePA	13.77	12.62	16.24	30.00	-13.76
5844	6.0	NB UNII XHDRPM6	ePA	13.84	12.61	16.28	30.00	-13.72
5733	6.0	NB UNII XHDRPM6	iPA	1.40	-1.21	3.30	30.00	-26.70
5788	6.0	NB UNII XHDRPM6	iPA	1.31	-1.30	3.21	30.00	-26.79
5844	6.0	NB UNII XHDRPM6	iPA	1.46	-1.39	3.28	30.00	-26.72
5733	16.0	NB UNII HDRPM16	ePA	11.47	11.19	14.34	30.00	-15.66
5788	16.0	NB UNII HDRPM16	ePA	11.59	11.47	14.54	30.00	-15.46
5844	16.0	NB UNII HDRPM16	ePA	11.68	11.43	14.56	30.00	-15.44
5733	16.0	NB UNII HDRPM16	iPA	-1.71	-4.33	0.18	30.00	-29.82
5788	16.0	NB UNII HDRPM16	iPA	-1.75	-4.44	0.12	30.00	-29.88
5844	16.0	NB UNII HDRPM16	iPA	-2.02	-4.06	0.09	30.00	-29.91
5733	12.0	NB UNII HDRPL12	ePA	13.87	12.90	16.42	30.00	-13.58
5788	12.0	NB UNII HDRPL12	ePA	13.81	13.20	16.52	30.00	-13.48
5844	12.0	NB UNII HDRPL12	ePA	13.89	13.16	16.55	30.00	-13.45
5733	12.0	NB UNII HDRPL12	iPA	1.05	-1.04	3.14	30.00	-26.86
5788	12.0	NB UNII HDRPL12	iPA	1.10	-1.09	3.15	30.00	-26.85
5844	12.0	NB UNII HDRPL12	iPA	1.10	-1.31	3.07	30.00	-26.93
5733	32.0	NB UNII HDRPL32	ePA	12.00	11.37	14.70	30.00	-15.30
5788	32.0	NB UNII HDRPL32	ePA	11.82	11.35	14.60	30.00	-15.40
5844	32.0	NB UNII HDRPL32	ePA	12.00	11.23	14.64	30.00	-15.36
5733	32.0	NB UNII HDRPL32	iPA	-1.86	-4.07	0.18	30.00	-29.82
5788	32.0	NB UNII HDRPL32	iPA	-1.91	-4.50	0.00	30.00	-30.00
5844	32.0	NB UNII HDRPL32	iPA	-1.58	-4.30	0.28	30.00	-29.72
5733	2.0	NB UNII HDT2	ePA	13.82	13.18	16.52	30.00	-13.48
5788	2.0	NB UNII HDT2	ePA	13.72	13.05	16.41	30.00	-13.59
5844	2.0	NB UNII HDT2	ePA	13.75	13.48	16.62	30.00	-13.38
5733	2.0	NB UNII HDT2	iPA	1.20	-1.43	3.09	30.00	-26.91
5788	2.0	NB UNII HDT2	iPA	1.21	-1.43	3.10	30.00	-26.90
5844	2.0	NB UNII HDT2	iPA	1.27	-1.15	3.24	30.00	-26.76
5733	4.0	NB UNII HDT4	ePA	13.89	13.19	16.56	30.00	-13.44
5788	4.0	NB UNII HDT4	ePA	13.72	13.04	16.40	30.00	-13.60
5844	4.0	NB UNII HDT4	ePA	13.76	13.48	16.63	30.00	-13.37
5733	4.0	NB UNII HDT4	iPA	1.16	-1.36	3.09	30.00	-26.91
5788	4.0	NB UNII HDT4	iPA	1.26	-1.45	3.12	30.00	-26.88
5844	4.0	NB UNII HDT4	iPA	1.22	-1.17	3.20	30.00	-26.80
5733	6.0	NB UNII HDT6	ePA	11.76	11.43	14.61	30.00	-15.39
5788	6.0	NB UNII HDT6	ePA	11.66	11.24	14.46	30.00	-15.54
5844	6.0	NB UNII HDT6	ePA	11.75	11.20	14.50	30.00	-15.50
5733	6.0	NB UNII HDT6	iPA	-1.77	-4.45	0.11	30.00	-29.89
5788	6.0	NB UNII HDT6	iPA	-1.84	-4.58	0.01	30.00	-29.99
5844	6.0	NB UNII HDT6	iPA	-2.10	-4.13	0.01	30.00	-29.99

Table 7-17. TxBF Diversity Maximum Conducted Output Power

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 78 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Note:

Per ANSI C63.10-2020 and KDB 662911 v02r01 Section E)1), the conducted powers at Antenna WF5B and Antenna 4a were first measured separately during TxBF transmission as shown in the section above. The measured values were then summed in linear power units then converted back to dBm.

Per ANSI C63.10-2020 Section 14.6.3, the directional gain is calculated using the following formula, where G_N is the gain of the nth antenna and N_{ANT} , the total number of antennas used.

$$\text{Directional gain} = 10 \log[(10^{G_1/20} + 10^{G_2/20} + \dots + 10^{G_N/20})^2 / N_{ANT}] \text{ dBi}$$

Per ANSI C63.10-2020 Section 14.6.3, the uncorrelated directional gain is calculated using the following formula, where G_N is the gain of the nth antenna and N_{ANT} , the total number of antennas used.

$$\text{Directional gain} = 10 \log[(10^{G_1/10} + 10^{G_2/10} + \dots + 10^{G_N/10}) / N_{ANT}] \text{ dBi}$$

Sample TxBF Calculation:

At 5162MHz, the average conducted output power was measured to be 6.86 dBm for Antenna WF5B and 6.78 dBm for Antenna 4a.

$$\text{Antenna WF5B} + \text{Antenna 4a} = \text{TxBF}$$

$$(6.86 \text{ dBm} + 6.78 \text{ dBm}) = (4.853 \text{ mW} + 4.764 \text{ mW}) = 9.617 \text{ mW} = 9.83 \text{ dBm}$$

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 79 of 432

V 11.0 06/2025

7.5 Maximum Power Spectral Density

§15.407(a.1.iv) §15.407(a.3.i)

Test Overview and Limit

The spectrum analyzer was connected to the antenna terminal while the EUT was operating at its maximum duty cycle, at its maximum power control level, as defined in ANSI C63.10-2020 and KDB 789033 D02 v02r01, and at the appropriate frequencies. Method SA-1, as defined in ANSI C63.10-2020 and KDB 789033 D02 v02r01, was used to measure the power spectral density.

In the 5.15 – 5.25GHz band, the maximum permissible power spectral density is 11dBm/MHz.

In the 5.725 – 5.850GHz band, the maximum permissible power spectral density is 30dBm/500kHz.

Test Procedure Used

ANSI C63.10-2020 – Subclause 12.4.2.2

KDB 789033 D02 v02r01 – Section F

ANSI C63.10-2020 – Subclause 14.5.2.2 Measure-and-Sum Technique

KDB 662911 v02r01 – Section E)2) Measure-and-Sum Technique

Test Settings

1. Analyzer was set to the center frequency of the UNII channel under investigation
2. Set span to encompass the entire 99% OBW of the signal
3. RBW = 1MHz for U-NII 1, 500kHz for U-NII 3
4. VBW $\geq$ 3MHz for U-NII 1, $\geq$ 3 x RBW for U-NII 3
5. Number of sweep points $\geq$ 2 x (span/RBW)
6. Sweep time = auto
7. Detector = power averaging (RMS)
8. Trigger was set to free run for all modes
9. Trace was averaged over 100 sweeps
10. The peak search function of the spectrum analyzer was used to find the peak of the spectrum.

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-4. Test Instrument & Measurement Setup

Test Notes

1. Low, mid and high channels were tested and tabular data has been reported. Only mid channel plots have been reported.
2. The duty cycle correction factor (DCCF) has been applied as an amplitude offset in the spectrum analyzer to ensure the required correction is accurately reflected in the measured Power Spectral Density (PSD). The offset value is indicated on each PSD plot.

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 80 of 432

7.5.1 Antenna WF5B Power Spectral Density Measurements (U-NII-1)

Frequency [MHz]	Data Rate [Mbps]	Mode	Power Scheme	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
5162	1.0	NB UNII BDR	ePA	9.88	11.00	-1.12
5203	1.0	NB UNII BDR	ePA	9.86	11.00	-1.14
5245	1.0	NB UNII BDR	ePA	9.87	11.00	-1.13
5162	1.0	NB UNII BDR	iPA	-0.10	11.00	-11.10
5203	1.0	NB UNII BDR	iPA	0.56	11.00	-10.44
5245	1.0	NB UNII BDR	iPA	0.40	11.00	-10.60
5162	1.0	NB UNII LE1M	ePA	10.26	11.00	-0.74
5203	1.0	NB UNII LE1M	ePA	9.71	11.00	-1.29
5245	1.0	NB UNII LE1M	ePA	9.77	11.00	-1.23
5162	1.0	NB UNII LE1M	iPA	0.06	11.00	-10.94
5203	1.0	NB UNII LE1M	iPA	0.40	11.00	-10.60
5245	1.0	NB UNII LE1M	iPA	0.08	11.00	-10.92
5162	2.0	NB UNII LE2M	ePA	10.39	11.00	-0.61
5203	2.0	NB UNII LE2M	ePA	10.24	11.00	-0.76
5245	2.0	NB UNII LE2M	ePA	9.39	11.00	-1.61
5162	2.0	NB UNII LE2M	iPA	-0.89	11.00	-11.89
5203	2.0	NB UNII LE2M	iPA	-0.77	11.00	-11.77
5245	2.0	NB UNII LE2M	iPA	-1.28	11.00	-12.28
5162	4.0	NB UNII HDR4	ePA	9.58	11.00	-1.42
5203	4.0	NB UNII HDR4	ePA	10.05	11.00	-0.95
5245	4.0	NB UNII HDR4	ePA	9.61	11.00	-1.40
5162	4.0	NB UNII HDR4	iPA	-5.04	11.00	-16.04
5203	4.0	NB UNII HDR4	iPA	-4.21	11.00	-15.21
5245	4.0	NB UNII HDR4	iPA	-5.00	11.00	-16.00
5162	8.0	NB UNII HDR8	ePA	6.83	11.00	-4.18
5203	8.0	NB UNII HDR8	ePA	7.29	11.00	-3.71
5245	8.0	NB UNII HDR8	ePA	7.25	11.00	-3.75
5162	8.0	NB UNII HDR8	iPA	-7.31	11.00	-18.31
5203	8.0	NB UNII HDR8	iPA	-6.64	11.00	-17.64
5245	8.0	NB UNII HDR8	iPA	-7.57	11.00	-18.57
5162	2.0	NB UNII HDRPS2	ePA	9.41	11.00	-1.60
5203	2.0	NB UNII HDRPS2	ePA	9.37	11.00	-1.63
5245	2.0	NB UNII HDRPS2	ePA	9.40	11.00	-1.61
5162	2.0	NB UNII HDRPS2	iPA	-6.13	11.00	-17.13
5203	2.0	NB UNII HDRPS2	iPA	-6.01	11.00	-17.01
5245	2.0	NB UNII HDRPS2	iPA	-5.54	11.00	-16.54
5162	6.0	NB UNII XHDRPM6	ePA	6.67	11.00	-4.34
5203	6.0	NB UNII XHDRPM6	ePA	6.66	11.00	-4.34
5245	6.0	NB UNII XHDRPM6	ePA	6.32	11.00	-4.68
5162	6.0	NB UNII XHDRPM6	iPA	-8.05	11.00	-19.05
5203	6.0	NB UNII XHDRPM6	iPA	-9.06	11.00	-20.06
5245	6.0	NB UNII XHDRPM6	iPA	-8.76	11.00	-19.76
5162	16.0	NB UNII HDRPM16	ePA	4.35	11.00	-6.65
5203	16.0	NB UNII HDRPM16	ePA	4.71	11.00	-6.29
5245	16.0	NB UNII HDRPM16	ePA	4.57	11.00	-6.43
5162	16.0	NB UNII HDRPM16	iPA	-11.29	11.00	-22.29
5203	16.0	NB UNII HDRPM16	iPA	-11.35	11.00	-22.35
5245	16.0	NB UNII HDRPM16	iPA	-11.14	11.00	-22.14
5162	12.0	NB UNII HDRPL12	ePA	3.59	11.00	-7.41
5203	12.0	NB UNII HDRPL12	ePA	3.46	11.00	-7.54
5245	12.0	NB UNII HDRPL12	ePA	3.60	11.00	-7.41
5162	12.0	NB UNII HDRPL12	iPA	-11.21	11.00	-22.21
5203	12.0	NB UNII HDRPL12	iPA	-11.07	11.00	-22.07
5245	12.0	NB UNII HDRPL12	iPA	-10.81	11.00	-21.81
5162	32.0	NB UNII HDRPL32	ePA	1.79	11.00	-9.21
5203	32.0	NB UNII HDRPL32	ePA	1.74	11.00	-9.26
5245	32.0	NB UNII HDRPL32	ePA	1.95	11.00	-9.05
5162	32.0	NB UNII HDRPL32	iPA	-13.88	11.00	-24.88
5203	32.0	NB UNII HDRPL32	iPA	-13.86	11.00	-24.86
5245	32.0	NB UNII HDRPL32	iPA	-14.09	11.00	-25.09
5162	2.0	NB UNII HDT2	ePA	9.20	11.00	-1.80
5203	2.0	NB UNII HDT2	ePA	9.10	11.00	-1.90
5245	2.0	NB UNII HDT2	ePA	9.28	11.00	-1.72
5162	2.0	NB UNII HDT2	iPA	-5.31	11.00	-16.31
5203	2.0	NB UNII HDT2	iPA	-5.24	11.00	-16.24
5245	2.0	NB UNII HDT2	iPA	-5.50	11.00	-16.50
5162	4.0	NB UNII HDT4	ePA	9.19	11.00	-1.81
5203	4.0	NB UNII HDT4	ePA	9.11	11.00	-1.89
5245	4.0	NB UNII HDT4	ePA	9.28	11.00	-1.72
5162	4.0	NB UNII HDT4	iPA	-5.35	11.00	-16.35
5203	4.0	NB UNII HDT4	iPA	-5.25	11.00	-16.25
5245	4.0	NB UNII HDT4	iPA	-5.49	11.00	-16.49
5162	6.0	NB UNII HDT6	ePA	7.35	11.00	-3.65
5203	6.0	NB UNII HDT6	ePA	7.27	11.00	-3.73
5245	6.0	NB UNII HDT6	ePA	7.32	11.00	-3.68
5162	6.0	NB UNII HDT6	iPA	-8.75	11.00	-19.75
5203	6.0	NB UNII HDT6	iPA	-8.23	11.00	-19.23
5245	6.0	NB UNII HDT6	iPA	-8.52	11.00	-19.52

Table 7-18. Power Spectral Density Measurements Antenna WF5B

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 81 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-79. PSD Antenna WF5B (NB UNII BDR, ePA – 5203MHz)



Plot 7-80. PSD Antenna WF5B (NB UNII BDR, iPA – 5203MHz)

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 82 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-81. PSD Antenna WF5B (NB UNII LE1M, ePA – 5203MHz)



Plot 7-82. PSD Antenna WF5B (NB UNII LE1M, iPA – 5203MHz)

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 83 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-83. PSD Antenna WF5B (NB UNII LE2M, ePA – 5203MHz)




Plot 7-84. PSD Antenna WF5B (NB UNII LE2M, iPA – 5203MHz)


FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 84 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-85. PSD Antenna WF5B (NB UNII HDR4, ePA – 5203MHz)




Plot 7-86. PSD Antenna WF5B (NB UNII HDR4, iPA – 5203MHz)


FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 85 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-87. PSD Antenna WF5B (NB UNII HDR8, ePA – 5203MHz)




Plot 7-88. PSD Antenna WF5B (NB UNII HDR8, iPA – 5203MHz)


FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 86 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-89. PSD Antenna WF5B (NB UNII HDRPS2, ePA – 5203MHz)





Plot 7-90. PSD Antenna WF5B (NB UNII HDRPS2, iPA – 5203MHz)

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 87 of 432

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 88 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-93. PSD Antenna WF5B (NB UNII HDRPM16, ePA – 5203MHz)




Plot 7-94. PSD Antenna WF5B (NB UNII HDRPM16, iPA – 5203MHz)


FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 89 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-95. PSD Antenna WF5B (NB UNII HDRPL12, ePA - 5203MHz)




Plot 7-96. PSD Antenna WF5B (NB UNII HDRPL12, iPA - 5203MHz)


FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 90 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-97. PSD Antenna WF5B (NB UNII HDRPL32, ePA – 5203MHz)




Plot 7-98. PSD Antenna WF5B (NB UNII HDRPL32, iPA – 5203MHz)

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 91 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-99. PSD Antenna WF5B (NB UNII HDT2, ePA – 5203MHz)



Plot 7-100. PSD Antenna WF5B (NB UNII HDT2, iPA – 5203MHz)

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 92 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-101. PSD Antenna WF5B (NB UNII HDT4, ePA – 5203MHz)



Plot 7-102. PSD Antenna WF5B (NB UNII HDT4, iPA – 5203MHz)

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 93 of 432



Plot 7-103. PSD Antenna WF5B (NB UNII HDT6, ePA – 5203MHz)



Plot 7-104. PSD Antenna WF5B (NB UNII HDT6, iPA – 5203MHz)

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 94 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.5.2 Antenna WF5B Power Spectral Density Measurements (U-NII-3)


Frequency [MHz]	Data Rate [Mbps]	Mode	Power Scheme	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
5733	1.0	NB UNII BDR	ePA	17.64	30.00	-12.36
5788	1.0	NB UNII BDR	ePA	17.53	30.00	-12.47
5844	1.0	NB UNII BDR	ePA	18.64	30.00	-11.36
5733	1.0	NB UNII BDR	iPA	1.64	30.00	-28.36
5788	1.0	NB UNII BDR	iPA	1.58	30.00	-28.42
5844	1.0	NB UNII BDR	iPA	1.45	30.00	-28.55
5733	1.0	NB UNII LE1M	ePA	17.24	30.00	-12.76
5788	1.0	NB UNII LE1M	ePA	17.10	30.00	-12.90
5844	1.0	NB UNII LE1M	ePA	17.17	30.00	-12.83
5733	1.0	NB UNII LE1M	iPA	0.09	30.00	-29.91
5788	1.0	NB UNII LE1M	iPA	0.49	30.00	-29.51
5844	1.0	NB UNII LE1M	iPA	0.55	30.00	-29.45
5733	2.0	NB UNII LE2M	ePA	14.92	30.00	-15.08
5788	2.0	NB UNII LE2M	ePA	15.75	30.00	-14.25
5844	2.0	NB UNII LE2M	ePA	15.58	30.00	-14.42
5733	2.0	NB UNII LE2M	iPA	-2.20	30.00	-32.20
5788	2.0	NB UNII LE2M	iPA	-1.86	30.00	-31.86
5844	2.0	NB UNII LE2M	iPA	-1.46	30.00	-31.46
5733	4.0	NB UNII HDR4	ePA	8.13	30.00	-21.87
5788	4.0	NB UNII HDR4	ePA	8.02	30.00	-21.98
5844	4.0	NB UNII HDR4	ePA	8.58	30.00	-21.42
5733	4.0	NB UNII HDR4	iPA	-6.45	30.00	-36.45
5788	4.0	NB UNII HDR4	iPA	-6.66	30.00	-36.66
5844	4.0	NB UNII HDR4	iPA	-6.67	30.00	-36.67
5733	8.0	NB UNII HDR8	ePA	5.69	30.00	-24.31
5788	8.0	NB UNII HDR8	ePA	5.87	30.00	-24.14
5844	8.0	NB UNII HDR8	ePA	5.82	30.00	-24.18
5733	8.0	NB UNII HDR8	iPA	-8.66	30.00	-38.66
5788	8.0	NB UNII HDR8	iPA	-8.47	30.00	-38.47
5844	8.0	NB UNII HDR8	iPA	-8.83	30.00	-38.83
5733	2.0	NB UNII HDRPS2	ePA	7.37	30.00	-22.63
5788	2.0	NB UNII HDRPS2	ePA	7.25	30.00	-22.75
5844	2.0	NB UNII HDRPS2	ePA	7.48	30.00	-22.52
5733	2.0	NB UNII HDRPS2	iPA	-8.39	30.00	-38.39
5788	2.0	NB UNII HDRPS2	iPA	-8.32	30.00	-38.32
5844	2.0	NB UNII HDRPS2	iPA	-8.31	30.00	-38.31
5733	6.0	NB UNII XHDRPM6	ePA	4.41	30.00	-25.60
5788	6.0	NB UNII XHDRPM6	ePA	4.79	30.00	-25.21
5844	6.0	NB UNII XHDRPM6	ePA	3.88	30.00	-26.12
5733	6.0	NB UNII XHDRPM6	iPA	-9.61	30.00	-39.61
5788	6.0	NB UNII XHDRPM6	iPA	-9.78	30.00	-39.78
5844	6.0	NB UNII XHDRPM6	iPA	-9.76	30.00	-39.76
5733	16.0	NB UNII HDRPM16	ePA	3.06	30.00	-26.94
5788	16.0	NB UNII HDRPM16	ePA	2.36	30.00	-27.64
5844	16.0	NB UNII HDRPM16	ePA	2.60	30.00	-27.40
5733	16.0	NB UNII HDRPM16	iPA	-12.96	30.00	-42.96
5788	16.0	NB UNII HDRPM16	iPA	-13.22	30.00	-43.22
5844	16.0	NB UNII HDRPM16	iPA	-12.45	30.00	-42.45
5733	12.0	NB UNII HDRPL12	ePA	1.30	30.00	-28.70
5788	12.0	NB UNII HDRPL12	ePA	1.64	30.00	-28.36
5844	12.0	NB UNII HDRPL12	ePA	1.27	30.00	-28.73
5733	12.0	NB UNII HDRPL12	iPA	-12.63	30.00	-42.63
5788	12.0	NB UNII HDRPL12	iPA	-12.78	30.00	-42.78
5844	12.0	NB UNII HDRPL12	iPA	-12.77	30.00	-42.77
5733	32.0	NB UNII HDRPL32	ePA	-0.45	30.00	-30.45
5788	32.0	NB UNII HDRPL32	ePA	-0.15	30.00	-30.15
5844	32.0	NB UNII HDRPL32	ePA	-0.39	30.00	-30.39
5733	32.0	NB UNII HDRPL32	iPA	-15.84	30.00	-45.84
5788	32.0	NB UNII HDRPL32	iPA	-16.11	30.00	-46.11
5844	32.0	NB UNII HDRPL32	iPA	-15.55	30.00	-45.55
5733	2.0	NB UNII HDT2	ePA	7.66	30.00	-22.34
5788	2.0	NB UNII HDT2	ePA	7.43	30.00	-22.57
5844	2.0	NB UNII HDT2	ePA	7.64	30.00	-22.37
5733	2.0	NB UNII HDT2	iPA	-6.92	30.00	-36.92
5788	2.0	NB UNII HDT2	iPA	-7.21	30.00	-37.21
5844	2.0	NB UNII HDT2	iPA	-6.71	30.00	-36.71
5733	4.0	NB UNII HDT4	ePA	7.70	30.00	-22.30
5788	4.0	NB UNII HDT4	ePA	7.48	30.00	-22.52
5844	4.0	NB UNII HDT4	ePA	7.67	30.00	-22.33
5733	4.0	NB UNII HDT4	iPA	-6.95	30.00	-36.95
5788	4.0	NB UNII HDT4	iPA	-7.22	30.00	-37.22
5844	4.0	NB UNII HDT4	iPA	-6.71	30.00	-36.71
5733	6.0	NB UNII HDT6	ePA	5.36	30.00	-24.64
5788	6.0	NB UNII HDT6	ePA	5.61	30.00	-24.39
5844	6.0	NB UNII HDT6	ePA	5.72	30.00	-24.28
5733	6.0	NB UNII HDT6	iPA	-10.08	30.00	-40.08
5788	6.0	NB UNII HDT6	iPA	-10.30	30.00	-40.30
5844	6.0	NB UNII HDT6	iPA	-9.75	30.00	-39.75

Table 7-19. Power Spectral Density Measurements Antenna WF5B

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 95 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-105. PSD Antenna WF5B (NB UNII BDR, ePA – 5788MHz)




Plot 7-106. PSD Antenna WF5B (NB UNII BDR, iPA – 5788MHz)

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 96 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-107. PSD Antenna WF5B (NB UNII LE1M, ePA – 5788MHz)




Plot 7-108. PSD Antenna WF5B (NB UNII LE1M, iPA – 5788MHz)


FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 97 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-109. PSD Antenna WF5B (NB UNII LE2M, ePA – 5788MHz)





Plot 7-110. PSD Antenna WF5B (NB UNII LE2M, iPA – 5788MHz)

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 98 of 432

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 99 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-113. PSD Antenna WF5B (NB UNII HDR8, ePA – 5788MHz)




Plot 7-114. PSD Antenna WF5B (NB UNII HDR8, iPA – 5788MHz)


FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 100 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-115. PSD Antenna WF5B (NB UNII HDRPS2, ePA - 5788MHz)




Plot 7-116. PSD Antenna WF5B (NB UNII HDRPS2, iPA - 5788MHz)

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 101 of 432



Plot 7-117. PSD Antenna WF5B (NB UNII XHDRPM6, ePA – 5788MHz)




Plot 7-118. PSD Antenna WF5B (NB UNII XHDRPM6, iPA – 5788MHz)


FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 102 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-119. PSD Antenna WF5B (NB UNII HDRPM16, ePA – 5788MHz)





Plot 7-120. PSD Antenna WF5B (NB UNII HDRPM16, iPA – 5788MHz)

FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 103 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-19-R1.BCG	Test Dates: 05/12/2025 - 09/05/2025	EUT Type: Tablet Device	Page 104 of 432

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.