

MEASUREMENT REPORT PART 90

Applicant Name:

Apple Inc.
One Apple Park Way
Cupertino, CA 95014
United States

Date of Testing:

5/9/2025 - 8/6/2025

Test Report Issue Date:

9/9/2025

Test Site/Location:

Element Materials Technology Morgan Hill, CA, USA

Test Report Serial No.:

1C2504170041-12.BCG

FCC ID:

BCGA3361

Applicant Name:

Apple Inc.

Application Type:

Certification

Model:

A3361, A3362

EUT Type:

Tablet Device

FCC Classification:

PCS Licensed Transmitter (PCB)

FCC Rule Part:

§2.1049, §90(S), §90(R)

Test Procedure(s):

ANSI C63.26-2015, TIA-603-E-2016, KDB 971168 D01 v03r01

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.



RJ Ortanez
Executive Vice President



FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 1 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


TABLE OF CONTENTS

1.0	INTRODUCTION	4
1.1	Scope	4
1.2	Element Materials Technology Test Location.....	4
1.3	Test Facility / Accreditations.....	4
2.0	PRODUCT INFORMATION.....	5
2.1	Equipment Description	5
2.2	Device Capabilities.....	5
2.3	Antenna Description	6
2.4	Test Support Equipment.....	6
2.5	Test Configuration	6
2.6	Software and Firmware	6
2.7	EMI Suppression Device(s)/Modifications	6
3.0	DESCRIPTION OF TESTS	7
3.1	Evaluation Procedure	7
3.2	Radiated Spurious Emissions	7
4.0	MEASUREMENT UNCERTAINTY	8
5.0	TEST EQUIPMENT CALIBRATION DATA	9
6.0	SAMPLE CALCULATIONS	10
7.0	TEST RESULTS.....	11
7.1	Summary.....	11
7.2	Occupied Bandwidth	13
7.3	Spurious and Harmonic Emissions at Antenna Terminal	37
7.4	Band Edge Emissions at Antenna Terminal	59
7.5	Conducted Power Output Data	81
7.6	Radiated Power (ERP).....	84
7.7	Radiated Spurious Emissions	88
7.8	Frequency Stability / Temperature Variation	103
8.0	CONCLUSION.....	108


FCC ID: BCGA3361		PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 2 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



PART 90 MEASUREMENT REPORT



Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	Measurement	OBW [MHz]	Max. Power [W]	Max. Power [dBm]	Emission Designator
LTE Band 26	1.4 MHz	QPSK	814.7 - 823.3	Conducted	1.1110	0.356	25.51	1M11G7W
		16QAM	814.7 - 823.3	Conducted	1.1112	0.288	24.60	1M11D7W
		64QAM	814.7 - 823.3	Conducted	1.1141	0.226	23.53	1M11D7W
		256QAM	814.7 - 823.3	Conducted	1.1104	0.113	20.54	1M11D7W
	3 MHz	QPSK	815.5 - 822.5	Conducted	2.7264	0.355	25.50	2M73G7W
		16QAM	815.5 - 822.5	Conducted	2.7206	0.288	24.59	2M72D7W
		64QAM	815.5 - 822.5	Conducted	2.7243	0.229	23.60	2M72D7W
		256QAM	815.5 - 822.5	Conducted	2.7187	0.111	20.47	2M72D7W
	5 MHz	QPSK	816.5 - 821.5	Conducted	4.5313	0.348	25.42	4M53G7W
		16QAM	816.5 - 821.5	Conducted	4.5223	0.276	24.41	4M52D7W
		64QAM	816.5 - 821.5	Conducted	4.5367	0.225	23.52	4M54D7W
		256QAM	816.5 - 821.5	Conducted	4.5368	0.114	20.56	4M54D7W
	10 MHz	QPSK	819.0	Conducted	9.0187	0.354	25.49	9M02G7W
		16QAM	819.0	Conducted	9.0342	0.275	24.39	9M03D7W
		64QAM	819.0	Conducted	9.0286	0.217	23.37	9M03D7W
		256QAM	819.0	Conducted	9.0332	0.114	20.55	9M03D7W
LTE Band 14	5 MHz	QPSK	790.5 - 795.5	ERP	4.5500	0.151	21.80	4M55G7W
		16QAM	790.5 - 795.5	ERP	4.5420	0.129	21.12	4M54D7W
		64QAM	790.5 - 795.5	ERP	4.5314	0.097	19.86	4M53D7W
		256QAM	790.5 - 795.5	ERP	4.5309	0.052	17.13	4M53D7W
	10 MHz	QPSK	793.0	ERP	9.0344	0.144	21.59	9M03G7W
		16QAM	793.0	ERP	9.0058	0.125	20.95	9M01D7W
		64QAM	793.0	ERP	9.0252	0.101	20.03	9M03D7W
		256QAM	793.0	ERP	9.0466	0.051	17.10	9M05D7W
NR Band n26	5 MHz	$\pi/2$ BPSK	816.5 - 821.5	Conducted	4.4798	0.351	25.45	4M48G7W
		QPSK	816.5 - 821.5	Conducted	4.4845	0.355	25.51	4M48G7W
		16QAM	816.5 - 821.5	Conducted	4.4774	0.269	24.30	4M48D7W
		64QAM	816.5 - 821.5	Conducted	4.4813	0.238	23.77	4M48D7W
		256QAM	816.5 - 821.5	Conducted	4.4713	0.164	22.15	4M47D7W
	10 MHz	$\pi/2$ BPSK	819.0	Conducted	8.9459	0.347	25.40	8M95G7W
		QPSK	819.0	Conducted	9.3399	0.350	25.44	9M34G7W
		16QAM	819.0	Conducted	9.2778	0.283	24.52	9M28D7W
		64QAM	819.0	Conducted	9.3330	0.236	23.73	9M33D7W
		256QAM	819.0	Conducted	9.2995	0.153	21.85	9M30D7W
NR Band n14	5 MHz	$\pi/2$ BPSK	790.5 - 795.5	ERP	4.4583	0.145	21.60	4M46G7W
		QPSK	790.5 - 795.5	ERP	4.4766	0.149	21.72	4M48G7W
		16QAM	790.5 - 795.5	ERP	4.4667	0.112	20.48	4M47D7W
		64QAM	790.5 - 795.5	ERP	4.4715	0.097	19.88	4M47D7W
		256QAM	790.5 - 795.5	ERP	4.4764	0.061	17.84	4M48D7W
	10 MHz	$\pi/2$ BPSK	793.0	ERP	8.9219	0.142	21.54	8M92G7W
		QPSK	793.0	ERP	9.2938	0.146	21.65	9M29G7W
		16QAM	793.0	ERP	9.2549	0.116	20.66	9M25D7W
		64QAM	793.0	ERP	9.2868	0.098	19.89	9M29D7W
		256QAM	793.0	ERP	9.3506	0.061	17.88	9M35D7W

EUT Overviews

FCC ID: BCGA3361		PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 3 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

1.0 INTRODUCTION

1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.

1.2 Element Materials Technology Test Location

These measurement tests were conducted at the Element Materials Technology Morgan Hill facility located at 18855 Adams Court, Morgan Hill, CA 95037. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014 and KDB 414788 D01 v01r01.

1.3 Test Facility / Accreditations

Measurements were performed at Element Materials Technology

- Element Materials Technology is an ISO 17025-2017 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.02 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- Element Washington DC LLC TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISED Standards (RSS).
- Element Materials Technology facility is a registered (22831) test laboratory with the site description on file with ISED.
- Element Washington DC LLC is a Recognized U.S. Certification Assessment Body (CAB # US0110) for ISED Canada as designated by NIST under the U.S. and Canada Mutual Agreements (MRAs).

FCC ID: BCGA3361		PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 4 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

2.0 PRODUCT INFORMATION

2.1 Equipment Description

The Equipment Under Test (EUT) is the **Apple Tablet Device FCC ID: BCGA3361**. The test data contained in this report pertains only to the emissions due to the EUT's licensed transmitters that operate under the provisions of Part 90.

Test Device Serial No.: GXN4VKJ5GF, M7QW4VF4GQ, DQK4PG2D6J, H9HHG4000900000X4G, H9HHG40009S0000X4G

2.2 Device Capabilities

This device contains the following capabilities:

850/1700/1900 WCDMA/HSPA, Multi-band LTE, 5G NR (FR1), 802.11b/g/n/ax/be WLAN, 802.11a/n/ac/ax/be UNII (5GHz and 6GHz), 802.15.4, Bluetooth (1x, EDR, LE, HDR, HDT), Narrowband (NB) UNII (5GHz and 6GHz), WPT

This device supports BT Beamforming

This device supports channel puncturing and channel bandwidth reduction.

This device supports simultaneous transmission operations, which allows for multiple transmitters to transmit simultaneously on the same antenna. The table below shows all configurations possible.

Antenna	Simultaneous Tx Config	Bluetooth 2.4GHz	Thread	WLAN	NB UNII	WIFI 5GHz	WIFI 6GHz	LTE / FR1 NR		
		BDR, EDR, LE HDR, HDT	802.15.4	802.11 b/g/n/ax/be	BDR, EDR, LE HDR, HDT	802.11 a/n/ac/ax/be	802.11 a/ax/be	LB	MB/HB	UHB
Ant 4a	Config 1	✓	✗	✗	✗	✓	✗	✗	✗	✗
Ant 4a	Config 2	✓	✗	✗	✗	✗	✓	✗	✗	✗
Ant 4a	Config 3	✗	✓	✗	✗	✓	✗	✗	✗	✗
Ant 4a	Config 4	✗	✓	✗	✗	✗	✓	✗	✗	✗
Ant 4a	Config 5	✗	✗	✓	✓	✗	✗	✗	✗	✗
Ant 4a	Config 6	✗	✗	✓	✗	✓	✗	✗	✗	✗
Ant 4a	Config 7	✗	✗	✓	✗	✗	✓	✗	✗	✗
Ant 2a	Config 8	✓	✗	✗	✗	✓	✗	✗	✗	✗
Ant 2a	Config 9	✓	✗	✗	✗	✗	✓	✗	✗	✗
Ant 2a	Config 10	✗	✓	✗	✗	✓	✗	✗	✗	✗
Ant 2a	Config 11	✗	✓	✗	✗	✗	✓	✗	✗	✗
Ant 2a	Config 12	✗	✗	✓	✓	✗	✗	✗	✗	✗
Ant 2a	Config 13	✗	✗	✓	✗	✓	✗	✗	✗	✗
Ant 2a	Config 14	✗	✗	✓	✗	✗	✓	✗	✗	✗

Table 2-1. Simultaneous Transmission Configurations

✓ = Support; ✗ = Not Support

Note:

1. All the above simultaneous transmission configurations have been tested and the worst case configuration was found to be Config 1 and reported in RF Bluetooth and RF UNII 5GHz OFDM test reports.

FCC ID: BCGA3361		PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 5 of 108

V2.2 09/07/2023

2.3 Antenna Description

Following antenna gains provided by manufacturer were used for testing.

Band	Antenna Gain [dBi]	
	Antenna 3	Antenna 1
LTE Band 14	-1.7	-3.1
NR Band n14		
LTE Band 26	-2.8	-2.3
NR Band n26		

Table 2-2. Highest Antenna Gain

2.4 Test Support Equipment

1	Apple MacBook Pro	Model:	A2141	S/N:	C02H604EQ05D
	w/AC/DC Adapter	Model:	A2166	S/N:	C4H042705ZNP0WA6
2	Apple USB-C Cable	Model:	Spartan	S/N:	GXX1336018XKTR024
3	USB-C Cable	Model:	A246C	S/N:	DWH80115BK826GV19
	w/ AC Adapter	Model:	A2305	S/N:	C4H95160004PF4F4V
4	Apple Pencil	Model:	A2538	S/N:	KJ26TCFXJW
5	DC Power Supply	Model:	KPS3010D	S/N:	N/A

Table 2-3. Test Support Equipment

2.5 Test Configuration

The EUT was tested per the guidance of ANSI C63.26-2015 and KDB 971168 D01 v03r01. See Section 7.0 of this test report for a description of the radiated and antenna port conducted emissions tests.

For emissions from 1GHz – 18GHz, low, mid, and high channels were tested with highest power and worst case configuration. The emissions below 1GHz were tested with the highest transmitting power and the worst case channel were reported.

The EUT was manipulated through three orthogonal planes of X-orientation (flatbed), Y-orientation (landscape), and Z-orientation (portrait) during the testing. Only the worst case emissions were reported in this test report.

2.6 Software and Firmware

The test was conducted with firmware version 23A256 installed on the EUT.

2.7 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

FCC ID: BCGA3361		PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 6 of 108

V2.2 09/07/2023

3.0 DESCRIPTION OF TESTS

3.1 Evaluation Procedure

The measurement procedures described in the documents titled “American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services” (ANSI C63.26-2015 and “Procedures for Compliance Measurement of the Fundamental Emission Power of Licensed Wideband (> 1 MHz) Digital Transmission Systems” (KDB 971168 D01 v03r01) were used in the measurement of the EUT.

Deviation from Measurement Procedure.....None

3.2 Radiated Spurious Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

The equipment under test was transmitting while connected to its integral antenna and is placed on a turntable 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer.

For radiated spurious emissions measurements and calculations, conversion method is used per the formulas in KDB 971168 Section 5.8.4. Field Strength (EIRP) is calculated using the following formulas:

$$E_{[dB\mu V/m]} = \text{Measured amplitude level}_{[dBm]} + 107 + \text{Cable Loss}_{[dB]} + \text{Antenna Factor}_{[dB/m]}$$

And

$$\text{EIRP}_{[dBm]} = E_{[dB\mu V/m]} + 20\log D - 104.8; \text{ where } D \text{ is the measurement distance in meters.}$$

All radiated measurements are performed in a chamber that meets the site requirements per ANSI C63.4-2014.

Per KDB 414788 D01 v01r01, radiated emission test sites other than open-field test sites (e.g., shielded anechoic chambers), may be employed for emission measurements below 30MHz if characterized so that the measurements correspond to those obtained at an open-field test site. To determine test site equivalency, a reference sample transmitting at 149kHz was measured on an open field test site (asphalt with no ground plane) and then measured in the 3m semi-anechoic chamber. A calibrated 60cm loop antenna was used while the reference device was rotated through the X, Y and Z axis in order to capture the worst case level. A maximum deviation of 2.77dB at 149kHz was measured when comparing the 3 meter semi-anechoic chamber to the open field site.

Radiated spurious emission levels are investigated with the receive antenna horizontally and vertically polarized per ANSI C63.26-2015.

FCC ID: BCGA3361		PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 7 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.23-2012. All measurement uncertainty values are shown with a coverage factor of $k = 2$ to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the U_{CISPR} measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty ($\pm$ dB)
Conducted Bench Top Measurements	2.07
Radiated Disturbance (<30MHz)	4.12
Radiated Disturbance (30MHz-1GHz)	4.85
Radiated Disturbance (1-18GHz)	5.08

FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 8 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

5.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
ATM	180-442-KF	20dB Nominal Gain Horn Antenna	3/24/2025	Annual	3/24/2026	T058601-02
ESPEC	SU-241	Tabletop Temperature Chamber	10/24/2024	Annual	10/24/2025	92009574
ETS-Lindgren	3117	Double Ridged Guide Antenna (1-18 GHz)	9/25/2024	Annual	9/25/2025	00240109
Fairview Microwave	FMCA1975-36	30MHz-40GHz Conducted RF Cable *	6/10/2025	Annual	6/10/2026	-
Fairview Microwave	M2CP1122-10	30MHz-40GHz Conducted Coupler *	6/10/2025	Annual	6/10/2026	1946
Fairview Microwave/MCL	FMCA1975-36/BW-K10-2W44+	30MHz-40GHz RF Cable/Attenuator *	6/10/2025	Annual	6/10/2026	-
Keysight Technology	N9040B	UXA Signal Analyzer	9/5/2024	Annual	9/5/2025	MY61320121
Rohde & Schwarz	FSW43	Spectrum Analyzer 2Hz to 43GHz	11/21/2024	Annual	11/21/2025	104093
Rohde & Schwarz	TS-PR18	Pre-Amplifier (1GHz - 18GHz)	8/14/2024	Annual	8/14/2025	101648
Rohde & Schwarz	ESW44	EMI Test Receiver	10/17/2024	Annual	10/17/2025	101668
Rohde & Schwarz	TS-PR8	Pre-Amplifier (30MHz - 8GHz)	9/20/2024	Annual	9/20/2025	102327
Rohde & Schwarz	CMW500	Wideband Radio Communication Tester	11/30/2023	Annual	10/2/2025	191707
Rohde & Schwarz	CMW500	Wideband Radio Communication Tester	10/21/2024	Annual	10/21/2025	187423
Rohde & Schwarz	TS-PR1840	Pre-Amplifier (18GHz - 40GHz)	6/3/2025	Annual	6/3/2026	100052
Rohde & Schwarz	HFH2-Z2	Loop Antenna	5/12/2025	Annual	5/12/2026	100546
Schwarzbeck	VULB 9162	Bilog Antenna (30MHz - 6GHz)	9/18/2024	Annual	9/18/2025	00358

Table 5-1. Test Equipment List

Notes:

1. For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due date.
2. * Denotes passive equipment that have been internally verified/calibrated.

FCC ID: BCGA3361		PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 9 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

6.0 SAMPLE CALCULATIONS

Emission Designator

$\pi/2$ BPSK / QPSK Modulation

Emission Designator = 8M62G7W

BW = 8.62 MHz

G = Phase Modulation

7 = Quantized/Digital Info

W = Combination of Any

QAM Modulation

Emission Designator = 8M45D7W

BW = 8.45 MHz

D = Amplitude/Angle Modulated

7 = Quantized/Digital Info

W = Combination of Any

Spurious Radiated Emission

Example: Spurious emission at 3700.40 MHz

The receive spectrum analyzer reading at 3 meters with the EUT on the turntable was -81.0 dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of -81.0 dBm on the spectrum analyzer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 3700.40 MHz. So 6.1 dB is added to the signal generator reading of -30.9 dBm yielding -24.80 dBm. The fundamental EIRP was 25.50 dBm so this harmonic was 25.50 dBm $- (-24.80) = 50.3$ dBc.

FCC ID: BCGA3361		PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 10 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.0 TEST RESULTS

7.1 Summary

Company Name: Apple Inc.
 FCC ID: BCGA3361
 FCC Classification: PCS Licensed Transmitter (PCB)
 Mode(s): LTE/NR

Test Condition	Test Description	FCC Part Section(s)	Test Limit	Test Result	Reference
CONDUCTED	Occupied Bandwidth	2.1049	N/A	N/A	Section 7.2
	Conducted Band Edge / Spurious Emissions (LTE Band 14 and NR Band n14)	2.1051, 90.543(e)	On all frequencies between 769-775 MHz and 799-805 MHz, attenuation by a factor not less than $65 + 10 \log(P)$ dB in a 6.25 kHz band segment, for mobile and portable stations. On any frequency between 775-788 MHz, above 805 MHz, and below 758 MHz, attenuation by at least $43 + 10 \log(P)$ dB	PASS	Sections 7.3, 7.4
	Conducted Band Edge / Spurious Emissions (LTE Band 26 and NR Band n26)	2.1051, 90.691(a)	-13 dBm for all out-of-band emissions except -20 dBm at Band Edge and for all out-of-band emissions within 37.5kHz of Block Edge	PASS	Sections 7.3, 7.4
	Frequency Stability ((LTE Band 14 and NR Band n14)	2.1055	Fundamental emissions stay within authorized frequency block over the temperature and voltage range as tested.	PASS	Section 7.8
	Frequency Stability (LTE Band 26 and NR Band n26)	90.213	< 2.5 ppm	PASS	Section 7.8
	Conducted Power	2.1046, 90.635	< 100 Watts	PASS	Section 7.5
	Effective Radiated Power ((LTE Band 14 and NR Band n14)	90.542(a)(7)	< 3 Watts max. ERP	PASS	Section 7.6
	Radiated Spurious Emissions ((LTE Band 14 and NR Band n14)	2.1053, 90.543(e), 90.543(f)	> $43 + 10 \log_{10}(P[\text{Watts}])$ for all out-of-band emissions except emissions in the 1559 - 1610MHz band are subject to a limit of -40dBm/MHz for wideband signals	PASS	Section 7.7
RADIATED	Radiated Spurious Emissions (LTE Band 26 and NR Band n26)	2.1053, 90.691(a)	-13 dBm for all out-of-band emissions except -20 dBm at Band Edge and for all out-of-band emissions within 37.5kHz of Block Edge	PASS	Section 7.7

Table 7-1. Summary of Test Results

FCC ID: BCGA3361		PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 11 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Notes:

1. All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
2. The analyzer plots shown in Section 7.0 were taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
3. All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
4. For conducted spurious emissions, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is Element EMC Software Tool v1.1.
5. For radiated spurious emissions, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software's utilized are Element "Chamber Automation," Version 3.4.2.
6. All ports were investigated and for some test cases only the worst case data was reported.

FCC ID: BCGA3361		PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 12 of 108

V2.2 09/07/2023

7.2 Occupied Bandwidth

§2.1049

Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation and all ports were investigated and the worst case configuration results are reported in this section.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 4.2

Test Settings

1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 1 – 5% of the expected OBW
3. VBW $\geq 3 \times$ RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5% of the 99% occupied bandwidth observed in Step 7

FCC ID: BCGA3361		PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 13 of 108

V2.2 09/07/2023

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-1. LTE Test Instrument & Measurement Setup




Figure 7-2. FR1 Test Instrument & Measurement Setup


Test Notes

1. For NR operation, all subcarrier spacings (SCS) and transmission schemes (e.g. CP-OFDM and DFT-s-OFDM) were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.


FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 14 of 108

V2.2 09/07/2023

LTE Band 26



Plot 7-1. Occupied Bandwidth Plot (LTE Band 26 - 1.4MHz QPSK - Full RB)




Plot 7-2. Occupied Bandwidth Plot (LTE Band 26 - 1.4MHz 16-QAM - Full RB)

FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 15 of 108

V2.2 09/07/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 16 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-5. Occupied Bandwidth Plot (LTE Band 26 - 3MHz QPSK - Full RB)





Plot 7-6. Occupied Bandwidth Plot (LTE Band 26 - 3MHz 16-QAM - Full RB)

FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 17 of 108

V2.2 09/07/2023



Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 18 of 108

V2.2 09/07/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 19 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-11. Occupied Bandwidth Plot (LTE Band 26 - 5MHz 64-QAM - Full RB)




Plot 7-12. Occupied Bandwidth Plot (LTE Band 26 - 5MHz 256-QAM - Full RB)


FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 20 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-13. Occupied Bandwidth Plot (LTE Band 26 - 10MHz QPSK - Full RB)





Plot 7-14. Occupied Bandwidth Plot (LTE Band 26 - 10MHz 16-QAM - Full RB)

FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 21 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-16. Occupied Bandwidth Plot (LTE Band 26 - 10MHz 256-QAM - Full RB)

FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 22 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


LTE Band 14




FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 23 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-19. Occupied Bandwidth Plot (LTE Band 14 - 5MHz 64-QAM - Full RB)





Plot 7-20. Occupied Bandwidth Plot (LTE Band 14 - 5MHz 256-QAM - Full RB)

FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 24 of 108

V2.2 09/07/2023



Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 25 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 26 of 108


V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

NR Band n26



Plot 7-25. Occupied Bandwidth Plot (NR Band n26 - 5MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)




Plot 7-26. Occupied Bandwidth Plot (NR Band n26 - 5MHz CP-OFDM QPSK - Full RB)


FCC ID: BCGA3361		PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 27 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-27. Occupied Bandwidth Plot (NR Band n26 - 5MHz CP-OFDM 16-QAM - Full RB)




Plot 7-28. Occupied Bandwidth Plot (NR Band n26 - 5MHz CP-OFDM 64-QAM - Full RB)


FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 28 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-29. Occupied Bandwidth Plot (NR Band n26 - 5MHz CP-OFDM 256-QAM - Full RB)




Plot 7-30. Occupied Bandwidth Plot (NR Band n26 - 10MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)


FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 29 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-31. Occupied Bandwidth Plot (NR Band n26 - 10MHz CP-OFDM QPSK - Full RB)




Plot 7-32. Occupied Bandwidth Plot (NR Band n26 - 10MHz CP-OFDM 16-QAM - Full RB)


FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 30 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-33. Occupied Bandwidth Plot (NR Band n26 - 10MHz CP-OFDM 64-QAM - Full RB)




Plot 7-34. Occupied Bandwidth Plot (NR Band n26 - 10MHz CP-OFDM 256-QAM - Full RB)

FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 31 of 108


V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

NR Band n14



Plot 7-35. Occupied Bandwidth Plot (NR Band n14 - 5MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)




Plot 7-36. Occupied Bandwidth Plot (NR Band n14 - 5MHz CP-OFDM QPSK - Full RB)


FCC ID: BCGA3361		PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 32 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-37. Occupied Bandwidth Plot (NR Band n14 - 5MHz CP-OFDM 16-QAM - Full RB)




Plot 7-38. Occupied Bandwidth Plot (NR Band n14 - 5MHz CP-OFDM 64-QAM - Full RB)


FCC ID: BCGA3361		PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 33 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-39. Occupied Bandwidth Plot (NR Band n14 - 5MHz CP-OFDM 256-QAM - Full RB)




Plot 7-40. Occupied Bandwidth Plot (NR Band n14 - 10MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)


FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 34 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-41. Occupied Bandwidth Plot (NR Band n14 - 10MHz CP-OFDM QPSK - Full RB)




Plot 7-42. Occupied Bandwidth Plot (NR Band n14 - 10MHz CP-OFDM 16-QAM - Full RB)


FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 35 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-43. Occupied Bandwidth Plot (NR Band n14 - 10MHz CP-OFDM 64-QAM - Full RB)



Plot 7-44. Occupied Bandwidth Plot (NR Band n14 - 10MHz CP-OFDM 256-QAM - Full RB)

FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 36 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.3 Spurious and Harmonic Emissions at Antenna Terminal

§2.1051 §90.691(a) §90.543(e)

Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation and all ports were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is $43 + 10 \log_{10}(P_{\text{Watts}})$, where P is the transmitter power in Watts.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 6.0

Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to 10GHz (separated into at least two plots per channel)
2. RBW $\geq$ 100kHz
3. VBW $\geq$ 3 x RBW
4. Detector = RMS
5. Trace mode = max hold
6. Sweep time = auto couple
7. The trace was allowed to stabilize

FCC ID: BCGA3361		PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 37 of 108

V2.2 09/07/2023

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-3. LTE Test Instrument & Measurement Setup




Figure 7-4. FR1 Test Instrument & Measurement Setup


Test Notes

1. Compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater for Part 90. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.
2. For NR operation, all subcarrier spacings (SCS) and transmission schemes (e.g. CP-OFDM and DFT-s-OFDM) were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 38 of 108


V2.2 09/07/2023

LTE Band 26



11:33:51 AM 06/16/2025

Plot 7-45. Conducted Spurious Plot (LTE Band 26 - 5MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




11:34:08 AM 06/16/2025

Plot 7-46. Conducted Spurious Plot (LTE Band 26 - 5MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: BCGA3361		PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 39 of 108


V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



11:34:26 AM 06/16/2025

Plot 7-47. Conducted Spurious Plot (LTE Band 26 - 5MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




11:35:41 AM 06/16/2025

Plot 7-48. Conducted Spurious Plot (LTE Band 26 - 10MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 40 of 108


V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



11:35:59 AM 06/16/2025

Plot 7-49. Conducted Spurious Plot (LTE Band 26 - 10MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)




11:36:16 AM 06/16/2025

Plot 7-50. Conducted Spurious Plot (LTE Band 26 - 10MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: BCGA3361	element PART 90 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 41 of 108


V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



11:37:32 AM 06/16/2025

Plot 7-51. Conducted Spurious Plot (LTE Band 26 - 5MHz QPSK - RB Size 1, RB Offset 0 - High Channel)




11:37:49 AM 06/16/2025

Plot 7-52. Conducted Spurious Plot (LTE Band 26 - 5MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 42 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



11:38:07 AM 06/16/2025


Plot 7-53. Conducted Spurious Plot (LTE Band 26 - 5MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 43 of 108

V2.2 09/07/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

LTE Band 14



11:39:24 AM 06/16/2025

Plot 7-54. Conducted Spurious Plot (LTE Band 14 - 5MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




11:40:34 AM 06/16/2025

Plot 7-55. Conducted Spurious Plot (LTE Band 14 - 5MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 44 of 108


V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



11:40:51 AM 06/16/2025

Plot 7-56. Conducted Spurious Plot (LTE Band 14 - 5MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




11:42:11 AM 06/16/2025

Plot 7-57. Conducted Spurious Plot (LTE Band 14 - 10MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 45 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



11:43:21 AM 06/16/2025

Plot 7-58. Conducted Spurious Plot (LTE Band 14 - 10MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)




11:43:39 AM 06/16/2025

Plot 7-59. Conducted Spurious Plot (LTE Band 14 - 10MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: BCGA3361		PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 46 of 108


V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



11:44:59 AM 06/16/2025

Plot 7-60. Conducted Spurious Plot (LTE Band 14 - 5MHz QPSK - RB Size 1, RB Offset 0 - High Channel)




11:46:08 AM 06/16/2025

Plot 7-61. Conducted Spurious Plot (LTE Band 14 - 5MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 47 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



11:46:26 AM 06/16/2025


Plot 7-62. Conducted Spurious Plot (LTE Band 14 - 5MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 48 of 108


V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

NR Band n26



Plot 7-63. Conducted Spurious Plot (NR Band n26 - 5MHz DFT-s-OFDM QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-64. Conducted Spurious Plot (NR Band n26 - 5MHz DFT-s-OFDM QPSK - RB Size 1, RB Offset 0 - Low Channel)


FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 49 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-65. Conducted Spurious Plot (NR Band n26 - 5MHz DFT-s-OFDM QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-66. Conducted Spurious Plot (NR Band n26 - 10MHz DFT-s-OFDM QPSK - RB Size 1, RB Offset 0 - Mid Channel)


FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 50 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-67. Conducted Spurious Plot (NR Band n26 - 10MHz DFT-s-OFDM QPSK - RB Size 1, RB Offset 0 - Mid Channel)





Plot 7-68. Conducted Spurious Plot (NR Band n26 - 10MHz DFT-s-OFDM QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: BCGA3361		PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 51 of 108

V2.2 09/07/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 52 of 108

V2.2 09/07/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-71. Conducted Spurious Plot (NR Band n26 - 5MHz DFT-s-OFDM QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: BCGA3361	element PART 90 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device	Page 53 of 108

NR Band n14



Plot 7-72. Conducted Spurious Plot (NR Band n14 - 5MHz DFT-s-OFDM QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-73. Conducted Spurious Plot (NR Band n14 - 5MHz DFT-s-OFDM QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: BCGA3361	 PART 90 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2504170041-12.BCG	Test Dates: 5/9/2025 - 8/6/2025	EUT Type: Tablet Device
		Page 54 of 108

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.