






Plot 7-301 PSD SDM Primary Antenna WF5B (20MHz BW 802.11be(RU) RU242 Index61 - Ch.97)




Plot 7-305 PSD SDM Primary Antenna 4a (20MHz BW 802.11be(RU) RU242 Index61 - Ch.97)




Plot 7-302 PSD SDM Primary Antenna WF5B (40MHz BW 802.11be(RU) RU484 Index65 - Ch.99)




Plot 7-306 PSD SDM Primary Antenna 4a (40MHz BW 802.11be(RU) RU484 Index65 - Ch.99)




Plot 7-303 PSD SDM Primary Antenna WF5B (80MHz BW 802.11be(RU) RU996 Index67 - Ch.103)



Plot 7-307 PSD SDM Primary Antenna 4a (80MHz BW 802.11be(RU) RU996 Index67 - Ch.103)



Plot 7-304 PSD SDM Primary Antenna WF5B (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.111)



Plot 7-308 PSD SDM Primary Antenna 4a (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.111)


FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-27-R2.BCG	Test Dates: 05/12/2025 - 09/10/2025	EUT Type: Tablet Device	Page 141 of 464




Plot 7-309 PSD SDM Primary Antenna WF5B (20MHz BW 802.11be(RU) RU52 Index37 - Ch.149)




Plot 7-313 PSD SDM Primary Antenna 4a (20MHz BW 802.11be(RU) RU52 Index37 - Ch.149)




Plot 7-310 PSD SDM Primary Antenna WF5B (40MHz BW 802.11be(RU) RU52 Index40 - Ch.179)




Plot 7-314 PSD SDM Primary Antenna 4a (40MHz BW 802.11be(RU) RU52 Index40 - Ch.179)




Plot 7-311 PSD SDM Primary Antenna WF5B (80MHz BW 802.11be(RU) RU52 Index52 - Ch.151)



Plot 7-315 PSD SDM Primary Antenna 4a (80MHz BW 802.11be(RU) RU52 Index52 - Ch.151)



Plot 7-312 PSD SDM Primary Antenna WF5B (160MHz BW 802.11be(RU) RU52 Index52 - Ch.143)



Plot 7-316 PSD SDM Primary Antenna 4a (160MHz BW 802.11be(RU) RU52 Index52 - Ch.143)


FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170041-27-R2.BCG	Test Dates: 05/12/2025 - 09/10/2025	EUT Type: Tablet Device		Page 142 of 464




Plot 7-317 PSD SDM Primary Antenna WF5B (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.185)




Plot 7-320 PSD SDM Primary Antenna 4a(20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.185)




Plot 7-318 PSD SDM Primary Antenna WF5B (80MHz BW 802.11be(RU) RU484+242 Index92 - Ch.119)



Plot 7-321 PSD SDM Primary Antenna 4a(80MHz BW 802.11be(RU) RU484+242 Index92 - Ch.119)




Plot 7-319 PSD SDM Primary Antenna WF5B (160MHz BW 802.11be(RU) RU996+484+242 Index97 - Ch.143)




Plot 7-322 PSD SDM Primary Antenna 4a(160MHz BW 802.11be(RU) RU996+484+242 Index97 - Ch.143)


FCC ID: BCGA3361 IC: 579C-A3361	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-27-R2.BCG	Test Dates: 05/12/2025 - 09/10/2025	EUT Type: Tablet Device	Page 143 of 464




Plot 7-323 PSD SDM Primary Antenna WF5B (20MHz BW 802.11be(RU) RU242 Index61 - Ch.117)




Plot 7-327 PSD SDM Primary Antenna 4a (20MHz BW 802.11be(RU) RU242 Index61 - Ch.117)




Plot 7-324 PSD SDM Primary Antenna WF5B (40MHz BW 802.11be(RU) RU484 Index65 - Ch.123)




Plot 7-328 PSD SDM Primary Antenna 4a (40MHz BW 802.11be(RU) RU484 Index65 - Ch.123)



Plot 7-325 PSD SDM Primary Antenna WF5B (80MHz BW 802.11be(RU) RU996 Index67 - Ch.151)



Plot 7-329 PSD SDM Primary Antenna 4a (80MHz BW 802.11be(RU) RU996 Index67 - Ch.151)



Plot 7-326 PSD SDM Primary Antenna WF5B (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.143)




Plot 7-330 PSD SDM Primary Antenna 4a (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.143)


FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-27-R2.BCG			Page 144 of 464




Plot 7-331 PSD SDM Primary Antenna WF5B (20MHz BW 802.11be(RU) RU52 Index37 - Ch.229)




Plot 7-335 PSD SDM Primary Antenna 4a (20MHz BW 802.11be(RU) RU52 Index37 - Ch.229)




Plot 7-332 PSD SDM Primary Antenna WF5B (40MHz BW 802.11be(RU) RU52 Index40 - Ch.227)




Plot 7-336 PSD SDM Primary Antenna 4a (40MHz BW 802.11be(RU) RU52 Index40 - Ch.227)




Plot 7-333 PSD SDM Primary Antenna WF5B (80MHz BW 802.11be(RU) RU52 Index44 - Ch.199)



Plot 7-337 PSD SDM Primary Antenna 4a (80MHz BW 802.11be(RU) RU52 Index44 - Ch.199)



Plot 7-334 PSD SDM Primary Antenna WF5B (160MHz BW 802.11be(RU) RU52 Index37 - Ch.207)



Plot 7-338 PSD SDM Primary Antenna 4a (160MHz BW 802.11be(RU) RU52 Index37 - Ch.207)


FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-27-R2.BCG	Test Dates: 05/12/2025 - 09/10/2025	EUT Type: Tablet Device	Page 145 of 464




Plot 7-339 PSD SDM Primary Antenna WF5B (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.209)




Plot 7-342 PSD SDM Primary Antenna 4a(20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.209)




Plot 7-340 PSD SDM Primary Antenna WF5B (80MHz BW 802.11be(RU) RU484+242 Index91 - Ch.199)



Plot 7-343 PSD SDM Primary Antenna 4a(80MHz BW 802.11be(RU) RU484+242 Index91 - Ch.199)



Plot 7-341 PSD SDM Primary Antenna WF5B (160MHz BW 802.11be(RU) RU996+484+242 Index97 - Ch.207)




Plot 7-344 PSD SDM Primary Antenna 4a(160MHz BW 802.11be(RU) RU996+484+242 Index97 - Ch.207)


FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-27-R2.BCG	Test Dates: 05/12/2025 - 09/10/2025	EUT Type: Tablet Device	Page 146 of 464




Plot 7-345 PSD SDM Primary Antenna WF5B (20MHz BW 802.11be(RU) RU242 Index61 - Ch.189)




Plot 7-349 PSD SDM Primary Antenna 4a (20MHz BW 802.11be(RU) RU242 Index61 - Ch.189)




Plot 7-346 PSD SDM Primary Antenna WF5B (40MHz BW 802.11be(RU) RU484 Index65 - Ch.211)




Plot 7-350 PSD SDM Primary Antenna 4a (40MHz BW 802.11be(RU) RU484 Index65 - Ch.211)




Plot 7-347 PSD SDM Primary Antenna WF5B (80MHz BW 802.11be(RU) RU996 Index67 - Ch.199)



Plot 7-351 PSD SDM Primary Antenna 4a (80MHz BW 802.11be(RU) RU996 Index67 - Ch.199)



Plot 7-348 PSD SDM Primary Antenna WF5B (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.207)



Plot 7-352 PSD SDM Primary Antenna 4a (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.207)

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-27-R2.BCG			Page 147 of 464
Test Dates: 05/12/2025 - 09/10/2025	EUT Type: Tablet Device	V 11.0 05/2025	

7.4.5 SDM Diversity Power Spectral Density Measurements – VLP

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate	Antenna 4a Measured Power Density [dBm/MHz]	Antenna 2a Measured Power Density [dBm/MHz]	Summed MIMO Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	be (20MHz)	26	0	SDM	MCSS	-10.93	-11.33	-8.11	0.75	-7.36	-5.00	-2.36
	6255	61	be (20MHz)	26	0	SDM	MCSS	-10.94	-11.28	-8.09	0.75	-7.34	-5.00	-2.34
	6415	93	be (20MHz)	26	8	SDM	MCSS	-10.44	-10.79	-7.60	0.31	-7.28	-5.00	-2.28
	6125	35	be (40MHz)	26	8	SDM	MCSS	-11.11	-11.56	-8.32	0.75	-7.66	-5.00	-2.66
	6245	59	be (40MHz)	26	17	SDM	MCSS	-10.94	-11.40	-8.15	0.75	-7.40	-5.00	-2.40
	6405	91	be (40MHz)	26	0	SDM	MCSS	-10.66	-11.05	-7.84	0.31	-7.60	-5.00	-2.60
	6145	39	be (80MHz)	26	36	SDM	MCSS	-11.25	-11.83	-8.52	0.75	-7.77	-5.00	-2.77
	6225	55	be (80MHz)	26	36	SDM	MCSS	-11.03	-11.34	-8.17	0.75	-7.42	-5.00	-2.42
	6385	87	be (80MHz)	26	0	SDM	MCSS	-10.61	-11.11	-7.84	0.31	-7.53	-5.00	-2.53
	6185	47	be (160MHz)	26	36	SDM	MCSS	-11.12	-11.60	-8.34	0.75	-7.59	-5.00	-2.59
Band 6	6345	79	be (160MHz)	26	36	SDM	MCSS	-10.50	-11.16	-7.80	0.31	-7.49	-5.00	-2.49
	6435	97	be (20MHz)	26	8	SDM	MCSS	-11.42	-12.06	-8.72	0.90	-7.82	-5.00	-2.82
	6475	105	be (20MHz)	26	8	SDM	MCSS	-11.63	-12.17	-8.88	0.90	-8.04	-5.00	-3.04
	6515	113	be (20MHz)	26	8	SDM	MCSS	-12.09	-11.84	-8.96	0.90	-8.06	-5.00	-3.06
	6445	99	be (40MHz)	26	8	SDM	MCSS	-11.53	-11.99	-8.74	0.90	-7.84	-5.00	-2.84
	6485	107	be (40MHz)	26	17	SDM	MCSS	-11.65	-12.39	-9.00	0.90	-8.10	-5.00	-3.10
	6525	115	be (40MHz)	52	44	SDM	MCSS	-11.81	-13.20	-9.44	0.90	-8.54	-5.00	-3.54
	6465	103	be (80MHz)	26	17	SDM	MCSS	-11.76	-12.08	-8.91	0.90	-8.05	-5.00	-3.05
	6505	111	be (160MHz)	52	44	SDM	MCSS	-12.26	-13.76	-9.93	0.90	-9.03	-5.00	-4.03
	6535	117	be (20MHz)	52	37	SDM	MCSS	-12.78	-13.41	-10.07	0.74	-9.34	-5.00	-4.34
Band 7	6695	149	be (20MHz)	52	37	SDM	MCSS	-12.82	-12.51	-9.65	0.74	-8.91	-5.00	-3.91
	6875	185	be (20MHz)	52	40	SDM	MCSS	-12.65	-13.20	-9.90	0.74	-9.17	-5.00	-4.17
	6565	123	be (40MHz)	52	44	SDM	MCSS	-12.89	-12.67	-9.77	0.74	-9.16	-5.00	-4.16
	6725	155	be (40MHz)	52	44	SDM	MCSS	-11.91	-13.33	-9.55	0.74	-8.81	-5.00	-3.81
	6845	179	be (40MHz)	52	44	SDM	MCSS	-11.70	-13.45	-9.48	0.74	-8.97	-5.00	-3.97
	6545	119	be (80MHz)	52	37	SDM	MCSS	-11.94	-13.68	-9.71	0.74	-9.01	-5.00	-4.01
	6705	151	be (80MHz)	52	52	SDM	MCSS	-11.91	-13.13	-9.47	0.74	-8.73	-5.00	-3.73
	6865	183	be (80MHz)	52	44	SDM	MCSS	-11.82	-14.18	-9.83	0.74	-9.09	-5.00	-4.09
	6665	143	be (160MHz)	52	52	SDM	MCSS	-11.98	-13.53	-9.67	0.74	-8.94	-5.00	-3.94
	6825	175	be (160MHz)	52	44	SDM	MCSS	-11.85	-14.05	-9.80	0.74	-9.06	-5.00	-4.06
Band 8	6895	189	be (20MHz)	52	40	SDM	MCSS	-12.79	-13.12	-9.94	-0.70	-10.67	-5.00	-5.67
	6995	209	be (20MHz)	52	40	SDM	MCSS	-12.55	-12.64	-9.59	-0.70	-10.28	-5.00	-5.28
	7095	229	be (20MHz)	52	37	SDM	MCSS	-12.04	-12.59	-9.30	-0.70	-9.99	-5.00	-4.99
	6885	187	be (40MHz)	52	37	SDM	MCSS	-11.53	-13.77	-9.49	-0.70	-10.19	-5.00	-5.19
	7005	211	be (40MHz)	52	37	SDM	MCSS	-11.59	-13.12	-9.28	-0.70	-10.01	-5.00	-5.01
	7085	227	be (40MHz)	52	40	SDM	MCSS	-11.10	-12.87	-8.88	-0.70	-9.58	-5.00	-4.58
	6945	199	be (80MHz)	52	37	SDM	MCSS	-11.41	-12.79	-9.04	-0.70	-9.80	-5.00	-4.80
	7025	215	be (80MHz)	52	44	SDM	MCSS	-11.42	-13.21	-9.21	-0.70	-9.93	-5.00	-4.93
	6985	207	be (160MHz)	52	37	SDM	MCSS	-11.39	-13.20	-9.19	-0.70	-9.89	-5.00	-4.89

Table 7-83. Power Spectral Density Measurements SDM Diversity (RU26/52)

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate	Antenna 4a Measured Power Density [dBm/MHz]	Antenna 2a Measured Power Density [dBm/MHz]	Summed MIMO Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	be (20MHz)	106+26	82	SDM	MCSS	-11.36	-10.54	-7.92	0.75	-7.16	-5.00	-2.16
	6255	61	be (20MHz)	106+26	82	SDM	MCSS	-11.58	-10.90	-8.22	0.75	-7.47	-5.00	-2.47
	6415	93	be (20MHz)	106+26	83	SDM	MCSS	-11.03	-9.91	-7.42	0.31	-7.11	-5.00	-2.11
	6145	39	be (80MHz)	484+242	92	SDM	MCSS	-11.91	-11.77	-8.83	0.75	-8.08	-5.00	-3.08
	6225	55	be (80MHz)	484+242	92	SDM	MCSS	-11.48	-12.04	-8.74	0.75	-7.99	-5.00	-2.99
	6385	87	be (80MHz)	484+242	90	SDM	MCSS	-11.26	-11.49	-8.36	0.31	-8.05	-5.00	-3.05
	6185	47	be (160MHz)	996+484+242	98-L	SDM	MCSS	-11.83	-11.83	-8.82	0.75	-8.06	-5.00	-3.06
	6345	79	be (160MHz)	996+484+242	98-L	SDM	MCSS	-10.86	-11.49	-8.15	0.31	-7.84	-5.00	-2.84
	6435	97	be (20MHz)	106+26	82	SDM	MCSS	-11.93	-11.29	-8.59	0.90	-7.69	-5.00	-2.69
	6475	105	be (20MHz)	106+26	82	SDM	MCSS	-11.89	-11.61	-8.74	0.90	-7.84	-5.00	-2.84
Band 6	6515	113	be (20MHz)	106+26	82	SDM	MCSS	-12.05	-11.45	-8.73	0.90	-7.83	-5.00	-2.83
	6465	103	be (80MHz)	484+242	92	SDM	MCSS	-12.22	-12.69	-9.43	0.90	-8.53	-5.00	-3.53
	6505	111	be (160MHz)	996+484+242	99-L	SDM	MCSS	-13.28	-13.65	-10.45	0.90	-9.55	-5.00	-4.55
	6535	117	be (20MHz)	106+26	82	SDM	MCSS	-13.56	-12.44	-9.95	0.74	-9.22	-5.00	-4.22
	6695	149	be (20MHz)	106+26	82	SDM	MCSS	-13.54	-12.54	-10.00	0.74	-9.26	-5.00	-4.26
	6875	185	be (20MHz)	106+26	82	SDM	MCSS	-13.47	-12.40	-9.89	0.74	-9.15	-5.00	-4.15
	6545	119	be (80MHz)	484+242	91	SDM	MCSS	-13.15	-13.71	-10.41	0.74	-9.68	-5.00	-4.68
	6705	151	be (80MHz)	484+242	92	SDM	MCSS	-13.37	-13.52	-10.43	0.74	-9.69	-5.00	-4.69
	6865	183	be (80MHz)	484+242	91	SDM	MCSS	-13.49	-14.36	-10.89	0.74	-10.15	-5.00	-5.15
	6665	143	be (160MHz)	996+484+242	97-L	SDM	MCSS	-13.06	-13.81	-10.41	0.74	-9.67	-5.00	-4.67
Band 7	6825	175	be (160MHz)	996+484+242	97-L	SDM	MCSS	-13.15	-13.78	-10.44	0.74	-9.71	-5.00	-4.71
	6895	189	be (20MHz)	106+26	82	SDM	MCSS	-12.22	-12.95	-9.56	-0.70	-10.26	-5.00	-5.26
	6995	209	be (20MHz)	106+26	82	SDM	MCSS	-12.50	-12.44	-9.46	-0.70	-10.16	-5.00	-5.16
	7095	229	be (20MHz)	106+26	82	SDM	MCSS	-12.75	-13.04	-9.88	-0.70	-10.58	-5.00	-5.58
	6945	199	be (80MHz)	484+242	92	SDM	MCSS	-12.74	-13.05	-9.88	-0.70	-10.58	-5.00	-5.58
	7025	215	be (80MHz)	484+242	90	SDM	MCSS	-13.05	-12.83	-9.93	-0.70	-10.63	-5.00	-5.63
	6985	207	be (160MHz)	996+484+242	99-L	SDM	MCSS	-12.75	-13.18	-9.95	-0.70	-10.65	-5.00	-5.65







Table 7-84. Power Spectral Density Measurements SDM Diversity (MRU)

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-27-R2.BCG	Test Dates: 05/12/2025 - 09/10/2025	EUT Type: Tablet Device	Page 148 of 464


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate	Antenna 4a Measured Power Density [dBm/MHz]	Antenna 2a Measured Power Density [dBm/MHz]	Summed MIMO Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	be (20MHz)	242	61	SDM	MCSS	-11.05	-11.86	-8.43	0.75	-7.67	-5.00	-2.67
	6255	61	be (20MHz)	242	61	SDM	MCSS	-11.09	-11.89	-8.46	0.75	-7.71	-5.00	-2.71
	6415	93	be (20MHz)	242	61	SDM	MCSS	-10.53	-11.16	-7.82	0.31	-7.51	-5.00	-2.51
	6125	35	be (40MHz)	484	65	SDM	MCSS	-11.56	-12.06	-8.79	0.75	-8.04	-5.00	-3.04
	6245	59	be (40MHz)	484	65	SDM	MCSS	-11.38	-12.07	-8.70	0.75	-7.95	-5.00	-2.95
	6405	91	be (40MHz)	484	65	SDM	MCSS	-10.83	-11.56	-8.17	0.31	-7.85	-5.00	-2.85
	6145	39	be (80MHz)	996	67	SDM	MCSS	-11.27	-12.24	-8.71	0.75	-7.96	-5.00	-2.96
	6225	55	be (80MHz)	996	67	SDM	MCSS	-11.36	-11.68	-8.51	0.75	-7.75	-5.00	-2.75
	6385	87	be (80MHz)	996	67	SDM	MCSS	-10.72	-11.31	-7.99	0.31	-7.68	-5.00	-2.68
	6185	47	be (160MHz)	996	68	SDM	MCSS	-12.33	-12.80	-9.55	0.75	-8.80	-5.00	-3.80
Band 6	6345	79	be (160MHz)	996	68	SDM	MCSS	-11.61	-12.37	-8.97	0.31	-8.65	-5.00	-3.65
	6435	97	be (20MHz)	242	61	SDM	MCSS	-11.61	-12.47	-9.01	0.90	-8.11	-5.00	-3.11
	6475	105	be (20MHz)	242	61	SDM	MCSS	-11.90	-12.43	-9.15	0.90	-8.25	-5.00	-3.25
	6515	113	be (20MHz)	242	61	SDM	MCSS	-12.00	-12.24	-9.11	0.90	-8.21	-5.00	-3.21
	6445	99	be (40MHz)	484	65	SDM	MCSS	-11.85	-12.28	-9.05	0.90	-8.15	-5.00	-3.15
	6485	107	be (40MHz)	484	65	SDM	MCSS	-11.86	-12.50	-9.16	0.90	-8.26	-5.00	-3.26
	6525	115	be (40MHz)	484	65	SDM	MCSS	-12.59	-13.45	-9.99	0.90	-9.09	-5.00	-4.09
	6465	103	be (80MHz)	996	67	SDM	MCSS	-11.37	-12.20	-8.75	0.90	-7.85	-5.00	-2.85
	6505	111	be (160MHz)	996	68	SDM	MCSS	-13.78	-14.55	-11.14	0.90	-10.24	-5.00	-5.24
	6535	117	be (20MHz)	242	61	SDM	MCSS	-12.53	-12.93	-9.71	0.74	-8.98	-5.00	-3.98
Band 7	6695	149	be (20MHz)	242	61	SDM	MCSS	-12.51	-12.98	-9.73	0.74	-8.99	-5.00	-3.99
	6875	185	be (20MHz)	242	61	SDM	MCSS	-12.94	-13.37	-10.14	0.74	-9.40	-5.00	-4.40
	6565	123	be (40MHz)	484	65	SDM	MCSS	-13.99	-13.42	-10.68	0.74	-9.95	-5.00	-4.95
	6725	155	be (40MHz)	484	65	SDM	MCSS	-12.97	-13.67	-10.29	0.74	-9.56	-5.00	-4.56
	6845	179	be (40MHz)	484	65	SDM	MCSS	-13.62	-13.91	-10.75	0.74	-10.01	-5.00	-5.01
	6545	119	be (80MHz)	996	67	SDM	MCSS	-12.77	-13.44	-10.08	0.74	-9.35	-5.00	-4.35
	6705	151	be (80MHz)	996	67	SDM	MCSS	-12.54	-12.96	-9.73	0.74	-9.00	-5.00	-4.00
	6865	183	be (80MHz)	996	67	SDM	MCSS	-13.37	-13.90	-10.62	0.74	-9.88	-5.00	-4.88
	6665	143	be (160MHz)	996	68	SDM	MCSS	-13.86	-14.49	-11.15	0.74	-10.42	-5.00	-5.42
	6825	175	be (160MHz)	996	68	SDM	MCSS	-13.80	-14.36	-11.06	0.74	-10.32	-5.00	-5.32
Band 8	6895	189	be (20MHz)	242	61	SDM	MCSS	-11.81	-12.89	-9.31	-0.70	-10.00	-5.00	-5.00
	6995	209	be (20MHz)	242	61	SDM	MCSS	-12.84	-12.49	-9.65	-0.70	-10.35	-5.00	-5.35
	7115	233	be (20MHz)	242	61	SDM	MCSS	-12.48	-12.78	-9.62	-0.70	-10.31	-5.00	-5.31
	6885	187	be (40MHz)	484	65	SDM	MCSS	-13.22	-13.26	-10.23	-0.70	-10.93	-5.00	-5.93
	7005	211	be (40MHz)	484	65	SDM	MCSS	-12.48	-13.10	-9.77	-0.70	-10.47	-5.00	-5.47
	7085	227	be (40MHz)	484	65	SDM	MCSS	-12.62	-12.58	-9.59	-0.70	-10.29	-5.00	-5.29
	6945	199	be (80MHz)	996	67	SDM	MCSS	-12.20	-12.75	-9.45	-0.70	-10.15	-5.00	-5.15
	7025	215	be (80MHz)	996	67	SDM	MCSS	-12.65	-12.94	-9.78	-0.70	-10.48	-5.00	-5.48
	6985	207	be (160MHz)	996	68	SDM	MCSS	-13.29	-13.87	-10.56	-0.70	-11.25	-5.00	-6.25

Table 7-85. Power Spectral Density Measurements SDM Diversity (Fully – Loaded RU)


FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-27-R2.BCG	Test Dates: 05/12/2025 - 09/10/2025	EUT Type: Tablet Device	Page 149 of 464




FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-27-R2.BCG	Test Dates: 05/12/2025 - 09/10/2025		Page 150 of 464




Plot 7-361 PSD SDM Diversity Antenna 4a(20MHz BW 802.11be(RU) RU106+26 Index83 - Ch.93)




Plot 7-364 PSD SDM Diversity Antenna 2a (20MHz BW 802.11be(RU) RU106+26 Index83 - Ch.93)




Plot 7-362 PSD SDM Diversity Antenna 4a(80MHz BW 802.11be(RU) RU484+242 Index92 - Ch.55)



Plot 7-365 PSD SDM Diversity Antenna 2a (80MHz BW 802.11be(RU) RU484+242 Index92 - Ch.55)




Plot 7-363 PSD SDM Diversity Antenna 4a(160MHz BW 802.11be(RU) RU996+484+242 Index98 - Ch.79)




Plot 7-366 PSD SDM Diversity Antenna 2a (160MHz BW 802.11be(RU) RU996+484+242 Index98 - Ch.79)


FCC ID: BCGA3361 IC: 579C-A3361	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-27-R2.BCG	Test Dates: 05/12/2025 - 09/10/2025	EUT Type: Tablet Device	Page 151 of 464



Plot 7-367 PSD SDM Diversity Antenna 4a (20MHz BW 802.11be(RU) RU242 Index61 - Ch.93)




Plot 7-371 PSD SDM Diversity Antenna 2a (20MHz BW 802.11be(RU) RU242 Index61 - Ch.93)




Plot 7-368 PSD SDM Diversity Antenna 4a (40MHz BW 802.11be(RU) RU484 Index65 - Ch.91)




Plot 7-372 PSD SDM Diversity Antenna 2a (40MHz BW 802.11be(RU) RU484 Index65 - Ch.91)




Plot 7-369 PSD SDM Diversity Antenna 4a (80MHz BW 802.11be(RU) RU996 Index67 - Ch.87)



Plot 7-373 PSD SDM Diversity Antenna 2a (80MHz BW 802.11be(RU) RU996 Index67 - Ch.87)










Plot 7-370 PSD SDM Diversity Antenna 4a (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.79)



Plot 7-374 PSD SDM Diversity Antenna 2a (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.79)

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-27-R2.BCG			Page 152 of 464
Test Dates: 05/12/2025 - 09/10/2025	EUT Type: Tablet Device		



FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-27-R2.BCG			Page 153 of 464