





Plot 7-120. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be(SU) – Ch. 56)




Plot 7-121. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11be(SU) – Ch.56)

Mode:	802.11be(SU)
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5280MHz
Channel:	56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10560.00	Peak	V	-	-	-71.27	12.01	47.74	73.98	-26.24
* 15840.00	Average	H	-	-	-85.35	21.48	43.14	53.98	-10.84
* 15840.00	Peak	H	-	-	-73.89	21.48	54.59	73.98	-19.39

Table 7-130. Radiated Measurements CDD Primary

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device		Page 139 of 255




Plot 7-122. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be(SU) – Ch. 64)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5320MHz
Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 10640.00	Average	H	-	-	-83.45	12.83	36.39	53.98	-17.59
* 10640.00	Peak	H	-	-	-71.67	12.83	48.17	73.98	-25.81
* 15960.00	Average	V	-	-	-85.44	21.07	42.63	53.98	-11.35
* 15960.00	Peak	V	-	-	-73.99	21.07	54.08	73.98	-19.90

Table 7-131. Radiated Measurements CDD Primary

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 140 of 255




Plot 7-123. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be(SU) – Ch. 100)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11000.00	Average	H	-	-	-84.07	13.86	36.79	53.98	-17.19
* 11000.00	Peak	H	-	-	-72.39	13.86	48.47	73.98	-25.51
16500.00	Peak	V	-	-	-73.43	22.85	56.42	68.23	-11.81

Table 7-132. Radiated Measurements CDD Primary

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 141 of 255



Plot 7-124. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be(SU) – Ch. 116)




Plot 7-125. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11be(SU) – Ch.116)

Mode:	802.11be(SU)
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5580MHz
Channel:	116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11160.00	Average	V	-	-	-83.06	12.88	36.82	53.98	-17.16
* 11160.00	Peak	V	-	-	-71.72	12.88	48.16	73.98	-25.82
16740.00	Peak	H	-	-	-73.82	23.37	56.55	68.23	-11.68

Table 7-133. Radiated Measurements CDD Primary

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device		Page 142 of 255




Plot 7-126. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be(SU) – Ch. 144)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11440.00	Average	V	-	-	-83.64	13.73	37.09	53.98	-16.89
*	11440.00	Peak	V	-	-	-71.76	13.73	48.97	73.98	-25.01
	17160.00	Peak	H	-	-	-74.76	24.21	56.45	68.23	-11.78

Table 7-134. Radiated Measurements CDD Primary

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 143 of 255




Plot 7-127. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be(SU) – Ch. 149)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11490.00	Average	H	-	-	-83.81	13.92	37.11	53.98	-16.87
*	11490.00	Peak	H	-	-	-72.03	13.92	48.89	73.98	-25.09
	17235.00	Peak	V	-	-	-74.36	24.21	56.85	68.23	-11.38

Table 7-135. Radiated Measurements CDD Primary

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 144 of 255



Plot 7-128. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be(SU) – Ch. 157)



Plot 7-129. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11be(SU) – Ch.157)

Mode: 802.11be(SU)

Data Rate: MCS0

Distance of Measurements: 3 Meters


Operating Frequency: 5785MHz

Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11570.00	Average	V	-	-	-82.99	14.34	38.35	53.98	-15.63
* 11570.00	Peak	V	-	-	-72.14	14.34	49.20	73.98	-24.78
17355.00	Peak	V	-	-	-73.62	24.42	57.80	68.23	-10.43

Table 7-136. Radiated Measurements CDD Primary

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device		Page 145 of 255



Plot 7-130. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be(SU) – Ch. 165)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11650.00	Average	V	-	-	-83.70	14.22	37.52	53.98	-16.46
*	11650.00	Peak	V	-	-	-71.57	14.22	49.66	73.98	-24.32
	17475.00	Peak	H	-	-	-73.77	24.96	58.19	68.23	-10.04

Table 7-137. Radiated Measurements CDD Primary

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 146 of 255

7.6.2 CDD Diversity Radiated Spurious Emission




Plot 7-131. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 36)

Mode:	802.11n
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5180MHz
Channel:	36


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10360.00	Peak	H	-	-	-67.37	11.12	50.74	68.23	-17.49
* 15540.00	Average	H	-	-	-81.96	17.70	42.74	53.98	-11.24
* 15540.00	Peak	H	-	-	-70.15	17.70	54.55	73.98	-19.43

Table 7-138. Radiated Measurements CDD Diversity

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 147 of 255



Plot 7-132. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 40)




Plot 7-133. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n – Ch.40)

Mode: 802.11n
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5200MHz
Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10400.00	Peak	H	-	-	-68.38	11.54	50.16	68.23	-18.07
* 15600.00	Average	V	-	-	-81.55	18.30	43.75	53.98	-10.23
* 15600.00	Peak	V	-	-	-69.93	18.30	55.37	73.98	-18.61

Table 7-139. Radiated Measurements CDD Diversity

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device		Page 148 of 255




Plot 7-134. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 48)

Mode: 802.11n
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5240MHz
Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10480.00	Peak	H	-	-	-68.70	11.75	50.04	68.23	-18.19
* 15720.00	Average	V	-	-	-81.73	17.66	42.93	53.98	-11.05
* 15720.00	Peak	V	-	-	-70.91	17.66	53.75	73.98	-20.23

Table 7-140. Radiated Measurements CDD Diversity

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 149 of 255




Plot 7-135. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 52)

Mode: 802.11n
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5260MHz
Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	Peak	H	-	-	-68.15	11.95	50.80	68.23	-17.43
* 15780.00	Average	H	-	-	-81.80	17.26	42.46	53.98	-11.52
* 15780.00	Peak	H	-	-	-71.07	17.26	53.19	73.98	-20.79

Table 7-141. Radiated Measurements CDD Diversity

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 150 of 255



Plot 7-136. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 56)



Plot 7-137. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n – Ch.56)

Mode: 802.11n

Data Rate: MCS0

Distance of Measurements: 3 Meters


Operating Frequency: 5280MHz

Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10560.00	Peak	V	-	-	-67.57	12.32	51.76	68.23	-16.47
* 15840.00	Average	V	-	-	-82.40	17.41	42.01	53.98	-11.97
* 15840.00	Peak	V	-	-	-70.85	17.41	53.56	73.98	-20.42

Table 7-142. Radiated Measurements CDD Diversity

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device		Page 151 of 255




Plot 7-138. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 64)

Mode: 802.11n
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5320MHz
Channel: 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	10640.00	Average	H	-	-	-79.88	12.09	39.21	53.98	-14.77
*	10640.00	Peak	H	-	-	-68.28	12.09	50.81	73.98	-23.17
*	15960.00	Average	V	-	-	-82.48	17.36	41.88	53.98	-12.10
*	15960.00	Peak	V	-	-	-71.44	17.36	52.92	73.98	-21.06

Table 7-143. Radiated Measurements CDD Diversity

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 152 of 255




Plot 7-139. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 100)

Mode: 802.11n
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11000.00	Average	H	-	-	-80.18	12.79	39.61	53.98	-14.37
* 11000.00	Peak	H	-	-	-68.27	12.79	51.52	73.98	-22.46
16500.00	Peak	H	-	-	-71.46	18.58	54.12	68.23	-14.11

Table 7-144. Radiated Measurements CDD Diversity

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 153 of 255



Plot 7-140. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 116)




Plot 7-141. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n – Ch.116)

Mode: 802.11n
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5580MHz
Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11160.00	Average	V	-	-	-79.72	12.47	39.76	53.98	-14.22
* 11160.00	Peak	V	-	-	-68.46	12.47	51.01	73.98	-22.97
16740.00	Peak	H	-	-	-70.89	19.44	55.56	68.23	-12.67

Table 7-145. Radiated Measurements CDD Diversity

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device		Page 154 of 255




Plot 7-142. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 144)

Mode: 802.11n
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11440.00	Average	H	-	-	-80.38	13.25	39.87	53.98	-14.11
* 11440.00	Peak	H	-	-	-69.00	13.25	51.25	73.98	-22.73
17160.00	Peak	H	-	-	-72.13	19.17	54.05	68.23	-14.18

Table 7-146. Radiated Measurements CDD Diversity

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 155 of 255




Plot 7-143. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 149)

Mode: 802.11n
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	H	-	-	-80.12	13.20	40.07	53.98	-13.91
* 11490.00	Peak	H	-	-	-68.64	13.20	51.56	73.98	-22.42
17235.00	Peak	H	-	-	-72.79	18.95	53.16	68.23	-15.07

Table 7-147. Radiated Measurements CDD Diversity

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 156 of 255



Plot 7-144. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 157)




Plot 7-145. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n – Ch.157)

Mode:	802.11n
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5785MHz
Channel:	157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11570.00	Average	V	-	-	-80.16	13.41	40.25	53.98	-13.73
* 11570.00	Peak	V	-	-	-68.28	13.41	52.13	73.98	-21.85
17355.00	Peak	V	-	-	-71.36	19.10	54.75	68.23	-13.48

Table 7-148. Radiated Measurements CDD Diversity

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device		Page 157 of 255




Plot 7-146. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 165)

Mode: 802.11n
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11650.00	Average	V	-	-	-80.03	13.28	40.25	53.98	-13.73
*	11650.00	Peak	V	-	-	-68.95	13.28	51.33	73.98	-22.65
	17475.00	Peak	V	-	-	-71.53	20.03	55.50	68.23	-12.73

Table 7-149. Radiated Measurements CDD Diversity

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 158 of 255




Plot 7-147. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 36)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5180MHz
Channel: 36


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10360.00	Peak	V	-	-	-68.42	11.20	49.77	68.23	-18.46
* 15540.00	Average	V	-	-	-81.85	17.70	42.85	53.98	-11.13
* 15540.00	Peak	V	-	-	-70.52	17.70	54.18	73.98	-19.80

Table 7-150. Radiated Measurements CDD Diversity

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 159 of 255



Plot 7-148. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 40)



Plot 7-149. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11be(SU) – Ch.40)

Mode: 802.11be(SU)

Data Rate: MCS0

Distance of Measurements: 3 Meters


Operating Frequency: 5200MHz

Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10400.00	Peak	V	-	-	-68.26	11.54	50.28	68.23	-17.95
* 15600.00	Average	H	-	-	-81.39	18.30	43.91	53.98	-10.07
* 15600.00	Peak	H	-	-	-70.48	18.30	54.82	73.98	-19.16

Table 7-151. Radiated Measurements CDD Diversity

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device		Page 160 of 255




Plot 7-150. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 48)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5240MHz
Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10480.00	Peak	V	-	-	-68.20	11.75	50.55	68.23	-17.68
* 15720.00	Average	H	-	-	-81.77	17.50	42.72	53.98	-11.26
* 15720.00	Peak	H	-	-	-70.37	17.50	54.13	73.98	-19.85

Table 7-152. Radiated Measurements CDD Diversity

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 161 of 255




Plot 7-151. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 52)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5260MHz
Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	Peak	V	-	-	-68.66	12.32	50.66	68.23	-17.57
* 15780.00	Average	H	-	-	-82.07	17.19	42.11	53.98	-11.87
* 15780.00	Peak	H	-	-	-70.91	17.19	53.28	73.98	-20.70

Table 7-153. Radiated Measurements CDD Diversity

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 162 of 255



Plot 7-152. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 56)



Plot 7-153. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11be(SU) – Ch.56)

Mode: 802.11be(SU)

Data Rate: MCS0

Distance of Measurements: 3 Meters


Operating Frequency: 5280MHz

Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	H	-	-	-68.38	12.45	51.07	68.23	-17.16
* 15840.00	Average	H	-	-	-82.41	17.28	41.86	53.98	-12.12
* 15840.00	Peak	H	-	-	-70.06	17.28	54.22	73.98	-19.76

Table 7-154. Radiated Measurements CDD Diversity

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device		Page 163 of 255




Plot 7-154. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 64)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5320MHz
Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 10640.00	Average	V	-	-	-79.74	12.27	39.54	53.98	-14.44
* 10640.00	Peak	V	-	-	-68.55	12.27	50.72	73.98	-23.26
* 15960.00	Average	V	-	-	-82.61	17.39	41.78	53.98	-12.20
* 15960.00	Peak	V	-	-	-71.11	17.39	53.28	73.98	-20.70

Table 7-155. Radiated Measurements CDD Diversity

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 164 of 255




Plot 7-155. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 100)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11000.00	Average	H	-	-	-79.77	12.66	39.89	53.98	-14.09
* 11000.00	Peak	H	-	-	-68.41	12.66	51.25	73.98	-22.73
16500.00	Peak	V	-	-	-70.98	18.35	54.37	68.23	-13.86

Table 7-156. Radiated Measurements CDD Diversity

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 165 of 255



Plot 7-156. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 116)



Plot 7-157. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11be(SU) – Ch.116)

Mode: 802.11be(SU)

Data Rate: MCS0

Distance of Measurements: 3 Meters


Operating Frequency: 5580MHz

Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11160.00	Average	H	-	-	-80.78	12.80	39.02	53.98	-14.96
* 11160.00	Peak	H	-	-	-69.22	12.80	50.58	73.98	-23.40
16740.00	Peak	V	-	-	-69.46	22.72	60.26	68.23	-7.97

Table 7-157. Radiated Measurements CDD Diversity

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 166 of 255




Plot 7-158. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 144)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11440.00	Average	V	-	-	-81.23	13.73	39.50	53.98	-14.48
* 11440.00	Peak	V	-	-	-70.01	13.73	50.73	73.98	-23.25
17160.00	Peak	V	-	-	-70.97	24.21	60.24	68.23	-7.99

Table 7-158. Radiated Measurements CDD Diversity

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 167 of 255




Plot 7-159. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 149)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	V	-	-	-81.00	13.73	39.73	53.98	-14.25
* 11490.00	Peak	V	-	-	-70.12	13.73	50.61	73.98	-23.37
17235.00	Peak	V	-	-	-72.19	24.24	59.05	68.23	-9.18

Table 7-159. Radiated Measurements CDD Diversity

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 168 of 255



Plot 7-160. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 157)



Plot 7-161. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11be(SU) – Ch.157)

Mode: 802.11be(SU)

Data Rate: MCS0

Distance of Measurements: 3 Meters


Operating Frequency: 5785MHz

Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11570.00	Average	V	-	-	-81.09	13.51	39.43	53.98	-14.55
* 11570.00	Peak	V	-	-	-69.97	13.51	50.54	73.98	-23.44
17355.00	Peak	V	-	-	-71.56	24.42	59.85	68.23	-8.38

Table 7-160. Radiated Measurements CDD Diversity

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device		Page 169 of 255



Plot 7-162. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 165)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11650.00	Average	V	-	-	-81.03	14.22	40.19	53.98	-13.79
* 11650.00	Peak	V	-	-	-70.64	14.22	50.58	73.98	-23.40
17475.00	Peak	H	-	-	-71.80	24.96	60.16	68.23	-8.07


Table 7-161. Radiated Measurements CDD Diversity

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 170 of 255


7.6.3 Simultaneous TX Radiated Spurious Emissions Measurements

Description	Bluetooth	UNII
Antenna	Antenna 4a	Antenna 4a
Channel	78	36
Operating Frequency (MHz)	2480	5180
Mode/Modulation	GFSK ePA	802.11n

Table 7-162. Worst Case Simultaneous Transmission Configuration



Plot 7-163. Radiated Spurious Emissions – Simultaneous Transmission above 1 GHz



Plot 7-164. Radiated Spurious Emissions – Simultaneous Transmission above 18 GHz

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10360.00	Peak	-	-	-	-71.39	15.56	51.17	68.23	-17.06
* 15540.00	Avg	-	-	-	-84.43	22.24	44.81	53.98	-9.17
* 15540.00	Peak	-	-	-	-73.27	22.24	55.97	73.98	-18.01


Table 7-163. UNII Radiated Spurious Emissions – Simultaneous Transmission

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4960.00	Peak	-	-	-	-68.95	16.57	54.62	73.98	-19.36
7440.00	Peak	-	-	-	-71.02	11.17	47.15	73.98	-26.83
12400.00	Peak	-	-	-	-72.89	18.42	52.53	73.98	-21.45


Table 7-164. Bluetooth Radiated Spurious Emissions – Simultaneous Transmission

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 171 of 255


7.6.4 Antenna WF5B Radiated Band Edge Measurements (20MHz BW)




Plot 7-165. Antenna WF5B (Peak & Average, Ch.36, 802.11n, MCS7)




Plot 7-168. Antenna WF5B (Peak & Average, Ch.64, 802.11n, MCS7)




Plot 7-166. Antenna WF5B (Peak & Average, Ch.40, 802.11n, MCS7)



Plot 7-169. Antenna WF5B (Peak & Average, Ch.100, 802.11n, MCS7)




Plot 7-167. Antenna WF5B (Peak & Average, Ch.60, 802.11n, MCS7)




Plot 7-170. Antenna WF5B (Peak & Average, Ch.104, 802.11n, MCS7)


FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device		Page 172 of 255




Plot 7-171. Antenna WF5B (Peak & Average, Ch.108, 802.11n, MCS7)




Plot 7-174. Antenna WF5B (Peak, Ch.149, 802.11n, MCS7)




Plot 7-172. Antenna WF5B (Peak, Ch.136, 802.11n, MCS7)



Plot 7-175. Antenna WF5B (Peak, Ch.165, 802.11n, MCS7)




Plot 7-173. Antenna WF5B (Peak, Ch.140, 802.11n, MCS7)




Plot 7-176. Antenna WF5B (Peak & Average, Ch.36, 802.11be(SU), MCS11)


FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 173 of 255




Plot 7-177. Antenna WF5B (Peak & Average, Ch.40, 802.11be(SU), MCS11)




Plot 7-180. Antenna WF5B (Peak & Average, Ch.100, 802.11be(SU), MCS11)




Plot 7-178. Antenna WF5B (Peak & Average, Ch.60, 802.11be(SU), MCS11)



Plot 7-181. Antenna WF5B (Peak & Average, Ch.104, 802.11be(SU), MCS11)




Plot 7-179. Antenna WF5B (Peak & Average, Ch.64, 802.11be(SU), MCS11)




Plot 7-182. Antenna WF5B (Peak & Average, Ch.108, 802.11be(SU), MCS11)


FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 174 of 255




Plot 7-183. Antenna WF5B (Peak, Ch.136, 802.11be(SU), MCS11)



Plot 7-186. Antenna WF5B (Peak, Ch.165, 802.11be(SU), MCS11)




Plot 7-184. Antenna WF5B (Peak, Ch.140, 802.11be(SU), MCS11)




Plot 7-185. Antenna WF5B (Peak, Ch.149, 802.11be(SU), MCS11)

FCC ID: BCGA3361 IC: 579C-A3361	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 175 of 255


7.6.5 Antenna WF5B Radiated Band Edge Measurements (40MHz BW)




Plot 7-187. Antenna WF5B (Peak & Average, Ch.38, 802.11n, MCS7)




Plot 7-190. Antenna WF5B (Peak & Average, Ch.62, 802.11n, MCS7)




Plot 7-188. Antenna WF5B (Peak & Average, Ch.46, 802.11n, MCS7)



Plot 7-191. Antenna WF5B (Peak & Average, Ch.102, 802.11n, MCS7)




Plot 7-189. Antenna WF5B (Peak & Average, Ch.54, 802.11n, MCS7)




Plot 7-192. Antenna WF5B (Peak & Average, Ch.110, 802.11n, MCS7)


FCC ID: BCGA3361 IC: 579C-A3361	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 176 of 255




Plot 7-193. Antenna WF5B (Peak & Average, Ch.118 (FCC ONLY), 802.11n, MCS7)




Plot 7-196. Antenna WF5B (Peak, Ch.134, 802.11n, MCS7)




Plot 7-194. Antenna WF5B (Peak, Ch.118 (FCC ONLY), 802.11n, MCS7)



Plot 7-197. Antenna WF5B (Peak, Ch.151, 802.11n, MCS7)



Plot 7-195. Antenna WF5B (Peak, Ch.126 (FCC ONLY), 802.11n, MCS7)



Plot 7-198. Antenna WF5B (Peak, Ch.159, 802.11n, MCS7)

FCC ID: BCGA3361 IC: 579C-A3361	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170041-22.BCG	Test Dates: 05/12/2025 - 07/31/2025	EUT Type: Tablet Device	Page 177 of 255