





Plot 7-305. RSE above 1GHz CDD Diversity (11be – Ch.56 – RU26)




Plot 7-306. RSE 18GHz – 40 GHz CDD Diversity (11be Ch.56 — RU26)

Mode:	802.11be (20MHz BW)
Data Rate:	MCS11
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	5280MHz
Channel:	56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10560.00	Peak	V	-	-	-70.60	12.83	49.23	68.23	-19.00
* 15840.00	Average	V	-	-	-82.13	21.06	45.93	53.98	-8.05
* 15840.00	Peak	V	-	-	-71.31	21.06	56.75	73.98	-17.23

Table 7-214. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device		Page 196 of 397



Plot 7-307. RSE above 1GHz CDD Diversity (11be – Ch.64 – RU26)


Mode: 802.11be (20MHz BW)
Data Rate: MCS11
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5320MHz
Channel: 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	10640.00	Average	V	-	-	-81.17	12.83	38.67	53.98	-15.31
*	10640.00	Peak	V	-	-	-70.17	12.83	49.67	73.98	-24.31
*	15960.00	Average	H	-	-	-81.96	21.06	46.09	53.98	-7.89
*	15960.00	Peak	H	-	-	-70.85	21.06	57.21	73.98	-16.77

Table 7-215. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device	Page 197 of 397

V 11.0 05/2025



Plot 7-308. RSE above 1GHz CDD Diversity (11be – Ch.100 – RU26)


Mode: 802.11be (20MHz BW)
Data Rate: MCS11
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11000.00	Average	H	-	-	-81.20	13.86	39.67	53.98	-14.31
*	11000.00	Peak	H	-	-	-70.70	13.86	50.16	73.98	-23.82
	16500.00	Peak	H	-	-	-71.29	22.85	58.56	68.23	-9.67


Table 7-216. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device	Page 198 of 397

V 11.0 05/2025



Plot 7-309. RSE above 1GHz CDD Diversity (11be – Ch.116 – RU26)




Plot 7-310. RSE 18GHz – 40 GHz CDD Diversity (11be Ch.116 — RU26)

Mode: 802.11be (20MHz BW)
Data Rate: MCS11
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5580MHz
Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11160.00	Average	V	-	-	-81.02	12.75	38.73	53.98	-15.25
* 11160.00	Peak	V	-	-	-70.00	12.75	49.75	73.98	-24.23
16740.00	Peak	H	-	-	-70.16	23.11	59.94	68.23	-8.29

Table 7-217. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device		Page 199 of 397



Plot 7-311. RSE above 1GHz CDD Diversity (11be – Ch.144 – RU26)


Mode: 802.11be (20MHz BW)
Data Rate: MCS11
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11440.00	Average	H	-	-	-81.18	13.73	39.55	53.98	-14.43
*	11440.00	Peak	H	-	-	-70.03	13.73	50.70	73.98	-23.28
	17160.00	Peak	H	-	-	-72.33	24.21	58.88	68.23	-9.35

Table 7-218. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device	Page 200 of 397

V 11.0 05/2025



Plot 7-312. RSE above 1GHz CDD Diversity (11be – Ch.149 – RU26)


Mode: 802.11be (20MHz BW)
Data Rate: MCS11
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11490.00	Average	H	-	-	-81.29	13.92	39.63	53.98	-14.35
*	11490.00	Peak	H	-	-	-70.50	13.92	50.42	73.98	-23.56
	17235.00	Peak	H	-	-	-71.96	24.24	59.28	68.23	-8.95


Table 7-219. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device	Page 201 of 397

V 11.0 05/2025



Plot 7-313. RSE above 1GHz CDD Diversity (11be - Ch.157 - RU26)




Plot 7-314. RSE 18GHz - 40 GHz CDD Diversity (11be Ch.157 - RU26)

Mode: 802.11be (20MHz BW)
Data Rate: MCS11
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5785MHz
Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11570.00	Average	V	-	-	-81.67	14.45	39.78	53.98	-14.20
* 11570.00	Peak	V	-	-	-70.80	14.45	50.65	73.98	-23.33
17355.00	Peak	H	-	-	-72.31	24.94	59.63	68.23	-8.60

Table 7-220. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device		Page 202 of 397



Plot 7-315. RSE above 1GHz CDD Diversity (11be – Ch.165 – RU26)

Mode: 802.11be (20MHz BW)
Data Rate: MCS11
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11650.00	Average	V	-	-	-81.21	14.08	39.87	53.98	-14.11
*	11650.00	Peak	V	-	-	-70.47	14.08	50.61	73.98	-23.37
	17475.00	Peak	V	-	-	-72.45	25.10	59.66	68.23	-8.57

Table 7-221. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device	Page 203 of 397

V 11.0 05/2025

RU242




Plot 7-316. RSE above 1GHz CDD Diversity (11be – Ch.36 – RU242)

Mode:	11be (20MHz BW)
Data Rate:	MCS11
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5180MHz
Channel:	36


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10360.00	Peak	V	-	-	-68.42	11.20	49.77	68.23	-18.46
* 15540.00	Average	V	-	-	-81.85	17.70	42.85	53.98	-11.13
* 15540.00	Peak	V	-	-	-70.52	17.70	54.18	73.98	-19.80

Table 7-222. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device	Page 204 of 397



Plot 7-317. RSE above 1GHz CDD Diversity (11be – Ch.40 – RU242)




Plot 7-318. RSE 18GHz – 40 GHz CDD Diversity (11be Ch.40 — RU242)

Mode:	802.11be (20MHz BW)
Data Rate:	MCS11
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5200MHz
Channel:	40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10400.00	Peak	V	-	-	-68.26	11.54	50.28	68.23	-17.95
* 15600.00	Average	H	-	-	-81.39	18.30	43.91	53.98	-10.07
* 15600.00	Peak	H	-	-	-70.48	18.30	54.82	73.98	-19.16

Table 7-223. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device		Page 205 of 397




Plot 7-319. RSE above 1GHz CDD Diversity (11be – Ch.48 – RU242)

Mode: 802.11be (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5240MHz
Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10480.00	Peak	V	-	-	-68.20	11.75	50.55	68.23	-17.68
* 15720.00	Average	H	-	-	-81.77	17.50	42.72	53.98	-11.26
* 15720.00	Peak	H	-	-	-70.37	17.50	54.13	73.98	-19.85

Table 7-224. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device	Page 206 of 397



Plot 7-320. RSE above 1GHz CDD Diversity (11be – Ch.52 – RU242)


Mode: 802.11be (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5260MHz
Channel: 52

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10520.00	Peak	V	-	-	-68.66	12.32	50.66	68.23	-17.57
* 15780.00	Average	H	-	-	-82.07	17.19	42.11	53.98	-11.87
* 15780.00	Peak	H	-	-	-70.91	17.19	53.28	73.98	-20.70


Table 7-225. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device	Page 207 of 397

V 11.0 05/2025



Plot 7-321. RSE above 1GHz CDD Diversity (11be - Ch.56 - RU242)




Plot 7-322. RSE 18GHz - 40 GHz CDD Diversity (11be Ch.56 - RU242)

Mode: 802.11be (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5280MHz
Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10560.00	Peak	H	-	-	-68.38	12.45	51.07	68.23	-17.16
15840.00	Average	H	-	-	-82.41	17.28	41.86	53.98	-12.12
15840.00	Peak	H	-	-	-70.06	17.28	54.22	73.98	-19.76

Table 7-226. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device	Page 208 of 397



Plot 7-323. RSE above 1GHz CDD Diversity (11be – Ch.64 – RU242)

Mode: 802.11be (20MHz BW)

Data Rate: MCS11

RU Index: 61

Distance of Measurements: 3 Meters

Operating Frequency: 5320MHz


Channel: 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	10640.00	Average	V	-	-	-79.74	12.27	39.54	53.98	-14.44
*	10640.00	Peak	V	-	-	-68.55	12.27	50.72	73.98	-23.26
*	15960.00	Average	V	-	-	-82.61	17.39	41.78	53.98	-12.20
*	15960.00	Peak	V	-	-	-71.11	17.39	53.28	73.98	-20.70

Table 7-227. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device	Page 209 of 397

V 11.0 05/2025



Plot 7-324. RSE above 1GHz CDD Diversity (11be – Ch.100 – RU242)


Mode: 802.11be (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11000.00	Average	H	-	-	-79.77	12.66	39.89	53.98	-14.09
* 11000.00	Peak	H	-	-	-68.41	12.66	51.25	73.98	-22.73
16500.00	Peak	V	-	-	-70.98	18.35	54.37	68.23	-13.86


Table 7-228. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device	Page 210 of 397

V 11.0 05/2025



Plot 7-325. RSE above 1GHz CDD Diversity (11be – Ch.116 – RU242)



Plot 7-326. RSE 18GHz – 40 GHz CDD Diversity (11be Ch.116 — RU242)


Mode:	802.11be (20MHz BW)
Data Rate:	MCS11
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5580MHz
Channel:	116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11160.00	Average	H	-	-	-80.78	12.80	39.02	53.98	-14.96
* 11160.00	Peak	H	-	-	-69.22	12.80	50.58	73.98	-23.40
16740.00	Peak	V	-	-	-69.46	22.72	60.26	68.23	-7.97

Table 7-229. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device		Page 211 of 397

V 11.0 05/2025



Plot 7-327. RSE above 1GHz CDD Diversity (11be – Ch.144 – RU242)


Mode: 802.11be (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11440.00	Average	V	-	-	-81.23	13.73	39.50	53.98	-14.48
*	11440.00	Peak	V	-	-	-70.01	13.73	50.73	73.98	-23.25
	17160.00	Peak	V	-	-	-70.97	24.21	60.24	68.23	-7.99

Table 7-230. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device	Page 212 of 397

V 11.0 05/2025



Plot 7-328. RSE above 1GHz CDD Diversity (11be – Ch.149 – RU242)


Mode: 802.11be (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11490.00	Average	V	-	-	-81.00	13.73	39.73	53.98	-14.25
*	11490.00	Peak	V	-	-	-70.12	13.73	50.61	73.98	-23.37
	17235.00	Peak	V	-	-	-72.19	24.24	59.05	68.23	-9.18


Table 7-231. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device	Page 213 of 397

V 11.0 05/2025



Plot 7-329. RSE above 1GHz CDD Diversity (11be - Ch.157 - RU242)



Plot 7-330. RSE 18GHz - 40 GHz CDD Diversity (11be Ch.157 - RU242)

Mode:	802.11be (20MHz BW)
Data Rate:	MCS11
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5785MHz
Channel:	157


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11570.00	Average	V	-	-	-81.09	13.51	39.43	53.98	-14.55
*	11570.00	Peak	V	-	-	-69.97	13.51	50.54	73.98	-23.44
	17355.00	Peak	V	-	-	-71.56	24.42	59.85	68.23	-8.38

Table 7-232. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device	Page 214 of 397

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-331. RSE above 1GHz CDD Diversity (11be – Ch.165 – RU242)

Mode: 802.11be (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11650.00	Average	V	-	-	-81.03	14.22	40.19	53.98	-13.79
*	11650.00	Peak	V	-	-	-70.64	14.22	50.58	73.98	-23.40
	17475.00	Peak	H	-	-	-71.80	24.96	60.16	68.23	-8.07

Table 7-233. Radiated Measurements CDD Diversity (RU242)


FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device	Page 215 of 397

V 11.0 05/2025


RU52




Plot 7-338. Antenna WF5B (Peak & Average, RU52, Index 37, Ch.64, MCS11)




Plot 7-341. Antenna WF5B (Peak & Average, RU52, Index 40, Ch.100, MCS11)




Plot 7-339. Antenna WF5B (Peak & Average, RU52, Index 40, Ch.64, MCS11)



Plot 7-342. Antenna WF5B (Peak, RU52, Index 37, Ch.140, MCS11)



Plot 7-340. Antenna WF5B (Peak & Average, RU52, Index 37, Ch.100, MCS11)




Plot 7-343. Antenna WF5B (Peak, RU52, Index 40, Ch.140, MCS11)

FCC ID: BCGA3361 IC: 579C-A3361			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device		Page 217 of 397


V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


MRU




Plot 7-344. Antenna WF5B (Peak & Average, RU52+26, Index 70, Ch.36, MCS11)




Plot 7-347. Antenna WF5B (Peak & Average, RU52+26, Index 72, Ch.64, MCS11)




Plot 7-345. Antenna WF5B (Peak & Average, RU52+26, Index 72, Ch.36, MCS11)



Plot 7-348. Antenna WF5B (Peak & Average, RU52+26, Index 70, Ch.100, MCS11)



Plot 7-346. Antenna WF5B (Peak & Average, RU52+26, Index 70, Ch.64, MCS11)




Plot 7-349. Antenna WF5B (Peak & Average, RU52+26, Index 72, Ch.100, MCS11)


FCC ID: BCGA3361 IC: 579C-A3361			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device		

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-350. Antenna WF5B (Peak & Average, RU52+26, Index 70, Ch.104, MCS11)




Plot 7-353. Antenna WF5B (Peak, RU52+26, Index 72, Ch.136, MCS11)




Plot 7-351. Antenna WF5B (Peak & Average, RU52+26, Index 72, Ch.104, MCS11)



Plot 7-354. Antenna WF5B (Peak, RU52+26, Index 70, Ch.140, MCS11)




Plot 7-352. Antenna WF5B (Peak, RU52+26, Index 70, Ch.136, MCS11)




Plot 7-355. Antenna WF5B (Peak, RU52+26, Index 72, Ch.140, MCS11)


FCC ID: BCGA3361 IC: 579C-A3361			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device		Page 219 of 397




Plot 7-356. Antenna WF5B (Peak, RU52+26, Index 70, Ch.149, MCS11)



Plot 7-359. Antenna WF5B (Peak, RU52+26, Index 72, Ch.165, MCS11)




Plot 7-357. Antenna WF5B (Peak, RU52+26, Index 72, Ch.149, MCS11)




Plot 7-358. Antenna WF5B (Peak, RU52+26, Index 70, Ch.165, MCS11)

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device		Page 220 of 397


RU242




Plot 7-360. Antenna WF5B (Peak & Average, RU242, Index 61, Ch.36, MCS11)




Plot 7-363. Antenna WF5B (Peak & Average, RU242, Index 61, Ch.64, MCS11)




Plot 7-361. Antenna WF5B (Peak & Average, RU242, Index 61, Ch.40, MCS11)



Plot 7-364. Antenna WF5B (Peak & Average, RU242, Index 61, Ch.100, MCS11)



Plot 7-362. Antenna WF5B (Peak & Average, RU242, Index 61, Ch.60, MCS11)




Plot 7-365. Antenna WF5B (Peak & Average, RU242, Index 61, Ch.104, MCS11)


FCC ID: BCGA3361 IC: 579C-A3361			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device		

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-366. Antenna WF5B (Peak & Average, RU242, Index 61, Ch.108, MCS11)




Plot 7-369. Antenna WF5B (Peak, RU242, Index 61, Ch.140, MCS11)




Plot 7-367. Antenna WF5B (Peak, RU242, Index 61, Ch.132, MCS11)



Plot 7-370. Antenna WF5B (Peak, RU242, Index 61, Ch.149, MCS11)



Plot 7-368. Antenna WF5B (Peak, RU242, Index 61, Ch.136, MCS11)




Plot 7-371. Antenna WF5B (Peak, RU242, Index 61, Ch.165, MCS11)


FCC ID: BCGA3361 IC: 579C-A3361			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device		

7.6.4 Antenna WF5B Radiated Band Edge Measurements (40MHz BW)


RU26




Plot 7-372. Antenna WF5B (Peak & Average, RU26, Index 0, Ch.38, MCS11)




Plot 7-375. Antenna WF5B (Peak, RU26, Index 17, Ch.151, MCS11)




Plot 7-373. Antenna WF5B (Peak & Average, RU26, Index 17, Ch.38, MCS11)



Plot 7-376. Antenna WF5B (Peak, RU26, Index 0, Ch.159, MCS11)




Plot 7-374. Antenna WF5B (Peak, RU26, Index 0, Ch.151, MCS11)




Plot 7-377. Antenna WF5B (Peak, RU26, Index 17, Ch.159, MCS11)

FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device		Page 223 of 397


RU52




Plot 7-378. Antenna WF5B (Peak & Average, RU52, Index 37, Ch.62, MCS11)




Plot 7-381. Antenna WF5B (Peak & Average, RU52, Index 44, Ch.102, MCS11)




Plot 7-379. Antenna WF5B (Peak & Average, RU52, Index 44, Ch.62, MCS11)



Plot 7-382. Antenna WF5B (Peak & Average, RU52, Index 37, Ch.110, MCS11)



Plot 7-380. Antenna WF5B (Peak & Average, RU52, Index 37, Ch.102, MCS11)




Plot 7-383. Antenna WF5B (Peak & Average, RU52, Index 44, Ch.110, MCS11)


FCC ID: BCGA3361 IC: 579C-A3361			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device		

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-384. Antenna WF5B (Peak, RU52, Index 37, Ch.134, MCS11)




Plot 7-385. Antenna WF5B (Peak, RU52, Index 44, Ch.134, MCS11)

FCC ID: BCGA3361 IC: 579C-A3361	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device	Page 225 of 397


RU484




Plot 7-386. Antenna WF5B (Peak & Average, RU484, Index 65, Ch.38, MCS11)




Plot 7-389. Antenna WF5B (Peak & Average, RU484, Index 65, Ch.62, MCS11)




Plot 7-387. Antenna WF5B (Peak & Average, RU484, Index 65, Ch.46, MCS11)



Plot 7-390. Antenna WF5B (Peak & Average, RU484, Index 65, Ch.102, MCS11)



Plot 7-388. Antenna WF5B (Peak & Average, RU484, Index 65, Ch.54, MCS11)




Plot 7-391. Antenna WF5B (Peak & Average, RU484, Index 65, Ch.110, MCS11)


FCC ID: BCGA3361 IC: 579C-A3361			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device		Page 226 of 397

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-392. Antenna WF5B (Peak & Average, RU484, Index 65, Ch.118 (FCC ONLY), MCS11)




Plot 7-395. Antenna WF5B (Peak, RU484, Index 65, Ch.151, MCS11)



Plot 7-393. Antenna WF5B (Peak, RU484, Index 65, Ch.126 (FCC ONLY), MCS11)



Plot 7-396. Antenna WF5B (Peak, RU484, Index 65, Ch.159, MCS11)




Plot 7-394. Antenna WF5B (Peak, RU484, Index 65, Ch.134, MCS11)


FCC ID: BCGA3361 IC: 579C-A3361		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device		Page 227 of 397

7.6.5 Antenna WF5B Radiated Band Edge Measurements (80MHz BW)


RU26




Plot 7-397. Antenna WF5B (Peak & Average, RU26, Index 0, Ch.42, MCS11)




Plot 7-400. Antenna WF5B (Peak, RU26, Index 36, Ch.155, MCS11)




Plot 7-398. Antenna WF5B (Peak & Average, RU26, Index 36, Ch.42, MCS11)



Plot 7-401. Antenna WF5B (Peak, RU26, Index 0, Ch.155, MCS11)




Plot 7-399. Antenna WF5B (Peak, RU26, Index 0, Ch.155, MCS11)




Plot 7-402. Antenna WF5B (Peak, RU26, Index 36, Ch.155, MCS11)

FCC ID: BCGA3361 IC: 579C-A3361			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device		


RU52




Plot 7-403. Antenna WF5B (Peak & Average, RU52, Index 37, Ch.58, MCS11)




Plot 7-406. Antenna WF5B (Peak & Average, RU52, Index 52, Ch.106, MCS11)




Plot 7-404. Antenna WF5B (Peak & Average, RU52, Index 52, Ch.58, MCS11)



Plot 7-407. Antenna WF5B (Peak, RU52, Index 37, Ch.122 (FCC ONLY), (FCC ONLY), MCS11)



Plot 7-405. Antenna WF5B (Peak & Average, RU52, Index 37, Ch.106, MCS11)




Plot 7-408. Antenna WF5B (Peak, RU52, Index 52, Ch.122 (FCC ONLY), (FCC ONLY), MCS11)

FCC ID: BCGA3361 IC: 579C-A3361			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device		Page 229 of 397


V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


MRU




Plot 7-409. Antenna WF5B (Peak & Average, RU484+242, Index 90, Ch.42, MCS11)




Plot 7-412. Antenna WF5B (Peak & Average, RU484+242, Index 93, Ch.42, MCS11)




Plot 7-410. Antenna WF5B (Peak & Average, RU484+242, Index 91, Ch.42, MCS11)



Plot 7-413. Antenna WF5B (Peak & Average, RU484+242, Index 90, Ch.58, MCS11)



Plot 7-411. Antenna WF5B (Peak & Average, RU484+242, Index 92, Ch.42, MCS11)



Plot 7-414. Antenna WF5B (Peak & Average, RU484+242, Index 91, Ch.58, MCS11)

FCC ID: BCGA3361 IC: 579C-A3361			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170041-23-R1.BCG	Test Dates: 05/12/2025 - 07/23/2025	EUT Type: Tablet Device		