



Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-155 Radiated Restricted Upper Band Edge Measurement Antenna 1 Common (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-156 Radiated Restricted Upper Band Edge Measurement Antenna 1 Common (Peak & Average – RU242)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 125 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-157 Radiated Restricted Upper Band Edge Measurement Antenna 1 Common (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-158 Radiated Restricted Upper Band Edge Measurement Antenna 1 Common (Peak & Average – RU242)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 126 of 179

Mode: 802.11ax OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-159 Radiated Restricted Upper Band Edge Measurement Antenna 1 Common (Peak & Average – RU242)


Mode: 802.11ax OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-160 Radiated Restricted Upper Band Edge Measurement Antenna 1 Common (Peak & Average – RU242)

FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 127 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12




Plot 7-161 Radiated Restricted Upper Band Edge Measurement Antenna 1 Common (Peak & Average – RU242)

FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 128 of 179

7.8.3 Antenna 0 Radiated Restricted Band Edge Measurements


RU26

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-162 Radiated Restricted Lower Band Edge Measurement Antenna 0 (Peak & Average – RU26)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-163 Radiated Restricted Lower Band Edge Measurement Antenna 0 (Peak & Average – RU26)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 129 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-164 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Peak & Average – RU26)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-165 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Peak & Average – RU26)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 130 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-166 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Peak & Average – RU26)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12




Plot 7-167 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Peak & Average – RU26)

FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 131 of 179


RU242

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-168 Radiated Restricted Lower Band Edge Measurement Antenna 0 (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-169 Radiated Restricted Lower Band Edge Measurement Antenna 0 (Peak & Average – RU242)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 132 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-170 Radiated Restricted Lower Band Edge Measurement Antenna 0 (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-171 Radiated Restricted Lower Band Edge Measurement Antenna 0 (Peak & Average – RU242)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-172 Radiated Restricted Lower Band Edge Measurement Antenna 0 (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-173 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Peak & Average – RU242)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 134 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-174 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-175 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Peak & Average – RU242)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 135 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-176 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-177 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Peak & Average – RU242)

FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 136 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12




Plot 7-180 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Peak & Average – RU242)

FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 138 of 179

7.8.4 Antenna 1 Dedicated Radiated Restricted Band Edge Measurements


RU26

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-181 Radiated Restricted Lower Band Edge Measurement Antenna 1 Dedicated (Peak & Average – RU26)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-182 Radiated Restricted Lower Band Edge Measurement Antenna 1 Dedicated (Peak & Average – RU26)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 139 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-183 Radiated Restricted Upper Band Edge Measurement Antenna 1 Dedicated (Peak & Average – RU26)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-184 Radiated Restricted Upper Band Edge Measurement Antenna 1 Dedicated (Peak & Average – RU26)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 140 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-185 Radiated Restricted Upper Band Edge Measurement Antenna 1 Dedicated (Peak & Average – RU26)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12




Plot 7-186 Radiated Restricted Upper Band Edge Measurement Antenna 1 Dedicated (Peak & Average – RU26)

FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 141 of 179


RU242

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-187 Radiated Restricted Lower Band Edge Measurement Antenna 1 Dedicated (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-188 Radiated Restricted Lower Band Edge Measurement Antenna 1 Dedicated (Peak & Average – RU242)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 142 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-189 Radiated Restricted Lower Band Edge Measurement Antenna 1 Dedicated (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-190 Radiated Restricted Lower Band Edge Measurement Antenna 1 Dedicated (Peak & Average – RU242)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 143 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-191 Radiated Restricted Lower Band Edge Measurement Antenna 1 Dedicated (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-192 Radiated Restricted Upper Band Edge Measurement Antenna 1 Dedicated (Peak & Average – RU242)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 144 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-193 Radiated Restricted Upper Band Edge Measurement Antenna 1 Dedicated (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-194 Radiated Restricted Upper Band Edge Measurement Antenna 1 Dedicated (Peak & Average – RU242)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 145 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-195 Radiated Restricted Upper Band Edge Measurement Antenna 1 Dedicated (Peak & Average – RU242)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10




Plot 7-196 Radiated Restricted Upper Band Edge Measurement Antenna 1 Dedicated (Peak & Average – RU242)

FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 146 of 179

7.8.5 CDD Common Radiated Restricted Band Edge Measurements


RU26

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-199 Radiated Restricted Lower Band Edge Measurement CDD Common (Peak & Average – RU26)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-200 Radiated Restricted Lower Band Edge Measurement CDD Common (Peak & Average – RU26)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 148 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-201 Radiated Restricted Upper Band Edge Measurement CDD Common (Peak & Average – RU26)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-202 Radiated Restricted Upper Band Edge Measurement CDD Common (Peak & Average – RU26)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 149 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-203 Radiated Restricted Upper Band Edge Measurement CDD Common (Peak & Average – RU26)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12




Plot 7-204 Radiated Restricted Upper Band Edge Measurement CDD Common (Peak & Average – RU26)

FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 150 of 179


RU242

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-205 Radiated Restricted Lower Band Edge Measurement CDD Common (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-206 Radiated Restricted Lower Band Edge Measurement CDD Common (Peak & Average – RU242)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 151 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-207 Radiated Restricted Lower Band Edge Measurement CDD Common (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-208 Radiated Restricted Lower Band Edge Measurement CDD Common (Peak & Average – RU242)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 152 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-209 Radiated Restricted Lower Band Edge Measurement CDD Common (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-210 Radiated Restricted Lower Band Edge Measurement CDD Common (Peak & Average – RU242)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 153 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-211 Radiated Restricted Upper Band Edge Measurement CDD Common (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-212 Radiated Restricted Upper Band Edge Measurement CDD Common (Peak & Average – RU242)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 154 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-213 Radiated Restricted Upper Band Edge Measurement CDD Common (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-214 Radiated Restricted Upper Band Edge Measurement CDD Common (Peak & Average – RU242)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 155 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-215 Radiated Restricted Upper Band Edge Measurement CDD Common (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-216 Radiated Restricted Upper Band Edge Measurement CDD Common (Peak & Average – RU242)

FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 156 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12




Plot 7-217 Radiated Restricted Upper Band Edge Measurement CDD Common (Peak & Average – RU242)

FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 157 of 179

7.8.6 CDD Dedicated Radiated Restricted Band Edge Measurements


RU26

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-218 Radiated Restricted Lower Band Edge Measurement CDD Dedicated (Peak & Average – RU26)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-219 Radiated Restricted Lower Band Edge Measurement CDD Dedicated (Peak & Average – RU26)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 158 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-220 Radiated Restricted Upper Band Edge Measurement CDD Dedicated (Peak & Average – RU26)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-221 Radiated Restricted Upper Band Edge Measurement CDD Dedicated (Peak & Average – RU26)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 159 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-222 Radiated Restricted Upper Band Edge Measurement CDD Dedicated (Peak & Average – RU26)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12




Plot 7-223 Radiated Restricted Upper Band Edge Measurement CDD Dedicated (Peak & Average – RU26)

FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 160 of 179


RU242

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-224 Radiated Restricted Lower Band Edge Measurement CDD Dedicated (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-225 Radiated Restricted Lower Band Edge Measurement CDD Dedicated (Peak & Average – RU242)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 161 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-226 Radiated Restricted Lower Band Edge Measurement CDD Dedicated (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-227 Radiated Restricted Lower Band Edge Measurement CDD Dedicated (Peak & Average – RU242)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 162 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 5



Plot 7-228 Radiated Restricted Lower Band Edge Measurement CDD Dedicated (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-229 Radiated Restricted Upper Band Edge Measurement CDD Dedicated (Peak & Average – RU242)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 163 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-230 Radiated Restricted Upper Band Edge Measurement CDD Dedicated (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-231 Radiated Restricted Upper Band Edge Measurement CDD Dedicated (Peak & Average – RU242)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 164 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-232 Radiated Restricted Upper Band Edge Measurement CDD Dedicated (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-233 Radiated Restricted Upper Band Edge Measurement CDD Dedicated (Peak & Average – RU242)


FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 165 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-234 Radiated Restricted Upper Band Edge Measurement CDD Dedicated (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-235 Radiated Restricted Upper Band Edge Measurement CDD Dedicated (Peak & Average – RU242)

FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 166 of 179

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-236 Radiated Restricted Upper Band Edge Measurement CDD Dedicated (Peak & Average – RU242)

FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 167 of 179

V 12.0 03/03/2026

7.9 Radiated Spurious Emissions – Below 1GHz

Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for radiated spurious emissions. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR and Table 7 of RSS-Gen (7.5) must not exceed the limits shown in Table 7-93 per Section 15.209 and RSS-Gen (7.4.3).

Frequency	Field Strength [μV/m]	Measured Distance [Meters]
0.009 – 0.490 MHz	2400/F (kHz)	300
0.490 – 1.705 MHz	24000/F (kHz)	30
1.705 – 30.00 MHz	30	30
30.00 – 88.00 MHz	100	3
88.00 – 216.0 MHz	150	3
216.0 – 960.0 MHz	200	3
Above 960.0 MHz	500	3

Table 7-93. Radiated Limits

Test Procedures Used

ANSI C63.10:2020 + COR. 1:2023 + C63.10A:2024 + ERRATA TO C63.10A:2024

Test Settings

Quasi-Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. VBW = 300kHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 168 of 179

Test Setup

The EUT and measurement equipment were set up as shown in the diagrams below.




Figure 7-8. Radiated Test Setup < 30MHz




Figure 7-9. Radiated Test Setup < 1GHz

FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 169 of 179

Test Notes

1. All emissions lying in restricted bands specified in §15.205 and RSS-Gen (7.5) are below the limit shown in Table 7-93.
2. The broadband receive antenna is manipulated through vertical and horizontal polarizations during the tests. The EUT is manipulated through one orthogonal plane. For below 30MHz the loop antenna was positioned in 3 orthogonal planes (X front, Y side, Z top) to determine the orientation resulting in the worst case emissions.
3. This unit was tested while powered by an AC power source.
4. The spectrum is investigated using a peak detector and final measurements are recorded using CISPR quasi peak detector for emissions within 6dB of the limit.
5. Emissions were measured at a 3 meter test distance.
6. Emissions are investigated while operating on the center channel of the mode, band, and modulation that produced the worst case results during the transmitter spurious emissions testing.
7. No spurious emissions were detected within 20dB of the limit below 30MHz.
8. The results recorded using the broadband antenna is known to correlate with the results obtained by using a tuned dipole with an acceptable degree of accuracy. The VSWR for the measurement antenna was found to be less than 2:1.
9. All antenna configurations and data rates were investigated and only the worst case are reported.
10. For radiated measurements, emissions were investigated for the fully-loaded RU configuration and for all the partially-loaded RU configurations. Among all of the available partially-loaded RU configurations, only the configuration with the worst case emissions is reported.
11. The configuration below was investigated, and the worst case has been reported.
 - a. EUT powered by AC/DC adaptor via USB-C Cable


Sample Calculations

Determining Spurious Emissions Levels

- Field Strength Level $_{[dB\mu V/m]} = \text{Analyzer Level }_{[dBm]} + 107 + \text{AFCL }_{[dB/m]}$
- $\text{AFCL }_{[dB/m]} = \text{Antenna Factor }_{[dB/m]} + \text{Cable Loss }_{[dB]} - \text{Preamplifier Gain }_{[dB]}$
- $\text{Margin }_{[dB]} = \text{Field Strength Level }_{[dB\mu V/m]} - \text{Limit }_{[dB\mu V/m]}$

FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 170 of 179

CDD Radiated Spurious Emissions Measurements (Below 1GHz)




Plot 7-237. Radiated Spurious Emissions below 1GHz CDD (Dedicated) Ch.11 (RU26), powered by AC/DC adaptor)

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
33.98	Peak	V	100	16	-57.57	-18.98	30.45	40.00	-9.55
71.95	Peak	V	100	235	-59.52	-23.13	24.35	40.00	-15.65
95.96	Peak	V	100	19	-59.08	-21.52	26.40	43.52	-17.12
119.97	Peak	H	300	187	-58.43	-22.02	26.55	43.52	-16.97
359.99	Peak	H	100	225	-63.41	-12.55	31.04	46.02	-14.98
479.98	Peak	H	200	269	-65.73	-9.99	31.28	46.02	-14.74

Table 7-94. Radiated Spurious Emissions below 1GHz CDD (Dedicated) Ch.11 (RU26), powered by AC/DC adaptor)

FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 171 of 179



Plot 7-238. Radiated Spurious Emissions below 1GHz CDD (Dedicated) Ch.11 (RU242), powered by AC/DC adaptor)

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
33.98	Peak	V	100	3	-60.82	-18.98	27.20	40.00	-12.80
59.97	Peak	V	200	15	-61.60	-23.47	21.93	40.00	-18.07
94.46	Peak	V	100	138	-56.89	-21.54	28.57	43.52	-14.95
148.49	Peak	V	100	129	-60.90	-19.88	26.22	43.52	-17.30
720.06	Peak	H	200	323	-69.55	-6.19	31.26	46.02	-14.76
960.04	Peak	H	100	39	-66.65	-2.98	37.37	53.98	-16.61

Table 7-95. Radiated Spurious Emissions below 1GHz CDD (Dedicated) Ch.11 (RU242), powered by AC/DC adaptor)

FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 172 of 179

7.10 AC Line-Conducted Emissions Measurement

Test Overview and Limit

All AC line conducted spurious emissions are measured with a receiver connected to a grounded LISN while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for AC Line conducted spurious emissions. Only the conducted emissions of the configuration that produced the worst case emissions are reported in this section.

All conducted emissions must not exceed the limits shown in the table below, per Section 15.207 and RSS-Gen (7.4.2).

Frequency of emission (MHz)	Conducted Limit (dB μ V)	
	Quasi-peak	Average
0.15 – 0.5	66 to 56*	56 to 46*
0.5 – 5	56	46
5 – 30	60	50

Table 7-96. Conducted Limits

*Decreases with the logarithm of the frequency.

Test Procedures Used

ANSI C63.10:2020 + COR. 1:2023 + C63.10A:2024 + ERRATA TO C63.10A:2024, Subclause 6.2

Test Settings

Quasi-Peak Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

Average Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = RMS
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 173 of 179

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-10. Test Instrument & Measurement Setup

Test Notes

1. All modes of operation were investigated and the worst-case emissions are reported. The emissions found were not affected by the choice of channel used during testing.
2. Both configurations below were investigated, and the worst case has been reported.
 - a. EUT powered by AC/DC adaptor via USB-C Cable
3. The limit for an intentional radiator from 150kHz to 30MHz are specified in Part 15.207 and RSS-Gen(7.4.2).
4. $\text{Corr. (dB)} = \text{Cable loss (dB)} + \text{LISN insertion factor (dB)}$
5. $\text{QP/AV Level (dB}\mu\text{V)} = \text{QP/AV Analyzer/Receiver Level (dB}\mu\text{V)} + \text{Correction Factor (dB)}$
6. $\text{Margin (dB)} = \text{QP/AV Level (dB}\mu\text{V)} - \text{QP/AV Limit (dB}\mu\text{V)}$
7. Traces shown in plot are made using quasi peak and average detectors.
8. Deviations to the Specifications: None.
9. All RU's were investigated, and only worst case partially-loaded and fully-loaded RU's are reported.

FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 174 of 179




Plot 7-239. AC Line Conducted Emissions with 802.11ax CDD (Dedicated) (RU26) Ch.11 (L1, powered by AC/DC adaptor)

Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.179	FINAL	—	25.43	54.52	-29.09	L1	GND
0.179	FINAL	41.9	—	64.52	-22.59	L1	GND
0.652	FINAL	—	19.59	46.00	-26.41	L1	GND
0.652	FINAL	28.4	—	56.00	-27.59	L1	GND
2.195	FINAL	—	8.52	46.00	-37.48	L1	GND
2.195	FINAL	23.9	—	56.00	-32.09	L1	GND
4.610	FINAL	23.8	—	56.00	-32.25	L1	GND
4.610	FINAL	—	14.28	46.00	-31.72	L1	GND
24.763	FINAL	22.1	—	60.00	-37.92	L1	GND
24.763	FINAL	—	16.08	50.00	-33.92	L1	GND
26.313	FINAL	—	11.75	50.00	-38.25	L1	GND
26.313	FINAL	17.8	—	60.00	-42.25	L1	GND

Table 7-97. AC Line Conducted Data with 802.11ax CDD (Dedicated) (RU26) Ch.11 (L1, powered by AC/DC adaptor)

FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 175 of 179




Plot 7-240. AC Line Conducted Emissions with 802.11ax CDD (Dedicated) (RU26) Ch.11 (N, powered by AC/DC adaptor)

Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.179	FINAL	—	26.89	54.52	-27.63	N	GND
0.179	FINAL	42.8	—	64.52	-21.74	N	GND
0.686	FINAL	—	22.41	46.00	-23.59	N	GND
0.686	FINAL	31.0	—	56.00	-25.01	N	GND
2.195	FINAL	—	9.09	46.00	-36.91	N	GND
2.195	FINAL	24.3	—	56.00	-31.68	N	GND
4.947	FINAL	26.4	—	56.00	-29.62	N	GND
4.947	FINAL	—	17.14	46.00	-28.86	N	GND
24.763	FINAL	23.5	—	60.00	-36.52	N	GND
24.767	FINAL	—	19.07	50.00	-30.93	N	GND
26.311	FINAL	—	12.02	50.00	-37.98	N	GND
26.311	FINAL	18.3	—	60.00	-41.73	N	GND

Table 7-98. AC Line Conducted Data with 802.11ax CDD (Dedicated) (RU26) Ch.11 (N, powered by AC/DC adaptor)

FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 176 of 179




Plot 7-241. AC Line Conducted Emissions with 802.11ax CDD (Dedicated) (RU242) Ch.11 (L1, powered by AC/DC adaptor)

Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.170	FINAL	—	12.83	54.95	-42.12	L1	GND
0.170	FINAL	29.2	—	64.95	-35.72	L1	GND
0.717	FINAL	—	16.19	46.00	-29.81	L1	GND
0.717	FINAL	21.2	—	56.00	-34.79	L1	GND
2.195	FINAL	—	7.79	46.00	-38.21	L1	GND
2.195	FINAL	23.5	—	56.00	-32.49	L1	GND
4.394	FINAL	18.6	—	56.00	-37.40	L1	GND
4.394	FINAL	—	10.97	46.00	-35.03	L1	GND
24.761	FINAL	21.8	—	60.00	-38.22	L1	GND
24.761	FINAL	—	16.33	50.00	-33.67	L1	GND
26.311	FINAL	—	11.70	50.00	-38.30	L1	GND
26.311	FINAL	17.5	—	60.00	-42.55	L1	GND

Table 7-99. AC Line Conducted Data with 802.11ax CDD (Dedicated) (RU242) Ch.11 (L1, powered by AC/DC adaptor)

FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 177 of 179



Plot 7-242. AC Line Conducted Emissions with 802.11ax CDD (Dedicated) (RU242) Ch.11 (N, powered by AC/DC adaptor)

Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.170	FINAL	—	13.37	54.95	-41.57	N	GND
0.170	FINAL	29.2	—	64.95	-35.73	N	GND
0.713	FINAL	—	17.86	46.00	-28.14	N	GND
0.713	FINAL	24.6	—	56.00	-31.37	N	GND
2.195	FINAL	—	8.98	46.00	-37.02	N	GND
2.195	FINAL	25.5	—	56.00	-30.49	N	GND
4.904	FINAL	21.2	—	56.00	-34.85	N	GND
4.904	FINAL	—	13.73	46.00	-32.27	N	GND
24.763	FINAL	23.3	—	60.00	-36.72	N	GND
24.763	FINAL	—	19.45	50.00	-30.55	N	GND
26.311	FINAL	—	12.75	50.00	-37.25	N	GND
26.311	FINAL	18.0	—	60.00	-41.96	N	GND

Table 7-100. AC Line Conducted Data with 802.11ax CDD (Dedicated) (RU242) Ch.11 (N, powered by AC/DC adaptor)

FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 178 of 179

8.0 CONCLUSION

The data collected relate only the item(s) tested and show that the **Apple Smart Speaker FCC ID: BCGA3374, IC: 579C-A3374** is in compliance with Part 15 Subpart C (15.247) of the FCC Rules and RSS-247 of the Innovation, Science and Economic Development Canada Rules.

FCC ID: BCGA3374 IC: 579C-A3374		Test Dates: 09/15/2025 - 3/27/2026	EUT Type: Smart Speaker	Approved by: Technical Manager
Test Report S/N: 1C2505300067-06-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 179 of 179