




Figure 466 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth




Figure 467 - Core 1 (B) 5844 MHz (CH119) 99% Bandwidth




Figure 468 - Core 1 (B) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA HDR (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	0.570	0.570	-	-	≥500.0
5789	0.570	0.555	-	-	≥500.0
5844	0.570	0.570	-	-	≥500.0

Table 307 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	4.665	4.665	-	-	-
5789	4.665	4.665	-	-	-
5844	4.665	4.665	-	-	-

Table 308 - 99% Bandwidth Results




Figure 469 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth




Figure 470 - Core 0 (A) 5733 MHz (CH8) 6 dB Bandwidth




Figure 471 - Core 1 (B) 5733 MHz (CH8) 99% Bandwidth




Figure 472 - Core 1 (B) 5733 MHz (CH8) 6 dB Bandwidth




Figure 473 - Core 0 (A) 5789 MHz (CH64) 99% Bandwidth




Figure 474 - Core 0 (A) 5789 MHz (CH64) 6 dB Bandwidth




Figure 475 - Core 1 (B) 5789 MHz (CH64) 99% Bandwidth



Figure 476 - Core 1 (B) 5789 MHz (CH64) 6 dB Bandwidth




Figure 477 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth




Figure 478 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth




Figure 479 - Core 1 (B) 5844 MHz (CH119) 99% Bandwidth




Figure 480 - Core 1 (B) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA HDRP (HDRPM4)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	4.060	4.060	-	-	≥500.0
5789	4.060	4.060	-	-	≥500.0
5844	4.060	4.040	-	-	≥500.0

Table 309 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	4.760	4.760	-	-	-
5789	4.760	4.780	-	-	-
5844	4.760	4.760	-	-	-

Table 310 - 99% Bandwidth Results




Figure 481 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth




Figure 482 - Core 0 (A) 5733 MHz (CH8) 6 dB Bandwidth




Figure 483 - Core 1 (B) 5733 MHz (CH8) 99% Bandwidth




Figure 484 - Core 1 (B) 5733 MHz (CH8) 6 dB Bandwidth




Figure 485 - Core 0 (A) 5789 MHz (CH64) 99% Bandwidth




Figure 486 - Core 0 (A) 5789 MHz (CH64) 6 dB Bandwidth




Figure 487 - Core 1 (B) 5789 MHz (CH64) 99% Bandwidth




Figure 488 - Core 1 (B) 5789 MHz (CH64) 6 dB Bandwidth




Figure 489 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth




Figure 490 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth




Figure 491 - Core 1 (B) 5844 MHz (CH119) 99% Bandwidth




Figure 492 - Core 1 (B) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA HDRP (HDRPM12)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	4.060	4.060	-	-	≥500.0
5789	4.060	4.060	-	-	≥500.0
5844	4.060	4.060	-	-	≥500.0

Table 311 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	4.720	4.720	-	-	-
5789	4.720	4.720	-	-	-
5844	4.720	4.720	-	-	-

Table 312 - 99% Bandwidth Results




Figure 493 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth




Figure 494 - Core 0 (A) 5733 MHz (CH8) 6 dB Bandwidth




Figure 495 - Core 1 (B) 5733 MHz (CH8) 99% Bandwidth




Figure 496 - Core 1 (B) 5733 MHz (CH8) 6 dB Bandwidth




Figure 497 - Core 0 (A) 5789 MHz (CH64) 99% Bandwidth




Figure 498 - Core 0 (A) 5789 MHz (CH64) 6 dB Bandwidth




Figure 499 - Core 1 (B) 5789 MHz (CH64) 99% Bandwidth




Figure 500 - Core 1 (B) 5789 MHz (CH64) 6 dB Bandwidth




Figure 501 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth






Figure 504 - Core 1 (B) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA HDRP (HDRPL8)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	6.150	6.120	-	-	≥500.0
5789	6.120	6.150	-	-	≥500.0
5844	6.150	6.150	-	-	≥500.0

Table 313 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	9.450	9.450	-	-	-
5789	9.450	9.450	-	-	-
5844	9.450	9.450	-	-	-

Table 314 - 99% Bandwidth Results




Figure 505 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth




Figure 506 - Core 0 (A) 5733 MHz (CH8) 6 dB Bandwidth




Figure 507 - Core 1 (B) 5733 MHz (CH8) 99% Bandwidth




Figure 508 - Core 1 (B) 5733 MHz (CH8) 6 dB Bandwidth




Figure 509 - Core 0 (A) 5789 MHz (CH64) 99% Bandwidth




Figure 510 - Core 0 (A) 5789 MHz (CH64) 6 dB Bandwidth



Figure 511 - Core 1 (B) 5789 MHz (CH64) 99% Bandwidth




Figure 512 - Core 1 (B) 5789 MHz (CH64) 6 dB Bandwidth




Figure 513 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth



Figure 514 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth




Figure 515 - Core 1 (B) 5844 MHz (CH119) 99% Bandwidth





Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA LE (LE 1M)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	0.668	0.668	-	-	≥500.0
5789	0.668	0.668	-	-	≥500.0
5844	0.668	0.668	-	-	≥500.0

Table 315 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	1.016	1.020	-	-	-
5789	1.016	1.020	-	-	-
5844	1.016	1.020	-	-	-

Table 316 - 99% Bandwidth Results




Figure 517 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth




Figure 518 - Core 0 (A) 5733 MHz (CH8) 6 dB Bandwidth




Figure 519 - Core 1 (B) 5733 MHz (CH8) 99% Bandwidth




Figure 520 - Core 1 (B) 5733 MHz (CH8) 6 dB Bandwidth




Figure 521 - Core 0 (A) 5789 MHz (CH64) 99% Bandwidth




Figure 522 - Core 0 (A) 5789 MHz (CH64) 6 dB Bandwidth




Figure 523 - Core 1 (B) 5789 MHz (CH64) 99% Bandwidth




Figure 524 - Core 1 (B) 5789 MHz (CH64) 6 dB Bandwidth




Figure 525 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth




Figure 526 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth




Figure 527 - Core 1 (B) 5844 MHz (CH119) 99% Bandwidth




Figure 528 - Core 1 (B) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA BDR (DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	0.555	-	-	-	≥500.0
5789	0.556	-	-	-	≥500.0
5844	0.556	-	-	-	≥500.0

Table 317 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	0.930	-	-	-	-
5789	0.932	-	-	-	-
5844	0.932	-	-	-	-

Table 318 - 99% Bandwidth Results




Figure 529 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth




Figure 530 - Core 0 (A) 5733 MHz (CH8) 6 dB Bandwidth




Figure 531 - Core 0 (A) 5789 MHz (CH64) 99% Bandwidth




Figure 532 - Core 0 (A) 5789 MHz (CH64) 6 dB Bandwidth




Figure 533 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth




Figure 534 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA HDT (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	2.136	-	-	-	≥500.0
5789	2.136	-	-	-	≥500.0
5844	2.136	-	-	-	≥500.0

Table 319 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	2.360	-	-	-	-
5789	2.360	-	-	-	-
5844	2.360	-	-	-	-

Table 320 - 99% Bandwidth Results




Figure 535 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth




Figure 536 - Core 0 (A) 5733 MHz (CH8) 6 dB Bandwidth




Figure 537 - Core 0 (A) 5789 MHz (CH64) 99% Bandwidth




Figure 538 - Core 0 (A) 5789 MHz (CH64) 6 dB Bandwidth




Figure 539 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth




Figure 540 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA HDR (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	0.570	-	-	-	≥500.0
5789	0.570	-	-	-	≥500.0
5844	0.570	-	-	-	≥500.0

Table 321 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	4.635	-	-	-	-
5789	4.650	-	-	-	-
5844	4.650	-	-	-	-

Table 322 - 99% Bandwidth Results




Figure 541 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth




Figure 542 - Core 0 (A) 5733 MHz (CH8) 6 dB Bandwidth




Figure 543 - Core 0 (A) 5789 MHz (CH64) 99% Bandwidth




Figure 544 - Core 0 (A) 5789 MHz (CH64) 6 dB Bandwidth




Figure 545 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth




Figure 546 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA HDRP (HDRPM4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	2.420	-	-	-	≥500.0
5789	3.440	-	-	-	≥500.0
5844	2.440	-	-	-	≥500.0

Table 323 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	4.740	-	-	-	-
5789	4.760	-	-	-	-
5844	4.720	-	-	-	-

Table 324 - 99% Bandwidth Results




Figure 547 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth




Figure 548 - Core 0 (A) 5733 MHz (CH8) 6 dB Bandwidth




Figure 549 - Core 0 (A) 5789 MHz (CH64) 99% Bandwidth




Figure 550 - Core 0 (A) 5789 MHz (CH64) 6 dB Bandwidth




Figure 551 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth




Figure 552 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA HDRP (HDRPM12)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	0.660	-	-	-	≥500.0
5789	0.680	-	-	-	≥500.0
5844	0.680	-	-	-	≥500.0

Table 325 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	4.700	-	-	-	-
5789	4.700	-	-	-	-
5844	4.680	-	-	-	-

Table 326 - 99% Bandwidth Results




Figure 553 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth




Figure 554 - Core 0 (A) 5733 MHz (CH8) 6 dB Bandwidth




Figure 555 - Core 0 (A) 5789 MHz (CH64) 99% Bandwidth




Figure 556 - Core 0 (A) 5789 MHz (CH64) 6 dB Bandwidth




Figure 557 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth




Figure 558 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA HDRP (HDRPL8)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	6.120	-	-	-	≥500.0
5789	6.120	-	-	-	≥500.0
5844	6.120	-	-	-	≥500.0

Table 327 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	9.390	-	-	-	-
5789	9.390	-	-	-	-
5844	9.390	-	-	-	-

Table 328 - 99% Bandwidth Results




Figure 559 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth