




Figure 506 - 802.11ax HE40 SU Minimum 26 dB
EBW




Figure 507 - 802.11ax HE40 SU Maximum 26 dB
EBW




Figure 508 - 802.11ax HE80 SU Minimum 26 dB
EBW




Figure 509 - 802.11ax HE80 SU Maximum 26 dB
EBW




Figure 510 - 802.11ax HE160 SU Minimum 26 dB
EBW




Figure 511 - 802.11ax HE160 SU Maximum 26 dB
EBW



Figure 512 - 802.11a20 Minimum 26 dB EBW



Figure 513 - 802.11a20 Maximum 26 dB EBW




Figure 514 - 802.11a40 Minimum 26 dB EBW




Figure 515 - 802.11a40 Maximum 26 dB EBW




Figure 516 - 802.11a80 Minimum 26 dB EBW






Figure 517 - 802.11a80 Maximum 26 dB EBW





Protocol	26 dB Bandwidth (MHz)	
	Minimum	Maximum
802.11n HT20	20.448	22.602
802.11n HT40	41.210	44.064
802.11ac VHT80	80.234	81.356
802.11ac VHT160	162.876	162.960
802.11ax HE20 SU	21.030	23.064
802.11ax HE40 SU	41.820	44.676
802.11ax HE80 SU	81.510	82.720
802.11ax HE160 SU	163.758	164.094

Table 1242 - 26 dB Bandwidth Summary Results - MIMO SDM




Figure 520 - 802.11n HT20 Minimum 26 dB EBW




Figure 521 - 802.11n HT20 Maximum 26 dB EBW




Figure 522 - 802.11n HT40 Minimum 26 dB EBW




Figure 523 - 802.11n HT40 Maximum 26 dB EBW




Figure 524 - 802.11ac VHT80 Minimum 26 dB
EBW



Figure 525 - 802.11ac VHT80 Maximum 26 dB
EBW




Figure 526 - 802.11ac VHT160 Minimum 26 dB
EBW




Figure 527 - 802.11ac VHT160 Maximum 26 dB
EBW




Figure 528 - 802.11ax HE20 SU Minimum 26 dB
EBW




Figure 529 - 802.11ax HE20 SU Maximum 26 dB
EBW




Figure 530 - 802.11ax HE40 SU Minimum 26 dB
EBW




Figure 531 - 802.11ax HE40 SU Maximum 26 dB
EBW




Figure 532 - 802.11ax HE80 SU Minimum 26 dB
EBW




Figure 533 - 802.11ax HE80 SU Maximum 26 dB
EBW




Figure 534 - 802.11ax HE160 SU Minimum 26 dB
EBW




Figure 535 - 802.11ax HE160 SU Maximum 26 dB
EBW

Protocol	26 dB Bandwidth (MHz)	
	Minimum	Maximum
802.11ac VHT20	20.520	22.776
802.11ac VHT40	41.490	44.448
802.11ac VHT80	80.410	81.444
802.11ac VHT160	162.750	162.918
802.11ax HE20 SU	21.312	22.986
802.11ax HE40 SU	42.060	44.688
802.11ax HE80 SU	81.356	82.588
802.11ax HE160 SU	164.094	164.094

Table 1243 - 26 dB Bandwidth Summary Results - TxBF




Figure 536 - 802.11ac VHT20 Minimum 26 dB EBW




Figure 537 - 802.11ac VHT20 Maximum 26 dB EBW




Figure 538 - 802.11ac VHT40 Minimum 26 dB EBW




Figure 539 - 802.11ac VHT40 Maximum 26 dB EBW




Figure 540 - 802.11ac VHT80 Minimum 26 dB
EBW



Figure 541 - 802.11ac VHT80 Maximum 26 dB
EBW




Figure 542 - 802.11ac VHT160 Minimum 26 dB
EBW




Figure 543 - 802.11ac VHT160 Maximum 26 dB
EBW




Figure 544 - 802.11ax HE20 SU Minimum 26 dB
EBW



Figure 545 - 802.11ax HE20 SU Maximum 26 dB
EBW




Figure 546 - 802.11ax HE40 SU Minimum 26 dB EBW




Figure 547 - 802.11ax HE40 SU Maximum 26 dB EBW




Figure 548 - 802.11ax HE80 SU Minimum 26 dB EBW




Figure 549 - 802.11ax HE80 SU Maximum 26 dB EBW




Figure 550 - 802.11ax HE160 SU Minimum 26 dB EBW




Figure 551 - 802.11ax HE160 SU Maximum 26 dB EBW

Protocol	6 dB Bandwidth (MHz)	
	Minimum	Maximum
802.11n HT20	15.114	16.224
802.11n HT40	35.000	35.080
802.11ac VHT80	73.766	75.042
802.11ax HE20 SU	17.856	18.180
802.11ax HE40 SU	36.648	37.596
802.11ax HE80 SU	73.788	74.492
802.11a20	15.672	15.714
802.11a40	35.110	35.130
802.11a80	75.108	75.130

Table 1244 - 6 dB Bandwidth Summary Results - SISO




Figure 552 - 802.11n HT20 Minimum 6 dB EBW




Figure 553 - 802.11n HT20 Maximum 6 dB EBW




Figure 554 - 802.11n HT40 Minimum 6 dB EBW




Figure 555 - 802.11n HT40 Maximum 6 dB EBW




Figure 556 - 802.11ac VHT80 Minimum 6 dB
EBW




Figure 557 - 802.11ac VHT80 Maximum 6 dB
EBW



Figure 558 - 802.11ax HE20 SU Minimum 6 dB
EBW




Figure 559 - 802.11ax HE20 SU Maximum 6 dB
EBW




Figure 560 - 802.11ax HE40 SU Minimum 6 dB
EBW




Figure 561 - 802.11ax HE40 SU Maximum 6 dB
EBW



Figure 562 - 802.11ax HE80 SU Minimum 6 dB EBW




Figure 563 - 802.11ax HE80 SU Maximum 6 dB EBW




Figure 564 - 802.11a20 Minimum 6 dB EBW




Figure 565 - 802.11a20 Maximum 6 dB EBW




Figure 566 - 802.11a40 Minimum 6 dB EBW




Figure 567 - 802.11a40 Maximum 6 dB EBW




Figure 568 - 802.11a80 Minimum 6 dB EBW




Figure 569 - 802.11a80 Maximum 6 dB EBW



Protocol	6 dB Bandwidth (MHz)	
	Minimum	Maximum
802.11n HT20	15.654	15.972
802.11n HT40	35.016	35.100
802.11ac VHT80	72.512	73.744
802.11ax HE20 SU	17.694	18.366
802.11ax HE40 SU	36.840	37.824
802.11ax HE80 SU	75.086	75.130
802.11a20	15.654	15.720
802.11a40	35.088	35.112
802.11a80	75.086	75.108

Table 1245 - 6 dB Bandwidth Summary Results - MIMO CDD



Figure 570 - 802.11n HT20 Minimum 6 dB EBW




Figure 571 - 802.11n HT20 Maximum 6 dB EBW




Figure 572 - 802.11n HT40 Minimum 6 dB EBW




Figure 573 - 802.11n HT40 Maximum 6 dB EBW




Figure 574 - 802.11ac VHT80 Minimum 6 dB
EBW




Figure 575 - 802.11ac VHT80 Maximum 6 dB
EBW




Figure 576 - 802.11ax HE20 SU Minimum 6 dB
EBW




Figure 577 - 802.11ax HE20 SU Maximum 6 dB
EBW




Figure 578 - 802.11ax HE40 SU Minimum 6 dB
EBW









Figure 579 - 802.11ax HE40 SU Maximum 6 dB
EBW






Figure 586 - 802.11a80 Minimum 6 dB EBW



Figure 587 - 802.11a80 Maximum 6 dB EBW



Protocol	6 dB Bandwidth (MHz)	
	Minimum	Maximum
802.11n HT20	15.906	16.272
802.11n HT40	35.060	35.100
802.11ac VHT80	73.810	75.086
802.11ax HE20 SU	17.652	18.060
802.11ax HE40 SU	35.964	37.584
802.11ax HE80 SU	73.766	75.812

Table 1246 - 6 dB Bandwidth Summary Results - MIMO SDM




Figure 588 - 802.11n HT20 Minimum 6 dB EBW




Figure 589 - 802.11n HT20 Maximum 6 dB EBW




Figure 590 - 802.11n HT40 Minimum 6 dB EBW




Figure 591 - 802.11n HT40 Maximum 6 dB EBW



Figure 592 - 802.11ac VHT80 Minimum 6 dB
EBW




Figure 593 - 802.11ac VHT80 Maximum 6 dB
EBW




Figure 594 - 802.11ax HE20 SU Minimum 6 dB
EBW




Figure 595 - 802.11ax HE20 SU Maximum 6 dB
EBW




Figure 596 - 802.11ax HE40 SU Minimum 6 dB
EBW




Figure 597 - 802.11ax HE40 SU Maximum 6 dB
EBW




Figure 598 - 802.11ax HE80 SU Minimum 6 dB
EBW




Figure 599 - 802.11ax HE80 SU Maximum 6 dB
EBW