



Figure 376 - Core 0 5789 MHz (CH64) 6 dB Bandwidth




Figure 377 - Core 0 5844 MHz (CH119) 99% Bandwidth




Figure 378 - Core 0 5844 MHz (CH119) 6 dB Bandwidth






Figure 380 - Core 0 5733 MHz (CH8) 6 dB Bandwidth




Figure 381 - Core 0 5789 MHz (CH64) 99% Bandwidth




Figure 382 - Core 0 5789 MHz (CH64) 6 dB Bandwidth




Figure 383 - Core 0 5844 MHz (CH119) 99% Bandwidth





| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration      |                    |                          |   |
|------------------------|--------------------|--------------------------|---|
| Mode:                  | iPA HDRP (HDRPM12) | Duty Cycle (%):          | - |
| Antenna Configuration: | SISO               | DCCF (dB):               | - |
| Active Port(s):        | A (Core 0)         | Peak Antenna Gain (dBi): | - |

| Test Frequency<br>(MHz) | 6 dB Bandwidth (MHz) |   |   |   | Limit<br>(kHz) |
|-------------------------|----------------------|---|---|---|----------------|
|                         | A                    | B | C | D |                |
| 5733                    | 4.060                | - | - | - | ≥500.0         |
| 5789                    | 4.060                | - | - | - | ≥500.0         |
| 5844                    | 4.060                | - | - | - | ≥500.0         |

Table 283 - 6 dB Bandwidth Results

| Test Frequency<br>(MHz) | 99% Bandwidth (MHz) |   |   |   | Limit<br>(kHz) |
|-------------------------|---------------------|---|---|---|----------------|
|                         | A                   | B | C | D |                |
| 5733                    | 4.720               | - | - | - | -              |
| 5789                    | 4.720               | - | - | - | -              |
| 5844                    | 4.720               | - | - | - | -              |

Table 284 - 99% Bandwidth Results




Figure 385 - Core 0 5733 MHz (CH8) 99% Bandwidth






Figure 388 - Core 0 5789 MHz (CH64) 6 dB Bandwidth




Figure 389 - Core 0 5844 MHz (CH119) 99% Bandwidth





| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration      |                    |                          |   |
|------------------------|--------------------|--------------------------|---|
| Mode:                  | iPA HDRP (HDRPL16) | Duty Cycle (%):          | - |
| Antenna Configuration: | SISO               | DCCF (dB):               | - |
| Active Port(s):        | A (Core 0)         | Peak Antenna Gain (dBi): | - |

| Test Frequency<br>(MHz) | 6 dB Bandwidth (MHz) |   |   |   | Limit<br>(kHz) |
|-------------------------|----------------------|---|---|---|----------------|
|                         | A                    | B | C | D |                |
| 5733                    | 6.120                | - | - | - | ≥500.0         |
| 5789                    | 6.120                | - | - | - | ≥500.0         |
| 5844                    | 6.120                | - | - | - | ≥500.0         |

Table 285 - 6 dB Bandwidth Results

| Test Frequency<br>(MHz) | 99% Bandwidth (MHz) |   |   |   | Limit<br>(kHz) |
|-------------------------|---------------------|---|---|---|----------------|
|                         | A                   | B | C | D |                |
| 5733                    | 9.390               | - | - | - | -              |
| 5789                    | 9.390               | - | - | - | -              |
| 5844                    | 9.420               | - | - | - | -              |

Table 286 - 99% Bandwidth Results




Figure 391 - Core 0 5733 MHz (CH8) 99% Bandwidth




Figure 392 - Core 0 5733 MHz (CH8) 6 dB Bandwidth




Figure 393 - Core 0 5789 MHz (CH64) 99% Bandwidth




Figure 394 - Core 0 5789 MHz (CH64) 6 dB Bandwidth




Figure 395 - Core 0 5844 MHz (CH119) 99% Bandwidth




Figure 396 - Core 0 5844 MHz (CH119) 6 dB Bandwidth



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration      |                |                          |   |
|------------------------|----------------|--------------------------|---|
| Mode:                  | iPA LE (LE 1M) | Duty Cycle (%):          | - |
| Antenna Configuration: | SISO           | DCCF (dB):               | - |
| Active Port(s):        | A (Core 0)     | Peak Antenna Gain (dBi): | - |

| Test Frequency<br>(MHz) | 6 dB Bandwidth (MHz) |   |   |   | Limit<br>(kHz) |
|-------------------------|----------------------|---|---|---|----------------|
|                         | A                    | B | C | D |                |
| 5733                    | 0.668                | - | - | - | ≥500.0         |
| 5789                    | 0.672                | - | - | - | ≥500.0         |
| 5844                    | 0.668                | - | - | - | ≥500.0         |

Table 287 - 6 dB Bandwidth Results

| Test Frequency<br>(MHz) | 99% Bandwidth (MHz) |   |   |   | Limit<br>(kHz) |
|-------------------------|---------------------|---|---|---|----------------|
|                         | A                   | B | C | D |                |
| 5733                    | 1.024               | - | - | - | -              |
| 5789                    | 1.020               | - | - | - | -              |
| 5844                    | 1.020               | - | - | - | -              |

Table 288 - 99% Bandwidth Results




Figure 397 - Core 0 5733 MHz (CH8) 99% Bandwidth




Figure 398 - Core 0 5733 MHz (CH8) 6 dB Bandwidth




Figure 399 - Core 0 5789 MHz (CH64) 99% Bandwidth




Figure 400 - Core 0 5789 MHz (CH64) 6 dB Bandwidth




Figure 401 - Core 0 5844 MHz (CH119) 99% Bandwidth




Figure 402 - Core 0 5844 MHz (CH119) 6 dB Bandwidth



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration      |               |                          |   |
|------------------------|---------------|--------------------------|---|
| Mode:                  | iPA BDR (DH5) | Duty Cycle (%):          | - |
| Antenna Configuration: | SISO          | DCCF (dB):               | - |
| Active Port(s):        | B (Core 1)    | Peak Antenna Gain (dBi): | - |

| Test Frequency<br>(MHz) | 6 dB Bandwidth (MHz) |       |   |   | Limit<br>(kHz) |
|-------------------------|----------------------|-------|---|---|----------------|
|                         | A                    | B     | C | D |                |
| 5733                    | -                    | 0.560 | - | - | ≥500.0         |
| 5789                    | -                    | 0.560 | - | - | ≥500.0         |
| 5844                    | -                    | 0.560 | - | - | ≥500.0         |

Table 289 - 6 dB Bandwidth Results

| Test Frequency<br>(MHz) | 99% Bandwidth (MHz) |       |   |   | Limit<br>(kHz) |
|-------------------------|---------------------|-------|---|---|----------------|
|                         | A                   | B     | C | D |                |
| 5733                    | -                   | 0.932 | - | - | -              |
| 5789                    | -                   | 0.936 | - | - | -              |
| 5844                    | -                   | 0.936 | - | - | -              |

Table 290 - 99% Bandwidth Results




Figure 403 - Core 1 5733 MHz (CH8) 99% Bandwidth




Figure 404 - Core 1 5733 MHz (CH8) 6 dB Bandwidth




Figure 405 - Core 1 5789 MHz (CH64) 99% Bandwidth




Figure 406 - Core 1 5789 MHz (CH64) 6 dB Bandwidth




Figure 407 - Core 1 5844 MHz (CH119) 99% Bandwidth




Figure 408 - Core 1 5844 MHz (CH119) 6 dB Bandwidth



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration      |                |                          |   |
|------------------------|----------------|--------------------------|---|
| Mode:                  | iPA HDT (HDT4) | Duty Cycle (%):          | - |
| Antenna Configuration: | SISO           | DCCF (dB):               | - |
| Active Port(s):        | B (Core 1)     | Peak Antenna Gain (dBi): | - |

| Test Frequency<br>(MHz) | 6 dB Bandwidth (MHz) |       |   |   | Limit<br>(kHz) |
|-------------------------|----------------------|-------|---|---|----------------|
|                         | A                    | B     | C | D |                |
| 5733                    | -                    | 2.136 | - | - | ≥500.0         |
| 5789                    | -                    | 2.136 | - | - | ≥500.0         |
| 5844                    | -                    | 2.136 | - | - | ≥500.0         |

Table 291 - 6 dB Bandwidth Results

| Test Frequency<br>(MHz) | 99% Bandwidth (MHz) |       |   |   | Limit<br>(kHz) |
|-------------------------|---------------------|-------|---|---|----------------|
|                         | A                   | B     | C | D |                |
| 5733                    | -                   | 2.360 | - | - | -              |
| 5789                    | -                   | 2.368 | - | - | -              |
| 5844                    | -                   | 2.368 | - | - | -              |

Table 292 - 99% Bandwidth Results






Figure 409 - Core 1 5733 MHz (CH8) 99% Bandwidth






Figure 412 - Core 1 5789 MHz (CH64) 6 dB Bandwidth




Figure 413 - Core 1 5844 MHz (CH119) 99% Bandwidth




Figure 414 - Core 1 5844 MHz (CH119) 6 dB Bandwidth



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration      |                 |                          |   |
|------------------------|-----------------|--------------------------|---|
| Mode:                  | iPA HDR (8-DH5) | Duty Cycle (%):          | - |
| Antenna Configuration: | SISO            | DCCF (dB):               | - |
| Active Port(s):        | B (Core 1)      | Peak Antenna Gain (dBi): | - |

| Test Frequency<br>(MHz) | 6 dB Bandwidth (MHz) |       |   |   | Limit<br>(kHz) |
|-------------------------|----------------------|-------|---|---|----------------|
|                         | A                    | B     | C | D |                |
| 5733                    | -                    | 0.570 | - | - | ≥500.0         |
| 5789                    | -                    | 0.570 | - | - | ≥500.0         |
| 5844                    | -                    | 0.570 | - | - | ≥500.0         |

Table 293 - 6 dB Bandwidth Results

| Test Frequency<br>(MHz) | 99% Bandwidth (MHz) |       |   |   | Limit<br>(kHz) |
|-------------------------|---------------------|-------|---|---|----------------|
|                         | A                   | B     | C | D |                |
| 5733                    | -                   | 4.680 | - | - | -              |
| 5789                    | -                   | 4.680 | - | - | -              |
| 5844                    | -                   | 4.680 | - | - | -              |

Table 294 - 99% Bandwidth Results




Figure 415 - Core 1 5733 MHz (CH8) 99% Bandwidth




Figure 416 - Core 1 5733 MHz (CH8) 6 dB Bandwidth




Figure 417 - Core 1 5789 MHz (CH64) 99% Bandwidth




Figure 418 - Core 1 5789 MHz (CH64) 6 dB Bandwidth




Figure 419 - Core 1 5844 MHz (CH119) 99% Bandwidth





| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration      |                   |                          |   |
|------------------------|-------------------|--------------------------|---|
| Mode:                  | iPA HDRP (HDRPM4) | Duty Cycle (%):          | - |
| Antenna Configuration: | SISO              | DCCF (dB):               | - |
| Active Port(s):        | B (Core 1)        | Peak Antenna Gain (dBi): | - |

| Test Frequency<br>(MHz) | 6 dB Bandwidth (MHz) |       |   |   | Limit<br>(kHz) |
|-------------------------|----------------------|-------|---|---|----------------|
|                         | A                    | B     | C | D |                |
| 5733                    | -                    | 4.060 | - | - | ≥500.0         |
| 5789                    | -                    | 4.060 | - | - | ≥500.0         |
| 5844                    | -                    | 4.040 | - | - | ≥500.0         |

Table 295 - 6 dB Bandwidth Results

| Test Frequency<br>(MHz) | 99% Bandwidth (MHz) |       |   |   | Limit<br>(kHz) |
|-------------------------|---------------------|-------|---|---|----------------|
|                         | A                   | B     | C | D |                |
| 5733                    | -                   | 4.760 | - | - | -              |
| 5789                    | -                   | 4.800 | - | - | -              |
| 5844                    | -                   | 4.800 | - | - | -              |

Table 296 - 99% Bandwidth Results




Figure 421 - Core 1 5733 MHz (CH8) 99% Bandwidth






Figure 424 - Core 1 5789 MHz (CH64) 6 dB Bandwidth




Figure 425 - Core 1 5844 MHz (CH119) 99% Bandwidth




Figure 426 - Core 1 5844 MHz (CH119) 6 dB Bandwidth



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration      |                    |                          |   |
|------------------------|--------------------|--------------------------|---|
| Mode:                  | iPA HDRP (HDRPM12) | Duty Cycle (%):          | - |
| Antenna Configuration: | SISO               | DCCF (dB):               | - |
| Active Port(s):        | B (Core 1)         | Peak Antenna Gain (dBi): | - |

| Test Frequency<br>(MHz) | 6 dB Bandwidth (MHz) |       |   |   | Limit<br>(kHz) |
|-------------------------|----------------------|-------|---|---|----------------|
|                         | A                    | B     | C | D |                |
| 5733                    | -                    | 4.060 | - | - | ≥500.0         |
| 5789                    | -                    | 4.060 | - | - | ≥500.0         |
| 5844                    | -                    | 4.060 | - | - | ≥500.0         |

Table 297 - 6 dB Bandwidth Results

| Test Frequency<br>(MHz) | 99% Bandwidth (MHz) |       |   |   | Limit<br>(kHz) |
|-------------------------|---------------------|-------|---|---|----------------|
|                         | A                   | B     | C | D |                |
| 5733                    | -                   | 4.720 | - | - | -              |
| 5789                    | -                   | 4.720 | - | - | -              |
| 5844                    | -                   | 4.720 | - | - | -              |

Table 298 - 99% Bandwidth Results




Figure 427 - Core 1 5733 MHz (CH8) 99% Bandwidth




Figure 428 - Core 1 5733 MHz (CH8) 6 dB Bandwidth




Figure 429 - Core 1 5789 MHz (CH64) 99% Bandwidth




Figure 430 - Core 1 5789 MHz (CH64) 6 dB Bandwidth





Figure 431 - Core 1 5844 MHz (CH119) 99% Bandwidth





| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration      |                    |                          |   |
|------------------------|--------------------|--------------------------|---|
| Mode:                  | iPA HDRP (HDRPL16) | Duty Cycle (%):          | - |
| Antenna Configuration: | SISO               | DCCF (dB):               | - |
| Active Port(s):        | B (Core 1)         | Peak Antenna Gain (dBi): | - |

| Test Frequency<br>(MHz) | 6 dB Bandwidth (MHz) |       |   |   | Limit<br>(kHz) |
|-------------------------|----------------------|-------|---|---|----------------|
|                         | A                    | B     | C | D |                |
| 5733                    | -                    | 6.120 | - | - | ≥500.0         |
| 5789                    | -                    | 6.120 | - | - | ≥500.0         |
| 5844                    | -                    | 6.120 | - | - | ≥500.0         |

Table 299 - 6 dB Bandwidth Results

| Test Frequency<br>(MHz) | 99% Bandwidth (MHz) |       |   |   | Limit<br>(kHz) |
|-------------------------|---------------------|-------|---|---|----------------|
|                         | A                   | B     | C | D |                |
| 5733                    | -                   | 9.420 | - | - | -              |
| 5789                    | -                   | 9.480 | - | - | -              |
| 5844                    | -                   | 9.480 | - | - | -              |

Table 300 - 99% Bandwidth Results




Figure 433 - Core 1 5733 MHz (CH8) 99% Bandwidth




Figure 434 - Core 1 5733 MHz (CH8) 6 dB Bandwidth




Figure 435 - Core 1 5789 MHz (CH64) 99% Bandwidth




Figure 436 - Core 1 5789 MHz (CH64) 6 dB Bandwidth




Figure 437 - Core 1 5844 MHz (CH119) 99% Bandwidth




Figure 438 - Core 1 5844 MHz (CH119) 6 dB Bandwidth



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration      |                |                          |   |
|------------------------|----------------|--------------------------|---|
| Mode:                  | iPA LE (LE 1M) | Duty Cycle (%):          | - |
| Antenna Configuration: | SISO           | DCCF (dB):               | - |
| Active Port(s):        | B (Core 1)     | Peak Antenna Gain (dBi): | - |

| Test Frequency<br>(MHz) | 6 dB Bandwidth (MHz) |       |   |   | Limit<br>(kHz) |
|-------------------------|----------------------|-------|---|---|----------------|
|                         | A                    | B     | C | D |                |
| 5733                    | -                    | 0.672 | - | - | ≥500.0         |
| 5789                    | -                    | 0.672 | - | - | ≥500.0         |
| 5844                    | -                    | 0.672 | - | - | ≥500.0         |

Table 301 - 6 dB Bandwidth Results

| Test Frequency<br>(MHz) | 99% Bandwidth (MHz) |       |   |   | Limit<br>(kHz) |
|-------------------------|---------------------|-------|---|---|----------------|
|                         | A                   | B     | C | D |                |
| 5733                    | -                   | 1.016 | - | - | -              |
| 5789                    | -                   | 1.024 | - | - | -              |
| 5844                    | -                   | 1.024 | - | - | -              |

Table 302 - 99% Bandwidth Results




Figure 439 - Core 1 5733 MHz (CH8) 99% Bandwidth






Figure 442 - Core 1 5789 MHz (CH64) 6 dB Bandwidth




Figure 443 - Core 1 5844 MHz (CH119) 99% Bandwidth




Figure 444 - Core 1 5844 MHz (CH119) 6 dB Bandwidth



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration      |                     |                          |   |
|------------------------|---------------------|--------------------------|---|
| Mode:                  | iPA BDR (DH5)       | Duty Cycle (%):          | - |
| Antenna Configuration: | Beamforming         | DCCF (dB):               | - |
| Active Port(s):        | A+B (Core 0+Core 1) | Peak Antenna Gain (dBi): | - |

| Test Frequency<br>(MHz) | 6 dB Bandwidth (MHz) |       |   |   | Limit<br>(kHz) |
|-------------------------|----------------------|-------|---|---|----------------|
|                         | A                    | B     | C | D |                |
| 5733                    | 0.560                | 0.560 | - | - | ≥500.0         |
| 5789                    | 0.560                | 0.560 | - | - | ≥500.0         |
| 5844                    | 0.560                | 0.556 | - | - | ≥500.0         |

Table 303 - 6 dB Bandwidth Results

| Test Frequency<br>(MHz) | 99% Bandwidth (MHz) |       |   |   | Limit<br>(kHz) |
|-------------------------|---------------------|-------|---|---|----------------|
|                         | A                   | B     | C | D |                |
| 5733                    | 0.928               | 0.928 | - | - | -              |
| 5789                    | 0.932               | 0.936 | - | - | -              |
| 5844                    | 0.932               | 0.936 | - | - | -              |

Table 304 - 99% Bandwidth Results




Figure 445 - Core 0 5733 MHz (CH8) 99% Bandwidth




Figure 446 - Core 0 5733 MHz (CH8) 6 dB Bandwidth




Figure 447 - Core 1 5733 MHz (CH8) 99% Bandwidth




Figure 448 - Core 1 5733 MHz (CH8) 6 dB Bandwidth




Figure 449 - Core 0 5789 MHz (CH64) 99% Bandwidth




Figure 450 - Core 0 5789 MHz (CH64) 6 dB Bandwidth




Figure 451 - Core 1 5789 MHz (CH64) 99% Bandwidth




Figure 452 - Core 1 5789 MHz (CH64) 6 dB Bandwidth




Figure 453 - Core 0 5844 MHz (CH119) 99% Bandwidth




Figure 454 - Core 0 5844 MHz (CH119) 6 dB Bandwidth




Figure 455 - Core 1 5844 MHz (CH119) 99% Bandwidth




Figure 456 - Core 1 5844 MHz (CH119) 6 dB Bandwidth



| Test Configuration       |                              |                 |                                           |
|--------------------------|------------------------------|-----------------|-------------------------------------------|
| Frequency Range:         | 5.725-5.850 GHz              | Band:           | U-NII-3                                   |
| Limit Clause(s):         | 15.407(e)<br>RSS-247 7.3.4.2 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | -                            |                 |                                           |

| DUT Configuration      |                     |                          |   |
|------------------------|---------------------|--------------------------|---|
| Mode:                  | iPA HDT (HDT4)      | Duty Cycle (%):          | - |
| Antenna Configuration: | Beamforming         | DCCF (dB):               | - |
| Active Port(s):        | A+B (Core 0+Core 1) | Peak Antenna Gain (dBi): | - |

| Test Frequency<br>(MHz) | 6 dB Bandwidth (MHz) |       |   |   | Limit<br>(kHz) |
|-------------------------|----------------------|-------|---|---|----------------|
|                         | A                    | B     | C | D |                |
| 5733                    | 2.136                | 2.136 | - | - | ≥500.0         |
| 5789                    | 2.136                | 2.136 | - | - | ≥500.0         |
| 5844                    | 2.136                | 2.136 | - | - | ≥500.0         |

Table 305 - 6 dB Bandwidth Results

| Test Frequency<br>(MHz) | 99% Bandwidth (MHz) |       |   |   | Limit<br>(kHz) |
|-------------------------|---------------------|-------|---|---|----------------|
|                         | A                   | B     | C | D |                |
| 5733                    | 2.360               | 2.360 | - | - | -              |
| 5789                    | 2.360               | 2.368 | - | - | -              |
| 5844                    | 2.360               | 2.368 | - | - | -              |

Table 306 - 99% Bandwidth Results




Figure 457 - Core 0 5733 MHz (CH8) 99% Bandwidth




Figure 458 - Core 0 5733 MHz (CH8) 6 dB Bandwidth




Figure 459 - Core 1 5733 MHz (CH8) 99% Bandwidth






Figure 462 - Core 0 5789 MHz (CH64) 6 dB Bandwidth




Figure 463 - Core 1 5789 MHz (CH64) 99% Bandwidth




Figure 464 - Core 1 5789 MHz (CH64) 6 dB Bandwidth




Figure 465 - Core 0 5844 MHz (CH119) 99% Bandwidth