



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA HDRP (HDRPL16)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	6.120	-	-	-	≥500.0
5789	6.120	-	-	-	≥500.0
5844	6.120	-	-	-	≥500.0

Table 327 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	9.390	-	-	-	-
5789	9.390	-	-	-	-
5844	9.390	-	-	-	-

Table 328 - 99% Bandwidth Results




Figure 559 - Core 0 5733 MHz (CH8) 99% Bandwidth




Figure 560 - Core 0 5733 MHz (CH8) 6 dB Bandwidth




Figure 561 - Core 0 5789 MHz (CH64) 99% Bandwidth




Figure 562 - Core 0 5789 MHz (CH64) 6 dB Bandwidth




Figure 563 - Core 0 5844 MHz (CH119) 99% Bandwidth




Figure 564 - Core 0 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA LE (LE 1M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	0.668	-	-	-	≥500.0
5789	0.668	-	-	-	≥500.0
5844	0.668	-	-	-	≥500.0

Table 329 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	1.012	-	-	-	-
5789	1.012	-	-	-	-
5844	1.012	-	-	-	-

Table 330 - 99% Bandwidth Results




Figure 565 - Core 0 5733 MHz (CH8) 99% Bandwidth




Figure 566 - Core 0 5733 MHz (CH8) 6 dB Bandwidth




Figure 567 - Core 0 5789 MHz (CH64) 99% Bandwidth




Figure 568 - Core 0 5789 MHz (CH64) 6 dB Bandwidth




Figure 569 - Core 0 5844 MHz (CH119) 99% Bandwidth




Figure 570 - Core 0 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA BDR (DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	0.556	-	-	≥500.0
5789	-	0.555	-	-	≥500.0
5844	-	0.556	-	-	≥500.0

Table 331 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	0.932	-	-	-
5789	-	0.930	-	-	-
5844	-	0.928	-	-	-

Table 332 - 99% Bandwidth Results




Figure 571 - Core 1 5733 MHz (CH8) 99% Bandwidth




Figure 572 - Core 1 5733 MHz (CH8) 6 dB Bandwidth




Figure 573 - Core 1 5789 MHz (CH64) 99% Bandwidth




Figure 574 - Core 1 5789 MHz (CH64) 6 dB Bandwidth




Figure 575 - Core 1 5844 MHz (CH119) 99% Bandwidth




Figure 576 - Core 1 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA HDT (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	2.136	-	-	≥500.0
5789	-	2.136	-	-	≥500.0
5844	-	2.136	-	-	≥500.0

Table 333 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	2.360	-	-	-
5789	-	2.360	-	-	-
5844	-	2.360	-	-	-

Table 334 - 99% Bandwidth Results




Figure 577 - Core 1 5733 MHz (CH8) 99% Bandwidth




Figure 578 - Core 1 5733 MHz (CH8) 6 dB Bandwidth






Figure 579 - Core 1 5789 MHz (CH64) 99% Bandwidth






Figure 582 - Core 1 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA HDR (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	0.570	-	-	≥500.0
5789	-	0.570	-	-	≥500.0
5844	-	0.570	-	-	≥500.0

Table 335 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	4.650	-	-	-
5789	-	4.635	-	-	-
5844	-	4.650	-	-	-

Table 336 - 99% Bandwidth Results




Figure 583 - Core 1 5733 MHz (CH8) 99% Bandwidth




Figure 584 - Core 1 5733 MHz (CH8) 6 dB Bandwidth




Figure 585 - Core 1 5789 MHz (CH64) 99% Bandwidth




Figure 586 - Core 1 5789 MHz (CH64) 6 dB Bandwidth




Figure 587 - Core 1 5844 MHz (CH119) 99% Bandwidth




Figure 588 - Core 1 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA HDRP (HDRPM4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	2.420	-	-	≥500.0
5789	-	2.420	-	-	≥500.0
5844	-	2.420	-	-	≥500.0

Table 337 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	4.740	-	-	-
5789	-	4.740	-	-	-
5844	-	4.740	-	-	-

Table 338 - 99% Bandwidth Results






Figure 589 - Core 1 5733 MHz (CH8) 99% Bandwidth






Figure 592 - Core 1 5789 MHz (CH64) 6 dB Bandwidth




Figure 593 - Core 1 5844 MHz (CH119) 99% Bandwidth




Figure 594 - Core 1 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA HDRP (HDRPM12)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	2.560	-	-	≥500.0
5789	-	0.680	-	-	≥500.0
5844	-	0.680	-	-	≥500.0

Table 339 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	4.680	-	-	-
5789	-	4.700	-	-	-
5844	-	4.680	-	-	-

Table 340 - 99% Bandwidth Results




Figure 595 - Core 1 5733 MHz (CH8) 99% Bandwidth




Figure 596 - Core 1 5733 MHz (CH8) 6 dB Bandwidth




Figure 597 - Core 1 5789 MHz (CH64) 99% Bandwidth




Figure 598 - Core 1 5789 MHz (CH64) 6 dB Bandwidth




Figure 599 - Core 1 5844 MHz (CH119) 99% Bandwidth




Figure 600 - Core 1 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA HDRP (HDRPL16)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	6.120	-	-	≥500.0
5789	-	6.120	-	-	≥500.0
5844	-	6.120	-	-	≥500.0

Table 341 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	9.390	-	-	-
5789	-	9.390	-	-	-
5844	-	9.390	-	-	-

Table 342 - 99% Bandwidth Results




Figure 601 - Core 1 5733 MHz (CH8) 99% Bandwidth




Figure 602 - Core 1 5733 MHz (CH8) 6 dB Bandwidth




Figure 603 - Core 1 5789 MHz (CH64) 99% Bandwidth




Figure 604 - Core 1 5789 MHz (CH64) 6 dB Bandwidth




Figure 605 - Core 1 5844 MHz (CH119) 99% Bandwidth




Figure 606 - Core 1 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA LE (LE 1M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	0.668	-	-	≥500.0
5789	-	0.668	-	-	≥500.0
5844	-	0.668	-	-	≥500.0

Table 343 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	1.012	-	-	-
5789	-	1.012	-	-	-
5844	-	1.012	-	-	-

Table 344 - 99% Bandwidth Results




Figure 607 - Core 1 5733 MHz (CH8) 99% Bandwidth






Figure 610 - Core 1 5789 MHz (CH64) 6 dB Bandwidth




Figure 611 - Core 1 5844 MHz (CH119) 99% Bandwidth





Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA BDR (DH5)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	0.556	0.556	-	-	≥500.0
5789	0.560	0.560	-	-	≥500.0
5844	0.560	0.560	-	-	≥500.0

Table 345 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	0.928	0.928	-	-	-
5789	0.928	0.928	-	-	-
5844	0.928	0.928	-	-	-

Table 346 - 99% Bandwidth Results




Figure 613 - Core 0 5733 MHz (CH8) 99% Bandwidth




Figure 614 - Core 0 5733 MHz (CH8) 6 dB Bandwidth




Figure 615 - Core 1 5733 MHz (CH8) 99% Bandwidth




Figure 616 - Core 1 5733 MHz (CH8) 6 dB Bandwidth




Figure 617 - Core 0 5789 MHz (CH64) 99% Bandwidth




Figure 618 - Core 0 5789 MHz (CH64) 6 dB Bandwidth




Figure 619 - Core 1 5789 MHz (CH64) 99% Bandwidth




Figure 620 - Core 1 5789 MHz (CH64) 6 dB Bandwidth




Figure 621 - Core 0 5844 MHz (CH119) 99% Bandwidth




Figure 622 - Core 0 5844 MHz (CH119) 6 dB Bandwidth




Figure 623 - Core 1 5844 MHz (CH119) 99% Bandwidth




Figure 624 - Core 1 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA HDT (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	2.136	2.136	-	-	≥500.0
5789	2.136	2.136	-	-	≥500.0
5844	2.136	2.136	-	-	≥500.0

Table 347 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	2.360	2.360	-	-	-
5789	2.360	2.360	-	-	-
5844	2.360	2.360	-	-	-

Table 348 - 99% Bandwidth Results




Figure 625 - Core 0 5733 MHz (CH8) 99% Bandwidth




Figure 626 - Core 0 5733 MHz (CH8) 6 dB Bandwidth




Figure 627 - Core 1 5733 MHz (CH8) 99% Bandwidth




Figure 628 - Core 1 5733 MHz (CH8) 6 dB Bandwidth




Figure 629 - Core 0 5789 MHz (CH64) 99% Bandwidth




Figure 630 - Core 0 5789 MHz (CH64) 6 dB Bandwidth




Figure 631 - Core 1 5789 MHz (CH64) 99% Bandwidth




Figure 632 - Core 1 5789 MHz (CH64) 6 dB Bandwidth




Figure 633 - Core 0 5844 MHz (CH119) 99% Bandwidth




Figure 634 - Core 0 5844 MHz (CH119) 6 dB Bandwidth




Figure 635 - Core 1 5844 MHz (CH119) 99% Bandwidth




Figure 636 - Core 1 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA HDR (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	0.570	0.570	-	-	≥500.0
5789	0.570	0.570	-	-	≥500.0
5844	0.570	0.570	-	-	≥500.0

Table 349 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	4.635	4.635	-	-	-
5789	4.650	4.635	-	-	-
5844	4.650	4.635	-	-	-

Table 350 - 99% Bandwidth Results




Figure 637 - Core 0 5733 MHz (CH8) 99% Bandwidth




Figure 638 - Core 0 5733 MHz (CH8) 6 dB Bandwidth




Figure 639 - Core 1 5733 MHz (CH8) 99% Bandwidth




Figure 640 - Core 1 5733 MHz (CH8) 6 dB Bandwidth




Figure 641 - Core 0 5789 MHz (CH64) 99% Bandwidth




Figure 642 - Core 0 5789 MHz (CH64) 6 dB Bandwidth




Figure 643 - Core 1 5789 MHz (CH64) 99% Bandwidth




Figure 644 - Core 1 5789 MHz (CH64) 6 dB Bandwidth




Figure 645 - Core 0 5844 MHz (CH119) 99% Bandwidth




Figure 646 - Core 0 5844 MHz (CH119) 6 dB Bandwidth




Figure 647 - Core 1 5844 MHz (CH119) 99% Bandwidth




Figure 648 - Core 1 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 7.3.4.2	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA HDRP (HDRPM4)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	4.040	2.440	-	-	≥500.0
5789	3.020	2.420	-	-	≥500.0
5844	2.440	3.460	-	-	≥500.0

Table 351 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	4.740	4.740	-	-	-
5789	4.760	4.740	-	-	-
5844	4.740	4.740	-	-	-

Table 352 - 99% Bandwidth Results




Figure 649 - Core 0 5733 MHz (CH8) 99% Bandwidth