




**Figure 280 - 802.11ax HE80, SU, SDM, Core 0-1 - 5530 MHz
Band Edge Frequency 5460 MHz**




**Figure 281 - 802.11ax HE80, RU52-37, SDM, Core 0-1 - 5530 MHz
Band Edge Frequency 5460 MHz**




**Figure 282 - 802.11be EHT80, RU484+242-93, SDM, Core 0-1 - 5530 MHz
Band Edge Frequency 5460 MHz**

80 MHz Bandwidth - Core 0-1 (TxBF)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11ac VHT80	MCS 9x1	-	-	5210	5150	64.79	51.32
802.11ax HE80	MCS 4x1	SU	-	5210	5150	63.05	51.48
802.11ac VHT80	MCS 2x1	-	-	5290	5350	63.19	51.10
802.11ax HE80	MCS 4x1	SU	-	5290	5350	63.58	51.41
802.11ac VHT80	MCS 9x1	-	-	5530	5460	63.66	48.86
802.11ax HE80	MCS 11x1	SU	-	5530	5460	63.57	49.70

Table 20 - TxBF Restricted Band Edge Results




Figure 283 - 802.11ac VHT80, TxBF, Core 0-1 - 5210 MHz
Band Edge Frequency 5150 MHz




**Figure 284 - 802.11ax HE80, SU, TxBF, Core 0-1 - 5210 MHz
Band Edge Frequency 5150 MHz**




**Figure 285 - 802.11ac VHT80, TxBF, Core 0-1 - 5290 MHz
Band Edge Frequency 5350 MHz**




**Figure 286 - 802.11ax HE80, SU, TxBF, Core 0-1 - 5290 MHz
Band Edge Frequency 5350 MHz**




**Figure 287 - 802.11ac VHT80, TxBF, Core 0-1 - 5530 MHz
Band Edge Frequency 5460 MHz**




**Figure 288 - 802.11ax HE80, SU, TxBF, Core 0-1 - 5530 MHz
Band Edge Frequency 5460 MHz**



160 MHz Bandwidth - Core 0 (SISO)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11a a160	24 Mbps	-	-	5250	5150	62.34	51.09
802.11ac VHT160	MCS 2x1	-	-	5250	5150	63.47	51.48
802.11ax HE160	MCS 2x1	SU	-	5250	5150	62.71	51.33
802.11ax HE160	MCS 11x1	106	60S	5250	5150	56.26	43.82
802.11be EHT160	MCS 9x1	996+484+2 42	96P	5250	5150	67.12	51.44
802.11a a160	24 Mbps	-	-	5250	5350	63.37	51.38
802.11ac VHT160	MCS 4x1	-	-	5250	5350	66.51	51.43
802.11ax HE160	MCS 2x1	SU	-	5250	5350	63.42	51.09
802.11ax HE160	MCS 11x1	106	60S	5250	5350	59.13	44.56
802.11be EHT160	MCS 9x1	996+484+2 42	98S	5250	5350	69.47	48.94
802.11a a160	54 Mbps	-	-	5570	5460	63.35	46.39
802.11ac VHT160	MCS 9x1	-	-	5570	5460	63.64	44.67
802.11ax HE160	MCS 11x1	SU	-	5570	5460	63.69	48.71
802.11ax HE160	MCS 11x1	52	37P	5570	5460	58.05	44.00
802.11be EHT160	MCS 9x1	484+242	92P	5570	5460	63.65	48.39

Table 21 - SISO Restricted Band Edge Results




Figure 289 - 802.11a a160, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5150 MHz




**Figure 290 - 802.11ac VHT160, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 291 - 802.11ax HE160, SU, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 292 - 802.11ax HE160, RU106-60S, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 293 - 802.11be EHT160, RU996+484+242-96P, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 294 - 802.11a a160, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 295 - 802.11ac VHT160, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5350 MHz**




Figure 296 - 802.11ax HE160, SU, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5350 MHz




Figure 297 - 802.11ax HE160, RU106-60S, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5350 MHz




**Figure 298 - 802.11be EHT160, RU996+484+242-98S, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 299 - 802.11a a160, SISO, Core 0 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 300 - 802.11ac VHT160, SISO, Core 0 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 301 - 802.11ax HE160, SU, SISO, Core 0 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 302 - 802.11ax HE160, RU52-37P, SISO, Core 0 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 303 - 802.11be EHT160, RU484+242-92P, SISO, Core 0 - 5570 MHz
Band Edge Frequency 5460 MHz**



160 MHz Bandwidth - Core 1 (SISO)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11a a160	12 Mbps	-	-	5250	5150	61.74	51.13
802.11ac VHT160	MCS 4x1	-	-	5250	5150	66.95	51.09
802.11ax HE160	MCS 11x1	SU	-	5250	5150	65.80	51.05
802.11ax HE160	MCS 11x1	106	60S	5250	5150	56.11	43.87
802.11be EHT160	MCS 9x1	996+484	94S	5250	5150	68.69	51.50
802.11a a160	24 Mbps	-	-	5250	5350	63.52	51.49
802.11ac VHT160	MCS 2x1	-	-	5250	5350	63.81	51.14
802.11ax HE160	MCS 4x1	SU	-	5250	5350	65.04	50.86
802.11ax HE160	MCS 11x1	106	60S	5250	5350	59.43	43.86
802.11be EHT160	MCS 9x1	996+484+2 42	97P	5250	5350	69.43	50.57
802.11a a160	12 Mbps	-	-	5570	5460	58.60	51.15
802.11ac VHT160	MCS 9x1	-	-	5570	5460	63.61	49.92
802.11ax HE160	MCS 11x1	SU	-	5570	5460	63.46	51.42
802.11ax HE160	MCS 11x1	106	53P	5570	5460	59.99	43.92
802.11be EHT160	MCS 9x1	996+484+2 42	99S	5570	5460	63.67	50.31

Table 22 - SISO Restricted Band Edge Results




Figure 304 - 802.11a a160, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz




**Figure 305 - 802.11ac VHT160, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 306 - 802.11ax HE160, SU, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 307 - 802.11ax HE160, RU106-60S, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 308 - 802.11be EHT160, RU996+484-94S, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 309 - 802.11a a160, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 310 - 802.11ac VHT160, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 311 - 802.11ax HE160, SU, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 312 - 802.11ax HE160, RU106-60S, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 313 - 802.11be EHT160, RU996+484+242-97P, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 314 - 802.11a a160, SISO, Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 315 - 802.11ac VHT160, SISO, Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 316 - 802.11ax HE160, SU, SISO, Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 317 - 802.11ax HE160, RU106-53P, SISO, Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 318 - 802.11be EHT160, RU996+484+242-99S, SISO, Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz**



160 MHz Bandwidth - Core 0-1 (CDD)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11a a160	24 Mbps	-	-	5250	5150	63.14	51.20
802.11ac VHT160	MCS 4x1	-	-	5250	5150	68.71	51.36
802.11ax HE160	MCS 4x1	SU	-	5250	5150	65.82	51.32
802.11ax HE160	MCS 11x1	52	52S	5250	5150	59.66	45.28
802.11be EHT160	MCS 9x1	484+242	92S	5250	5150	66.70	51.49
802.11a a160	12 Mbps	-	-	5250	5350	62.34	51.28
802.11ac VHT160	MCS 4x1	-	-	5250	5350	64.58	51.32
802.11ax HE160	MCS 11x1	SU	-	5250	5350	64.73	51.43
802.11ax HE160	MCS 11x1	106	60S	5250	5350	56.91	45.78
802.11be EHT160	MCS 9x1	996+484	94P	5250	5350	69.44	51.15
802.11a a160	12 Mbps	-	-	5570	5460	59.66	51.10
802.11ac VHT160	MCS 4x1	-	-	5570	5460	63.50	51.42
802.11ax HE160	MCS 4x1	SU	-	5570	5460	63.62	51.18
802.11ax HE160	MCS 11x1	106	53P	5570	5460	60.97	44.67
802.11be EHT160	MCS 9x1	996+484+2 42	96S	5570	5460	63.68	50.80

Table 23 - CDD Restricted Band Edge Results




Figure 319 - 802.11a a160, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz




**Figure 320 - 802.11ac VHT160, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 321 - 802.11ax HE160, SU, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 322 - 802.11ax HE160, RU52-52S, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 323 - 802.11be EHT160, RU484+242-92S, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 324 - 802.11a a160, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 325 - 802.11ac VHT160, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 326 - 802.11ax HE160, SU, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 327 - 802.11ax HE160, RU106-60S, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 328 - 802.11be EHT160, RU996+484-94P, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 329 - 802.11a a160, CDD, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 330 - 802.11ac VHT160, CDD, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 331 - 802.11ax HE160, SU, CDD, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 332 - 802.11ax HE160, RU106-53P, CDD, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 333 - 802.11be EHT160, RU996+484+242-96S, CDD, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**



160 MHz Bandwidth - Core 0-1 (SDM)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11ac VHT160	MCS 4x2	-	-	5250	5150	66.31	51.40
802.11ax HE160	MCS 2x2	SU	-	5250	5150	67.20	51.17
802.11ax HE160	MCS 11x2	106	60S	5250	5150	59.95	45.30
802.11be EHT160	MCS 9x2	484+242	91P	5250	5150	64.56	51.48
802.11ac VHT160	MCS 2x2	-	-	5250	5350	63.25	51.38
802.11ax HE160	MCS 4x2	SU	-	5250	5350	63.65	51.26
802.11ax HE160	MCS 11x2	106	53P	5250	5350	57.16	45.58
802.11be EHT160	MCS 9x2	996+484+242	99S	5250	5350	69.40	50.96
802.11ac VHT160	MCS 2x2	-	-	5570	5460	62.45	51.29
802.11ax HE160	MCS 11x2	SU	-	5570	5460	63.30	51.07
802.11ax HE160	MCS 11x2	52	52S	5570	5460	65.61	46.91
802.11be EHT160	MCS 9x2	996+484+242	98S	5570	5460	63.66	50.76

Table 24 - SDM Restricted Band Edge Results




Figure 334 - 802.11ac VHT160, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz




**Figure 335 - 802.11ax HE160, SU, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 336 - 802.11ax HE160, RU106-60S, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**






**Figure 339 - 802.11ax HE160, SU, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 340 - 802.11ax HE160, RU106-53P, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 341 - 802.11be EHT160, RU996+484+242-99S, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 342 - 802.11ac VHT160, SDM, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 343 - 802.11ax HE160, SU, SDM, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 344 - 802.11ax HE160, RU52-52S, SDM, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 345 - 802.11be EHT160, RU996+484+242-98S, SDM, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**



160 MHz Bandwidth - Core 0-1 (TxBF)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11ac VHT160	MCS 4x1	-	-	5250	5150	65.99	51.42
802.11ax HE160	MCS 11x1	SU	-	5250	5150	64.35	51.48
802.11ac VHT160	MCS 4x1	-	-	5250	5350	65.03	51.48
802.11ax HE160	MCS 11x1	SU	-	5250	5350	66.63	51.46
802.11ac VHT160	MCS 4x1	-	-	5570	5460	63.11	50.64
802.11ax HE160	MCS 11x1	SU	-	5570	5460	63.58	50.20

Table 25 - TxBF Restricted Band Edge Results




Figure 346 - 802.11ac VHT160, TxBF, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz




**Figure 347 - 802.11ax HE160, SU, TxBF, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 348 - 802.11ac VHT160, TxBF, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**