



| Protocol              | 99% Bandwidth (MHz) |         |
|-----------------------|---------------------|---------|
|                       | Minimum             | Maximum |
| 802.11ax HE20 SU LPI  | 19.026              | 19.062  |
| 802.11ax HE40 SU LPI  | 37.980              | 38.052  |
| 802.11ax HE80 SU LPI  | 77.418              | 77.462  |
| 802.11ax HE160 SU LPI | 156.198             | 156.450 |
| 802.11ax HE20 SU SP   | 18.768              | 19.056  |
| 802.11ax HE40 SU SP   | 37.572              | 38.004  |
| 802.11ax HE80 SU SP   | 76.626              | 77.462  |
| 802.11ax HE160 SU SP  | 155.442             | 155.694 |
| 802.11ax HE20 SU VLP  | 19.026              | 19.056  |
| 802.11ax HE40 SU VLP  | 37.968              | 38.004  |
| 802.11ax HE80 SU VLP  | 77.418              | 77.528  |
| 802.11ax HE160 SU VLP | 156.366             | 156.576 |

Table 590 - 99% Bandwidth Summary Results - MIMO SDM




Figure 217 - 802.11ax HE20 SU LPI Minimum 99% OBW




Figure 218 - 802.11ax HE20 SU LPI Maximum 99% OBW




Figure 219 - 802.11ax HE40 SU LPI Minimum 99% OBW










Figure 220 - 802.11ax HE40 SU LPI Maximum 99% OBW






Figure 227 - 802.11ax HE40 SU SP Minimum 99% OBW




Figure 228 - 802.11ax HE40 SU SP Maximum 99% OBW




Figure 229 - 802.11ax HE80 SU SP Minimum 99% OBW



Figure 230 - 802.11ax HE80 SU SP Maximum 99% OBW




Figure 231 - 802.11ax HE160 SU SP Minimum 99% OBW




Figure 232 - 802.11ax HE160 SU SP Maximum 99% OBW




Figure 233 - 802.11ax HE20 SU VLP Minimum 99% OBW



Figure 234 - 802.11ax HE20 SU VLP Maximum 99% OBW




Figure 235 - 802.11ax HE40 SU VLP Minimum 99% OBW



Figure 236 - 802.11ax HE40 SU VLP Maximum 99% OBW




Figure 237 - 802.11ax HE80 SU VLP Minimum 99% OBW




Figure 238 - 802.11ax HE80 SU VLP Maximum 99% OBW




Figure 239 - 802.11ax HE160 SU VLP Minimum 99% OBW




Figure 240 - 802.11ax HE160 SU VLP Maximum 99% OBW

| Protocol              | 26 dB Bandwidth (MHz) |         |
|-----------------------|-----------------------|---------|
|                       | Minimum               | Maximum |
| 802.11ax HE20 SU LPI  | 22.608                | 23.520  |
| 802.11ax HE40 SU LPI  | 44.028                | 45.276  |
| 802.11ax HE80 SU LPI  | 82.434                | 82.830  |
| 802.11ax HE160 SU LPI | 164.514               | 165.270 |
| 802.11ax HE20 SU SP   | 21.456                | 23.316  |
| 802.11ax HE40 SU SP   | 42.456                | 45.156  |
| 802.11ax HE80 SU SP   | 81.488                | 82.764  |
| 802.11ax HE160 SU SP  | 164.010               | 164.514 |
| 802.11ax HE20 SU VLP  | 22.500                | 23.370  |
| 802.11ax HE40 SU VLP  | 44.028                | 45.516  |
| 802.11ax HE80 SU VLP  | 82.412                | 83.006  |
| 802.11ax HE160 SU VLP | 164.682               | 165.438 |

Table 591 - 26 dB Bandwidth Summary Results - TxBF




Figure 241 - 802.11ax HE20 SU LPI Minimum 26 dB EBW




Figure 242 - 802.11ax HE20 SU LPI Maximum 26 dB EBW




Figure 243 - 802.11ax HE40 SU LPI Minimum 26 dB EBW




Figure 244 - 802.11ax HE40 SU LPI Maximum 26 dB EBW




Figure 245 - 802.11ax HE80 SU LPI Minimum 26 dB EBW




Figure 246 - 802.11ax HE80 SU LPI Maximum 26 dB EBW




Figure 247 - 802.11ax HE160 SU LPI Minimum 26 dB EBW




Figure 248 - 802.11ax HE160 SU LPI Maximum 26 dB EBW




Figure 249 - 802.11ax HE20 SU SP Minimum 26 dB EBW










Figure 250 - 802.11ax HE20 SU SP Maximum 26 dB EBW






Figure 257 - 802.11ax HE20 SU VLP Minimum 26 dB EBW




Figure 258 - 802.11ax HE20 SU VLP Maximum 26 dB EBW




Figure 259 - 802.11ax HE40 SU VLP Minimum 26 dB EBW




Figure 260 - 802.11ax HE40 SU VLP Maximum 26 dB EBW




Figure 261 - 802.11ax HE80 SU VLP Minimum 26 dB EBW




Figure 262 - 802.11ax HE80 SU VLP Maximum 26 dB EBW




Figure 263 - 802.11ax HE160 SU VLP Minimum  
26 dB EBW




Figure 264 - 802.11ax HE160 SU VLP Maximum  
26 dB EBW

| Protocol              | 99% Bandwidth (MHz) |         |
|-----------------------|---------------------|---------|
|                       | Minimum             | Maximum |
| 802.11ax HE20 SU LPI  | 19.050              | 19.086  |
| 802.11ax HE40 SU LPI  | 37.992              | 38.064  |
| 802.11ax HE80 SU LPI  | 77.440              | 77.506  |
| 802.11ax HE160 SU LPI | 156.366             | 156.534 |
| 802.11ax HE20 SU SP   | 18.798              | 19.080  |
| 802.11ax HE40 SU SP   | 37.596              | 38.028  |
| 802.11ax HE80 SU SP   | 76.626              | 77.462  |
| 802.11ax HE160 SU SP  | 155.442             | 155.694 |
| 802.11ax HE20 SU VLP  | 19.050              | 19.080  |
| 802.11ax HE40 SU VLP  | 37.992              | 38.040  |
| 802.11ax HE80 SU VLP  | 77.396              | 77.462  |
| 802.11ax HE160 SU VLP | 156.366             | 156.786 |

Table 592 - 99% Bandwidth Summary Results - TxBF




Figure 265 - 802.11ax HE20 SU LPI Minimum 99% OBW




Figure 266 - 802.11ax HE20 SU LPI Maximum 99% OBW




Figure 267 - 802.11ax HE40 SU LPI Minimum 99% OBW




Figure 268 - 802.11ax HE40 SU LPI Maximum 99% OBW




Figure 269 - 802.11ax HE80 SU LPI Minimum  
99% OBW




Figure 270 - 802.11ax HE80 SU LPI Maximum  
99% OBW




Figure 271 - 802.11ax HE160 SU LPI Minimum  
99% OBW




Figure 272 - 802.11ax HE160 SU LPI Maximum  
99% OBW




Figure 273 - 802.11ax HE20 SU SP Minimum 99%  
OBW




Figure 274 - 802.11ax HE20 SU SP Maximum  
99% OBW




Figure 275 - 802.11ax HE40 SU SP Minimum 99% OBW




Figure 276 - 802.11ax HE40 SU SP Maximum 99% OBW




Figure 277 - 802.11ax HE80 SU SP Minimum 99% OBW



Figure 278 - 802.11ax HE80 SU SP Maximum 99% OBW




Figure 279 - 802.11ax HE160 SU SP Minimum 99% OBW



Figure 280 - 802.11ax HE160 SU SP Maximum 99% OBW




Figure 281 - 802.11ax HE20 SU VLP Minimum  
99% OBW




Figure 282 - 802.11ax HE20 SU VLP Maximum  
99% OBW




Figure 283 - 802.11ax HE40 SU VLP Minimum  
99% OBW



Figure 284 - 802.11ax HE40 SU VLP Maximum  
99% OBW




Figure 285 - 802.11ax HE80 SU VLP Minimum  
99% OBW




Figure 286 - 802.11ax HE80 SU VLP Maximum  
99% OBW




Figure 287 - 802.11ax HE160 SU VLP Minimum 99% OBW




Figure 288 - 802.11ax HE160 SU VLP Maximum 99% OBW



| Test Configuration       |                                                                          |                 |                                          |
|--------------------------|--------------------------------------------------------------------------|-----------------|------------------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.425-6.525 GHz<br>6.525-6.875 GHz<br>6.875-7.125 GHz | Band:           | U-NII-5<br>U-NII-6<br>U-NII-7<br>U-NII-8 |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4                                            | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2             |
| Additional Reference(s): | -                                                                        |                 |                                          |

| DUT Configuration      |               |                          |   |
|------------------------|---------------|--------------------------|---|
| Mode:                  | 802.11a20 LPI | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps       | DCCF (dB):               | - |
| Antenna Configuration: | SISO          | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | A (Core 0)    | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 5955                 | 21.840                | - | - | - | 320.0       |
| 6195                 | 21.858                | - | - | - | 320.0       |
| 6415                 | 21.798                | - | - | - | 320.0       |
| 6435                 | 21.792                | - | - | - | 320.0       |
| 6475                 | 21.672                | - | - | - | 320.0       |
| 6515                 | 21.900                | - | - | - | 320.0       |
| 6535                 | 21.876                | - | - | - | 320.0       |
| 6695                 | 21.738                | - | - | - | 320.0       |
| 6855                 | 21.942                | - | - | - | 320.0       |
| 6875                 | 21.972                | - | - | - | 320.0       |
| 6895                 | 22.026                | - | - | - | 320.0       |
| 7015                 | 22.164                | - | - | - | 320.0       |
| 7095                 | 21.708                | - | - | - | 320.0       |
| 7115                 | 20.016                | - | - | - | 320.0       |

**Table 593 - 26 dB Bandwidth Results**



| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 5955                 | 16.788              | - | - | - | 320.0       |
| 6195                 | 16.776              | - | - | - | 320.0       |
| 6415                 | 16.776              | - | - | - | 320.0       |
| 6435                 | 16.776              | - | - | - | 320.0       |
| 6475                 | 16.770              | - | - | - | 320.0       |
| 6515                 | 16.776              | - | - | - | 320.0       |
| 6535                 | 16.788              | - | - | - | 320.0       |
| 6695                 | 16.770              | - | - | - | 320.0       |
| 6855                 | 16.788              | - | - | - | 320.0       |
| 6875                 | 16.770              | - | - | - | 320.0       |
| 6895                 | 16.776              | - | - | - | 320.0       |
| 7015                 | 16.776              | - | - | - | 320.0       |
| 7095                 | 16.770              | - | - | - | 320.0       |
| 7115                 | 16.380              | - | - | - | 320.0       |

**Table 594 - 99% Bandwidth Results**



| Test Configuration       |                                                                          |                 |                                          |
|--------------------------|--------------------------------------------------------------------------|-----------------|------------------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.425-6.525 GHz<br>6.525-6.875 GHz<br>6.875-7.125 GHz | Band:           | U-NII-5<br>U-NII-6<br>U-NII-7<br>U-NII-8 |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4                                            | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2             |
| Additional Reference(s): | -                                                                        |                 |                                          |

| DUT Configuration      |               |                          |   |
|------------------------|---------------|--------------------------|---|
| Mode:                  | 802.11a40 LPI | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps       | DCCF (dB):               | - |
| Antenna Configuration: | SISO          | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | A (Core 0)    | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 5965                 | 44.028                | - | - | - | 320.0       |
| 6205                 | 44.232                | - | - | - | 320.0       |
| 6365                 | 43.620                | - | - | - | 320.0       |
| 6405                 | 43.992                | - | - | - | 320.0       |
| 6445                 | 43.740                | - | - | - | 320.0       |
| 6485                 | 43.572                | - | - | - | 320.0       |
| 6525                 | 43.824                | - | - | - | 320.0       |
| 6565                 | 43.956                | - | - | - | 320.0       |
| 6725                 | 43.548                | - | - | - | 320.0       |
| 6845                 | 43.680                | - | - | - | 320.0       |
| 6885                 | 44.196                | - | - | - | 320.0       |
| 6925                 | 43.824                | - | - | - | 320.0       |
| 7005                 | 44.328                | - | - | - | 320.0       |
| 7085                 | 43.344                | - | - | - | 320.0       |

**Table 595 - 26 dB Bandwidth Results**



| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 5965                 | 36.708              | - | - | - | 320.0       |
| 6205                 | 36.672              | - | - | - | 320.0       |
| 6365                 | 36.660              | - | - | - | 320.0       |
| 6405                 | 36.696              | - | - | - | 320.0       |
| 6445                 | 36.672              | - | - | - | 320.0       |
| 6485                 | 36.696              | - | - | - | 320.0       |
| 6525                 | 36.672              | - | - | - | 320.0       |
| 6565                 | 36.684              | - | - | - | 320.0       |
| 6725                 | 36.660              | - | - | - | 320.0       |
| 6845                 | 36.672              | - | - | - | 320.0       |
| 6885                 | 36.672              | - | - | - | 320.0       |
| 6925                 | 36.684              | - | - | - | 320.0       |
| 7005                 | 36.672              | - | - | - | 320.0       |
| 7085                 | 36.684              | - | - | - | 320.0       |

**Table 596 - 99% Bandwidth Results**



| Test Configuration       |                                                                          |                 |                                          |
|--------------------------|--------------------------------------------------------------------------|-----------------|------------------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.425-6.525 GHz<br>6.525-6.875 GHz<br>6.875-7.125 GHz | Band:           | U-NII-5<br>U-NII-6<br>U-NII-7<br>U-NII-8 |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4                                            | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2             |
| Additional Reference(s): | -                                                                        |                 |                                          |

| DUT Configuration      |               |                          |   |
|------------------------|---------------|--------------------------|---|
| Mode:                  | 802.11a80 LPI | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps       | DCCF (dB):               | - |
| Antenna Configuration: | SISO          | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | A (Core 0)    | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 5985                 | 116.928               | - | - | - | 320.0       |
| 6225                 | 115.200               | - | - | - | 320.0       |
| 6305                 | 116.784               | - | - | - | 320.0       |
| 6385                 | 116.688               | - | - | - | 320.0       |
| 6465                 | 114.768               | - | - | - | 320.0       |
| 6545                 | 117.168               | - | - | - | 320.0       |
| 6625                 | 116.136               | - | - | - | 320.0       |
| 6705                 | 117.816               | - | - | - | 320.0       |
| 6785                 | 114.720               | - | - | - | 320.0       |
| 6865                 | 116.298               | - | - | - | 320.0       |
| 6945                 | 116.298               | - | - | - | 320.0       |
| 7025                 | 115.368               | - | - | - | 320.0       |

**Table 597 - 26 dB Bandwidth Results**



| Test Frequency<br>(MHz) | 99% Bandwidth (MHz) |   |   |   | Limit<br>(MHz) |
|-------------------------|---------------------|---|---|---|----------------|
|                         | A                   | B | C | D |                |
| 5985                    | 77.424              | - | - | - | 320.0          |
| 6225                    | 77.352              | - | - | - | 320.0          |
| 6305                    | 77.328              | - | - | - | 320.0          |
| 6385                    | 77.558              | - | - | - | 320.0          |
| 6465                    | 77.280              | - | - | - | 320.0          |
| 6545                    | 77.352              | - | - | - | 320.0          |
| 6625                    | 77.424              | - | - | - | 320.0          |
| 6705                    | 77.448              | - | - | - | 320.0          |
| 6785                    | 77.304              | - | - | - | 320.0          |
| 6865                    | 77.428              | - | - | - | 320.0          |
| 6945                    | 77.532              | - | - | - | 320.0          |
| 7025                    | 77.424              | - | - | - | 320.0          |

**Table 598 - 99% Bandwidth Results**



| Test Configuration       |                                                                          |                 |                                          |
|--------------------------|--------------------------------------------------------------------------|-----------------|------------------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.425-6.525 GHz<br>6.525-6.875 GHz<br>6.875-7.125 GHz | Band:           | U-NII-5<br>U-NII-6<br>U-NII-7<br>U-NII-8 |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4                                            | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2             |
| Additional Reference(s): | -                                                                        |                 |                                          |

| DUT Configuration      |                |                          |   |
|------------------------|----------------|--------------------------|---|
| Mode:                  | 802.11a160 LPI | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps        | DCCF (dB):               | - |
| Antenna Configuration: | SISO           | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | A (Core 0)     | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 6025                 | 164.220               | - | - | - | 320.0       |
| 6185                 | 164.430               | - | - | - | 320.0       |
| 6345                 | 164.472               | - | - | - | 320.0       |
| 6505                 | 164.682               | - | - | - | 320.0       |
| 6665                 | 164.934               | - | - | - | 320.0       |
| 6825                 | 164.430               | - | - | - | 320.0       |
| 6985                 | 164.598               | - | - | - | 320.0       |

**Table 599 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 6025                 | 155.106             | - | - | - | 320.0       |
| 6185                 | 155.106             | - | - | - | 320.0       |
| 6345                 | 155.064             | - | - | - | 320.0       |
| 6505                 | 155.148             | - | - | - | 320.0       |
| 6665                 | 155.148             | - | - | - | 320.0       |
| 6825                 | 155.106             | - | - | - | 320.0       |
| 6985                 | 155.106             | - | - | - | 320.0       |

**Table 600 - 99% Bandwidth Results**



| Test Configuration       |                                                                          |                 |                                          |
|--------------------------|--------------------------------------------------------------------------|-----------------|------------------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.425-6.525 GHz<br>6.525-6.875 GHz<br>6.875-7.125 GHz | Band:           | U-NII-5<br>U-NII-6<br>U-NII-7<br>U-NII-8 |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4                                            | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2             |
| Additional Reference(s): | -                                                                        |                 |                                          |

| DUT Configuration         |                      |                          |   |
|---------------------------|----------------------|--------------------------|---|
| Mode:                     | 802.11ax HE20 SU LPI | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1               | DCCF (dB):               | - |
| Antenna Configuration:    | SISO                 | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | A (Core 0)           | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 5955                 | 22.944                | - | - | - | 320.0       |
| 6195                 | 22.830                | - | - | - | 320.0       |
| 6395                 | 22.944                | - | - | - | 320.0       |
| 6415                 | 23.118                | - | - | - | 320.0       |
| 6435                 | 23.058                | - | - | - | 320.0       |
| 6475                 | 22.944                | - | - | - | 320.0       |
| 6515                 | 22.782                | - | - | - | 320.0       |
| 6535                 | 22.776                | - | - | - | 320.0       |
| 6695                 | 22.734                | - | - | - | 320.0       |
| 6855                 | 23.004                | - | - | - | 320.0       |
| 6875                 | 22.950                | - | - | - | 320.0       |
| 6895                 | 23.124                | - | - | - | 320.0       |
| 6995                 | 23.172                | - | - | - | 320.0       |
| 7095                 | 22.824                | - | - | - | 320.0       |

**Table 601 - 26 dB Bandwidth Results**



| Test Frequency<br>(MHz) | 99% Bandwidth (MHz) |   |   |   | Limit<br>(MHz) |
|-------------------------|---------------------|---|---|---|----------------|
|                         | A                   | B | C | D |                |
| 5955                    | 19.068              | - | - | - | 320.0          |
| 6195                    | 19.062              | - | - | - | 320.0          |
| 6395                    | 19.080              | - | - | - | 320.0          |
| 6415                    | 19.068              | - | - | - | 320.0          |
| 6435                    | 19.068              | - | - | - | 320.0          |
| 6475                    | 19.056              | - | - | - | 320.0          |
| 6515                    | 19.068              | - | - | - | 320.0          |
| 6535                    | 19.068              | - | - | - | 320.0          |
| 6695                    | 19.068              | - | - | - | 320.0          |
| 6855                    | 19.062              | - | - | - | 320.0          |
| 6875                    | 19.074              | - | - | - | 320.0          |
| 6895                    | 19.086              | - | - | - | 320.0          |
| 6995                    | 19.068              | - | - | - | 320.0          |
| 7095                    | 19.074              | - | - | - | 320.0          |

**Table 602 - 99% Bandwidth Results**



| Test Configuration       |                                                                          |                 |                                          |
|--------------------------|--------------------------------------------------------------------------|-----------------|------------------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.425-6.525 GHz<br>6.525-6.875 GHz<br>6.875-7.125 GHz | Band:           | U-NII-5<br>U-NII-6<br>U-NII-7<br>U-NII-8 |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4                                            | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2             |
| Additional Reference(s): | -                                                                        |                 |                                          |

| DUT Configuration         |                      |                          |   |
|---------------------------|----------------------|--------------------------|---|
| Mode:                     | 802.11ax HE40 SU LPI | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1               | DCCF (dB):               | - |
| Antenna Configuration:    | SISO                 | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | A (Core 0)           | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 5965                 | 44.760                | - | - | - | 320.0       |
| 6205                 | 44.652                | - | - | - | 320.0       |
| 6405                 | 45.132                | - | - | - | 320.0       |
| 6445                 | 45.396                | - | - | - | 320.0       |
| 6485                 | 45.108                | - | - | - | 320.0       |
| 6525                 | 44.868                | - | - | - | 320.0       |
| 6565                 | 44.184                | - | - | - | 320.0       |
| 6725                 | 45.720                | - | - | - | 320.0       |
| 6845                 | 44.676                | - | - | - | 320.0       |
| 6885                 | 44.736                | - | - | - | 320.0       |
| 6925                 | 45.024                | - | - | - | 320.0       |
| 7005                 | 44.940                | - | - | - | 320.0       |
| 7085                 | 45.012                | - | - | - | 320.0       |

**Table 603 - 26 dB Bandwidth Results**



| Test Frequency<br>(MHz) | 99% Bandwidth (MHz) |   |   |   | Limit<br>(MHz) |
|-------------------------|---------------------|---|---|---|----------------|
|                         | A                   | B | C | D |                |
| 5965                    | 38.040              | - | - | - | 320.0          |
| 6205                    | 37.992              | - | - | - | 320.0          |
| 6405                    | 38.016              | - | - | - | 320.0          |
| 6445                    | 38.016              | - | - | - | 320.0          |
| 6485                    | 38.028              | - | - | - | 320.0          |
| 6525                    | 38.004              | - | - | - | 320.0          |
| 6565                    | 38.016              | - | - | - | 320.0          |
| 6725                    | 38.028              | - | - | - | 320.0          |
| 6845                    | 38.016              | - | - | - | 320.0          |
| 6885                    | 38.016              | - | - | - | 320.0          |
| 6925                    | 38.040              | - | - | - | 320.0          |
| 7005                    | 38.004              | - | - | - | 320.0          |
| 7085                    | 38.028              | - | - | - | 320.0          |

**Table 604 - 99% Bandwidth Results**



| Test Configuration       |                                                                          |                 |                                          |
|--------------------------|--------------------------------------------------------------------------|-----------------|------------------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.425-6.525 GHz<br>6.525-6.875 GHz<br>6.875-7.125 GHz | Band:           | U-NII-5<br>U-NII-6<br>U-NII-7<br>U-NII-8 |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4                                            | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2             |
| Additional Reference(s): | -                                                                        |                 |                                          |

| DUT Configuration         |                      |                          |   |
|---------------------------|----------------------|--------------------------|---|
| Mode:                     | 802.11ax HE80 SU LPI | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1               | DCCF (dB):               | - |
| Antenna Configuration:    | SISO                 | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | A (Core 0)           | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 5985                 | 82.720                | - | - | - | 320.0       |
| 6225                 | 82.698                | - | - | - | 320.0       |
| 6305                 | 82.720                | - | - | - | 320.0       |
| 6385                 | 82.654                | - | - | - | 320.0       |
| 6465                 | 82.720                | - | - | - | 320.0       |
| 6545                 | 82.786                | - | - | - | 320.0       |
| 6625                 | 82.720                | - | - | - | 320.0       |
| 6705                 | 82.742                | - | - | - | 320.0       |
| 6785                 | 82.720                | - | - | - | 320.0       |
| 6865                 | 82.500                | - | - | - | 320.0       |
| 6945                 | 82.588                | - | - | - | 320.0       |
| 7025                 | 82.522                | - | - | - | 320.0       |

**Table 605 - 26 dB Bandwidth Results**



| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 5985                 | 77.440              | - | - | - | 320.0       |
| 6225                 | 77.396              | - | - | - | 320.0       |
| 6305                 | 77.462              | - | - | - | 320.0       |
| 6385                 | 77.462              | - | - | - | 320.0       |
| 6465                 | 77.418              | - | - | - | 320.0       |
| 6545                 | 77.462              | - | - | - | 320.0       |
| 6625                 | 77.440              | - | - | - | 320.0       |
| 6705                 | 77.462              | - | - | - | 320.0       |
| 6785                 | 77.396              | - | - | - | 320.0       |
| 6865                 | 77.396              | - | - | - | 320.0       |
| 6945                 | 77.396              | - | - | - | 320.0       |
| 7025                 | 77.440              | - | - | - | 320.0       |

**Table 606 - 99% Bandwidth Results**



| Test Configuration       |                                                                          |                 |                                          |
|--------------------------|--------------------------------------------------------------------------|-----------------|------------------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.425-6.525 GHz<br>6.525-6.875 GHz<br>6.875-7.125 GHz | Band:           | U-NII-5<br>U-NII-6<br>U-NII-7<br>U-NII-8 |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4                                            | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2             |
| Additional Reference(s): | -                                                                        |                 |                                          |

| DUT Configuration         |                       |                          |   |
|---------------------------|-----------------------|--------------------------|---|
| Mode:                     | 802.11ax HE160 SU LPI | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | - |
| Antenna Configuration:    | SISO                  | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | A (Core 0)            | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 6025                 | 164.682               | - | - | - | 320.0       |
| 6185                 | 164.682               | - | - | - | 320.0       |
| 6345                 | 164.556               | - | - | - | 320.0       |
| 6505                 | 164.556               | - | - | - | 320.0       |
| 6665                 | 164.934               | - | - | - | 320.0       |
| 6825                 | 164.724               | - | - | - | 320.0       |
| 6985                 | 164.682               | - | - | - | 320.0       |

**Table 607 - 26 dB Bandwidth Results**



| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 6025                 | 156.324             | - | - | - | 320.0       |
| 6185                 | 156.282             | - | - | - | 320.0       |
| 6345                 | 156.324             | - | - | - | 320.0       |
| 6505                 | 156.366             | - | - | - | 320.0       |
| 6665                 | 156.366             | - | - | - | 320.0       |
| 6825                 | 156.324             | - | - | - | 320.0       |
| 6985                 | 156.366             | - | - | - | 320.0       |

Table 608 - 99% Bandwidth Results



| Test Configuration       |                                    |                 |                              |
|--------------------------|------------------------------------|-----------------|------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.525-6.875 GHz | Band:           | U-NII-5<br>U-NII-7           |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4      | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -                                  |                 |                              |

| DUT Configuration      |              |                          |   |
|------------------------|--------------|--------------------------|---|
| Mode:                  | 802.11a20 SP | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps      | DCCF (dB):               | - |
| Antenna Configuration: | SISO         | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | A (Core 0)   | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 5955                 | 20.010                | - | - | - | 320.0       |
| 6195                 | 22.026                | - | - | - | 320.0       |
| 6415                 | 22.080                | - | - | - | 320.0       |
| 6535                 | 21.786                | - | - | - | 320.0       |
| 6695                 | 21.678                | - | - | - | 320.0       |
| 6855                 | 21.576                | - | - | - | 320.0       |

**Table 609 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 5955                 | 16.362              | - | - | - | 320.0       |
| 6195                 | 16.758              | - | - | - | 320.0       |
| 6415                 | 16.758              | - | - | - | 320.0       |
| 6535                 | 16.770              | - | - | - | 320.0       |
| 6695                 | 16.758              | - | - | - | 320.0       |
| 6855                 | 16.770              | - | - | - | 320.0       |

**Table 610 - 99% Bandwidth Results**



| Test Configuration       |                                    |                 |                              |
|--------------------------|------------------------------------|-----------------|------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.525-6.875 GHz | Band:           | U-NII-5<br>U-NII-7           |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4      | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -                                  |                 |                              |

| DUT Configuration      |              |                          |   |
|------------------------|--------------|--------------------------|---|
| Mode:                  | 802.11a40 SP | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps      | DCCF (dB):               | - |
| Antenna Configuration: | SISO         | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | A (Core 0)   | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 5965                 | 47.340                | - | - | - | 320.0       |
| 6205                 | 54.180                | - | - | - | 320.0       |
| 6405                 | 56.328                | - | - | - | 320.0       |
| 6565                 | 52.056                | - | - | - | 320.0       |
| 6725                 | 53.568                | - | - | - | 320.0       |
| 6845                 | 59.280                | - | - | - | 320.0       |

**Table 611 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 5965                 | 36.340              | - | - | - | 320.0       |
| 6205                 | 36.948              | - | - | - | 320.0       |
| 6405                 | 36.924              | - | - | - | 320.0       |
| 6565                 | 36.828              | - | - | - | 320.0       |
| 6725                 | 36.864              | - | - | - | 320.0       |
| 6845                 | 36.936              | - | - | - | 320.0       |

**Table 612 - 99% Bandwidth Results**



| Test Configuration       |                                    |                 |                              |
|--------------------------|------------------------------------|-----------------|------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.525-6.875 GHz | Band:           | U-NII-5<br>U-NII-7           |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4      | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -                                  |                 |                              |

| DUT Configuration      |              |                          |   |
|------------------------|--------------|--------------------------|---|
| Mode:                  | 802.11a80 SP | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps      | DCCF (dB):               | - |
| Antenna Configuration: | SISO         | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | A (Core 0)   | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 5985                 | 93.984                | - | - | - | 320.0       |
| 6225                 | 115.232               | - | - | - | 320.0       |
| 6385                 | 133.458               | - | - | - | 320.0       |
| 6625                 | 116.558               | - | - | - | 320.0       |
| 6705                 | 117.072               | - | - | - | 320.0       |
| 6785                 | 115.778               | - | - | - | 320.0       |

**Table 613 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 5985                 | 75.636              | - | - | - | 320.0       |
| 6225                 | 79.352              | - | - | - | 320.0       |
| 6385                 | 85.774              | - | - | - | 320.0       |
| 6625                 | 78.130              | - | - | - | 320.0       |
| 6705                 | 78.240              | - | - | - | 320.0       |
| 6785                 | 78.494              | - | - | - | 320.0       |

**Table 614 - 99% Bandwidth Results**



| Test Configuration       |                                    |                 |                              |
|--------------------------|------------------------------------|-----------------|------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.525-6.875 GHz | Band:           | U-NII-5<br>U-NII-7           |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4      | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -                                  |                 |                              |

| DUT Configuration      |               |                          |   |
|------------------------|---------------|--------------------------|---|
| Mode:                  | 802.11a160 SP | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps       | DCCF (dB):               | - |
| Antenna Configuration: | SISO          | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | A (Core 0)    | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 6025                 | 163.254               | - | - | - | 320.0       |
| 6185                 | 166.194               | - | - | - | 320.0       |
| 6345                 | 165.774               | - | - | - | 320.0       |
| 6665                 | 165.144               | - | - | - | 320.0       |

**Table 615 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 6025                 | 154.392             | - | - | - | 320.0       |
| 6185                 | 154.518             | - | - | - | 320.0       |
| 6345                 | 154.518             | - | - | - | 320.0       |
| 6665                 | 154.602             | - | - | - | 320.0       |

**Table 616 - 99% Bandwidth Results**



| Test Configuration       |                                    |                 |                              |
|--------------------------|------------------------------------|-----------------|------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.525-6.875 GHz | Band:           | U-NII-5<br>U-NII-7           |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4      | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -                                  |                 |                              |

| DUT Configuration         |                     |                          |   |
|---------------------------|---------------------|--------------------------|---|
| Mode:                     | 802.11ax HE20 SU SP | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1              | DCCC (dB):               | - |
| Antenna Configuration:    | SISO                | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | A (Core 0)          | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 5955                 | 21.240                | - | - | - | 320.0       |
| 6195                 | 22.956                | - | - | - | 320.0       |
| 6415                 | 22.824                | - | - | - | 320.0       |
| 6535                 | 22.926                | - | - | - | 320.0       |
| 6695                 | 23.280                | - | - | - | 320.0       |
| 6855                 | 23.454                | - | - | - | 320.0       |

**Table 617 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 5955                 | 18.792              | - | - | - | 320.0       |
| 6195                 | 19.074              | - | - | - | 320.0       |
| 6415                 | 19.062              | - | - | - | 320.0       |
| 6535                 | 19.062              | - | - | - | 320.0       |
| 6695                 | 19.050              | - | - | - | 320.0       |
| 6855                 | 19.062              | - | - | - | 320.0       |

**Table 618 - 99% Bandwidth Results**



| Test Configuration       |                                    |                 |                              |
|--------------------------|------------------------------------|-----------------|------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.525-6.875 GHz | Band:           | U-NII-5<br>U-NII-7           |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4      | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -                                  |                 |                              |

| DUT Configuration         |                     |                          |   |
|---------------------------|---------------------|--------------------------|---|
| Mode:                     | 802.11ax HE40 SU SP | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1              | DCCC (dB):               | - |
| Antenna Configuration:    | SISO                | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | A (Core 0)          | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 5965                 | 42.672                | - | - | - | 320.0       |
| 6205                 | 44.748                | - | - | - | 320.0       |
| 6405                 | 44.940                | - | - | - | 320.0       |
| 6565                 | 44.832                | - | - | - | 320.0       |
| 6725                 | 44.544                | - | - | - | 320.0       |
| 6845                 | 44.400                | - | - | - | 320.0       |

**Table 619 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 5965                 | 37.620              | - | - | - | 320.0       |
| 6205                 | 38.004              | - | - | - | 320.0       |
| 6405                 | 38.028              | - | - | - | 320.0       |
| 6565                 | 38.004              | - | - | - | 320.0       |
| 6725                 | 38.004              | - | - | - | 320.0       |
| 6845                 | 38.016              | - | - | - | 320.0       |

**Table 620 - 99% Bandwidth Results**



| Test Configuration       |                                    |                 |                              |
|--------------------------|------------------------------------|-----------------|------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.525-6.875 GHz | Band:           | U-NII-5<br>U-NII-7           |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4      | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -                                  |                 |                              |

| DUT Configuration         |                     |                          |   |
|---------------------------|---------------------|--------------------------|---|
| Mode:                     | 802.11ax HE80 SU SP | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1              | DCCC (dB):               | - |
| Antenna Configuration:    | SISO                | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | A (Core 0)          | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 5985                 | 81.664                | - | - | - | 320.0       |
| 6225                 | 82.676                | - | - | - | 320.0       |
| 6385                 | 82.786                | - | - | - | 320.0       |
| 6625                 | 82.610                | - | - | - | 320.0       |
| 6705                 | 82.588                | - | - | - | 320.0       |
| 6785                 | 82.632                | - | - | - | 320.0       |

**Table 621 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 5985                 | 76.714              | - | - | - | 320.0       |
| 6225                 | 77.462              | - | - | - | 320.0       |
| 6385                 | 77.440              | - | - | - | 320.0       |
| 6625                 | 77.462              | - | - | - | 320.0       |
| 6705                 | 77.440              | - | - | - | 320.0       |
| 6785                 | 77.418              | - | - | - | 320.0       |

**Table 622 - 99% Bandwidth Results**



| Test Configuration       |                                    |                 |                              |
|--------------------------|------------------------------------|-----------------|------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.525-6.875 GHz | Band:           | U-NII-5<br>U-NII-7           |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4      | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -                                  |                 |                              |

| DUT Configuration         |                      |                          |   |
|---------------------------|----------------------|--------------------------|---|
| Mode:                     | 802.11ax HE160 SU SP | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1               | DCCF (dB):               | - |
| Antenna Configuration:    | SISO                 | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | A (Core 0)           | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 6025                 | 164.220               | - | - | - | 320.0       |
| 6185                 | 164.010               | - | - | - | 320.0       |
| 6345                 | 164.262               | - | - | - | 320.0       |
| 6665                 | 164.262               | - | - | - | 320.0       |

**Table 623 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 6025                 | 155.526             | - | - | - | 320.0       |
| 6185                 | 155.610             | - | - | - | 320.0       |
| 6345                 | 155.568             | - | - | - | 320.0       |
| 6665                 | 155.610             | - | - | - | 320.0       |

**Table 624 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 6.425-6.525 GHz | Band:           | U-NII-6                      |
| Limit Clause(s):         | RSS-248 4.4     | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration      |              |                          |   |
|------------------------|--------------|--------------------------|---|
| Mode:                  | 802.11a20 SP | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps      | DCCF (dB):               | - |
| Antenna Configuration: | SISO         | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | A (Core 0)   | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 6435                 | 21.660                | - | - | - | 320.0       |
| 6475                 | 21.816                | - | - | - | 320.0       |
| 6515                 | 21.540                | - | - | - | 320.0       |

**Table 625 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 6435                 | 16.764              | - | - | - | 320.0       |
| 6475                 | 16.770              | - | - | - | 320.0       |
| 6515                 | 16.758              | - | - | - | 320.0       |

**Table 626 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 6.425-6.525 GHz | Band:           | U-NII-6                      |
| Limit Clause(s):         | RSS-248 4.4     | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration      |              |                          |   |
|------------------------|--------------|--------------------------|---|
| Mode:                  | 802.11a40 SP | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps      | DCCF (dB):               | - |
| Antenna Configuration: | SISO         | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | A (Core 0)   | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 6445                 | 52.440                | - | - | - | 320.0       |
| 6485                 | 52.464                | - | - | - | 320.0       |
| 6525                 | 53.892                | - | - | - | 320.0       |

**Table 627 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 6445                 | 36.852              | - | - | - | 320.0       |
| 6485                 | 36.852              | - | - | - | 320.0       |
| 6525                 | 36.828              | - | - | - | 320.0       |

**Table 628 - 99% Bandwidth Results**



| Test Configuration       |                                    |                 |                              |
|--------------------------|------------------------------------|-----------------|------------------------------|
| Frequency Range:         | 6.425-6.525 GHz<br>6.525-6.875 GHz | Band:           | U-NII-6<br>U-NII-7           |
| Limit Clause(s):         | RSS-248 4.4                        | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -                                  |                 |                              |

| DUT Configuration      |              |                          |   |
|------------------------|--------------|--------------------------|---|
| Mode:                  | 802.11a80 SP | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps      | DCCF (dB):               | - |
| Antenna Configuration: | SISO         | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | A (Core 0)   | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 6465                 | 117.468               | - | - | - | 320.0       |
| 6545                 | 116.168               | - | - | - | 320.0       |

**Table 629 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 6465                 | 77.948              | - | - | - | 320.0       |
| 6545                 | 77.948              | - | - | - | 320.0       |

**Table 630 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 6.425-6.525 GHz | Band:           | U-NII-6                      |
| Limit Clause(s):         | RSS-248 4.4     | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration      |               |                          |   |
|------------------------|---------------|--------------------------|---|
| Mode:                  | 802.11a160 SP | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps       | DCCF (dB):               | - |
| Antenna Configuration: | SISO          | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | A (Core 0)    | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 6505                 | 164.052               | - | - | - | 320.0       |

**Table 631 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 6505                 | 154.602             | - | - | - | 320.0       |

**Table 632 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 6.425-6.525 GHz | Band:           | U-NII-6                      |
| Limit Clause(s):         | RSS-248 4.4     | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                     |                          |   |
|---------------------------|---------------------|--------------------------|---|
| Mode:                     | 802.11ax HE20 SU SP | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1              | DCCF (dB):               | - |
| Antenna Configuration:    | SISO                | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | A (Core 0)          | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 6435                 | 23.088                | - | - | - | 320.0       |
| 6475                 | 22.860                | - | - | - | 320.0       |
| 6515                 | 23.004                | - | - | - | 320.0       |

**Table 633 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 6435                 | 19.068              | - | - | - | 320.0       |
| 6475                 | 19.050              | - | - | - | 320.0       |
| 6515                 | 19.062              | - | - | - | 320.0       |

**Table 634 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 6.425-6.525 GHz | Band:           | U-NII-6                      |
| Limit Clause(s):         | RSS-248 4.4     | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                     |                          |   |
|---------------------------|---------------------|--------------------------|---|
| Mode:                     | 802.11ax HE40 SU SP | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1              | DCCF (dB):               | - |
| Antenna Configuration:    | SISO                | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | A (Core 0)          | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 6445                 | 44.220                | - | - | - | 320.0       |
| 6485                 | 44.652                | - | - | - | 320.0       |
| 6525                 | 44.724                | - | - | - | 320.0       |

**Table 635 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 6445                 | 38.016              | - | - | - | 320.0       |
| 6485                 | 38.004              | - | - | - | 320.0       |
| 6525                 | 38.004              | - | - | - | 320.0       |

**Table 636 - 99% Bandwidth Results**



| Test Configuration       |                                    |                 |                              |
|--------------------------|------------------------------------|-----------------|------------------------------|
| Frequency Range:         | 6.425-6.525 GHz<br>6.525-6.875 GHz | Band:           | U-NII-6<br>U-NII-7           |
| Limit Clause(s):         | RSS-248 4.4                        | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -                                  |                 |                              |

| DUT Configuration         |                     |                          |   |
|---------------------------|---------------------|--------------------------|---|
| Mode:                     | 802.11ax HE80 SU SP | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1              | DCCF (dB):               | - |
| Antenna Configuration:    | SISO                | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | A (Core 0)          | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 6465                 | 82.676                | - | - | - | 320.0       |
| 6545                 | 82.698                | - | - | - | 320.0       |

**Table 637 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 6465                 | 77.440              | - | - | - | 320.0       |
| 6545                 | 77.462              | - | - | - | 320.0       |

**Table 638 - 99% Bandwidth Results**



| Test Configuration       |                 |                 |                              |
|--------------------------|-----------------|-----------------|------------------------------|
| Frequency Range:         | 6.425-6.525 GHz | Band:           | U-NII-6                      |
| Limit Clause(s):         | RSS-248 4.4     | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2 |
| Additional Reference(s): | -               |                 |                              |

| DUT Configuration         |                      |                          |   |
|---------------------------|----------------------|--------------------------|---|
| Mode:                     | 802.11ax HE160 SU SP | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1               | DCCF (dB):               | - |
| Antenna Configuration:    | SISO                 | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | A (Core 0)           | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 6505                 | 164.136               | - | - | - | 320.0       |

**Table 639 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 6505                 | 155.568             | - | - | - | 320.0       |

**Table 640 - 99% Bandwidth Results**



| Test Configuration       |                                                                          |                 |                                          |
|--------------------------|--------------------------------------------------------------------------|-----------------|------------------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.425-6.525 GHz<br>6.525-6.875 GHz<br>6.875-7.125 GHz | Band:           | U-NII-5<br>U-NII-6<br>U-NII-7<br>U-NII-8 |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4                                            | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2             |
| Additional Reference(s): | -                                                                        |                 |                                          |

| DUT Configuration      |               |                          |   |
|------------------------|---------------|--------------------------|---|
| Mode:                  | 802.11a20 VLP | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps       | DCCF (dB):               | - |
| Antenna Configuration: | SISO          | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | A (Core 0)    | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 6115                 | 21.540                | - | - | - | 320.0       |
| 6275                 | 21.966                | - | - | - | 320.0       |
| 6415                 | 21.738                | - | - | - | 320.0       |
| 6435                 | 21.648                | - | - | - | 320.0       |
| 6475                 | 21.660                | - | - | - | 320.0       |
| 6515                 | 21.582                | - | - | - | 320.0       |
| 6535                 | 21.636                | - | - | - | 320.0       |
| 6695                 | 21.726                | - | - | - | 320.0       |
| 6855                 | 21.870                | - | - | - | 320.0       |
| 6875                 | 21.792                | - | - | - | 320.0       |
| 6895                 | 21.858                | - | - | - | 320.0       |
| 7015                 | 21.720                | - | - | - | 320.0       |
| 7095                 | 21.450                | - | - | - | 320.0       |
| 7115                 | 19.902                | - | - | - | 320.0       |

**Table 641 - 26 dB Bandwidth Results**



| Test Frequency<br>(MHz) | 99% Bandwidth (MHz) |   |   |   | Limit<br>(MHz) |
|-------------------------|---------------------|---|---|---|----------------|
|                         | A                   | B | C | D |                |
| 6115                    | 16.770              | - | - | - | 320.0          |
| 6275                    | 16.752              | - | - | - | 320.0          |
| 6415                    | 16.752              | - | - | - | 320.0          |
| 6435                    | 16.776              | - | - | - | 320.0          |
| 6475                    | 16.764              | - | - | - | 320.0          |
| 6515                    | 16.764              | - | - | - | 320.0          |
| 6535                    | 16.758              | - | - | - | 320.0          |
| 6695                    | 16.764              | - | - | - | 320.0          |
| 6855                    | 16.776              | - | - | - | 320.0          |
| 6875                    | 16.764              | - | - | - | 320.0          |
| 6895                    | 16.764              | - | - | - | 320.0          |
| 7015                    | 16.758              | - | - | - | 320.0          |
| 7095                    | 16.764              | - | - | - | 320.0          |
| 7115                    | 16.362              | - | - | - | 320.0          |

**Table 642 - 99% Bandwidth Results**



| Test Configuration       |                                                                          |                 |                                          |
|--------------------------|--------------------------------------------------------------------------|-----------------|------------------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.425-6.525 GHz<br>6.525-6.875 GHz<br>6.875-7.125 GHz | Band:           | U-NII-5<br>U-NII-6<br>U-NII-7<br>U-NII-8 |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4                                            | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2             |
| Additional Reference(s): | -                                                                        |                 |                                          |

| DUT Configuration      |               |                          |   |
|------------------------|---------------|--------------------------|---|
| Mode:                  | 802.11a40 VLP | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps       | DCCF (dB):               | - |
| Antenna Configuration: | SISO          | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | A (Core 0)    | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 6125                 | 43.812                | - | - | - | 320.0       |
| 6285                 | 43.944                | - | - | - | 320.0       |
| 6365                 | 43.536                | - | - | - | 320.0       |
| 6405                 | 44.004                | - | - | - | 320.0       |
| 6445                 | 43.788                | - | - | - | 320.0       |
| 6485                 | 44.472                | - | - | - | 320.0       |
| 6525                 | 43.968                | - | - | - | 320.0       |
| 6565                 | 44.004                | - | - | - | 320.0       |
| 6725                 | 44.316                | - | - | - | 320.0       |
| 6845                 | 43.992                | - | - | - | 320.0       |
| 6885                 | 43.860                | - | - | - | 320.0       |
| 6925                 | 43.728                | - | - | - | 320.0       |
| 7005                 | 43.968                | - | - | - | 320.0       |
| 7085                 | 44.316                | - | - | - | 320.0       |

**Table 643 - 26 dB Bandwidth Results**



| Test Frequency<br>(MHz) | 99% Bandwidth (MHz) |   |   |   | Limit<br>(MHz) |
|-------------------------|---------------------|---|---|---|----------------|
|                         | A                   | B | C | D |                |
| 6125                    | 36.696              | - | - | - | 320.0          |
| 6285                    | 36.708              | - | - | - | 320.0          |
| 6365                    | 36.696              | - | - | - | 320.0          |
| 6405                    | 36.684              | - | - | - | 320.0          |
| 6445                    | 36.684              | - | - | - | 320.0          |
| 6485                    | 36.696              | - | - | - | 320.0          |
| 6525                    | 36.720              | - | - | - | 320.0          |
| 6565                    | 36.720              | - | - | - | 320.0          |
| 6725                    | 36.720              | - | - | - | 320.0          |
| 6845                    | 36.720              | - | - | - | 320.0          |
| 6885                    | 36.696              | - | - | - | 320.0          |
| 6925                    | 36.696              | - | - | - | 320.0          |
| 7005                    | 36.684              | - | - | - | 320.0          |
| 7085                    | 36.696              | - | - | - | 320.0          |

**Table 644 - 99% Bandwidth Results**



| Test Configuration       |                                                                          |                 |                                          |
|--------------------------|--------------------------------------------------------------------------|-----------------|------------------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.425-6.525 GHz<br>6.525-6.875 GHz<br>6.875-7.125 GHz | Band:           | U-NII-5<br>U-NII-6<br>U-NII-7<br>U-NII-8 |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4                                            | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2             |
| Additional Reference(s): | -                                                                        |                 |                                          |

| DUT Configuration      |               |                          |   |
|------------------------|---------------|--------------------------|---|
| Mode:                  | 802.11a80 VLP | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps       | DCCF (dB):               | - |
| Antenna Configuration: | SISO          | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | A (Core 0)    | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 6145                 | 116.736               | - | - | - | 320.0       |
| 6305                 | 114.480               | - | - | - | 320.0       |
| 6385                 | 116.740               | - | - | - | 320.0       |
| 6465                 | 115.152               | - | - | - | 320.0       |
| 6545                 | 114.408               | - | - | - | 320.0       |
| 6625                 | 114.864               | - | - | - | 320.0       |
| 6705                 | 115.102               | - | - | - | 320.0       |
| 6785                 | 113.232               | - | - | - | 320.0       |
| 6865                 | 115.128               | - | - | - | 320.0       |
| 6945                 | 115.752               | - | - | - | 320.0       |
| 7025                 | 114.768               | - | - | - | 320.0       |

**Table 645 - 26 dB Bandwidth Results**



| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 6145                 | 77.496              | - | - | - | 320.0       |
| 6305                 | 77.424              | - | - | - | 320.0       |
| 6385                 | 77.740              | - | - | - | 320.0       |
| 6465                 | 77.424              | - | - | - | 320.0       |
| 6545                 | 77.520              | - | - | - | 320.0       |
| 6625                 | 77.424              | - | - | - | 320.0       |
| 6705                 | 77.584              | - | - | - | 320.0       |
| 6785                 | 77.520              | - | - | - | 320.0       |
| 6865                 | 77.520              | - | - | - | 320.0       |
| 6945                 | 77.712              | - | - | - | 320.0       |
| 7025                 | 77.520              | - | - | - | 320.0       |

**Table 646 - 99% Bandwidth Results**



| Test Configuration       |                                                                          |                 |                                          |
|--------------------------|--------------------------------------------------------------------------|-----------------|------------------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.425-6.525 GHz<br>6.525-6.875 GHz<br>6.875-7.125 GHz | Band:           | U-NII-5<br>U-NII-6<br>U-NII-7<br>U-NII-8 |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4                                            | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2             |
| Additional Reference(s): | -                                                                        |                 |                                          |

| DUT Configuration      |                |                          |   |
|------------------------|----------------|--------------------------|---|
| Mode:                  | 802.11a160 VLP | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps        | DCCF (dB):               | - |
| Antenna Configuration: | SISO           | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | A (Core 0)     | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 6185                 | 164.766               | - | - | - | 320.0       |
| 6345                 | 164.388               | - | - | - | 320.0       |
| 6505                 | 165.018               | - | - | - | 320.0       |
| 6665                 | 165.354               | - | - | - | 320.0       |
| 6825                 | 165.480               | - | - | - | 320.0       |
| 6985                 | 164.556               | - | - | - | 320.0       |

**Table 647 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 6185                 | 155.148             | - | - | - | 320.0       |
| 6345                 | 155.106             | - | - | - | 320.0       |
| 6505                 | 155.232             | - | - | - | 320.0       |
| 6665                 | 155.232             | - | - | - | 320.0       |
| 6825                 | 155.232             | - | - | - | 320.0       |
| 6985                 | 155.190             | - | - | - | 320.0       |

**Table 648 - 99% Bandwidth Results**



| Test Configuration       |                                                                          |                 |                                          |
|--------------------------|--------------------------------------------------------------------------|-----------------|------------------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.425-6.525 GHz<br>6.525-6.875 GHz<br>6.875-7.125 GHz | Band:           | U-NII-5<br>U-NII-6<br>U-NII-7<br>U-NII-8 |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4                                            | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2             |
| Additional Reference(s): | -                                                                        |                 |                                          |

| DUT Configuration         |                      |                          |   |
|---------------------------|----------------------|--------------------------|---|
| Mode:                     | 802.11ax HE20 SU VLP | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1               | DCCF (dB):               | - |
| Antenna Configuration:    | SISO                 | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | A (Core 0)           | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 6115                 | 22.518                | - | - | - | 320.0       |
| 6275                 | 22.974                | - | - | - | 320.0       |
| 6395                 | 23.250                | - | - | - | 320.0       |
| 6415                 | 22.920                | - | - | - | 320.0       |
| 6435                 | 22.782                | - | - | - | 320.0       |
| 6475                 | 23.040                | - | - | - | 320.0       |
| 6515                 | 23.136                | - | - | - | 320.0       |
| 6535                 | 22.842                | - | - | - | 320.0       |
| 6695                 | 23.058                | - | - | - | 320.0       |
| 6855                 | 22.878                | - | - | - | 320.0       |
| 6875                 | 22.842                | - | - | - | 320.0       |
| 6895                 | 23.214                | - | - | - | 320.0       |
| 6995                 | 22.902                | - | - | - | 320.0       |
| 7095                 | 22.962                | - | - | - | 320.0       |

**Table 649 - 26 dB Bandwidth Results**



| Test Frequency<br>(MHz) | 99% Bandwidth (MHz) |   |   |   | Limit<br>(MHz) |
|-------------------------|---------------------|---|---|---|----------------|
|                         | A                   | B | C | D |                |
| 6115                    | 19.062              | - | - | - | 320.0          |
| 6275                    | 19.068              | - | - | - | 320.0          |
| 6395                    | 19.080              | - | - | - | 320.0          |
| 6415                    | 19.062              | - | - | - | 320.0          |
| 6435                    | 19.068              | - | - | - | 320.0          |
| 6475                    | 19.056              | - | - | - | 320.0          |
| 6515                    | 19.068              | - | - | - | 320.0          |
| 6535                    | 19.050              | - | - | - | 320.0          |
| 6695                    | 19.056              | - | - | - | 320.0          |
| 6855                    | 19.074              | - | - | - | 320.0          |
| 6875                    | 19.068              | - | - | - | 320.0          |
| 6895                    | 19.080              | - | - | - | 320.0          |
| 6995                    | 19.080              | - | - | - | 320.0          |
| 7095                    | 19.056              | - | - | - | 320.0          |

**Table 650 - 99% Bandwidth Results**



| Test Configuration       |                                                                          |                 |                                          |
|--------------------------|--------------------------------------------------------------------------|-----------------|------------------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.425-6.525 GHz<br>6.525-6.875 GHz<br>6.875-7.125 GHz | Band:           | U-NII-5<br>U-NII-6<br>U-NII-7<br>U-NII-8 |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4                                            | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2             |
| Additional Reference(s): | -                                                                        |                 |                                          |

| DUT Configuration         |                      |                          |   |
|---------------------------|----------------------|--------------------------|---|
| Mode:                     | 802.11ax HE40 SU VLP | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1               | DCCF (dB):               | - |
| Antenna Configuration:    | SISO                 | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | A (Core 0)           | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 6125                 | 45.264                | - | - | - | 320.0       |
| 6285                 | 44.724                | - | - | - | 320.0       |
| 6405                 | 45.000                | - | - | - | 320.0       |
| 6445                 | 44.964                | - | - | - | 320.0       |
| 6485                 | 44.940                | - | - | - | 320.0       |
| 6525                 | 44.964                | - | - | - | 320.0       |
| 6565                 | 44.988                | - | - | - | 320.0       |
| 6725                 | 45.384                | - | - | - | 320.0       |
| 6845                 | 44.616                | - | - | - | 320.0       |
| 6885                 | 44.832                | - | - | - | 320.0       |
| 6925                 | 45.000                | - | - | - | 320.0       |
| 7005                 | 44.292                | - | - | - | 320.0       |
| 7085                 | 45.264                | - | - | - | 320.0       |

**Table 651 - 26 dB Bandwidth Results**



| Test Frequency<br>(MHz) | 99% Bandwidth (MHz) |   |   |   | Limit<br>(MHz) |
|-------------------------|---------------------|---|---|---|----------------|
|                         | A                   | B | C | D |                |
| 6125                    | 38.016              | - | - | - | 320.0          |
| 6285                    | 38.028              | - | - | - | 320.0          |
| 6405                    | 38.040              | - | - | - | 320.0          |
| 6445                    | 38.016              | - | - | - | 320.0          |
| 6485                    | 38.028              | - | - | - | 320.0          |
| 6525                    | 38.040              | - | - | - | 320.0          |
| 6565                    | 38.028              | - | - | - | 320.0          |
| 6725                    | 38.040              | - | - | - | 320.0          |
| 6845                    | 38.016              | - | - | - | 320.0          |
| 6885                    | 38.028              | - | - | - | 320.0          |
| 6925                    | 38.028              | - | - | - | 320.0          |
| 7005                    | 38.016              | - | - | - | 320.0          |
| 7085                    | 38.028              | - | - | - | 320.0          |

**Table 652 - 99% Bandwidth Results**



| Test Configuration       |                                                                          |                 |                                          |
|--------------------------|--------------------------------------------------------------------------|-----------------|------------------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.425-6.525 GHz<br>6.525-6.875 GHz<br>6.875-7.125 GHz | Band:           | U-NII-5<br>U-NII-6<br>U-NII-7<br>U-NII-8 |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4                                            | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2             |
| Additional Reference(s): | -                                                                        |                 |                                          |

| DUT Configuration         |                      |                          |   |
|---------------------------|----------------------|--------------------------|---|
| Mode:                     | 802.11ax HE80 SU VLP | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1               | DCCF (dB):               | - |
| Antenna Configuration:    | SISO                 | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | A (Core 0)           | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 6145                 | 82.764                | - | - | - | 320.0       |
| 6305                 | 82.764                | - | - | - | 320.0       |
| 6385                 | 82.412                | - | - | - | 320.0       |
| 6465                 | 82.808                | - | - | - | 320.0       |
| 6545                 | 82.610                | - | - | - | 320.0       |
| 6625                 | 82.720                | - | - | - | 320.0       |
| 6705                 | 82.808                | - | - | - | 320.0       |
| 6785                 | 82.632                | - | - | - | 320.0       |
| 6865                 | 82.742                | - | - | - | 320.0       |
| 6945                 | 82.610                | - | - | - | 320.0       |
| 7025                 | 82.676                | - | - | - | 320.0       |

**Table 653 - 26 dB Bandwidth Results**



| Test Frequency<br>(MHz) | 99% Bandwidth (MHz) |   |   |   | Limit<br>(MHz) |
|-------------------------|---------------------|---|---|---|----------------|
|                         | A                   | B | C | D |                |
| 6145                    | 77.484              | - | - | - | 320.0          |
| 6305                    | 77.462              | - | - | - | 320.0          |
| 6385                    | 77.484              | - | - | - | 320.0          |
| 6465                    | 77.440              | - | - | - | 320.0          |
| 6545                    | 77.484              | - | - | - | 320.0          |
| 6625                    | 77.484              | - | - | - | 320.0          |
| 6705                    | 77.484              | - | - | - | 320.0          |
| 6785                    | 77.440              | - | - | - | 320.0          |
| 6865                    | 77.440              | - | - | - | 320.0          |
| 6945                    | 77.440              | - | - | - | 320.0          |
| 7025                    | 77.462              | - | - | - | 320.0          |

**Table 654 - 99% Bandwidth Results**



| Test Configuration       |                                                                          |                 |                                          |
|--------------------------|--------------------------------------------------------------------------|-----------------|------------------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.425-6.525 GHz<br>6.525-6.875 GHz<br>6.875-7.125 GHz | Band:           | U-NII-5<br>U-NII-6<br>U-NII-7<br>U-NII-8 |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4                                            | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2             |
| Additional Reference(s): | -                                                                        |                 |                                          |

| DUT Configuration         |                       |                          |   |
|---------------------------|-----------------------|--------------------------|---|
| Mode:                     | 802.11ax HE160 SU VLP | Duty Cycle (%):          | - |
| Modulation Coding Scheme: | MCS2x1                | DCCF (dB):               | - |
| Antenna Configuration:    | SISO                  | Peak Antenna Gain (dBi): | - |
| Active Port(s):           | A (Core 0)            | Active Chain(s):         | 0 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|-----------------------|---|---|---|-------------|
|                      | A                     | B | C | D |             |
| 6185                 | 164.682               | - | - | - | 320.0       |
| 6345                 | 164.598               | - | - | - | 320.0       |
| 6505                 | 164.808               | - | - | - | 320.0       |
| 6665                 | 164.934               | - | - | - | 320.0       |
| 6825                 | 164.514               | - | - | - | 320.0       |
| 6985                 | 164.892               | - | - | - | 320.0       |

**Table 655 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) |   |   |   | Limit (MHz) |
|----------------------|---------------------|---|---|---|-------------|
|                      | A                   | B | C | D |             |
| 6185                 | 156.282             | - | - | - | 320.0       |
| 6345                 | 156.324             | - | - | - | 320.0       |
| 6505                 | 156.492             | - | - | - | 320.0       |
| 6665                 | 156.450             | - | - | - | 320.0       |
| 6825                 | 156.408             | - | - | - | 320.0       |
| 6985                 | 156.366             | - | - | - | 320.0       |

**Table 656 - 99% Bandwidth Results**



| Test Configuration       |                                                                          |                 |                                          |
|--------------------------|--------------------------------------------------------------------------|-----------------|------------------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.425-6.525 GHz<br>6.525-6.875 GHz<br>6.875-7.125 GHz | Band:           | U-NII-5<br>U-NII-6<br>U-NII-7<br>U-NII-8 |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4                                            | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2             |
| Additional Reference(s): | -                                                                        |                 |                                          |

| DUT Configuration      |               |                          |   |
|------------------------|---------------|--------------------------|---|
| Mode:                  | 802.11a20 LPI | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps       | DCCF (dB):               | - |
| Antenna Configuration: | SISO          | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | B (Core 1)    | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (MHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5955                 | -                     | 21.888 | - | - | 320.0       |
| 6195                 | -                     | 21.828 | - | - | 320.0       |
| 6415                 | -                     | 21.918 | - | - | 320.0       |
| 6435                 | -                     | 21.648 | - | - | 320.0       |
| 6475                 | -                     | 21.930 | - | - | 320.0       |
| 6515                 | -                     | 22.026 | - | - | 320.0       |
| 6535                 | -                     | 22.116 | - | - | 320.0       |
| 6695                 | -                     | 22.158 | - | - | 320.0       |
| 6855                 | -                     | 21.948 | - | - | 320.0       |
| 6875                 | -                     | 21.870 | - | - | 320.0       |
| 6895                 | -                     | 21.744 | - | - | 320.0       |
| 7015                 | -                     | 21.786 | - | - | 320.0       |
| 7095                 | -                     | 22.002 | - | - | 320.0       |
| 7115                 | -                     | 19.986 | - | - | 320.0       |

**Table 657 - 26 dB Bandwidth Results**



| Test Frequency (MHz) | 99% Bandwidth (MHz) |        |   |   | Limit (MHz) |
|----------------------|---------------------|--------|---|---|-------------|
|                      | A                   | B      | C | D |             |
| 5955                 | -                   | 16.776 | - | - | 320.0       |
| 6195                 | -                   | 16.788 | - | - | 320.0       |
| 6415                 | -                   | 16.782 | - | - | 320.0       |
| 6435                 | -                   | 16.782 | - | - | 320.0       |
| 6475                 | -                   | 16.770 | - | - | 320.0       |
| 6515                 | -                   | 16.776 | - | - | 320.0       |
| 6535                 | -                   | 16.770 | - | - | 320.0       |
| 6695                 | -                   | 16.782 | - | - | 320.0       |
| 6855                 | -                   | 16.770 | - | - | 320.0       |
| 6875                 | -                   | 16.770 | - | - | 320.0       |
| 6895                 | -                   | 16.776 | - | - | 320.0       |
| 7015                 | -                   | 16.776 | - | - | 320.0       |
| 7095                 | -                   | 16.788 | - | - | 320.0       |
| 7115                 | -                   | 16.380 | - | - | 320.0       |

**Table 658 - 99% Bandwidth Results**



| Test Configuration       |                                                                          |                 |                                          |
|--------------------------|--------------------------------------------------------------------------|-----------------|------------------------------------------|
| Frequency Range:         | 5.925-6.425 GHz<br>6.425-6.525 GHz<br>6.525-6.875 GHz<br>6.875-7.125 GHz | Band:           | U-NII-5<br>U-NII-6<br>U-NII-7<br>U-NII-8 |
| Limit Clause(s):         | 15.407(a) (11)<br>RSS-248 4.4                                            | Test Method(s): | C63.10 6.9.3<br>C63.10 6.9.2             |
| Additional Reference(s): | -                                                                        |                 |                                          |

| DUT Configuration      |               |                          |   |
|------------------------|---------------|--------------------------|---|
| Mode:                  | 802.11a40 LPI | Duty Cycle (%):          | - |
| Data Rate:             | 12 Mbps       | DCCF (dB):               | - |
| Antenna Configuration: | SISO          | Peak Antenna Gain (dBi): | - |
| Active Port(s):        | B (Core 1)    | Active Chain(s):         | 1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) |        |   |   | Limit (MHz) |
|----------------------|-----------------------|--------|---|---|-------------|
|                      | A                     | B      | C | D |             |
| 5965                 | -                     | 43.752 | - | - | 320.0       |
| 6205                 | -                     | 43.560 | - | - | 320.0       |
| 6405                 | -                     | 43.716 | - | - | 320.0       |
| 6445                 | -                     | 43.620 | - | - | 320.0       |
| 6485                 | -                     | 43.920 | - | - | 320.0       |
| 6525                 | -                     | 44.052 | - | - | 320.0       |
| 6565                 | -                     | 43.980 | - | - | 320.0       |
| 6725                 | -                     | 44.112 | - | - | 320.0       |
| 6845                 | -                     | 44.088 | - | - | 320.0       |
| 6925                 | -                     | 43.668 | - | - | 320.0       |
| 7005                 | -                     | 43.740 | - | - | 320.0       |
| 7085                 | -                     | 44.076 | - | - | 320.0       |

**Table 659 - 26 dB Bandwidth Results**