




**Figure 584 - Bluetooth HDT4, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz**




**Figure 585 - Bluetooth HDT6, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz**






Figure 588 - Bluetooth XHDRPM8, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 589 - Bluetooth CS1LE1M, SISO, Core 0 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 590 - Bluetooth CS1LE2M, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz

ePA - Core 1 (SISO)

Mode	Packet Type	TX Frequency (MHz)	Band Edge Frequency (MHz)	Level (dBc)
Static	2DH5	2402	2400	-59.12
Static	3DH5	2402	2400	-59.79
Static	HDR4	2404	2400	-64.95
Static	HDR8	2404	2400	-47.59
Static	LE1M	2402	2400	-64.82
Static	LE2M	2404	2400	-66.86
Static	HDT3	2404	2400	-57.19
Static	HDT4	2404	2400	-58.05
Static	HDT6	2404	2400	-50.85
Static	HDRPS2	2404	2400	-60.97
Static	HDRPM12	2404	2400	-44.48
Static	XHDRPM8	2404	2400	-43.27
Static	CS1LE1M	2402	2400	-41.81
Static	CS1LE2M	2404	2400	-41.79

Table 192 - SISO Authorised Band Edge Results




Figure 591 - Bluetooth 2DH5, SISO, Core 1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 592 - Bluetooth 3DH5, SISO, Core 1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 593 - Bluetooth HDR4, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 594 - Bluetooth HDR8, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 595 - Bluetooth LE1M, SISO, Core 1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 596 - Bluetooth LE2M, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 597 - Bluetooth HDT3, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 598 - Bluetooth HDT4, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 599 - Bluetooth HDT6, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 600 - Bluetooth HDRPS2, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 601 - Bluetooth HDRPM12, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 602 - Bluetooth XHDRPM8, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 603 - Bluetooth CS1LE1M, SISO, Core 1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 604 - Bluetooth CS1LE2M, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz

ePA - Core 0-1 (MIMO)

Mode	Packet Type	TX Frequency (MHz)	Band Edge Frequency (MHz)	Level (dBc)
Static	2DH5	2402	2400	-59.77
Static	3DH5	2402	2400	-60.82
Static	HDR4	2404	2400	-66.88
Static	HDR8	2404	2400	-49.11
Static	LE1M	2402	2400	-65.97
Static	LE2M	2404	2400	-68.71
Static	HDT3	2404	2400	-58.72
Static	HDT4	2404	2400	-58.41
Static	HDT6	2404	2400	-52.21
Static	HDRPS2	2404	2400	-61.54
Static	HDRPM12	2404	2400	-45.87
Static	XHDRPM8	2404	2400	-46.38
Static	CS1LE1M	2402	2400	-41.82
Static	CS1LE2M	2404	2400	-41.48

Table 193 - MIMO Authorised Band Edge Results




Figure 605 - Bluetooth 2DH5, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 606 - Bluetooth 3DH5, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 607 - Bluetooth HDR4, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 608 - Bluetooth HDR8, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 609 - Bluetooth LE1M, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 610 - Bluetooth LE2M, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 611 - Bluetooth HDT3, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 612 - Bluetooth HDT4, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 613 - Bluetooth HDT6, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 614 - Bluetooth HDRPS2, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 615 - Bluetooth HDRPM12, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 616 - Bluetooth XHDRPM8, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 617 - Bluetooth CS1LE1M, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz




**Figure 618 - Bluetooth CS1LE2M, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz**

FCC 47 CFR Part 15, Limit Clause 15.247 (d)

20 dB below the fundamental measured in a 100 kHz bandwidth using a peak detector. If the transmitter complies with the conducted power limits, based on the use of RMS averaging over a time interval, the attenuation required shall be 30 dB below the fundamental instead of 20 dB.

ISED RSS-247, Limit Clause 6.6

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated device is operating, the RF power that is produced shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided that the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of root-mean-square averaging over a time interval, as permitted under Section 5.4(4), the attenuation required shall be 30 dB instead of 20 dB. Attenuation below the general field strength limits specified in RSS-Gen is not required.



2.4.7 Test Location and Test Equipment Used

This test was carried out in RF Chamber 15 and RF Chamber 16.

Instrument	Manufacturer	Type No.	TE No.	Calibration Period (months)	Calibration Expiry Date
Emissions Software	TUV SUD	EmX V3.6.3 V.	5125	-	O/P Mon
1500W (300V 12A) AC Power Supply	iTech	IT7324	5956	-	O/P Mon
1500W (300V 12A) AC Power Supply	iTech	IT7324	5957	-	O/P Mon
5m Semi-Anechoic Chamber (Dual-Axis), Chamber 15	Albatross Projects	RF Chamber 15	5963	36	23-Apr-2028
Compact Antenna Mast	Maturo Gmbh	CAM4.0-P	5964	-	TU
Mast & Turntable Controller	Maturo Gmbh	FCU3.0	5966	-	TU
Tilt Antenna Mast	Maturo Gmbh	BAM4.5-P	5967	-	TU
Turntable	Maturo Gmbh	TT1.5SI	5968	-	TU
3m Semi-Anechoic Chamber, Chamber16	Albatross Projects	RF Chamber 16	5972	36	07-May-2028
Mast & Turntable Controller	Maturo Gmbh	FCU3.0	5973	-	TU
Tilt Antenna Mast	Maturo Gmbh	BAM4.5-P	5974	-	TU
Turntable	Maturo Gmbh	TT1.5SI	5975	-	TU
Horn Antenna (1-10 GHz)	Schwarzbeck	BBHA9120B	6141	12	21-Sep-2026
Horn Antenna (1-10 GHz)	Schwarzbeck	BBHA9120B	6142	12	21-Sep-2026
SAC Switch Unit	TUV SUD	TUV_SSU_001	6144	12	05-Dec-2026
Digital Multimeter	Fluke	115	6145	12	02-Jun-2027
Digital Multimeter	Fluke	115	6146	12	03-Jun-2027
SAC Switch Unit	TUV SUD	TUV_SSU_001	6191	12	18-Dec-2026
EMC Test Receiver	Rohde & Schwarz	ESW44	6333	12	08-May-2027
EMI Test Receiver	Rohde & Schwarz	ESW44	6805	12	22-Sep-2026
8M SMA Cable	Junkosha	MWX221-08000AMSAMS/B	6833	12	18-Aug-2026
Handheld Hygrometer	Fluke	971	6837	12	16-Sep-2026



Instrument	Manufacturer	Type No.	TE No.	Calibration Period (months)	Calibration Expiry Date
Handheld Hygrometer	Fluke	971	6838	12	16-Sep-2026
1m SMA-Type Cable	Junkosha	MWX221-01000AMSAMS/B	6840	12	23-Sep-2026
1m SMA-Type Cable	Junkosha	MWX221-01000AMSAMS/B	6844	12	06-Sep-2026
1m SMA-Type Cable	Junkosha	MWX221-01000AMSAMS/B	6845	12	06-Sep-2026
8m SMA-Type Cable	Junkosha	MWX221-08000AMSAMS/B	6849	12	06-Nov-2026
SAC Switch Unit	TUV SUD	TUV_SSU_001	6191	12	18-Dec-2026

Table 194

TU - Traceability Unscheduled
O/P Mon - Output Monitored using calibrated equipment



2.5 Spurious Radiated Emissions

2.5.1 Specification Reference

FCC 47 CFR Part 15C, Clause 15.209 and 15.247 (d)
ISED RSS-247, Clause 2.4 and 6.6
ISED RSS-GEN, Clause 6.13 and 8.9

2.5.2 Equipment Under Test and Modification State

A3376, S/N: C94XWY32P5 - Modification State 0
A3376, S/N: CHG7QX1HD2 - Modification State 0

2.5.3 Date of Test

13-August-2026 to 31-August-2026

2.5.4 Test Method

This test was performed in accordance with ANSI C63.10, clause 6.3, 6.5 and 6.6.

The EUT was placed on the non-conducting platform in a manner typical of a normal installation.

Pre-scans in the 30 MHz to 1 GHz & 18 GHz to 26GHz range were limited to mid channel (2440 MHz).

The plots shown are the characterisation of the EUT. The limits on the plots represent the most stringent case for restricted bands, (74/54 dBµV/m) when compared to 20 dBc outside restricted bands. The limits shown have been used as a threshold to determine where further measurements are necessary. Where results are within 10 dB of the limits shown on the plots, further investigation was carried out and reported in results tables.

Ports on the EUT were terminated with loads as described in ANSI C63.4 clause 6.2.4. For EUT's with multiple connectors of the same type, additional interconnecting cables were connected, and pre-scans performed to determine whether the level of the emissions were increased by >2 dB.

The following conversion can be applied to convert from dBµV/m to µV/m:

$$10^{(\text{Field Strength in dB}\mu\text{V/m} / 20)}.$$

Above 18 GHz, the measurement distance was reduced to 1 m. The limit line was increased by

$$20 \cdot \text{LOG}(3/1) = 9.54 \text{ dB}.$$

Where formal measurements have been necessary, the results have been presented in the emissions table.

A reduced frequency range for testing was employed on some of the test modes within this test section, based on the manufacturers RSE test plan. With any reduction based on their pre-assessment of the device, to determine the ranges and test channels that were most likely to produce emissions.

2.5.5 Example Test Setup Diagram




Figure 619

2.5.6 Environmental Conditions

Ambient Temperature	22.1 - 24.2 °C
Relative Humidity	37.1 – 49.0%

2.5.7 Test Results

2.4 GHz Bluetooth - DTS

Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
31.427	23.44	40.00	-16.56	Q-Peak	168	116	Vertical
37.612	21.97	40.00	-18.03	Q-Peak	0	347	Vertical
37.868	22.05	40.00	-17.95	Q-Peak	185	210	Horizontal
49.907	22.66	40.00	-17.34	Q-Peak	216	389	Horizontal
74.046	19.57	40.00	-20.43	Q-Peak	57	396	Horizontal
136.932	21.50	43.50	-22.00	Q-Peak	123	391	Vertical
153.837	22.77	43.50	-20.73	Q-Peak	86	334	Horizontal
155.954	22.71	43.50	-20.79	Q-Peak	49	388	Vertical

Table 195 - 2440 MHz, LE1M, iPA, Core 0 + Core 1, 30 MHz to 26 GHz

No other emissions found within 20 dB of the limit.




Figure 620 - 2440 MHz, LE1M, iPA, Core 0 + Core 1, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 621 - 2440 MHz, LE1M, iPA, Core 0 + Core 1, 1 GHz to 26 GHz, Horizontal




Figure 622 - 2440 MHz, LE1M, iPA, Core 0 + Core 1, 30 MHz to 1 GHz, Vertical (Peak)




Figure 623 - 2440 MHz, LE1M, iPA, Core 0 + Core 1, 1 GHz to 26 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
31.998	22.93	40.00	-17.07	Q-Peak	217	186	Vertical
38.155	22.00	40.00	-18.00	Q-Peak	118	256	Horizontal
38.217	21.96	40.00	-18.04	Q-Peak	138	392	Vertical
47.817	22.75	40.00	-17.25	Q-Peak	297	290	Horizontal
150.619	22.40	43.50	-21.10	Q-Peak	245	400	Vertical
153.820	22.72	43.50	-20.78	Q-Peak	188	384	Horizontal
4643.540	34.47	54.00	-19.53	RMS	40	260	Vertical

Table 196 - 2440 MHz, LE1M, iPA, Core 2, 30 MHz to 26 GHz

No other emissions found within 20 dB of the limit.




Figure 624 - 2440 MHz, LE1M, iPA, Core 2, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 625 - 2440 MHz, LE1M, iPA, Core 2, 1 GHz to 26 GHz, Horizontal




Figure 626 - 2440 MHz, LE1M, iPA, Core 2, 30 MHz to 1 GHz, Vertical (Peak)




Figure 627 - 2440 MHz, LE1M, iPA, Core 2, 1 GHz to 26 GHz, Vertical

Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
37.833	22.06	40.00	-17.94	Q-Peak	5	390	Vertical
38.211	21.99	40.00	-18.01	Q-Peak	195	390	Horizontal
47.538	22.73	40.00	-17.27	Q-Peak	0	395	Horizontal
74.125	19.67	40.00	-20.33	Q-Peak	69	224	Vertical
116.166	20.58	43.50	-22.92	Q-Peak	4	175	Vertical
156.109	22.82	43.50	-20.68	Q-Peak	159	100	Horizontal
2389.801	40.18	54.00	-13.82	RMS	355	335	Vertical
2484.580	38.01	54.00	-15.99	RMS	13	306	Vertical

Table 197 - 2440 MHz, LE1M, ePA, Core 0 + Core 1, 30 MHz to 26 GHz

No other emissions found within 20 dB of the limit.




Figure 628 - 2440 MHz, LE1M, ePA, Core 0 + Core 1, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 629 - 2440 MHz, LE1M, ePA, Core 0 + Core 1, 1 GHz to 26 GHz, Horizontal




Figure 630 - 2440 MHz, LE1M, ePA, Core 0 + Core 1, 30 MHz to 1 GHz, Vertical (Peak)




Figure 631 - 2440 MHz, LE1M, ePA, Core 0 + Core 1, 1 GHz to 26 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
31.468	22.68	40.00	-17.32	Q-Peak	127	392	Vertical
37.864	21.96	40.00	-18.04	Q-Peak	122	114	Horizontal
37.993	22.03	40.00	-17.97	Q-Peak	335	366	Vertical
54.359	22.47	40.00	-17.53	Q-Peak	132	304	Horizontal
126.571	20.52	43.50	-22.98	Q-Peak	237	313	Vertical
153.833	22.79	43.50	-20.71	Q-Peak	206	240	Horizontal
153.906	22.82	43.50	-20.68	Q-Peak	22	214	Vertical
4511.481	34.45	54.00	-19.55	RMS	186	124	Vertical

Table 198 - 2440 MHz, HDT4, iPA, Core 0 + Core 1, 30 MHz to 26 GHz

No other emissions found within 20 dB of the limit.




Figure 632 - 2440 MHz, HDT4, iPA, Core 0 + Core 1, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 633 - 2440 MHz, HDT4, iPA, Core 0 + Core 1, 1 GHz to 26 GHz, Horizontal




Figure 634 - 2440 MHz, HDT4, iPA, Core 0 + Core 1, 30 MHz to 1 GHz, Vertical (Peak)




Figure 635 - 2440 MHz, HDT4, iPA, Core 0 + Core 1, 1 GHz to 26 GHz, Vertical

Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
36.483	22.14	40.00	-17.86	Q-Peak	218	307	Horizontal
38.173	22.11	40.00	-17.89	Q-Peak	54	355	Vertical
73.481	19.75	40.00	-20.25	Q-Peak	10	390	Vertical
117.820	21.16	43.50	-22.34	Q-Peak	212	110	Vertical
162.794	23.08	43.50	-20.42	Q-Peak	350	298	Vertical
167.974	23.18	43.50	-20.32	Q-Peak	59	254	Horizontal
4503.077	34.47	54.00	-19.53	RMS	121	384	Vertical

Table 199 - 2440 MHz, HDT4, iPA, Core 2, 30 MHz to 26 GHz

No other emissions found within 20 dB of the limit.




Figure 636 - 2440 MHz, HDT4, iPA, Core 2, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 637 - 2440 MHz, HDT4, iPA, Core 2, 1 GHz to 26 GHz, Horizontal




Figure 638 - 2440 MHz, HDT4, iPA, Core 2, 30 MHz to 1 GHz, Vertical (Peak)




Figure 639 - 2440 MHz, HDT4, iPA, Core 2, 1 GHz to 26 GHz, Vertical

Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
37.693	22.01	40.00	-17.99	Q-Peak	190	378	Horizontal
38.143	22.09	40.00	-17.91	Q-Peak	110	274	Vertical
124.531	21.65	43.50	-21.85	Q-Peak	312	100	Vertical
137.124	21.53	43.50	-21.97	Q-Peak	209	390	Vertical
168.341	22.69	43.50	-20.81	Q-Peak	360	208	Horizontal
2389.989	34.90	54.00	-19.10	RMS	7	333	Vertical
2485.115	33.68	54.00	-20.32	RMS	4	349	Vertical

Table 200 - 2440 MHz, HDT4, ePA, Core 0 + Core 1, 30 MHz to 26 GHz

No other emissions found within 20 dB of the limit.




Figure 640 - 2440 MHz, HDT4, ePA, Core 0 + Core 1, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 641 - 2440 MHz, HDT4, ePA, Core 0 + Core 1, 1 GHz to 26 GHz, Horizontal




Figure 642 - 2440 MHz, HDT4, ePA, Core 0 + Core 1, 30 MHz to 1 GHz, Vertical (Peak)




Figure 643 - 2440 MHz, HDT4, ePA, Core 0 + Core 1, 1 GHz to 26 GHz, Vertical

Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
32.882	22.29	40.00	-17.71	Q-Peak	173	367	Horizontal
38.142	22.05	40.00	-17.95	Q-Peak	316	313	Vertical
119.765	21.16	43.50	-22.34	Q-Peak	308	188	Vertical
127.445	20.84	43.50	-22.66	Q-Peak	190	342	Horizontal

Table 201 - 2440 MHz, HDR8, iPA, Core 0 + Core 1, 30 MHz to 26 GHz

No other emissions found within 20 dB of the limit.




Figure 644 - 2440 MHz, HDR8, iPA, Core 0 + Core 1, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 645 - 2440 MHz, HDR8, iPA, Core 0 + Core 1, 1 GHz to 26 GHz, Horizontal




Figure 646 - 2440 MHz, HDR8, iPA, Core 0 + Core 1, 30 MHz to 1 GHz, Vertical (Peak)




Figure 647 - 2440 MHz, HDR8, iPA, Core 0 + Core 1, 1 GHz to 26 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
37.744	22.09	40.00	-17.91	Q-Peak	212	369	Vertical
37.914	21.99	40.00	-18.01	Q-Peak	244	390	Horizontal
119.127	20.45	43.50	-23.05	Q-Peak	59	226	Vertical
123.306	20.30	43.50	-23.20	Q-Peak	128	398	Horizontal
168.650	22.70	43.50	-20.80	Q-Peak	6	307	Horizontal

Table 202 - 2440 MHz, HDR8, iPA, Core 2, 30 MHz to 26 GHz

No other emissions found within 20 dB of the limit.




Figure 648 - 2440 MHz, HDR8, iPA, Core 2, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 649 - 2440 MHz, HDR8, iPA, Core 2, 1 GHz to 26 GHz, Horizontal




Figure 650 - 2440 MHz, HDR8, iPA, Core 2, 30 MHz to 1 GHz, Vertical (Peak)




Figure 651 - 2440 MHz, HDR8, iPA, Core 2, 1 GHz to 26 GHz, Vertical

Frequency (MHz)	Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
35.142	22.13	40.00	-17.87	Q-Peak	346	398	Horizontal
37.670	22.13	40.00	-17.87	Q-Peak	313	356	Vertical
73.631	19.74	40.00	-20.26	Q-Peak	354	269	Vertical
73.725	19.68	40.00	-20.32	Q-Peak	350	377	Horizontal
118.178	21.36	43.50	-22.14	Q-Peak	271	132	Vertical
168.726	22.75	43.50	-20.75	Q-Peak	271	400	Vertical
2389.921	36.49	54.00	-17.51	RMS	0	374	Vertical
2484.604	35.02	54.00	-18.98	RMS	358	350	Vertical

Table 203 - 2440 MHz, HDR8, ePA, Core 0 + Core 1, 30 MHz to 26 GHz

No other emissions found within 20 dB of the limit.




Figure 652 - 2440 MHz, HDR8, ePA, Core 0 + Core 1, 30 MHz to 1 GHz, Horizontal (Peak)




Figure 653 - 2440 MHz, HDR8, ePA, Core 0 + Core 1, 1 GHz to 26 GHz, Horizontal




Figure 654 - 2440 MHz, HDR8, ePA, Core 0 + Core 1, 30 MHz to 1 GHz, Vertical (Peak)




Figure 655 - 2440 MHz, HDR8, ePA, Core 0 + Core 1, 1 GHz to 26 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
*							

Table 204 - 2402 MHz, LE1M, iPA, Core 0 + Core 1, 1 GHz to 18 GHz

*No emissions found within 20 dB of the limit.




Figure 656 - 2402 MHz, LE1M, iPA, Core 0 + Core 1, 1 GHz to 18 GHz, Horizontal




Figure 657 - 2402 MHz, LE1M, iPA, Core 0 + Core 1, 1 GHz to 18 GHz, Vertical



Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Angle (°)	Height (cm)	Polarisation
4614.455	34.53	54.00	-19.47	RMS	151	275	Vertical

Table 205 - 2480 MHz, LE1M, iPA, Core 0 + Core 1, 1 GHz to 18 GHz

No other emissions found within 20 dB of the limit.




Figure 658 - 2480 MHz, LE1M, iPA, Core 0 + Core 1, 1 GHz to 18 GHz, Horizontal




Figure 659 - 2480 MHz, LE1M, iPA, Core 0 + Core 1, 1 GHz to 18 GHz, Vertical