



80 MHz Bandwidth - Core 0-1 (TxBF)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11ac VHT80	MCS 9x1	-	-	5210	5150	60.59	47.75
802.11ax HE80	MCS 2x1	SU	-	5210	5150	58.71	47.25
802.11ac VHT80	MCS 9x1	-	-	5290	5350	69.16	48.87
802.11ax HE80	MCS 2x1	SU	-	5290	5350	63.33	51.14
802.11ac VHT80	MCS 4x1	-	-	5530	5460	62.68	49.29
802.11ax HE80	MCS 11x1	SU	-	5530	5460	63.04	49.14

Table 21 - TxBF Restricted Band Edge Results




Figure 185 - 802.11ac VHT80, TxBF, Core 0-1 - 5210 MHz
Band Edge Frequency 5150 MHz




**Figure 186 - 802.11ax HE80, SU, TxBF, Core 0-1 - 5210 MHz
Band Edge Frequency 5150 MHz**




**Figure 187 - 802.11ac VHT80, TxBF, Core 0-1 - 5290 MHz
Band Edge Frequency 5350 MHz**




**Figure 188 - 802.11ax HE80, SU, TxBF, Core 0-1 - 5290 MHz
Band Edge Frequency 5350 MHz**




**Figure 189 - 802.11ac VHT80, TxBF, Core 0-1 - 5530 MHz
Band Edge Frequency 5460 MHz**




**Figure 190 - 802.11ax HE80, SU, TxBF, Core 0-1 - 5530 MHz
Band Edge Frequency 5460 MHz**



160 MHz Bandwidth - Core 0 (SISO)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11a a160	24 Mbps	-	-	5250	5150	59.84	50.57
802.11ac VHT160	MCS 4x1	-	-	5250	5150	66.83	51.31
802.11ax HE160	MCS 2x1	SU	-	5250	5150	63.03	51.44
802.11ax HE160	MCS 11x1	106	53P	5250	5150	59.74	44.05
802.11be EHT160	MCS 9x1	484+242	92P	5250	5150	62.31	49.63
802.11a a160	24 Mbps	-	-	5250	5350	58.46	51.20
802.11ac VHT160	MCS 4x1	-	-	5250	5350	64.71	51.21
802.11ax HE160	MCS 11x1	SU	-	5250	5350	67.17	50.93
802.11ax HE160	MCS 11x1	106	60S	5250	5350	63.18	46.10
802.11be EHT160	MCS 9x1	996+484	94S	5250	5350	67.68	48.56
802.11a a160	24 Mbps	-	-	5570	5460	53.81	49.79
802.11ac VHT160	MCS 4x1	-	-	5570	5460	62.88	51.05
802.11ax HE160	MCS 4x1	SU	-	5570	5460	62.88	50.04
802.11ax HE160	MCS 11x1	106	53P	5570	5460	63.07	45.73
802.11be EHT160	MCS 9x1	996+484+242	98P	5570	5460	63.60	47.47

Table 22 - SISO Restricted Band Edge Results




Figure 191 - 802.11a a160, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5150 MHz




**Figure 192 - 802.11ac VHT160, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 193 - 802.11ax HE160, SU, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 194 - 802.11ax HE160, RU 106-53P, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 195 - 802.11be EHT160, RU 484+242-92P, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5150 MHz**




Figure 196 - 802.11a a160, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5350 MHz




Figure 197 - 802.11ac VHT160, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5350 MHz




**Figure 198 - 802.11ax HE160, SU, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 199 - 802.11ax HE160, RU 106-60S, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 200 - 802.11be EHT160, RU 996+484-94S, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 201 - 802.11a a160, SISO, Core 0 - 5570 MHz
Band Edge Frequency 5460 MHz**




Figure 202 - 802.11ac VHT160, SISO, Core 0 - 5570 MHz
Band Edge Frequency 5460 MHz




Figure 203 - 802.11ax HE160, SU, SISO, Core 0 - 5570 MHz
Band Edge Frequency 5460 MHz




**Figure 204 - 802.11ax HE160, RU 106-53P, SISO, Core 0 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 205 - 802.11be EHT160, RU 996+484+242-98P, SISO, Core 0 - 5570 MHz
Band Edge Frequency 5460 MHz**



160 MHz Bandwidth - Core 1 (SISO)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11a a160	54 Mbps	-	-	5250	5150	65.37	49.90
802.11ac VHT160	MCS 4x1	-	-	5250	5150	66.92	51.47
802.11ax HE160	MCS 2x1	SU	-	5250	5150	63.95	50.96
802.11ax HE160	MCS 11x1	106	53P	5250	5150	59.62	43.92
802.11be EHT160	MCS 9x1	996+484	95S	5250	5150	62.54	50.08
802.11a a160	24 Mbps	-	-	5250	5350	51.28	48.53
802.11ac VHT160	MCS 2x1	-	-	5250	5350	62.43	50.31
802.11ax HE160	MCS 2x1	SU	-	5250	5350	63.41	50.46
802.11ax HE160	MCS 11x1	52	52S	5250	5350	61.06	46.72
802.11be EHT160	MCS 9x1	996+484	94S	5250	5350	69.15	48.54
802.11a a160	12 Mbps	-	-	5570	5460	55.26	51.24
802.11ac VHT160	MCS 2x1	-	-	5570	5460	62.79	47.53
802.11ax HE160	MCS 11x1	SU	-	5570	5460	63.22	46.32
802.11ax HE160	MCS 11x1	106	53P	5570	5460	62.25	44.89
802.11be EHT160	MCS 9x1	106+26	82P	5570	5460	61.96	44.79

Table 23 - SISO Restricted Band Edge Results




Figure 206 - 802.11a a160, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz




**Figure 207 - 802.11ac VHT160, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 208 - 802.11ax HE160, SU, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 209 - 802.11ax HE160, RU 106-53P, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 210 - 802.11be EHT160, RU 996+484-95S, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz**




Figure 211 - 802.11a a160, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz




Figure 212 - 802.11ac VHT160, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz




**Figure 213 - 802.11ax HE160, SU, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 214 - 802.11ax HE160, RU 52-52S, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 215 - 802.11be EHT160, RU 996+484-94S, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 216 - 802.11a a160, SISO, Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 217 - 802.11ac VHT160, SISO, Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 218 - 802.11ax HE160, SU, SISO, Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz**




Figure 219 - 802.11ax HE160, RU 106-53P, SISO, Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz




Figure 220 - 802.11be EHT160, RU 106+26-82P, SISO, Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz



160 MHz Bandwidth - Core 0-1 (CDD)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11a a160	54 Mbps	-	-	5250	5150	66.78	51.34
802.11ac VHT160	MCS 2x1	-	-	5250	5150	63.23	51.21
802.11ax HE160	MCS 4x1	SU	-	5250	5150	63.70	51.03
802.11ax HE160	MCS 11x1	106	60S	5250	5150	59.91	44.86
802.11be EHT160	MCS 9x1	996+484	95S	5250	5150	62.23	50.29
802.11a a160	24 Mbps	-	-	5250	5350	57.74	51.23
802.11ac VHT160	MCS 4x1	-	-	5250	5350	63.14	50.01
802.11ax HE160	MCS 2x1	SU	-	5250	5350	62.40	50.21
802.11ax HE160	MCS 11x1	106	60S	5250	5350	64.86	47.57
802.11be EHT160	MCS 9x1	996+484	95P	5250	5350	63.23	48.88
802.11a a160	12 Mbps	-	-	5570	5460	57.87	51.23
802.11ac VHT160	MCS 2x1	-	-	5570	5460	63.09	51.09
802.11ax HE160	MCS 2x1	SU	-	5570	5460	62.64	51.28
802.11ax HE160	MCS 11x1	52	37P	5570	5460	61.26	45.65
802.11be EHT160	MCS 9x1	484+242	92P	5570	5460	63.38	50.49

Table 24 - CDD Restricted Band Edge Results




Figure 221 - 802.11a a160, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz




**Figure 222 - 802.11ac VHT160, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 223 - 802.11ax HE160, SU, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 224 - 802.11ax HE160, RU 106-60S, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 225 - 802.11be EHT160, RU 996+484-95S, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 226 - 802.11a a160, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 227 - 802.11ac VHT160, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 228 - 802.11ax HE160, SU, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 229 - 802.11ax HE160, RU 106-60S, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 230 - 802.11be EHT160, RU 996+484-95P, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 231 - 802.11a a160, CDD, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 232 - 802.11ac VHT160, CDD, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 233 - 802.11ax HE160, SU, CDD, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 234 - 802.11ax HE160, RU 52-37P, CDD, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 235 - 802.11be EHT160, RU 484+242-92P, CDD, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**



160 MHz Bandwidth - Core 0-1 (SDM)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11ac VHT160	MCS 4x2	-	-	5250	5150	66.00	51.02
802.11ax HE160	MCS 2x2	SU	-	5250	5150	64.63	50.65
802.11ax HE160	MCS 11x2	106	53P	5250	5150	60.49	44.49
802.11be EHT160	MCS 9x2	996+484	94S	5250	5150	64.90	51.39
802.11ac VHT160	MCS 2x2	-	-	5250	5350	62.36	49.92
802.11ax HE160	MCS 4x2	SU	-	5250	5350	63.56	50.22
802.11ax HE160	MCS 11x2	106	60S	5250	5350	64.62	47.63
802.11be EHT160	MCS 9x2	996+484	95P	5250	5350	62.80	48.62
802.11ac VHT160	MCS 2x2	-	-	5570	5460	63.63	51.45
802.11ax HE160	MCS 11x2	SU	-	5570	5460	62.76	50.48
802.11ax HE160	MCS 11x2	106	53P	5570	5460	61.62	45.79
802.11be EHT160	MCS 9x2	484+242	92P	5570	5460	63.56	50.47

Table 25 - SDM Restricted Band Edge Results




Figure 236 - 802.11ac VHT160, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz




**Figure 237 - 802.11ax HE160, SU, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 238 - 802.11ax HE160, RU 106-53P, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 239 - 802.11be EHT160, RU 996+484-94S, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 240 - 802.11ac VHT160, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 241 - 802.11ax HE160, SU, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 242 - 802.11ax HE160, RU 106-60S, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 243 - 802.11be EHT160, RU 996+484-95P, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 244 - 802.11ac VHT160, SDM, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 245 - 802.11ax HE160, SU, SDM, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 246 - 802.11ax HE160, RU 106-53P, SDM, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**




Figure 247 - 802.11be EHT160, RU 484+242-92P, SDM, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz



160 MHz Bandwidth - Core 0-1 (TxBF)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11ac VHT160	MCS 9x1	-	-	5250	5150	66.99	50.22
802.11ax HE160	MCS 11x1	SU	-	5250	5150	64.67	51.06
802.11ac VHT160	MCS 9x1	-	-	5250	5350	69.20	48.86
802.11ax HE160	MCS 2x1	SU	-	5250	5350	63.56	51.31
802.11ac VHT160	MCS 4x1	-	-	5570	5460	63.23	50.82
802.11ax HE160	MCS 2x1	SU	-	5570	5460	62.71	50.88

Table 26 - TxBF Restricted Band Edge Results




Figure 248 - 802.11ac VHT160, TxBF, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz




**Figure 249 - 802.11ax HE160, SU, TxBF, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 250 - 802.11ac VHT160, TxBF, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**