



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (4-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.720	-	-	-	≤ 320.0
6265	2.720	-	-	-	≤ 320.0
6423	2.728	-	-	-	≤ 320.0
6425	2.720	-	-	-	≤ 320.0

Table 42 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.328	-	-	-	≤ 320.0
6265	2.336	-	-	-	≤ 320.0
6423	2.328	-	-	-	≤ 320.0
6425	2.344	-	-	-	≤ 320.0

Table 43 - 99% Bandwidth Results




Figure 69 - Core 0 (A) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 70 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 71 - Core 0 (A) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 72 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	5.295	-	-	-	≤ 320.0
6265	5.310	-	-	-	≤ 320.0
6422	5.310	-	-	-	≤ 320.0
6425	5.325	-	-	-	≤ 320.0

Table 44 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	4.635	-	-	-	≤ 320.0
6265	4.620	-	-	-	≤ 320.0
6422	4.635	-	-	-	≤ 320.0
6425	4.605	-	-	-	≤ 320.0

Table 45 - 99% Bandwidth Results




Figure 73 - Core 0 (A) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 74 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth





Figure 75 - Core 0 (A) 6422 MHz (CH121) 26 dB and 99% Bandwidth



DUT Configuration			
Mode:	ePA 8PSK (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Table 46 - 26 dB Bandwidth Results

Table 47 - 99% Bandwidth Results






Figure 78 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 79 - Core 0 (A) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 80 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 16QAM (HDT6)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.816	-	-	-	≤320.0
6265	2.816	-	-	-	≤320.0
6423	2.816	-	-	-	≤320.0
6425	2.816	-	-	-	≤320.0

Table 48 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.400	-	-	-	≤320.0
6265	2.400	-	-	-	≤320.0
6423	2.400	-	-	-	≤320.0
6425	2.400	-	-	-	≤320.0

Table 49 - 99% Bandwidth Results




Figure 81 - Core 0 (A) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 82 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 83 - Core 0 (A) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 84 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 16QAM (HDRPM12)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6107	5.400	-	-	-	≤320.0
6265	5.400	-	-	-	≤320.0
6422	5.420	-	-	-	≤320.0
6425	5.420	-	-	-	≤320.0

Table 50 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6107	4.700	-	-	-	≤320.0
6265	4.700	-	-	-	≤320.0
6422	4.700	-	-	-	≤320.0
6425	4.700	-	-	-	≤320.0

Table 51 - 99% Bandwidth Results




Figure 85 - Core 0 (A) 6107 MHz (CH56) 26 dB and 99% Bandwidth




Figure 86 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 87 - Core 0 (A) 6422 MHz (CH121) 26 dB and 99% Bandwidth




Figure 88 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA QPSK (HDRPL8)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6109	10.740	-	-	-	≤320.0
6265	10.740	-	-	-	≤320.0
6419	10.770	-	-	-	≤320.0
6425	10.740	-	-	-	≤320.0

Table 52 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6109	9.390	-	-	-	≤320.0
6265	9.390	-	-	-	≤320.0
6419	9.390	-	-	-	≤320.0
6425	9.390	-	-	-	≤320.0

Table 53 - 99% Bandwidth Results




Figure 89 - Core 0 (A) 6109 MHz (CH58) 26 dB and 99% Bandwidth




Figure 90 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 91 - Core 0 (A) 6419 MHz (CH118) 26 dB and 99% Bandwidth




Figure 92 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (LE 2M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.528	-	-	-	≤320.0
6265	2.520	-	-	-	≤320.0
6423	2.520	-	-	-	≤320.0
6425	2.520	-	-	-	≤320.0

Table 54 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.032	-	-	-	≤320.0
6265	2.032	-	-	-	≤320.0
6423	2.032	-	-	-	≤320.0
6425	2.032	-	-	-	≤320.0

Table 55 - 99% Bandwidth Results




Figure 93 - Core 0 (A) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 94 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 95 - Core 0 (A) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 96 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	1.188	-	-	≤320.0
6265	-	1.192	-	-	≤320.0
6424	-	1.192	-	-	≤320.0
6425	-	1.192	-	-	≤320.0

Table 56 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	0.932	-	-	≤320.0
6265	-	0.936	-	-	≤320.0
6424	-	0.932	-	-	≤320.0
6425	-	0.932	-	-	≤320.0

Table 57 - 99% Bandwidth Results




Figure 97 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 98 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 99 - Core 1 (B) 6424 MHz (CH123) 26 dB and 99% Bandwidth




Figure 100 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (4-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	2.720	-	-	≤ 320.0
6265	-	2.728	-	-	≤ 320.0
6423	-	2.728	-	-	≤ 320.0
6425	-	2.720	-	-	≤ 320.0

Table 58 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	2.328	-	-	≤ 320.0
6265	-	2.320	-	-	≤ 320.0
6423	-	2.336	-	-	≤ 320.0
6425	-	2.336	-	-	≤ 320.0

Table 59 - 99% Bandwidth Results




Figure 101 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 102 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 103 - Core 1 (B) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 104 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	5.310	-	-	≤ 320.0
6265	-	5.310	-	-	≤ 320.0
6422	-	5.295	-	-	≤ 320.0
6425	-	5.310	-	-	≤ 320.0

Table 60 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	4.620	-	-	≤ 320.0
6265	-	4.620	-	-	≤ 320.0
6422	-	4.650	-	-	≤ 320.0
6425	-	4.650	-	-	≤ 320.0

Table 61 - 99% Bandwidth Results




Figure 105 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 106 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 107 - Core 1 (B) 6422 MHz (CH121) 26 dB and 99% Bandwidth




Figure 108 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 8PSK (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	2.832	-	-	≤320.0
6265	-	2.832	-	-	≤320.0
6423	-	2.832	-	-	≤320.0
6425	-	2.832	-	-	≤320.0

Table 62 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	2.368	-	-	≤320.0
6265	-	2.368	-	-	≤320.0
6423	-	2.376	-	-	≤320.0
6425	-	2.376	-	-	≤320.0

Table 63 - 99% Bandwidth Results




Figure 109 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 110 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 111 - Core 1 (B) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 112 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 16QAM (HDT6)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	2.816	-	-	≤320.0
6265	-	2.816	-	-	≤320.0
6423	-	2.816	-	-	≤320.0
6425	-	2.816	-	-	≤320.0

Table 64 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	2.400	-	-	≤320.0
6265	-	2.400	-	-	≤320.0
6423	-	2.400	-	-	≤320.0
6425	-	2.400	-	-	≤320.0

Table 65 - 99% Bandwidth Results




Figure 113 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 114 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth





Figure 115 - Core 1 (B) 6423 MHz (CH122) 26 dB and 99% Bandwidth





Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 16QAM (HDRPM12)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6107	-	5.400	-	-	≤320.0
6265	-	5.400	-	-	≤320.0
6422	-	5.420	-	-	≤320.0
6425	-	5.420	-	-	≤320.0

Table 66 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6107	-	4.700	-	-	≤320.0
6265	-	4.700	-	-	≤320.0
6422	-	4.700	-	-	≤320.0
6425	-	4.700	-	-	≤320.0

Table 67 - 99% Bandwidth Results




Figure 117 - Core 1 (B) 6107 MHz (CH56) 26 dB and 99% Bandwidth




Figure 118 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 119 - Core 1 (B) 6422 MHz (CH121) 26 dB and 99% Bandwidth




Figure 120 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA QPSK (HDRPL8)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6109	-	10.740	-	-	≤320.0
6265	-	10.770	-	-	≤320.0
6419	-	10.740	-	-	≤320.0
6425	-	10.740	-	-	≤320.0

Table 68 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6109	-	9.390	-	-	≤320.0
6265	-	9.390	-	-	≤320.0
6419	-	9.390	-	-	≤320.0
6425	-	9.390	-	-	≤320.0

Table 69 - 99% Bandwidth Results




Figure 121 - Core 1 (B) 6109 MHz (CH58) 26 dB and 99% Bandwidth




Figure 122 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 123 - Core 1 (B) 6419 MHz (CH118) 26 dB and 99% Bandwidth




Figure 124 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (LE 2M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	2.528	-	-	≤320.0
6265	-	2.536	-	-	≤320.0
6423	-	2.528	-	-	≤320.0
6425	-	2.528	-	-	≤320.0

Table 70 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	2.024	-	-	≤320.0
6265	-	2.032	-	-	≤320.0
6423	-	2.032	-	-	≤320.0
6425	-	2.032	-	-	≤320.0

Table 71 - 99% Bandwidth Results




Figure 125 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 126 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 127 - Core 1 (B) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 128 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA GFSK (DH5)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	1.188	1.188	-	-	≤320.0
6265	1.188	1.188	-	-	≤320.0
6424	1.192	1.192	-	-	≤320.0
6425	1.192	1.192	-	-	≤320.0

Table 72 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	0.932	0.932	-	-	≤320.0
6265	0.932	0.932	-	-	≤320.0
6424	0.936	0.936	-	-	≤320.0
6425	0.936	0.936	-	-	≤320.0

Table 73 - 99% Bandwidth Results




Figure 129 - Core 0 (A) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 130 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 131 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 132 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 133 - Core 0 (A) 6424 MHz (CH123) 26 dB and 99% Bandwidth




Figure 134 - Core 1 (B) 6424 MHz (CH123) 26 dB and 99% Bandwidth




Figure 135 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth




Figure 136 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA $\pi/4$ DQPSK (4-DH5)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.720	2.720	-	-	≤ 320.0
6265	2.720	2.720	-	-	≤ 320.0
6423	2.712	2.720	-	-	≤ 320.0
6425	2.728	2.720	-	-	≤ 320.0

Table 74 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.328	2.328	-	-	≤ 320.0
6265	2.328	2.344	-	-	≤ 320.0
6423	2.344	2.336	-	-	≤ 320.0
6425	2.336	2.336	-	-	≤ 320.0

Table 75 - 99% Bandwidth Results




Figure 137 - Core 0 (A) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 138 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 139 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth