TUV SUD SERVICES (UK) LIMITED
Digitally signed by TUV SUD SERVICES (UK) LIMITED
Date: 2026.02.20 16:55:15 Z



Figure 404 - 802.11be EHT20, RU106+26-82, SISO, Core 1 - 5955 MHz Band Edge Frequency 5925 MHz



Figure 405 - 802.11a, SISO, Core 1 - 7095 MHz Band Edge Frequency 7125 MHz



Figure 406 - 802.11a, SISO, Core 1 - 7115 MHz
Band Edge Frequency 7125 MHz



Figure 407 - 802.11ax HE20, SU, SISO, Core 1 - 7095 MHz
Band Edge Frequency 7125 MHz



Figure 408 - 802.11ax HE20, RU 106-54, SISO, Core 1 - 7095 MHz Band Edge Frequency 7125 MHz



Figure 409 - 802.11ax HE20, SU, SISO, Core 1 - 7115 MHz Band Edge Frequency 7125 MHz



Figure 410 - 802.11ax HE20, RU 26-8, SISO, Core 1 - 7115 MHz Band Edge Frequency 7125 MHz



Figure 411 - 802.11be EHT20, RU106+26-83, SISO, Core 1 - 7095 MHz Band Edge Frequency 7125 MHz



Figure 412 - 802.11be EHT20, RU52+26-72, SISO, Core 1 - 7115 MHz Band Edge Frequency 7125 MHz

20 MHz Bandwidth - Core 0-1 (CDD)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBµV/m)	Average Level (dBuV/m)
802.11a	24 Mbps	-	-	5955	5925	76.02	60.57
802.11ax HE20	MCS 4x1	SU	-	5955	5925	77.81	61.62
802.11ax HE20	MCS 11x1	106	53	5955	5925	66.25	49.13
802.11be EHT20	MCS 9x1	106+26	82	5955	5925	72.37	49.84
802.11a	54 Mbps	-	-	7095	7125	78.50	61.75
802.11a	12 Mbps	-	-	7115	7125	82.59	64.61
802.11ax HE20	MCS 2x1	SU	-	7095	7125	76.38	62.46
802.11ax HE20	MCS 11x1	106	54	7095	7125	73.76	50.61
802.11ax HE20	MCS 11x1	SU	-	7115	7125	78.69	65.28
802.11ax HE20	MCS 11x1	52	40	7115	7125	77.82	65.28
802.11be EHT20	MCS 9x1	106+26	83	7095	7125	77.76	54.44
802.11be EHT20	MCS 9x1	106+26	83	7115	7125	79.79	64.67

Table 775 - CDD Authorised Band Edge Results



Figure 413 - 802.11a, CDD, Core 0-1 - 5955 MHz Band Edge Frequency 5925 MHz



Figure 414 - 802.11ax HE20, SU, CDD, Core 0-1 - 5955 MHz Band Edge Frequency 5925 MHz



Figure 415 - 802.11ax HE20, RU 106-53, CDD, Core 0-1 - 5955 MHz Band Edge Frequency 5925 MHz



Figure 416 - 802.11be EHT20, RU106+26-82, CDD, Core 0-1 - 5955 MHz Band Edge Frequency 5925 MHz



Figure 417 - 802.11a, CDD, Core 0-1 - 7095 MHz Band Edge Frequency 7125 MHz



Figure 418 - 802.11a, CDD, Core 0-1 - 7115 MHz
Band Edge Frequency 7125 MHz



Figure 419 - 802.11ax HE20, SU, CDD, Core 0-1 - 7095 MHz
Band Edge Frequency 7125 MHz



Figure 420 - 802.11ax HE20, RU 106-54, CDD, Core 0-1 - 7095 MHz Band Edge Frequency 7125 MHz



Figure 421 - 802.11ax HE20, SU, CDD, Core 0-1 - 7115 MHz Band Edge Frequency 7125 MHz



Figure 422 - 802.11ax HE20, RU 52-40, CDD, Core 0-1 - 7115 MHz Band Edge Frequency 7125 MHz



Figure 423 - 802.11be EHT20, RU106+26-83, CDD, Core 0-1 - 7095 MHz Band Edge Frequency 7125 MHz



Figure 424 - 802.11be EHT20, RU106+26-83, CDD, Core 0-1 - 7115 MHz Band Edge Frequency 7125 MHz

20 MHz Bandwidth - Core 0-1 (SDM)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBµV/m)	Average Level (dBuV/m)
802.11ax HE20	MCS 11x2	SU	-	5955	5925	75.86	60.72
802.11ax HE20	MCS 11x2	106	53	5955	5925	66.36	48.98
802.11be EHT20	MCS 9x2	106+26	82	5955	5925	72.85	50.20
802.11ax HE20	MCS 4x2	SU	-	7095	7125	80.59	62.85
802.11ax HE20	MCS 11x2	106	53	7095	7125	74.09	47.64
802.11ax HE20	MCS 2x2	SU	-	7115	7125	75.88	63.77
802.11ax HE20	MCS 11x2	52	40	7115	7125	80.46	64.82
802.11be EHT20	MCS 9x2	106+26	83	7095	7125	76.12	53.82
802.11be EHT20	MCS 9x2	106+26	83	7115	7125	78.12	65.02

Table 776 - SDM Authorised Band Edge Results



Figure 425 - 802.11ax HE20, SU, SDM, Core 0-1 - 5955 MHz Band Edge Frequency 5925 MHz



Figure 426 - 802.11ax HE20, RU 106-53, SDM, Core 0-1 - 5955 MHz Band Edge Frequency 5925 MHz



Figure 427 - 802.11be EHT20, RU106+26-82, SDM, Core 0-1 - 5955 MHz Band Edge Frequency 5925 MHz



Figure 428 - 802.11ax HE20, SU, SDM, Core 0-1 - 7095 MHz Band Edge Frequency 7125 MHz



Figure 429 - 802.11ax HE20, RU 106-53, SDM, Core 0-1 - 7095 MHz Band Edge Frequency 7125 MHz



Figure 430 - 802.11ax HE20, SU, SDM, Core 0-1 - 7115 MHz Band Edge Frequency 7125 MHz



Figure 431 - 802.11ax HE20, RU 52-40, SDM, Core 0-1 - 7115 MHz Band Edge Frequency 7125 MHz



Figure 432 - 802.11be EHT20, RU106+26-83, SDM, Core 0-1 - 7095 MHz Band Edge Frequency 7125 MHz



Figure 433 - 802.11be EHT20, RU106+26-83, SDM, Core 0-1 - 7115 MHz Band Edge Frequency 7125 MHz

20 MHz Bandwidth - Core 0-1 (TxBF)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBµV/m)	Average Level (dBuV/m)
802.11ax HE20	MCS 11x1	SU	-	5955	5925	79.70	62.04
802.11ax HE20	MCS 11x1	SU	-	7095	7125	81.52	64.28
802.11ax HE20	MCS 2x1	SU	-	7115	7125	79.58	65.70

Table 777 - TxBF Authorised Band Edge Results



Figure 434 - 802.11ax HE20, SU, TxBF, Core 0-1 - 5955 MHz Band Edge Frequency 5925 MHz



Figure 435 - 802.11ax HE20, SU, TxBF, Core 0-1 - 7095 MHz Band Edge Frequency 7125 MHz



Figure 436 - 802.11ax HE20, SU, TxBF, Core 0-1 - 7115 MHz Band Edge Frequency 7125 MHz

40 MHz Bandwidth - Core 0 (SISO)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBµV/m)	Average Level (dBuV/m)
802.11a a40	24 Mbps	-	-	5965	5925	80.40	65.46
802.11ax HE40	MCS 11x1	SU	-	5965	5925	82.82	63.74
802.11ax HE40	MCS 11x1	26	17	5965	5925	69.34	49.46
802.11be EHT40	MCS 9x1	106+26	85	5965	5925	62.12	48.80
802.11a a40	54 Mbps	-	-	7085	7125	79.72	62.97
802.11ax HE40	MCS 4x1	SU	-	7085	7125	78.74	62.64
802.11ax HE40	MCS 11x1	106	56	7085	7125	67.89	47.61
802.11be EHT40	MCS 9x1	106+26	85	7085	7125	73.11	48.68

Table 778 - SISO Authorised Band Edge Results



Figure 437 - 802.11a a40, SISO, Core 0 - 5965 MHz Band Edge Frequency 5925 MHz



Figure 438 - 802.11ax HE40, SU, SISO, Core 0 - 5965 MHz Band Edge Frequency 5925 MHz



Figure 439 - 802.11ax HE40, RU 26-17, SISO, Core 0 - 5965 MHz Band Edge Frequency 5925 MHz



Figure 440 - 802.11be EHT40, RU106+26-85, SISO, Core 0 - 5965 MHz Band Edge Frequency 5925 MHz



Figure 441 - 802.11a a40, SISO, Core 0 - 7085 MHz Band Edge Frequency 7125 MHz



Figure 442 - 802.11ax HE40, SU, SISO, Core 0 - 7085 MHz Band Edge Frequency 7125 MHz



Figure 443 - 802.11ax HE40, RU 106-56, SISO, Core 0 - 7085 MHz Band Edge Frequency 7125 MHz



Figure 444 - 802.11be EHT40, RU106+26-85, SISO, Core 0 - 7085 MHz Band Edge Frequency 7125 MHz

40 MHz Bandwidth - Core 1 (SISO)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBµV/m)	Average Level (dBuV/m)
802.11a a40	12 Mbps	-	-	5965	5925	79.65	65.67
802.11ax HE40	MCS 2x1	SU	-	5965	5925	74.89	62.75
802.11ax HE40	MCS 11x1	26	17	5965	5925	73.38	49.77
802.11be EHT40	MCS 9x1	52+26	75	5965	5925	63.63	48.23
802.11a a40	24 Mbps	-	-	7085	7125	81.16	65.53
802.11ax HE40	MCS 4x1	SU	-	7085	7125	79.30	63.59
802.11ax HE40	MCS 11x1	106	53	7085	7125	59.83	47.55
802.11be EHT40	MCS 9x1	106+26	85	7085	7125	70.21	48.09

Table 779 - SISO Authorised Band Edge Results



Figure 445 - 802.11a a40, SISO, Core 1 - 5965 MHz Band Edge Frequency 5925 MHz



Figure 446 - 802.11ax HE40, SU, SISO, Core 1 - 5965 MHz Band Edge Frequency 5925 MHz



Figure 447 - 802.11ax HE40, RU 26-17, SISO, Core 1 - 5965 MHz Band Edge Frequency 5925 MHz



Figure 448 - 802.11be EHT40, RU52+26-75, SISO, Core 1 - 5965 MHz Band Edge Frequency 5925 MHz



Figure 449 - 802.11a a40, SISO, Core 1 - 7085 MHz Band Edge Frequency 7125 MHz



Figure 450 - 802.11ax HE40, SU, SISO, Core 1 - 7085 MHz Band Edge Frequency 7125 MHz



Figure 451 - 802.11ax HE40, RU 106-53, SISO, Core 1 - 7085 MHz Band Edge Frequency 7125 MHz



Figure 452 - 802.11be EHT40, RU106+26-85, SISO, Core 1 - 7085 MHz Band Edge Frequency 7125 MHz

40 MHz Bandwidth - Core 0-1 (CDD)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBµV/m)	Average Level (dBuV/m)
802.11a a40	24 Mbps	-	-	5965	5925	80.42	64.66
802.11ax HE40	MCS 11x1	SU	-	5965	5925	83.28	63.96
802.11ax HE40	MCS 11x1	26	17	5965	5925	72.53	51.55
802.11be EHT40	MCS 9x1	52+26	75	5965	5925	68.73	51.15
802.11a a40	54 Mbps	-	-	7085	7125	79.52	64.96
802.11ax HE40	MCS 2x1	SU	-	7085	7125	78.07	64.32
802.11ax HE40	MCS 11x1	26	0	7085	7125	62.65	47.24
802.11be EHT40	MCS 9x1	106+26	85	7085	7125	67.27	47.42

Table 780 - CDD Authorised Band Edge Results



Figure 453 - 802.11a a40, CDD, Core 0-1 - 5965 MHz Band Edge Frequency 5925 MHz



Figure 454 - 802.11ax HE40, SU, CDD, Core 0-1 - 5965 MHz Band Edge Frequency 5925 MHz



Figure 455 - 802.11ax HE40, RU 26-17, CDD, Core 0-1 - 5965 MHz Band Edge Frequency 5925 MHz



Figure 456 - 802.11be EHT40, RU52+26-75, CDD, Core 0-1 - 5965 MHz Band Edge Frequency 5925 MHz



Figure 457 - 802.11a a40, CDD, Core 0-1 - 7085 MHz Band Edge Frequency 7125 MHz



Figure 458 - 802.11ax HE40, SU, CDD, Core 0-1 - 7085 MHz Band Edge Frequency 7125 MHz



Figure 459 - 802.11ax HE40, RU 26-0, CDD, Core 0-1 - 7085 MHz Band Edge Frequency 7125 MHz



Figure 460 - 802.11be EHT40, RU106+26-85, CDD, Core 0-1 - 7085 MHz Band Edge Frequency 7125 MHz

40 MHz Bandwidth - Core 0-1 (SDM)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBµV/m)	Average Level (dBuV/m)
802.11ax HE40	MCS 4x2	SU	-	5965	5925	78.99	63.36
802.11ax HE40	MCS 11x2	26	17	5965	5925	74.70	50.73
802.11be EHT40	MCS 9x2	106+26	85	5965	5925	65.88	50.72
802.11ax HE40	MCS 11x2	SU	-	7085	7125	81.22	63.54
802.11ax HE40	MCS 11x2	26	0	7085	7125	62.20	47.15
802.11be EHT40	MCS 9x2	106+26	85	7085	7125	69.57	47.78

Table 781 - SDM Authorised Band Edge Results



Figure 461 - 802.11ax HE40, SU, SDM, Core 0-1 - 5965 MHz Band Edge Frequency 5925 MHz



Figure 462 - 802.11ax HE40, RU 26-17, SDM, Core 0-1 - 5965 MHz Band Edge Frequency 5925 MHz



Figure 463 - 802.11be EHT40, RU106+26-85, SDM, Core 0-1 - 5965 MHz Band Edge Frequency 5925 MHz



Figure 464 - 802.11ax HE40, SU, SDM, Core 0-1 - 7085 MHz Band Edge Frequency 7125 MHz



Figure 465 - 802.11ax HE40, RU 26-0, SDM, Core 0-1 - 7085 MHz Band Edge Frequency 7125 MHz



Figure 466 - 802.11be EHT40, RU106+26-85, SDM, Core 0-1 - 7085 MHz Band Edge Frequency 7125 MHz

40 MHz Bandwidth - Core 0-1 (TxBF)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBµV/m)	Average Level (dBuV/m)
802.11ax HE40	MCS 4x1	SU	-	5965	5925	79.70	65.36
802.11ax HE40	MCS 2x1	SU	-	7085	7125	76.72	63.85

Table 782 - TxBF Authorised Band Edge Results



Figure 467 - 802.11ax HE40, SU, TxBF, Core 0-1 - 5965 MHz Band Edge Frequency 5925 MHz



Figure 468 - 802.11ax HE40, SU, TxBF, Core 0-1 - 7085 MHz Band Edge Frequency 7125 MHz

80 MHz Bandwidth - Core 0 (SISO)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBµV/m)	Average Level (dBuV/m)
802.11a a80	24 Mbps	-	-	5985	5925	81.23	65.50
802.11ax HE80	MCS 2x1	SU	-	5985	5925	77.66	65.56
802.11ax HE80	MCS 11x1	106	60	5985	5925	64.13	48.46
802.11be EHT80	MCS 9x1	484+242	92	5985	5925	82.88	56.61
802.11a a80	24 Mbps	-	-	7025	7125	72.99	60.41
802.11ax HE80	MCS 11x1	SU	-	7025	7125	79.13	62.63
802.11ax HE80	MCS 11x1	106	53	7025	7125	58.29	46.59
802.11be EHT80	MCS 9x1	484+242	92	7025	7125	80.85	63.74

Table 783 - SISO Authorised Band Edge Results



Figure 469 - 802.11a a80, SISO, Core 0 - 5985 MHz Band Edge Frequency 5925 MHz



Figure 470 - 802.11ax HE80, SU, SISO, Core 0 - 5985 MHz Band Edge Frequency 5925 MHz



Figure 471 - 802.11ax HE80, RU 106-60, SISO, Core 0 - 5985 MHz Band Edge Frequency 5925 MHz



Figure 472 - 802.11be EHT80, RU484+242-92, SISO, Core 0 - 5985 MHz Band Edge Frequency 5925 MHz



Figure 473 - 802.11a a80, SISO, Core 0 - 7025 MHz Band Edge Frequency 7125 MHz



Figure 474 - 802.11ax HE80, SU, SISO, Core 0 - 7025 MHz Band Edge Frequency 7125 MHz



Figure 475 - 802.11ax HE80, RU 106-53, SISO, Core 0 - 7025 MHz Band Edge Frequency 7125 MHz



Figure 476 - 802.11be EHT80, RU484+242-92, SISO, Core 0 - 7025 MHz Band Edge Frequency 7125 MHz

80 MHz Bandwidth - Core 1 (SISO)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBµV/m)	Average Level (dBuV/m)
802.11a a80	54 Mbps	-	-	5985	5925	79.93	65.57
802.11ax HE80	MCS 11x1	SU	-	5985	5925	81.83	65.38
802.11ax HE80	MCS 11x1	26	36	5985	5925	66.14	47.30
802.11be EHT80	MCS 9x1	484+242	91	5985	5925	81.61	55.60
802.11a a80	24 Mbps	-	-	7025	7125	73.64	61.11
802.11ax HE80	MCS 11x1	SU	-	7025	7125	82.95	65.48
802.11ax HE80	MCS 11x1	106	53	7025	7125	58.71	46.91
802.11be EHT80	MCS 9x1	484+242	91	7025	7125	82.11	65.11

Table 784 - SISO Authorised Band Edge Results



Figure 477 - 802.11a a80, SISO, Core 1 - 5985 MHz Band Edge Frequency 5925 MHz