




Figure 34 - Core 1 (B) 5162 MHz (CH12) 26 dB and 99% Bandwidth




Figure 35 - Core 1 (B) 5204 MHz (CH54) 26 dB and 99% Bandwidth




Figure 36 - Core 1 (B) 5245 MHz (CH95) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.150-5.250 GHz	Band:	U-NII-1
Limit Clause(s):	-	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5162	1.188	-	-	-	-
5204	1.188	-	-	-	-
5245	1.188	-	-	-	-

Table 184 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5162	0.932	-	-	-	-
5204	0.932	-	-	-	-
5245	0.932	-	-	-	-

Table 185 - 99% Bandwidth Results




Figure 37 - Core 0 (A) 5162 MHz (CH12) 26 dB and 99% Bandwidth




Figure 38 - Core 0 (A) 5204 MHz (CH54) 26 dB and 99% Bandwidth




Figure 39 - Core 0 (A) 5245 MHz (CH95) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.150-5.250 GHz	Band:	U-NII-1
Limit Clause(s):	-	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5162	5.310	-	-	-	-
5204	5.310	-	-	-	-
5245	5.310	-	-	-	-

Table 186 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5162	4.620	-	-	-	-
5204	4.620	-	-	-	-
5245	4.620	-	-	-	-

Table 187 - 99% Bandwidth Results




Figure 40 - Core 0 (A) 5162 MHz (CH12) 26 dB and 99% Bandwidth




Figure 41 - Core 0 (A) 5204 MHz (CH54) 26 dB and 99% Bandwidth




Figure 42 - Core 0 (A) 5245 MHz (CH95) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.150-5.250 GHz	Band:	U-NII-1
Limit Clause(s):	-	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		



DUT Configuration			
Mode:	ePA 8PSK (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5162	2.840	-	-	-	-
5204	2.840	-	-	-	-
5245	2.832	-	-	-	-

Table 188 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5162	2.368	-	-	-	-
5204	2.368	-	-	-	-
5245	2.368	-	-	-	-

Table 189 - 99% Bandwidth Results






Figure 45 - Core 0 (A) 5245 MHz (CH95) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.150-5.250 GHz	Band:	U-NII-1
Limit Clause(s):	-	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA QPSK (HDRPL8)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5165	10.770	-	-	-	-
5204	10.770	-	-	-	-
5245	10.770	-	-	-	-

Table 190 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5165	9.390	-	-	-	-
5204	9.390	-	-	-	-
5245	9.390	-	-	-	-

Table 191 - 99% Bandwidth Results




Figure 46 - Core 0 (A) 5165 MHz (CH15) 26 dB and 99% Bandwidth




Figure 47 - Core 0 (A) 5204 MHz (CH54) 26 dB and 99% Bandwidth




Figure 48 - Core 0 (A) 5245 MHz (CH95) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.150-5.250 GHz	Band:	U-NII-1
Limit Clause(s):	-	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 16QAM (HDRPM12)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5163	5.400	-	-	-	-
5204	5.400	-	-	-	-
5245	5.400	-	-	-	-

Table 192 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5163	4.700	-	-	-	-
5204	4.700	-	-	-	-
5245	4.700	-	-	-	-

Table 193 - 99% Bandwidth Results




Figure 49 - Core 0 (A) 5163 MHz (CH13) 26 dB and 99% Bandwidth





Figure 50 - Core 0 (A) 5204 MHz (CH54) 26 dB and 99% Bandwidth





Test Configuration			
Frequency Range:	5.150-5.250 GHz	Band:	U-NII-1
Limit Clause(s):	-	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (LE 2M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5162	2.520	-	-	-	-
5204	2.520	-	-	-	-
5245	2.520	-	-	-	-

Table 194 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5162	2.032	-	-	-	-
5204	2.032	-	-	-	-
5245	2.032	-	-	-	-

Table 195 - 99% Bandwidth Results




Figure 52 - Core 0 (A) 5162 MHz (CH12) 26 dB and 99% Bandwidth




Figure 53 - Core 0 (A) 5204 MHz (CH54) 26 dB and 99% Bandwidth




Figure 54 - Core 0 (A) 5245 MHz (CH95) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.150-5.250 GHz	Band:	U-NII-1
Limit Clause(s):	-	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5162	-	1.188	-	-	-
5204	-	1.188	-	-	-
5245	-	1.188	-	-	-

Table 196 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5162	-	0.932	-	-	-
5204	-	0.932	-	-	-
5245	-	0.932	-	-	-

Table 197 - 99% Bandwidth Results




Figure 55 - Core 1 (B) 5162 MHz (CH12) 26 dB and 99% Bandwidth




Figure 56 - Core 1 (B) 5204 MHz (CH54) 26 dB and 99% Bandwidth




Figure 57 - Core 1 (B) 5245 MHz (CH95) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.150-5.250 GHz	Band:	U-NII-1
Limit Clause(s):	-	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5162	-	5.310	-	-	-
5204	-	5.310	-	-	-
5245	-	5.310	-	-	-

Table 198 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5162	-	4.620	-	-	-
5204	-	4.620	-	-	-
5245	-	4.620	-	-	-

Table 199 - 99% Bandwidth Results




Figure 58 - Core 1 (B) 5162 MHz (CH12) 26 dB and 99% Bandwidth




Figure 59 - Core 1 (B) 5204 MHz (CH54) 26 dB and 99% Bandwidth




Figure 60 - Core 1 (B) 5245 MHz (CH95) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.150-5.250 GHz	Band:	U-NII-1
Limit Clause(s):	-	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 8PSK (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5162	-	2.832	-	-	-
5204	-	2.832	-	-	-
5245	-	2.832	-	-	-

Table 200 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5162	-	2.368	-	-	-
5204	-	2.368	-	-	-
5245	-	2.368	-	-	-

Table 201 - 99% Bandwidth Results




Figure 61 - Core 1 (B) 5162 MHz (CH12) 26 dB and 99% Bandwidth




Figure 62 - Core 1 (B) 5204 MHz (CH54) 26 dB and 99% Bandwidth




Figure 63 - Core 1 (B) 5245 MHz (CH95) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.150-5.250 GHz	Band:	U-NII-1
Limit Clause(s):	-	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA QPSK (HDRPL8)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5165	-	10.740	-	-	-
5204	-	10.740	-	-	-
5245	-	10.740	-	-	-

Table 202 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5165	-	9.390	-	-	-
5204	-	9.420	-	-	-
5245	-	9.390	-	-	-

Table 203 - 99% Bandwidth Results




Figure 64 - Core 1 (B) 5165 MHz (CH15) 26 dB and 99% Bandwidth




Figure 65 - Core 1 (B) 5204 MHz (CH54) 26 dB and 99% Bandwidth




Figure 66 - Core 1 (B) 5245 MHz (CH95) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.150-5.250 GHz	Band:	U-NII-1
Limit Clause(s):	-	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 16QAM (HDRPM12)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5163	-	5.420	-	-	-
5204	-	5.420	-	-	-
5245	-	5.400	-	-	-

Table 204 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5163	-	4.700	-	-	-
5204	-	4.700	-	-	-
5245	-	4.700	-	-	-

Table 205 - 99% Bandwidth Results




Figure 67 - Core 1 (B) 5163 MHz (CH13) 26 dB and 99% Bandwidth




Figure 68 - Core 1 (B) 5204 MHz (CH54) 26 dB and 99% Bandwidth




Figure 69 - Core 1 (B) 5245 MHz (CH95) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.150-5.250 GHz	Band:	U-NII-1
Limit Clause(s):	-	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (LE 2M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5162	-	2.520	-	-	-
5204	-	2.520	-	-	-
5245	-	2.520	-	-	-

Table 206 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5162	-	2.032	-	-	-
5204	-	2.032	-	-	-
5245	-	2.032	-	-	-

Table 207 - 99% Bandwidth Results




Figure 70 - Core 1 (B) 5162 MHz (CH12) 26 dB and 99% Bandwidth




Figure 71 - Core 1 (B) 5204 MHz (CH54) 26 dB and 99% Bandwidth




Figure 72 - Core 1 (B) 5245 MHz (CH95) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 6.2.4.1	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA GFSK (DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	0.556	-	-	-	≥500.0
5789	0.556	-	-	-	≥500.0
5844	0.556	-	-	-	≥500.0

Table 208 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	0.932	-	-	-	-
5789	0.932	-	-	-	-
5844	0.936	-	-	-	-

Table 209 - 99% Bandwidth Results




Figure 73 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth




Figure 74 - Core 0 (A) 5733 MHz (CH8) 6 dB Bandwidth




Figure 75 - Core 0 (A) 5789 MHz (CH64) 99% Bandwidth




Figure 76 - Core 0 (A) 5789 MHz (CH64) 6 dB Bandwidth




Figure 77 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth




Figure 78 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 6.2.4.1	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	0.570	-	-	-	≥ 500.0
5789	0.570	-	-	-	≥ 500.0
5844	0.570	-	-	-	≥ 500.0

Table 210 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	4.680	-	-	-	-
5789	4.635	-	-	-	-
5844	4.635	-	-	-	-

Table 211 - 99% Bandwidth Results




Figure 79 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth




Figure 80 - Core 0 (A) 5733 MHz (CH8) 6 dB Bandwidth






Figure 83 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth




Figure 84 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 6.2.4.1	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA 8PSK (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	2.136	-	-	-	≥500.0
5789	2.136	-	-	-	≥500.0
5844	2.136	-	-	-	≥500.0

Table 212 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	2.368	-	-	-	-
5789	2.376	-	-	-	-
5844	2.368	-	-	-	-

Table 213 - 99% Bandwidth Results




Figure 85 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth




Figure 86 - Core 0 (A) 5733 MHz (CH8) 6 dB Bandwidth




Figure 87 - Core 0 (A) 5789 MHz (CH64) 99% Bandwidth




Figure 88 - Core 0 (A) 5789 MHz (CH64) 6 dB Bandwidth




Figure 89 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth




Figure 90 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 6.2.4.1	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA QPSK (HDRPL8)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	6.090	-	-	-	≥500.0
5789	6.150	-	-	-	≥500.0
5844	6.120	-	-	-	≥500.0

Table 214 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	9.450	-	-	-	-
5789	9.480	-	-	-	-
5844	9.480	-	-	-	-

Table 215 - 99% Bandwidth Results




Figure 91 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth




Figure 92 - Core 0 (A) 5733 MHz (CH8) 6 dB Bandwidth




Figure 93 - Core 0 (A) 5789 MHz (CH64) 99% Bandwidth




Figure 94 - Core 0 (A) 5789 MHz (CH64) 6 dB Bandwidth




Figure 95 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth




Figure 96 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 6.2.4.1	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA 16QAM (HDRPM12)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	4.060	-	-	-	≥500.0
5789	4.060	-	-	-	≥500.0
5844	4.060	-	-	-	≥500.0

Table 216 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	4.720	-	-	-	-
5789	4.720	-	-	-	-
5844	4.720	-	-	-	-

Table 217 - 99% Bandwidth Results




Figure 97 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth




Figure 98 - Core 0 (A) 5733 MHz (CH8) 6 dB Bandwidth




Figure 99 - Core 0 (A) 5789 MHz (CH64) 99% Bandwidth




Figure 100 - Core 0 (A) 5789 MHz (CH64) 6 dB Bandwidth




Figure 101 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth




Figure 102 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 6.2.4.1	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA GFSK (LE 1M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	0.668	-	-	-	≥500.0
5789	0.668	-	-	-	≥500.0
5844	0.668	-	-	-	≥500.0

Table 218 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	1.020	-	-	-	-
5789	1.020	-	-	-	-
5844	1.020	-	-	-	-

Table 219 - 99% Bandwidth Results




Figure 103 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth




Figure 104 - Core 0 (A) 5733 MHz (CH8) 6 dB Bandwidth




Figure 105 - Core 0 (A) 5789 MHz (CH64) 99% Bandwidth




Figure 106 - Core 0 (A) 5789 MHz (CH64) 6 dB Bandwidth




Figure 107 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth




Figure 108 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 6.2.4.1	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA GFSK (DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	0.556	-	-	≥500.0
5789	-	0.556	-	-	≥500.0
5844	-	0.556	-	-	≥500.0

Table 220 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	0.932	-	-	-
5789	-	0.932	-	-	-
5844	-	0.932	-	-	-

Table 221 - 99% Bandwidth Results




Figure 109 - Core 1 (B) 5733 MHz (CH8) 99% Bandwidth




Figure 110 - Core 1 (B) 5733 MHz (CH8) 6 dB Bandwidth




Figure 111 - Core 1 (B) 5789 MHz (CH64) 99% Bandwidth




Figure 112 - Core 1 (B) 5789 MHz (CH64) 6 dB Bandwidth




Figure 113 - Core 1 (B) 5844 MHz (CH119) 99% Bandwidth




Figure 114 - Core 1 (B) 5844 MHz (CH119) 6 dB Bandwidth