



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 6.2.4.1	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	0.570	-	-	≥ 500.0
5789	-	0.570	-	-	≥ 500.0
5844	-	0.570	-	-	≥ 500.0

Table 222 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	4.665	-	-	-
5789	-	4.635	-	-	-
5844	-	4.635	-	-	-

Table 223 - 99% Bandwidth Results




Figure 115 - Core 1 (B) 5733 MHz (CH8) 99% Bandwidth




Figure 116 - Core 1 (B) 5733 MHz (CH8) 6 dB Bandwidth




Figure 117 - Core 1 (B) 5789 MHz (CH64) 99% Bandwidth




Figure 118 - Core 1 (B) 5789 MHz (CH64) 6 dB Bandwidth




Figure 119 - Core 1 (B) 5844 MHz (CH119) 99% Bandwidth




Figure 120 - Core 1 (B) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 6.2.4.1	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA 8PSK (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	2.136	-	-	≥500.0
5789	-	2.136	-	-	≥500.0
5844	-	2.136	-	-	≥500.0

Table 224 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	2.368	-	-	-
5789	-	2.368	-	-	-
5844	-	2.368	-	-	-

Table 225 - 99% Bandwidth Results




Figure 121 - Core 1 (B) 5733 MHz (CH8) 99% Bandwidth




Figure 122 - Core 1 (B) 5733 MHz (CH8) 6 dB Bandwidth




Figure 123 - Core 1 (B) 5789 MHz (CH64) 99% Bandwidth




Figure 124 - Core 1 (B) 5789 MHz (CH64) 6 dB Bandwidth




Figure 125 - Core 1 (B) 5844 MHz (CH119) 99% Bandwidth




Figure 126 - Core 1 (B) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 6.2.4.1	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA QPSK (HDRPL8)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	6.150	-	-	≥500.0
5789	-	6.150	-	-	≥500.0
5844	-	6.120	-	-	≥500.0

Table 226 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	9.480	-	-	-
5789	-	9.450	-	-	-
5844	-	9.450	-	-	-

Table 227 - 99% Bandwidth Results




Figure 127 - Core 1 (B) 5733 MHz (CH8) 99% Bandwidth




Figure 128 - Core 1 (B) 5733 MHz (CH8) 6 dB Bandwidth




Figure 129 - Core 1 (B) 5789 MHz (CH64) 99% Bandwidth




Figure 130 - Core 1 (B) 5789 MHz (CH64) 6 dB Bandwidth




Figure 131 - Core 1 (B) 5844 MHz (CH119) 99% Bandwidth




Figure 132 - Core 1 (B) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 6.2.4.1	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA 16QAM (HDRPM12)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	4.060	-	-	≥500.0
5789	-	4.060	-	-	≥500.0
5844	-	4.040	-	-	≥500.0

Table 228 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	4.720	-	-	-
5789	-	4.720	-	-	-
5844	-	4.720	-	-	-

Table 229 - 99% Bandwidth Results




Figure 133 - Core 1 (B) 5733 MHz (CH8) 99% Bandwidth




Figure 134 - Core 1 (B) 5733 MHz (CH8) 6 dB Bandwidth




Figure 135 - Core 1 (B) 5789 MHz (CH64) 99% Bandwidth




Figure 136 - Core 1 (B) 5789 MHz (CH64) 6 dB Bandwidth




Figure 137 - Core 1 (B) 5844 MHz (CH119) 99% Bandwidth




Figure 138 - Core 1 (B) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 6.2.4.1	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA GFSK (LE 1M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	0.668	-	-	≥500.0
5789	-	0.668	-	-	≥500.0
5844	-	0.672	-	-	≥500.0

Table 230 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	1.020	-	-	-
5789	-	1.020	-	-	-
5844	-	1.016	-	-	-

Table 231 - 99% Bandwidth Results




Figure 139 - Core 1 (B) 5733 MHz (CH8) 99% Bandwidth




Figure 140 - Core 1 (B) 5733 MHz (CH8) 6 dB Bandwidth




Figure 141 - Core 1 (B) 5789 MHz (CH64) 99% Bandwidth




Figure 142 - Core 1 (B) 5789 MHz (CH64) 6 dB Bandwidth




Figure 143 - Core 1 (B) 5844 MHz (CH119) 99% Bandwidth




Figure 144 - Core 1 (B) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 6.2.4.1	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	0.556	-	-	-	≥500.0
5789	0.560	-	-	-	≥500.0
5844	0.552	-	-	-	≥500.0

Table 232 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	0.932	-	-	-	-
5789	0.936	-	-	-	-
5844	0.936	-	-	-	-

Table 233 - 99% Bandwidth Results




Figure 145 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth




Figure 146 - Core 0 (A) 5733 MHz (CH8) 6 dB Bandwidth




Figure 147 - Core 0 (A) 5789 MHz (CH64) 99% Bandwidth




Figure 148 - Core 0 (A) 5789 MHz (CH64) 6 dB Bandwidth




Figure 149 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth




Figure 150 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 6.2.4.1	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	0.570	-	-	-	≥ 500.0
5789	0.570	-	-	-	≥ 500.0
5844	0.570	-	-	-	≥ 500.0

Table 234 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	4.635	-	-	-	-
5789	4.605	-	-	-	-
5844	4.605	-	-	-	-

Table 235 - 99% Bandwidth Results




Figure 151 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth




Figure 152 - Core 0 (A) 5733 MHz (CH8) 6 dB Bandwidth




Figure 153 - Core 0 (A) 5789 MHz (CH64) 99% Bandwidth




Figure 154 - Core 0 (A) 5789 MHz (CH64) 6 dB Bandwidth




Figure 155 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth




Figure 156 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 6.2.4.1	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 8PSK (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	2.136	-	-	-	≥500.0
5789	2.136	-	-	-	≥500.0
5844	2.136	-	-	-	≥500.0

Table 236 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	2.368	-	-	-	-
5789	2.368	-	-	-	-
5844	2.368	-	-	-	-

Table 237 - 99% Bandwidth Results




Figure 157 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth




Figure 158 - Core 0 (A) 5733 MHz (CH8) 6 dB Bandwidth




Figure 159 - Core 0 (A) 5789 MHz (CH64) 99% Bandwidth




Figure 160 - Core 0 (A) 5789 MHz (CH64) 6 dB Bandwidth




Figure 161 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth




Figure 162 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 6.2.4.1	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA QPSK (HDRPL8)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	6.150	-	-	-	≥500.0
5789	6.120	-	-	-	≥500.0
5844	6.150	-	-	-	≥500.0

Table 238 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	9.420	-	-	-	-
5789	9.420	-	-	-	-
5844	9.390	-	-	-	-

Table 239 - 99% Bandwidth Results




Figure 163 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth




Figure 164 - Core 0 (A) 5733 MHz (CH8) 6 dB Bandwidth




Figure 165 - Core 0 (A) 5789 MHz (CH64) 99% Bandwidth




Figure 166 - Core 0 (A) 5789 MHz (CH64) 6 dB Bandwidth




Figure 167 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth




Figure 168 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 6.2.4.1	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 16QAM (HDRPM12)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	4.040	-	-	-	≥500.0
5789	2.540	-	-	-	≥500.0
5844	4.040	-	-	-	≥500.0

Table 240 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	4.700	-	-	-	-
5789	4.700	-	-	-	-
5844	4.700	-	-	-	-

Table 241 - 99% Bandwidth Results




Figure 169 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth




Figure 170 - Core 0 (A) 5733 MHz (CH8) 6 dB Bandwidth




Figure 171 - Core 0 (A) 5789 MHz (CH64) 99% Bandwidth




Figure 172 - Core 0 (A) 5789 MHz (CH64) 6 dB Bandwidth




Figure 173 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth




Figure 174 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 6.2.4.1	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (LE 1M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	0.668	-	-	-	≥500.0
5789	0.668	-	-	-	≥500.0
5844	0.668	-	-	-	≥500.0

Table 242 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	1.016	-	-	-	-
5789	1.016	-	-	-	-
5844	1.016	-	-	-	-

Table 243 - 99% Bandwidth Results




Figure 175 - Core 0 (A) 5733 MHz (CH8) 99% Bandwidth




Figure 176 - Core 0 (A) 5733 MHz (CH8) 6 dB Bandwidth




Figure 177 - Core 0 (A) 5789 MHz (CH64) 99% Bandwidth




Figure 178 - Core 0 (A) 5789 MHz (CH64) 6 dB Bandwidth




Figure 179 - Core 0 (A) 5844 MHz (CH119) 99% Bandwidth




Figure 180 - Core 0 (A) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 6.2.4.1	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	0.556	-	-	≥500.0
5789	-	0.556	-	-	≥500.0
5844	-	0.556	-	-	≥500.0

Table 244 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	0.932	-	-	-
5789	-	0.936	-	-	-
5844	-	0.932	-	-	-

Table 245 - 99% Bandwidth Results




Figure 181 - Core 1 (B) 5733 MHz (CH8) 99% Bandwidth




Figure 182 - Core 1 (B) 5733 MHz (CH8) 6 dB Bandwidth




Figure 183 - Core 1 (B) 5789 MHz (CH64) 99% Bandwidth




Figure 184 - Core 1 (B) 5789 MHz (CH64) 6 dB Bandwidth




Figure 185 - Core 1 (B) 5844 MHz (CH119) 99% Bandwidth




Figure 186 - Core 1 (B) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 6.2.4.1	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		


DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	0.570	-	-	≥ 500.0
5789	-	0.570	-	-	≥ 500.0
5844	-	0.570	-	-	≥ 500.0

Table 246 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	4.620	-	-	-
5789	-	4.605	-	-	-
5844	-	4.650	-	-	-

Table 247 - 99% Bandwidth Results






Figure 189 - Core 1 (B) 5789 MHz (CH64) 99% Bandwidth




Figure 190 - Core 1 (B) 5789 MHz (CH64) 6 dB Bandwidth




Figure 191 - Core 1 (B) 5844 MHz (CH119) 99% Bandwidth




Figure 192 - Core 1 (B) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 6.2.4.1	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 8PSK (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	2.136	-	-	≥500.0
5789	-	2.136	-	-	≥500.0
5844	-	2.136	-	-	≥500.0

Table 248 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	2.368	-	-	-
5789	-	2.368	-	-	-
5844	-	2.368	-	-	-

Table 249 - 99% Bandwidth Results



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 6.2.4.1	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA QPSK (HDRPL8)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	6.120	-	-	≥500.0
5789	-	6.150	-	-	≥500.0
5844	-	6.150	-	-	≥500.0

Table 250 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	9.420	-	-	-
5789	-	9.420	-	-	-
5844	-	9.390	-	-	-

Table 251 - 99% Bandwidth Results




Figure 193 - Core 1 (B) 5733 MHz (CH8) 99% Bandwidth




Figure 194 - Core 1 (B) 5733 MHz (CH8) 6 dB Bandwidth




Figure 195 - Core 1 (B) 5789 MHz (CH64) 99% Bandwidth




Figure 196 - Core 1 (B) 5789 MHz (CH64) 6 dB Bandwidth




Figure 197 - Core 1 (B) 5844 MHz (CH119) 99% Bandwidth




Figure 198 - Core 1 (B) 5844 MHz (CH119) 6 dB Bandwidth




Figure 199 - Core 1 (B) 5733 MHz (CH8) 99% Bandwidth




Figure 200 - Core 1 (B) 5733 MHz (CH8) 6 dB Bandwidth




Figure 201 - Core 1 (B) 5789 MHz (CH64) 99% Bandwidth




Figure 202 - Core 1 (B) 5789 MHz (CH64) 6 dB Bandwidth




Figure 203 - Core 1 (B) 5844 MHz (CH119) 99% Bandwidth




Figure 204 - Core 1 (B) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 6.2.4.1	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA QPSK (HDRPL8)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	6.120	-	-	≥500.0
5789	-	6.150	-	-	≥500.0
5844	-	6.150	-	-	≥500.0

Table 252 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	9.420	-	-	-
5789	-	9.420	-	-	-
5844	-	9.390	-	-	-

Table 253 - 99% Bandwidth Results




Figure 205 - Core 1 (B) 5733 MHz (CH8) 99% Bandwidth




Figure 206 - Core 1 (B) 5733 MHz (CH8) 6 dB Bandwidth




Figure 207 - Core 1 (B) 5789 MHz (CH64) 99% Bandwidth




Figure 208 - Core 1 (B) 5789 MHz (CH64) 6 dB Bandwidth




Figure 209 - Core 1 (B) 5844 MHz (CH119) 99% Bandwidth




Figure 210 - Core 1 (B) 5844 MHz (CH119) 6 dB Bandwidth



Test Configuration			
Frequency Range:	5.725-5.850 GHz	Band:	U-NII-3
Limit Clause(s):	15.407(e) RSS-247 6.2.4.1	Test Method(s):	C63.10 6.9.3 789033 D02 v02r01 II.C.2.
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 16QAM (HDRPM12)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	0.660	-	-	≥500.0
5789	-	0.660	-	-	≥500.0
5844	-	0.660	-	-	≥500.0

Table 254 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
5733	-	4.700	-	-	-
5789	-	4.700	-	-	-
5844	-	4.700	-	-	-

Table 255 - 99% Bandwidth Results




Figure 211 - Core 1 (B) 5733 MHz (CH8) 99% Bandwidth




Figure 212 - Core 1 (B) 5733 MHz (CH8) 6 dB Bandwidth