



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	5.310	-	-	≤ 320.0
6265	-	5.310	-	-	≤ 320.0
6422	-	5.310	-	-	≤ 320.0
6425	-	5.295	-	-	≤ 320.0

Table 126 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	4.605	-	-	≤ 320.0
6265	-	4.605	-	-	≤ 320.0
6422	-	4.605	-	-	≤ 320.0
6425	-	4.665	-	-	≤ 320.0

Table 127 - 99% Bandwidth Results




Figure 41 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 42 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 43 - Core 1 (B) 6422 MHz (CH121) 26 dB and 99% Bandwidth




Figure 44 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA 8PSK (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	2.832	-	-	≤320.0
6265	-	2.832	-	-	≤320.0
6423	-	2.832	-	-	≤320.0
6425	-	2.832	-	-	≤320.0

Table 128 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	2.368	-	-	≤320.0
6265	-	2.368	-	-	≤320.0
6423	-	2.368	-	-	≤320.0
6425	-	2.368	-	-	≤320.0

Table 129 - 99% Bandwidth Results




Figure 45 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 46 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 47 - Core 1 (B) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 48 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA 16QAM (HDT6)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	2.816	-	-	≤320.0
6265	-	2.816	-	-	≤320.0
6423	-	2.816	-	-	≤320.0
6425	-	2.808	-	-	≤320.0

Table 130 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	2.400	-	-	≤320.0
6265	-	2.400	-	-	≤320.0
6423	-	2.400	-	-	≤320.0
6425	-	2.400	-	-	≤320.0

Table 131 - 99% Bandwidth Results




Figure 49 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth






Figure 50 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth





Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA QPSK (HDRPL8)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6109	-	10.770	-	-	≤320.0
6265	-	10.830	-	-	≤320.0
6419	-	10.830	-	-	≤320.0
6425	-	10.800	-	-	≤320.0

Table 132 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6109	-	9.450	-	-	≤320.0
6265	-	9.450	-	-	≤320.0
6419	-	9.450	-	-	≤320.0
6425	-	9.450	-	-	≤320.0

Table 133 - 99% Bandwidth Results




Figure 53 - Core 1 (B) 6109 MHz (CH58) 26 dB and 99% Bandwidth




Figure 54 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 55 - Core 1 (B) 6419 MHz (CH118) 26 dB and 99% Bandwidth




Figure 56 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA 16QAM (HDRPM12)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6107	-	5.440	-	-	≤320.0
6265	-	5.440	-	-	≤320.0
6422	-	5.440	-	-	≤320.0
6425	-	5.440	-	-	≤320.0

Table 134 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6107	-	4.700	-	-	≤320.0
6265	-	4.700	-	-	≤320.0
6422	-	4.720	-	-	≤320.0
6425	-	4.720	-	-	≤320.0

Table 135 - 99% Bandwidth Results




Figure 57 - Core 1 (B) 6107 MHz (CH56) 26 dB and 99% Bandwidth




Figure 58 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 59 - Core 1 (B) 6422 MHz (CH121) 26 dB and 99% Bandwidth




Figure 60 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		



DUT Configuration			
Mode:	iPA GFSK (LE 2M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	2.528	-	-	≤320.0
6265	-	2.520	-	-	≤320.0
6423	-	2.520	-	-	≤320.0
6425	-	2.520	-	-	≤320.0

Table 136 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	2.032	-	-	≤320.0
6265	-	2.032	-	-	≤320.0
6423	-	2.032	-	-	≤320.0
6425	-	2.032	-	-	≤320.0

Table 137 - 99% Bandwidth Results






Figure 63 - Core 1 (B) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 64 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		



DUT Configuration			
Mode:	ePA GFSK (DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	1.192	-	-	-	≤320.0
6265	1.188	-	-	-	≤320.0
6424	1.192	-	-	-	≤320.0
6425	1.188	-	-	-	≤320.0

Table 138 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	0.932	-	-	-	≤320.0
6265	0.932	-	-	-	≤320.0
6424	0.936	-	-	-	≤320.0
6425	0.932	-	-	-	≤320.0

Table 139 - 99% Bandwidth Results






Figure 67 - Core 0 (A) 6424 MHz (CH123) 26 dB and 99% Bandwidth




Figure 68 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (4-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.720	-	-	-	≤ 320.0
6265	2.720	-	-	-	≤ 320.0
6423	2.720	-	-	-	≤ 320.0
6425	2.720	-	-	-	≤ 320.0

Table 140 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.328	-	-	-	≤ 320.0
6265	2.328	-	-	-	≤ 320.0
6423	2.328	-	-	-	≤ 320.0
6425	2.328	-	-	-	≤ 320.0

Table 141 - 99% Bandwidth Results




Figure 69 - Core 0 (A) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 70 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 71 - Core 0 (A) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 72 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	5.310	-	-	-	≤ 320.0
6265	5.310	-	-	-	≤ 320.0
6422	5.310	-	-	-	≤ 320.0
6425	5.295	-	-	-	≤ 320.0

Table 142 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	4.605	-	-	-	≤ 320.0
6265	4.605	-	-	-	≤ 320.0
6422	4.620	-	-	-	≤ 320.0
6425	4.650	-	-	-	≤ 320.0

Table 143 - 99% Bandwidth Results




Figure 73 - Core 0 (A) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 74 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 75 - Core 0 (A) 6422 MHz (CH121) 26 dB and 99% Bandwidth




Figure 76 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		



DUT Configuration			
Mode:	ePA 8PSK (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.840	-	-	-	≤320.0
6265	2.832	-	-	-	≤320.0
6423	2.832	-	-	-	≤320.0
6425	2.832	-	-	-	≤320.0

Table 144 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.368	-	-	-	≤320.0
6265	2.368	-	-	-	≤320.0
6423	2.368	-	-	-	≤320.0
6425	2.376	-	-	-	≤320.0

Table 145 - 99% Bandwidth Results






Figure 79 - Core 0 (A) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 80 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 16QAM (HDT6)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.816	-	-	-	≤320.0
6265	2.816	-	-	-	≤320.0
6423	2.816	-	-	-	≤320.0
6425	2.816	-	-	-	≤320.0

Table 146 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.400	-	-	-	≤320.0
6265	2.400	-	-	-	≤320.0
6423	2.400	-	-	-	≤320.0
6425	2.392	-	-	-	≤320.0

Table 147 - 99% Bandwidth Results




Figure 81 - Core 0 (A) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 82 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 83 - Core 0 (A) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 84 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA QPSK (HDRPL8)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6109	10.770	-	-	-	≤320.0
6265	10.770	-	-	-	≤320.0
6419	10.800	-	-	-	≤320.0
6425	10.740	-	-	-	≤320.0

Table 148 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6109	9.450	-	-	-	≤320.0
6265	9.420	-	-	-	≤320.0
6419	9.390	-	-	-	≤320.0
6425	9.420	-	-	-	≤320.0

Table 149 - 99% Bandwidth Results




Figure 85 - Core 0 (A) 6109 MHz (CH58) 26 dB and 99% Bandwidth






Figure 86 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth





Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 16QAM (HDRPM12)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6107	5.420	-	-	-	≤320.0
6265	5.420	-	-	-	≤320.0
6422	5.420	-	-	-	≤320.0
6425	5.420	-	-	-	≤320.0

Table 150 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6107	4.700	-	-	-	≤320.0
6265	4.700	-	-	-	≤320.0
6422	4.700	-	-	-	≤320.0
6425	4.700	-	-	-	≤320.0

Table 151 - 99% Bandwidth Results




Figure 89 - Core 0 (A) 6107 MHz (CH56) 26 dB and 99% Bandwidth




Figure 90 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 91 - Core 0 (A) 6422 MHz (CH121) 26 dB and 99% Bandwidth




Figure 92 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (LE 2M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.528	-	-	-	≤320.0
6265	2.520	-	-	-	≤320.0
6423	2.520	-	-	-	≤320.0
6425	2.528	-	-	-	≤320.0

Table 152 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.040	-	-	-	≤320.0
6265	2.040	-	-	-	≤320.0
6423	2.032	-	-	-	≤320.0
6425	2.032	-	-	-	≤320.0

Table 153 - 99% Bandwidth Results




Figure 93 - Core 0 (A) 6106 MHz (CH55) 26 dB and 99% Bandwidth





Figure 94 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth





Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	1.188	-	-	≤320.0
6265	-	1.192	-	-	≤320.0
6424	-	1.192	-	-	≤320.0
6425	-	1.188	-	-	≤320.0

Table 154 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	0.932	-	-	≤320.0
6265	-	0.936	-	-	≤320.0
6424	-	0.936	-	-	≤320.0
6425	-	0.932	-	-	≤320.0

Table 155 - 99% Bandwidth Results




Figure 97 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 98 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 99 - Core 1 (B) 6424 MHz (CH123) 26 dB and 99% Bandwidth




Figure 100 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (4-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	2.720	-	-	≤ 320.0
6265	-	2.720	-	-	≤ 320.0
6423	-	2.728	-	-	≤ 320.0
6425	-	2.728	-	-	≤ 320.0

Table 156 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	2.328	-	-	≤ 320.0
6265	-	2.320	-	-	≤ 320.0
6423	-	2.328	-	-	≤ 320.0
6425	-	2.328	-	-	≤ 320.0

Table 157 - 99% Bandwidth Results




Figure 101 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 102 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 103 - Core 1 (B) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 104 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	5.310	-	-	≤ 320.0
6265	-	5.295	-	-	≤ 320.0
6422	-	5.310	-	-	≤ 320.0
6425	-	5.340	-	-	≤ 320.0

Table 158 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	4.605	-	-	≤ 320.0
6265	-	4.620	-	-	≤ 320.0
6422	-	4.620	-	-	≤ 320.0
6425	-	4.665	-	-	≤ 320.0

Table 159 - 99% Bandwidth Results




Figure 105 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 106 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 107 - Core 1 (B) 6422 MHz (CH121) 26 dB and 99% Bandwidth




Figure 108 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 8PSK (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	2.832	-	-	≤320.0
6265	-	2.832	-	-	≤320.0
6423	-	2.832	-	-	≤320.0
6425	-	2.832	-	-	≤320.0

Table 160 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	2.368	-	-	≤320.0
6265	-	2.368	-	-	≤320.0
6423	-	2.376	-	-	≤320.0
6425	-	2.368	-	-	≤320.0

Table 161 - 99% Bandwidth Results




Figure 109 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 110 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth