




Figure 111 - Core 1 (B) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 112 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 16QAM (HDT6)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	2.816	-	-	≤320.0
6265	-	2.816	-	-	≤320.0
6423	-	2.816	-	-	≤320.0
6425	-	2.816	-	-	≤320.0

Table 162 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	2.400	-	-	≤320.0
6265	-	2.400	-	-	≤320.0
6423	-	2.400	-	-	≤320.0
6425	-	2.392	-	-	≤320.0

Table 163 - 99% Bandwidth Results




Figure 113 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 114 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 115 - Core 1 (B) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 116 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA QPSK (HDRPL8)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6109	-	10.740	-	-	≤320.0
6265	-	10.740	-	-	≤320.0
6419	-	10.770	-	-	≤320.0
6425	-	10.740	-	-	≤320.0

Table 164 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6109	-	9.420	-	-	≤320.0
6265	-	9.390	-	-	≤320.0
6419	-	9.420	-	-	≤320.0
6425	-	9.420	-	-	≤320.0

Table 165 - 99% Bandwidth Results




Figure 117 - Core 1 (B) 6109 MHz (CH58) 26 dB and 99% Bandwidth




Figure 118 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 119 - Core 1 (B) 6419 MHz (CH118) 26 dB and 99% Bandwidth




Figure 120 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 16QAM (HDRPM12)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6107	-	5.420	-	-	≤320.0
6265	-	5.420	-	-	≤320.0
6422	-	5.420	-	-	≤320.0
6425	-	5.420	-	-	≤320.0

Table 166 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6107	-	4.700	-	-	≤320.0
6265	-	4.700	-	-	≤320.0
6422	-	4.700	-	-	≤320.0
6425	-	4.700	-	-	≤320.0

Table 167 - 99% Bandwidth Results




Figure 121 - Core 1 (B) 6107 MHz (CH56) 26 dB and 99% Bandwidth




Figure 122 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 123 - Core 1 (B) 6422 MHz (CH121) 26 dB and 99% Bandwidth




Figure 124 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (LE 2M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	2.528	-	-	≤320.0
6265	-	2.528	-	-	≤320.0
6423	-	2.520	-	-	≤320.0
6425	-	2.528	-	-	≤320.0

Table 168 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	-	2.040	-	-	≤320.0
6265	-	2.040	-	-	≤320.0
6423	-	2.032	-	-	≤320.0
6425	-	2.032	-	-	≤320.0

Table 169 - 99% Bandwidth Results




Figure 125 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth






Figure 126 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth





Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA GFSK (DH5)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	1.192	1.192	-	-	≤320.0
6265	1.188	1.188	-	-	≤320.0
6424	1.192	1.192	-	-	≤320.0
6425	1.192	1.192	-	-	≤320.0

Table 170 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	0.932	0.932	-	-	≤320.0
6265	0.932	0.932	-	-	≤320.0
6424	0.932	0.932	-	-	≤320.0
6425	0.932	0.936	-	-	≤320.0

Table 171 - 99% Bandwidth Results




Figure 129 - Core 0 (A) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 130 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 131 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 132 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 133 - Core 0 (A) 6424 MHz (CH123) 26 dB and 99% Bandwidth




Figure 134 - Core 1 (B) 6424 MHz (CH123) 26 dB and 99% Bandwidth




Figure 135 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth




Figure 136 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA $\pi/4$ DQPSK (4-DH5)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.712	2.720	-	-	≤ 320.0
6265	2.720	2.720	-	-	≤ 320.0
6423	2.720	2.728	-	-	≤ 320.0
6425	2.728	2.728	-	-	≤ 320.0

Table 172 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.336	2.344	-	-	≤ 320.0
6265	2.328	2.328	-	-	≤ 320.0
6423	2.328	2.336	-	-	≤ 320.0
6425	2.328	2.328	-	-	≤ 320.0

Table 173 - 99% Bandwidth Results




Figure 137 - Core 0 (A) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 138 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 139 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 140 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 141 - Core 0 (A) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 142 - Core 1 (B) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 143 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth




Figure 144 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	5.310	5.310	-	-	≤ 320.0
6265	5.310	5.295	-	-	≤ 320.0
6422	5.310	5.310	-	-	≤ 320.0
6425	5.310	5.325	-	-	≤ 320.0

Table 174 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	4.635	4.635	-	-	≤ 320.0
6265	4.635	4.605	-	-	≤ 320.0
6422	4.605	4.650	-	-	≤ 320.0
6425	4.635	4.605	-	-	≤ 320.0

Table 175 - 99% Bandwidth Results




Figure 145 - Core 0 (A) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 146 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 147 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 148 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 149 - Core 0 (A) 6422 MHz (CH121) 26 dB and 99% Bandwidth




Figure 150 - Core 1 (B) 6422 MHz (CH121) 26 dB and 99% Bandwidth




Figure 151 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth




Figure 153 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA 8PSK (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.840	2.840	-	-	≤320.0
6265	2.832	2.832	-	-	≤320.0
6423	2.832	2.832	-	-	≤320.0
6425	2.832	2.832	-	-	≤320.0

Table 176 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.368	2.368	-	-	≤320.0
6265	2.368	2.368	-	-	≤320.0
6423	2.368	2.368	-	-	≤320.0
6425	2.376	2.376	-	-	≤320.0

Table 177 - 99% Bandwidth Results




Figure 155 - Core 0 (A) 6106 MHz (CH55) 26 dB and 99% Bandwidth






Figure 156 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth






Figure 159 - Core 0 (A) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 160 - Core 1 (B) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 161 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth




Figure 162 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA 16QAM (HDT6)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.816	2.816	-	-	≤320.0
6265	2.816	2.816	-	-	≤320.0
6423	2.816	2.816	-	-	≤320.0
6425	2.816	2.816	-	-	≤320.0

Table 178 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.400	2.400	-	-	≤320.0
6265	2.400	2.400	-	-	≤320.0
6423	2.400	2.400	-	-	≤320.0
6425	2.400	2.400	-	-	≤320.0

Table 179 - 99% Bandwidth Results




Figure 163 - Core 0 (A) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 164 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 165 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 166 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 167 - Core 0 (A) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 168 - Core 1 (B) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 169 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth




Figure 170 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA QPSK (HDRPL8)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6109	10.740	10.710	-	-	≤320.0
6265	10.740	10.740	-	-	≤320.0
6419	10.740	10.710	-	-	≤320.0
6425	10.740	10.740	-	-	≤320.0

Table 180 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6109	9.390	9.360	-	-	≤320.0
6265	9.360	9.360	-	-	≤320.0
6419	9.360	9.360	-	-	≤320.0
6425	9.360	9.420	-	-	≤320.0

Table 181 - 99% Bandwidth Results




Figure 171 - Core 0 (A) 6109 MHz (CH58) 26 dB and 99% Bandwidth




Figure 172 - Core 1 (B) 6109 MHz (CH58) 26 dB and 99% Bandwidth




Figure 173 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 174 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 175 - Core 0 (A) 6419 MHz (CH118) 26 dB and 99% Bandwidth




Figure 176 - Core 1 (B) 6419 MHz (CH118) 26 dB and 99% Bandwidth




Figure 177 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth




Figure 178 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA 16QAM (HDRPM12)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6107	5.420	5.420	-	-	≤320.0
6265	5.420	5.420	-	-	≤320.0
6422	5.420	5.420	-	-	≤320.0
6425	5.420	5.420	-	-	≤320.0

Table 182 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6107	4.700	4.700	-	-	≤320.0
6265	4.700	4.700	-	-	≤320.0
6422	4.700	4.700	-	-	≤320.0
6425	4.700	4.700	-	-	≤320.0

Table 183 - 99% Bandwidth Results




Figure 179 - Core 0 (A) 6107 MHz (CH56) 26 dB and 99% Bandwidth




Figure 180 - Core 1 (B) 6107 MHz (CH56) 26 dB and 99% Bandwidth




Figure 181 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 182 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 183 - Core 0 (A) 6422 MHz (CH121) 26 dB and 99% Bandwidth




Figure 184 - Core 1 (B) 6422 MHz (CH121) 26 dB and 99% Bandwidth