




Figure 185 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth




Figure 186 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA GFSK (LE 2M)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.528	2.528	-	-	≤320.0
6265	2.520	2.528	-	-	≤320.0
6423	2.520	2.520	-	-	≤320.0
6425	2.520	2.520	-	-	≤320.0

Table 184 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.040	2.040	-	-	≤320.0
6265	2.040	2.040	-	-	≤320.0
6423	2.032	2.032	-	-	≤320.0
6425	2.032	2.032	-	-	≤320.0

Table 185 - 99% Bandwidth Results




Figure 187 - Core 0 (A) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 188 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 189 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 190 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 191 - Core 0 (A) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 192 - Core 1 (B) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 193 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth




Figure 194 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (DH5)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	1.192	1.188	-	-	≤320.0
6265	1.192	1.188	-	-	≤320.0
6424	1.192	1.188	-	-	≤320.0
6425	1.188	1.188	-	-	≤320.0

Table 186 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	0.940	0.940	-	-	≤320.0
6265	0.944	0.936	-	-	≤320.0
6424	0.932	0.936	-	-	≤320.0
6425	0.932	0.936	-	-	≤320.0

Table 187 - 99% Bandwidth Results




Figure 195 - Core 0 (A) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 196 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 197 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 198 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 199 - Core 0 (A) 6424 MHz (CH123) 26 dB and 99% Bandwidth




Figure 200 - Core 1 (B) 6424 MHz (CH123) 26 dB and 99% Bandwidth




Figure 201 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth




Figure 203 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (4-DH5)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.720	2.728	-	-	≤ 320.0
6265	2.720	2.720	-	-	≤ 320.0
6423	2.712	2.728	-	-	≤ 320.0
6425	2.728	2.728	-	-	≤ 320.0

Table 188 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.336	2.344	-	-	≤ 320.0
6265	2.336	2.328	-	-	≤ 320.0
6423	2.336	2.344	-	-	≤ 320.0
6425	2.328	2.328	-	-	≤ 320.0

Table 189 - 99% Bandwidth Results




Figure 205 - Core 0 (A) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 206 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 207 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 208 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 209 - Core 0 (A) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 210 - Core 1 (B) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 211 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth




Figure 212 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	5.310	5.310	-	-	≤ 320.0
6265	5.310	5.310	-	-	≤ 320.0
6422	5.310	5.310	-	-	≤ 320.0
6422	5.310	5.325	-	-	≤ 320.0

Table 190 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	4.620	4.620	-	-	≤ 320.0
6265	4.635	4.650	-	-	≤ 320.0
6422	4.620	4.650	-	-	≤ 320.0
6422	4.665	4.665	-	-	≤ 320.0

Table 191 - 99% Bandwidth Results




Figure 213 - Core 0 (A) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 214 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 215 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 216 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 217 - Core 0 (A) 6422 MHz (CH121) 26 dB and 99% Bandwidth




Figure 218 - Core 1 (B) 6422 MHz (CH121) 26 dB and 99% Bandwidth




Figure 219 - Core 0 (A) 6422 MHz (CH121) 26 dB and 99% Bandwidth




Figure 220 - Core 1 (B) 6422 MHz (CH121) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 8PSK (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.840	2.840	-	-	≤320.0
6265	2.832	2.840	-	-	≤320.0
6423	2.832	2.832	-	-	≤320.0
6425	2.832	2.840	-	-	≤320.0

Table 192 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.368	2.368	-	-	≤320.0
6265	2.368	2.368	-	-	≤320.0
6423	2.376	2.376	-	-	≤320.0
6425	2.368	2.368	-	-	≤320.0

Table 193 - 99% Bandwidth Results




Figure 221 - Core 0 (A) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 222 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 223 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 224 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 225 - Core 0 (A) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 226 - Core 1 (B) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 227 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth




Figure 228 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 16QAM (HDT6)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.816	2.816	-	-	≤320.0
6265	2.816	2.816	-	-	≤320.0
6423	2.816	2.816	-	-	≤320.0
6425	2.808	2.816	-	-	≤320.0

Table 194 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.408	2.400	-	-	≤320.0
6265	2.400	2.400	-	-	≤320.0
6423	2.400	2.408	-	-	≤320.0
6425	2.392	2.400	-	-	≤320.0

Table 195 - 99% Bandwidth Results




Figure 229 - Core 0 (A) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 230 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 231 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 232 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 233 - Core 0 (A) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 234 - Core 1 (B) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 235 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth




Figure 236 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA QPSK (HDRPL8)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6109	10.770	10.740	-	-	≤320.0
6265	10.770	10.740	-	-	≤320.0
6419	10.770	10.800	-	-	≤320.0
6425	10.770	10.740	-	-	≤320.0

Table 196 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6109	9.390	9.420	-	-	≤320.0
6265	9.420	9.390	-	-	≤320.0
6419	9.420	9.390	-	-	≤320.0
6425	9.420	9.420	-	-	≤320.0

Table 197 - 99% Bandwidth Results




Figure 237 - Core 0 (A) 6109 MHz (CH58) 26 dB and 99% Bandwidth






Figure 238 - Core 1 (B) 6109 MHz (CH58) 26 dB and 99% Bandwidth






Figure 241 - Core 0 (A) 6419 MHz (CH118) 26 dB and 99% Bandwidth




Figure 242 - Core 1 (B) 6419 MHz (CH118) 26 dB and 99% Bandwidth




Figure 243 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth




Figure 244 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 16QAM (HDRPM12)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6107	5.420	5.420	-	-	≤320.0
6265	5.420	5.420	-	-	≤320.0
6422	5.420	5.420	-	-	≤320.0
6425	5.440	5.420	-	-	≤320.0

Table 198 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6107	4.700	4.700	-	-	≤320.0
6265	4.700	4.700	-	-	≤320.0
6422	4.700	4.700	-	-	≤320.0
6425	4.700	4.700	-	-	≤320.0

Table 199 - 99% Bandwidth Results




Figure 245 - Core 0 (A) 6107 MHz (CH56) 26 dB and 99% Bandwidth




Figure 246 - Core 1 (B) 6107 MHz (CH56) 26 dB and 99% Bandwidth




Figure 247 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth






Figure 248 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth






Figure 251 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth




Figure 252 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth



Test Configuration			
Frequency Range:	5.925-6.425 GHz	Band:	U-NII-5
Limit Clause(s):	15.407(a) (11) RSS-248 4.4	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (LE 2M)	Duty Cycle (%):	-
Antenna Configuration:	Beamforming	DCCF (dB):	-
Active Port(s):	A+B (Core 0+Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.536	2.536	-	-	≤320.0
6265	2.528	2.536	-	-	≤320.0
6423	2.536	2.536	-	-	≤320.0
6425	2.536	2.528	-	-	≤320.0

Table 200 - 26 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (MHz)
	A	B	C	D	
6106	2.040	2.040	-	-	≤320.0
6265	2.040	2.040	-	-	≤320.0
6423	2.040	2.040	-	-	≤320.0
6425	2.032	2.032	-	-	≤320.0

Table 201 - 99% Bandwidth Results




Figure 253 - Core 0 (A) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 254 - Core 1 (B) 6106 MHz (CH55) 26 dB and 99% Bandwidth




Figure 255 - Core 0 (A) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 256 - Core 1 (B) 6265 MHz (CH89) 26 dB and 99% Bandwidth




Figure 257 - Core 0 (A) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 258 - Core 1 (B) 6423 MHz (CH122) 26 dB and 99% Bandwidth




Figure 259 - Core 0 (A) 6425 MHz (CH124) 26 dB and 99% Bandwidth




Figure 261 - Core 1 (B) 6425 MHz (CH124) 26 dB and 99% Bandwidth