




**Figure 754 - 802.11ac VHT20, TxBF, Core 0-1 - 5320 MHz
Band Edge Frequency 5350 MHz**




**Figure 755 - 802.11ax HE20, SU, TxBF, Core 0-1 - 5320 MHz
Band Edge Frequency 5350 MHz**




**Figure 756 - 802.11ac VHT20, TxBF, Core 0-1 - 5500 MHz
Band Edge Frequency 5460 MHz**




**Figure 757 - 802.11ax HE20, SU, TxBF, Core 0-1 - 5500 MHz
Band Edge Frequency 5460 MHz**



40 MHz Bandwidth - Core 0 (SISO)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11a a40	12 Mbps	-	-	5190	5150	68.64	49.97
802.11n HT40	MCS 2	-	-	5190	5150	63.32	51.24
802.11ax HE40	MCS 2x1	SU	-	5190	5150	63.51	51.40
802.11ax HE40	MCS 11x1	106	53	5190	5150	63.61	46.14
802.11be EHT40	MCS 9x1	106+26	82	5190	5150	65.23	45.35
802.11a a40	24 Mbps	-	-	5310	5350	63.98	51.39
802.11n HT40	MCS 4	-	-	5310	5350	64.94	50.48
802.11ax HE40	MCS 11x1	SU	-	5310	5350	68.83	45.11
802.11ax HE40	MCS 11x1	106	56	5310	5350	60.79	45.94
802.11be EHT40	MCS 9x1	106+26	85	5310	5350	64.25	46.37
802.11a a40	54 Mbps	-	-	5510	5460	63.17	51.10
802.11n HT40	MCS 4	-	-	5510	5460	63.61	47.88
802.11ax HE40	MCS 2x1	SU	-	5510	5460	63.52	47.88
802.11ax HE40	MCS 11x1	52	44	5510	5460	63.01	48.00
802.11be EHT40	MCS 9x1	106+26	82	5510	5460	63.45	45.95

Table 1567 - SISO Restricted Band Edge Results




Figure 758 - 802.11a a40, SISO, Core 0 - 5190 MHz
Band Edge Frequency 5150 MHz




**Figure 759 - 802.11n HT40, SISO, Core 0 - 5190 MHz
Band Edge Frequency 5150 MHz**




**Figure 760 - 802.11ax HE40, SU, SISO, Core 0 - 5190 MHz
Band Edge Frequency 5150 MHz**




Figure 761 - 802.11ax HE40, RU 106-53, SISO, Core 0 - 5190 MHz
Band Edge Frequency 5150 MHz




Figure 762 - 802.11be EHT40, RU 106+26-82, SISO, Core 0 - 5190 MHz
Band Edge Frequency 5150 MHz




Figure 763 - 802.11a a40, SISO, Core 0 - 5310 MHz
Band Edge Frequency 5350 MHz




Figure 764 - 802.11n HT40, SISO, Core 0 - 5310 MHz
Band Edge Frequency 5350 MHz




**Figure 765 - 802.11ax HE40, SU, SISO, Core 0 - 5310 MHz
Band Edge Frequency 5350 MHz**




**Figure 766 - 802.11ax HE40, RU 106-56, SISO, Core 0 - 5310 MHz
Band Edge Frequency 5350 MHz**




Figure 767 - 802.11be EHT40, RU 106+26-85, SISO, Core 0 - 5310 MHz
Band Edge Frequency 5350 MHz




Figure 768 - 802.11a a40, SISO, Core 0 - 5510 MHz
Band Edge Frequency 5460 MHz




Figure 769 - 802.11n HT40, SISO, Core 0 - 5510 MHz
Band Edge Frequency 5460 MHz




Figure 770 - 802.11ax HE40, SU, SISO, Core 0 - 5510 MHz
Band Edge Frequency 5460 MHz




**Figure 771 - 802.11ax HE40, RU 52-44, SISO, Core 0 - 5510 MHz
Band Edge Frequency 5460 MHz**




**Figure 772 - 802.11be EHT40, RU 106+26-82, SISO, Core 0 - 5510 MHz
Band Edge Frequency 5460 MHz**



40 MHz Bandwidth - Core 1 (SISO)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11a a40	54 Mbps	-	-	5190	5150	63.34	51.22
802.11n HT40	MCS 4	-	-	5190	5150	64.45	50.72
802.11ax HE40	MCS 2x1	SU	-	5190	5150	63.63	50.10
802.11ax HE40	MCS 11x1	52	37	5190	5150	60.01	44.55
802.11be EHT40	MCS 9x1	106+26	82	5190	5150	61.12	43.91
802.11a a40	24 Mbps	-	-	5310	5350	63.06	51.47
802.11n HT40	MCS 2	-	-	5310	5350	66.63	51.13
802.11ax HE40	MCS 2x1	SU	-	5310	5350	65.14	51.27
802.11ax HE40	MCS 11x1	106	56	5310	5350	60.90	47.13
802.11be EHT40	MCS 9x1	106+26	85	5310	5350	64.99	46.99
802.11a a40	24 Mbps	-	-	5510	5460	59.84	51.06
802.11n HT40	MCS 2	-	-	5510	5460	63.53	47.36
802.11ax HE40	MCS 11x1	SU	-	5510	5460	63.36	45.08
802.11ax HE40	MCS 11x1	52	44	5510	5460	63.30	47.42
802.11be EHT40	MCS 9x1	106+26	82	5510	5460	62.17	46.89

Table 1568 - SISO Restricted Band Edge Results




Figure 773 - 802.11a a40, SISO, Core 1 - 5190 MHz
Band Edge Frequency 5150 MHz




Figure 774 - 802.11n HT40, SISO, Core 1 - 5190 MHz
Band Edge Frequency 5150 MHz




Figure 775 - 802.11ax HE40, SU, SISO, Core 1 - 5190 MHz
Band Edge Frequency 5150 MHz




**Figure 776 - 802.11ax HE40, RU 52-37, SISO, Core 1 - 5190 MHz
Band Edge Frequency 5150 MHz**




**Figure 777 - 802.11be EHT40, RU 106+26-82, SISO, Core 1 - 5190 MHz
Band Edge Frequency 5150 MHz**




Figure 778 - 802.11a a40, SISO, Core 1 - 5310 MHz
Band Edge Frequency 5350 MHz




Figure 779 - 802.11n HT40, SISO, Core 1 - 5310 MHz
Band Edge Frequency 5350 MHz




**Figure 780 - 802.11ax HE40, SU, SISO, Core 1 - 5310 MHz
Band Edge Frequency 5350 MHz**




**Figure 781 - 802.11ax HE40, RU 106-56, SISO, Core 1 - 5310 MHz
Band Edge Frequency 5350 MHz**




**Figure 782 - 802.11be EHT40, RU 106+26-85, SISO, Core 1 - 5310 MHz
Band Edge Frequency 5350 MHz**




**Figure 783 - 802.11a a40, SISO, Core 1 - 5510 MHz
Band Edge Frequency 5460 MHz**




Figure 784 - 802.11n HT40, SISO, Core 1 - 5510 MHz
Band Edge Frequency 5460 MHz




Figure 785 - 802.11ax HE40, SU, SISO, Core 1 - 5510 MHz
Band Edge Frequency 5460 MHz




**Figure 786 - 802.11ax HE40, RU 52-44, SISO, Core 1 - 5510 MHz
Band Edge Frequency 5460 MHz**




**Figure 787 - 802.11be EHT40, RU 106+26-82, SISO, Core 1 - 5510 MHz
Band Edge Frequency 5460 MHz**



40 MHz Bandwidth - Core 0-1 (CDD)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11a a40	54 Mbps	-	-	5190	5150	59.81	50.72
802.11n HT40	MCS 4	-	-	5190	5150	64.77	50.51
802.11ax HE40	MCS 11x1	SU	-	5190	5150	69.38	51.36
802.11ax HE40	MCS 11x1	106	53	5190	5150	63.08	46.72
802.11be EHT40	MCS 9x1	106+26	82	5190	5150	62.72	46.76
802.11a a40	24 Mbps	-	-	5310	5350	62.43	51.26
802.11n HT40	MCS 4	-	-	5310	5350	66.27	51.20
802.11ax HE40	MCS 4x1	SU	-	5310	5350	64.61	50.61
802.11ax HE40	MCS 11x1	106	56	5310	5350	61.45	47.75
802.11be EHT40	MCS 9x1	106+26	85	5310	5350	62.57	47.61
802.11a a40	24 Mbps	-	-	5510	5460	62.38	51.30
802.11n HT40	MCS 7	-	-	5510	5460	63.26	46.26
802.11ax HE40	MCS 4x1	SU	-	5510	5460	62.55	46.46
802.11ax HE40	MCS 11x1	52	44	5510	5460	63.62	46.35
802.11be EHT40	MCS 9x1	106+26	82	5510	5460	63.38	46.99

Table 1569 - CDD Restricted Band Edge Results




Figure 788 - 802.11a a40, CDD, Core 0-1 - 5190 MHz
Band Edge Frequency 5150 MHz




Figure 789 - 802.11n HT40, CDD, Core 0-1 - 5190 MHz
Band Edge Frequency 5150 MHz




Figure 790 - 802.11ax HE40, SU, CDD, Core 0-1 - 5190 MHz
Band Edge Frequency 5150 MHz




**Figure 791 - 802.11ax HE40, RU 106-53, CDD, Core 0-1 - 5190 MHz
Band Edge Frequency 5150 MHz**




**Figure 792 - 802.11be EHT40, RU 106+26-82, CDD, Core 0-1 - 5190 MHz
Band Edge Frequency 5150 MHz**




**Figure 793 - 802.11a a40, CDD, Core 0-1 - 5310 MHz
Band Edge Frequency 5350 MHz**




**Figure 794 - 802.11n HT40, CDD, Core 0-1 - 5310 MHz
Band Edge Frequency 5350 MHz**




Figure 795 - 802.11ax HE40, SU, CDD, Core 0-1 - 5310 MHz
Band Edge Frequency 5350 MHz




Figure 796 - 802.11ax HE40, RU 106-56, CDD, Core 0-1 - 5310 MHz
Band Edge Frequency 5350 MHz




**Figure 797 - 802.11be EHT40, RU 106+26-85, CDD, Core 0-1 - 5310 MHz
Band Edge Frequency 5350 MHz**




**Figure 798 - 802.11a a40, CDD, Core 0-1 - 5510 MHz
Band Edge Frequency 5460 MHz**




**Figure 799 - 802.11n HT40, CDD, Core 0-1 - 5510 MHz
Band Edge Frequency 5460 MHz**




**Figure 800 - 802.11ax HE40, SU, CDD, Core 0-1 - 5510 MHz
Band Edge Frequency 5460 MHz**




Figure 801 - 802.11ax HE40, RU 52-44, CDD, Core 0-1 - 5510 MHz
Band Edge Frequency 5460 MHz




Figure 802 - 802.11be EHT40, RU 106+26-82, CDD, Core 0-1 - 5510 MHz
Band Edge Frequency 5460 MHz



40 MHz Bandwidth - Core 0-1 (SDM)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11n HT40	MCS 4	-	-	5190	5150	63.93	50.98
802.11ax HE40	MCS 4x2	SU	-	5190	5150	64.80	51.36
802.11ax HE40	MCS 11x2	106	53	5190	5150	63.84	46.95
802.11be EHT40	MCS 9x2	106+26	82	5190	5150	64.16	46.55
802.11n HT40	MCS 7	-	-	5310	5350	68.95	51.11
802.11ax HE40	MCS 2x2	SU	-	5310	5350	63.16	51.03
802.11ax HE40	MCS 11x2	106	56	5310	5350	61.85	48.01
802.11be EHT40	MCS 9x2	106+26	85	5310	5350	63.96	48.38
802.11n HT40	MCS 7	-	-	5510	5460	62.88	46.47
802.11ax HE40	MCS 11x2	SU	-	5510	5460	62.59	46.29
802.11ax HE40	MCS 11x2	52	44	5510	5460	62.12	45.18
802.11be EHT40	MCS 9x2	52+26	75	5510	5460	62.41	44.93

Table 1570 - SDM Restricted Band Edge Results




Figure 803 - 802.11n HT40, SDM, Core 0-1 - 5190 MHz
Band Edge Frequency 5150 MHz




**Figure 804 - 802.11ax HE40, SU, SDM, Core 0-1 - 5190 MHz
Band Edge Frequency 5150 MHz**




**Figure 805 - 802.11ax HE40, RU 106-53, SDM, Core 0-1 - 5190 MHz
Band Edge Frequency 5150 MHz**




**Figure 806 - 802.11be EHT40, RU 106+26-82, SDM, Core 0-1 - 5190 MHz
Band Edge Frequency 5150 MHz**




**Figure 807 - 802.11n HT40, SDM, Core 0-1 - 5310 MHz
Band Edge Frequency 5350 MHz**




**Figure 808 - 802.11ax HE40, SU, SDM, Core 0-1 - 5310 MHz
Band Edge Frequency 5350 MHz**




**Figure 809 - 802.11ax HE40, RU 106-56, SDM, Core 0-1 - 5310 MHz
Band Edge Frequency 5350 MHz**




**Figure 810 - 802.11be EHT40, RU 106+26-85, SDM, Core 0-1 - 5310 MHz
Band Edge Frequency 5350 MHz**




**Figure 811 - 802.11n HT40, SDM, Core 0-1 - 5510 MHz
Band Edge Frequency 5460 MHz**




**Figure 812 - 802.11ax HE40, SU, SDM, Core 0-1 - 5510 MHz
Band Edge Frequency 5460 MHz**




**Figure 813 - 802.11ax HE40, RU 52-44, SDM, Core 0-1 - 5510 MHz
Band Edge Frequency 5460 MHz**




**Figure 814 - 802.11be EHT40, RU 52+26-75, SDM, Core 0-1 - 5510 MHz
Band Edge Frequency 5460 MHz**



40 MHz Bandwidth - Core 0-1 (TxBF)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11ac VHT40	MCS 4x1	-	-	5190	5150	64.67	51.38
802.11ax HE40	MCS 11x1	SU	-	5190	5150	69.06	50.54
802.11ac VHT40	MCS 2x1	-	-	5310	5350	64.03	51.33
802.11ax HE40	MCS 4x1	SU	-	5310	5350	65.21	51.07
802.11ac VHT40	MCS 9x1	-	-	5510	5460	63.35	45.63
802.11ax HE40	MCS 4x1	SU	-	5510	5460	63.70	47.47

Table 1571 - TxBF Restricted Band Edge Results




Figure 815 - 802.11ac VHT40, TxBF, Core 0-1 - 5190 MHz
Band Edge Frequency 5150 MHz




Figure 816 - 802.11ax HE40, SU, TxBF, Core 0-1 - 5190 MHz
Band Edge Frequency 5150 MHz