



80 MHz Bandwidth - Core 0-1 (TxBF)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11ac VHT80	MCS 2x1	-	-	5210	5150	62.17	51.01
802.11ax HE80	MCS 2x1	SU	-	5210	5150	62.11	50.26
802.11ac VHT80	MCS 2x1	-	-	5290	5350	63.69	51.37
802.11ax HE80	MCS 4x1	SU	-	5290	5350	63.92	51.25
802.11ac VHT80	MCS 2x1	-	-	5530	5460	62.79	50.06
802.11ax HE80	MCS 4x1	SU	-	5530	5460	63.46	49.26

Table 1576 - TxBF Restricted Band Edge Results




Figure 878 - 802.11ac VHT80, TxBF, Core 0-1 - 5210 MHz
Band Edge Frequency 5150 MHz




Figure 879 - 802.11ax HE80, SU, TxBF, Core 0-1 - 5210 MHz
Band Edge Frequency 5150 MHz




**Figure 880 - 802.11ac VHT80, TxBF, Core 0-1 - 5290 MHz
Band Edge Frequency 5350 MHz**




**Figure 881 - 802.11ax HE80, SU, TxBF, Core 0-1 - 5290 MHz
Band Edge Frequency 5350 MHz**




**Figure 882 - 802.11ac VHT80, TxBF, Core 0-1 - 5530 MHz
Band Edge Frequency 5460 MHz**




**Figure 883 - 802.11ax HE80, SU, TxBF, Core 0-1 - 5530 MHz
Band Edge Frequency 5460 MHz**



160 MHz Bandwidth - Core 0 (SISO)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11a a160	54 Mbps	-	-	5250	5150	66.72	51.18
802.11ac VHT160	MCS 4x1	-	-	5250	5150	66.65	51.12
802.11ax HE160	MCS 11x1	SU	-	5250	5150	65.45	51.32
802.11ax HE160	MCS 11x1	52	37P	5250	5150	55.89	43.92
802.11be EHT160	MCS 9x1	484+242	93P	5250	5150	64.97	51.48
802.11a a160	12 Mbps	-	-	5250	5350	57.23	49.21
802.11ac VHT160	MCS 4x1	-	-	5250	5350	64.88	49.67
802.11ax HE160	MCS 4x1	SU	-	5250	5350	64.32	49.93
802.11ax HE160	MCS 11x1	52	37P	5250	5350	56.58	44.42
802.11be EHT160	MCS 9x1	484+242	90S	5250	5350	69.27	45.63
802.11a a160	12 Mbps	-	-	5570	5460	54.80	50.86
802.11ac VHT160	MCS 4x1	-	-	5570	5460	62.61	49.83
802.11ax HE160	MCS 2x1	SU	-	5570	5460	62.43	50.31
802.11ax HE160	MCS 11x1	52	37P	5570	5460	60.48	44.59
802.11be EHT160	MCS 9x1	996+484+242	97S	5570	5460	63.12	46.48

Table 1577 - SISO Restricted Band Edge Results




Figure 884 - 802.11a a160, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5150 MHz




**Figure 885 - 802.11ac VHT160, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 886 - 802.11ax HE160, SU, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 887 - 802.11ax HE160, RU 52-37P, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 888 - 802.11be EHT160, RU 484+242-93P, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5150 MHz**




Figure 889 - 802.11a a160, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5350 MHz




Figure 890 - 802.11ac VHT160, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5350 MHz




Figure 891 - 802.11ax HE160, SU, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5350 MHz




Figure 892 - 802.11ax HE160, RU 52-37P, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5350 MHz




**Figure 893 - 802.11be EHT160, RU 484+242-90S, SISO, Core 0 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 894 - 802.11a a160, SISO, Core 0 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 895 - 802.11ac VHT160, SISO, Core 0 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 896 - 802.11ax HE160, SU, SISO, Core 0 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 897 - 802.11ax HE160, RU 52-37P, SISO, Core 0 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 898 - 802.11be EHT160, RU 996+484+242-97S, SISO, Core 0 - 5570 MHz
Band Edge Frequency 5460 MHz**



160 MHz Bandwidth - Core 1 (SISO)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11a a160	24 Mbps	-	-	5250	5150	56.33	49.65
802.11ac VHT160	MCS 4x1	-	-	5250	5150	63.82	48.48
802.11ax HE160	MCS 4x1	SU	-	5250	5150	61.95	48.73
802.11ax HE160	MCS 11x1	106	53P	5250	5150	56.30	44.04
802.11be EHT160	MCS 9x1	484+242	93P	5250	5150	68.31	48.46
802.11a a160	24 Mbps	-	-	5250	5350	55.45	49.56
802.11ac VHT160	MCS 4x1	-	-	5250	5350	65.12	51.06
802.11ax HE160	MCS 11x1	SU	-	5250	5350	69.03	49.83
802.11ax HE160	MCS 11x1	106	60S	5250	5350	59.76	46.29
802.11be EHT160	MCS 9x1	484+242	91S	5250	5350	69.42	47.05
802.11a a160	24 Mbps	-	-	5570	5460	54.79	51.40
802.11ac VHT160	MCS 9x1	-	-	5570	5460	62.23	46.19
802.11ax HE160	MCS 11x1	SU	-	5570	5460	63.24	47.53
802.11ax HE160	MCS 11x1	106	53P	5570	5460	61.53	44.81
802.11be EHT160	MCS 9x1	484+242	93P	5570	5460	63.66	45.72

Table 1578 - SISO Restricted Band Edge Results




Figure 899 - 802.11a a160, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz




**Figure 900 - 802.11ac VHT160, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 901 - 802.11ax HE160, SU, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 902 - 802.11ax HE160, RU 106-53P, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 903 - 802.11be EHT160, RU 484+242-93P, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 904 - 802.11a a160, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 905 - 802.11ac VHT160, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz**




Figure 906 - 802.11ax HE160, SU, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz




Figure 907 - 802.11ax HE160, RU 106-60S, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz




**Figure 908 - 802.11be EHT160, RU 484+242-91S, SISO, Core 1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 909 - 802.11a a160, SISO, Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 910 - 802.11ac VHT160, SISO, Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 911 - 802.11ax HE160, SU, SISO, Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 912 - 802.11ax HE160, RU 106-53P, SISO, Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 913 - 802.11be EHT160, RU 484+242-93P, SISO, Core 1 - 5570 MHz
Band Edge Frequency 5460 MHz**



160 MHz Bandwidth - Core 0-1 (CDD)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11a a160	24 Mbps	-	-	5250	5150	59.68	50.92
802.11ac VHT160	MCS 9x1	-	-	5250	5150	65.33	50.25
802.11ax HE160	MCS 11x1	SU	-	5250	5150	64.88	51.05
802.11ax HE160	MCS 11x1	52	52S	5250	5150	58.21	45.43
802.11be EHT160	MCS 9x1	484+242	92P	5250	5150	64.95	50.54
802.11a a160	24 Mbps	-	-	5250	5350	56.41	49.75
802.11ac VHT160	MCS 9x1	-	-	5250	5350	68.31	46.13
802.11ax HE160	MCS 4x1	SU	-	5250	5350	64.55	50.38
802.11ax HE160	MCS 11x1	52	52S	5250	5350	61.20	47.79
802.11be EHT160	MCS 9x1	52+26	80S	5250	5350	59.91	47.90
802.11a a160	24 Mbps	-	-	5570	5460	55.25	50.92
802.11ac VHT160	MCS 4x1	-	-	5570	5460	61.49	49.60
802.11ax HE160	MCS 11x1	SU	-	5570	5460	63.57	51.07
802.11ax HE160	MCS 11x1	106	53P	5570	5460	63.36	45.54
802.11be EHT160	MCS 9x1	996+484+242	98P	5570	5460	62.15	49.71

Table 1579 - CDD Restricted Band Edge Results




Figure 914 - 802.11a a160, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz




**Figure 915 - 802.11ac VHT160, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 916 - 802.11ax HE160, SU, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 917 - 802.11ax HE160, RU 52-52S, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 918 - 802.11be EHT160, RU 484+242-92P, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




Figure 919 - 802.11a a160, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz




Figure 920 - 802.11ac VHT160, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz




Figure 921 - 802.11ax HE160, SU, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz




Figure 922 - 802.11ax HE160, RU 52-52S, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz




**Figure 923 - 802.11be EHT160, RU 52+26-80S, CDD, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 924 - 802.11a a160, CDD, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 925 - 802.11ac VHT160, CDD, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 926 - 802.11ax HE160, SU, CDD, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 927 - 802.11ax HE160, RU 106-53P, CDD, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**




**Figure 928 - 802.11be EHT160, RU 996+484+242-98P, CDD, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**



160 MHz Bandwidth - Core 0-1 (SDM)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11ac VHT160	MCS 9x2	-	-	5250	5150	64.89	49.83
802.11ax HE160	MCS 2x2	SU	-	5250	5150	64.90	50.80
802.11ax HE160	MCS 11x2	106	60S	5250	5150	57.89	45.86
802.11be EHT160	MCS 9x2	484+242	92P	5250	5150	64.64	51.49
802.11ac VHT160	MCS 4x2	-	-	5250	5350	62.29	48.30
802.11ax HE160	MCS 4x2	SU	-	5250	5350	61.39	47.86
802.11ax HE160	MCS 11x2	52	52S	5250	5350	59.78	47.51
802.11be EHT160	MCS 9x2	996+484+242	96P	5250	5350	65.81	46.49
802.11ac VHT160	MCS 2x2	-	-	5570	5460	62.62	50.54
802.11ax HE160	MCS 2x2	SU	-	5570	5460	62.61	50.17
802.11ax HE160	MCS 11x2	52	52S	5570	5460	63.87	48.14
802.11be EHT160	MCS 9x2	996+484	95S	5570	5460	62.46	49.67

Table 1580 - SDM Restricted Band Edge Results




Figure 929 - 802.11ac VHT160, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz




Figure 930 - 802.11ax HE160, SU, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz




Figure 931 - 802.11ax HE160, RU 106-60S, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz




**Figure 932 - 802.11be EHT160, RU 484+242-92P, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz**




**Figure 933 - 802.11ac VHT160, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 934 - 802.11ax HE160, SU, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 935 - 802.11ax HE160, RU 52-52S, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 936 - 802.11be EHT160, RU 996+484+242-96P, SDM, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 937 - 802.11ac VHT160, SDM, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**




Figure 938 - 802.11ax HE160, SU, SDM, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz




Figure 939 - 802.11ax HE160, RU 52-52S, SDM, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz




**Figure 940 - 802.11be EHT160, RU 996+484-95S, SDM, Core 0-1 - 5570 MHz
Band Edge Frequency 5460 MHz**

160 MHz Bandwidth - Core 0-1 (TxBF)

Mode	Data Rate/ MCS	Resource Size	Resource Index	TX Frequency (MHz)	Band Edge Frequency (MHz)	Peak Level (dBμV/m)	Average Level (dBμV/m)
802.11ac VHT160	MCS 9x1	-	-	5250	5150	65.43	50.67
802.11ax HE160	MCS 2x1	SU	-	5250	5150	64.60	51.49
802.11ac VHT160	MCS 9x1	-	-	5250	5350	68.77	46.82
802.11ax HE160	MCS 2x1	SU	-	5250	5350	61.73	49.52
802.11ac VHT160	MCS 2x1	-	-	5570	5460	63.58	51.44
802.11ax HE160	MCS 11x1	SU	-	5570	5460	63.60	50.46

Table 1581 - TxBF Restricted Band Edge Results




Figure 941 - 802.11ac VHT160, TxBF, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz




Figure 942 - 802.11ax HE160, SU, TxBF, Core 0-1 - 5250 MHz
Band Edge Frequency 5150 MHz




**Figure 943 - 802.11ac VHT160, TxBF, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**




**Figure 944 - 802.11ax HE160, SU, TxBF, Core 0-1 - 5250 MHz
Band Edge Frequency 5350 MHz**