




Figure 266 - Core 1 (B) 2404 MHz (CH2) 6 dB Bandwidth




Figure 267 - Core 1 (B) 2441 MHz (CH39) 99% Bandwidth




Figure 268 - Core 1 (B) 2441 MHz (CH39) 6 dB Bandwidth




Figure 269 - Core 1 (B) 2475 MHz (CH73) 99% Bandwidth




Figure 270 - Core 1 (B) 2475 MHz (CH73) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 (a)	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA GFSK (LE 1M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCC (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	0.672	-	-	≥500.0
2440	-	0.668	-	-	≥500.0
2480	-	0.672	-	-	≥500.0

Table 36 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	1.016	-	-	-
2440	-	1.016	-	-	-
2480	-	1.016	-	-	-

Table 37 - 99% Bandwidth Results




Figure 271 - Core 1 (B) 2402 MHz (CH37) 99% Bandwidth




Figure 272 - Core 1 (B) 2402 MHz (CH37) 6 dB Bandwidth




Figure 273 - Core 1 (B) 2440 MHz (CH17) 99% Bandwidth




Figure 274 - Core 1 (B) 2440 MHz (CH17) 6 dB Bandwidth




Figure 275 - Core 1 (B) 2480 MHz (CH39) 99% Bandwidth




Figure 276 - Core 1 (B) 2480 MHz (CH39) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 (a)	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA $\pi/4$ DQPSK (2-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	C (Core 2)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	-	1.080	-	≥ 500.0
2441	-	-	1.080	-	≥ 500.0
2480	-	-	1.084	-	≥ 500.0

Table 38 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	-	1.184	-	-
2441	-	-	1.184	-	-
2480	-	-	1.188	-	-

Table 39 - 99% Bandwidth Results




Figure 277 - Core 2 (C) 2402 MHz (CH0) 99% Bandwidth






Figure 280 - Core 2 (C) 2441 MHz (CH39) 6 dB Bandwidth




Figure 281 - Core 2 (C) 2480 MHz (CH78) 99% Bandwidth




Figure 282 - Core 2 (C) 2480 MHz (CH78) 6 dB Bandwidth

Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 (a)	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	C (Core 2)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	-	0.570	-	≥ 500.0
2441	-	-	0.570	-	≥ 500.0
2476	-	-	0.570	-	≥ 500.0

Table 40 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	-	4.635	-	-
2441	-	-	4.635	-	-
2476	-	-	4.620	-	-

Table 41 - 99% Bandwidth Results




Figure 283 - Core 2 (C) 2404 MHz (CH2) 99% Bandwidth




Figure 284 - Core 2 (C) 2404 MHz (CH2) 6 dB Bandwidth




Figure 285 - Core 2 (C) 2441 MHz (CH39) 99% Bandwidth




Figure 286 - Core 2 (C) 2441 MHz (CH39) 6 dB Bandwidth




Figure 287 - Core 2 (C) 2476 MHz (CH74) 99% Bandwidth




Figure 288 - Core 2 (C) 2476 MHz (CH74) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 (a)	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA 8PSK (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	C (Core 2)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	-	2.136	-	≥500.0
2441	-	-	2.136	-	≥500.0
2478	-	-	2.136	-	≥500.0

Table 42 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	-	2.368	-	-
2441	-	-	2.376	-	-
2478	-	-	2.368	-	-

Table 43 - 99% Bandwidth Results




Figure 289 - Core 2 (C) 2404 MHz (CH2) 99% Bandwidth




Figure 290 - Core 2 (C) 2404 MHz (CH2) 6 dB Bandwidth




Figure 291 - Core 2 (C) 2441 MHz (CH39) 99% Bandwidth




Figure 292 - Core 2 (C) 2441 MHz (CH39) 6 dB Bandwidth




Figure 293 - Core 2 (C) 2478 MHz (CH76) 99% Bandwidth




Figure 294 - Core 2 (C) 2478 MHz (CH76) 6 dB Bandwidth




Figure 296 - Core 2 (C) 2404 MHz (CH2) 6 dB Bandwidth




Figure 297 - Core 2 (C) 2441 MHz (CH39) 99% Bandwidth




Figure 298 - Core 2 (C) 2441 MHz (CH39) 6 dB Bandwidth




Figure 299 - Core 2 (C) 2475 MHz (CH73) 99% Bandwidth




Figure 300 - Core 2 (C) 2475 MHz (CH73) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 (a)	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA GFSK (LE 1M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCC (dB):	-
Active Port(s):	C (Core 2)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	-	0.672	-	≥500.0
2440	-	-	0.668	-	≥500.0
2480	-	-	0.672	-	≥500.0

Table 46 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	-	1.016	-	-
2440	-	-	1.016	-	-
2480	-	-	1.016	-	-

Table 47 - 99% Bandwidth Results




Figure 301 - Core 2 (C) 2402 MHz (CH37) 99% Bandwidth




Figure 302 - Core 2 (C) 2402 MHz (CH37) 6 dB Bandwidth




Figure 303 - Core 2 (C) 2440 MHz (CH17) 99% Bandwidth




Figure 304 - Core 2 (C) 2440 MHz (CH17) 6 dB Bandwidth




Figure 305 - Core 2 (C) 2480 MHz (CH39) 99% Bandwidth





Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 (a)	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (2-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	1.076	-	-	-	≥ 500.0
2441	1.072	-	-	-	≥ 500.0
2480	1.076	-	-	-	≥ 500.0

Table 48 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	1.180	-	-	-	-
2441	1.180	-	-	-	-
2480	1.180	-	-	-	-

Table 49 - 99% Bandwidth Results




Figure 307 - Core 0 (A) 2402 MHz (CH0) 99% Bandwidth




Figure 308 - Core 0 (A) 2402 MHz (CH0) 6 dB Bandwidth




Figure 309 - Core 0 (A) 2441 MHz (CH39) 99% Bandwidth




Figure 310 - Core 0 (A) 2441 MHz (CH39) 6 dB Bandwidth




Figure 311 - Core 0 (A) 2480 MHz (CH78) 99% Bandwidth




Figure 312 - Core 0 (A) 2480 MHz (CH78) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 (a)	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	0.570	-	-	-	≥ 500.0
2441	0.570	-	-	-	≥ 500.0
2476	0.570	-	-	-	≥ 500.0

Table 50 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	4.620	-	-	-	-
2441	4.605	-	-	-	-
2476	4.620	-	-	-	-

Table 51 - 99% Bandwidth Results




Figure 313 - Core 0 (A) 2404 MHz (CH2) 99% Bandwidth




Figure 314 - Core 0 (A) 2404 MHz (CH2) 6 dB Bandwidth




Figure 315 - Core 0 (A) 2441 MHz (CH39) 99% Bandwidth




Figure 316 - Core 0 (A) 2441 MHz (CH39) 6 dB Bandwidth




Figure 317 - Core 0 (A) 2476 MHz (CH74) 99% Bandwidth




Figure 318 - Core 0 (A) 2476 MHz (CH74) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 (a)	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 8PSK (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCC (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	2.136	-	-	-	≥500.0
2441	2.136	-	-	-	≥500.0
2478	2.136	-	-	-	≥500.0

Table 52 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	2.368	-	-	-	-
2441	2.368	-	-	-	-
2478	2.368	-	-	-	-

Table 53 - 99% Bandwidth Results




Figure 319 - Core 0 (A) 2404 MHz (CH2) 99% Bandwidth




Figure 320 - Core 0 (A) 2404 MHz (CH2) 6 dB Bandwidth




Figure 321 - Core 0 (A) 2441 MHz (CH39) 99% Bandwidth




Figure 322 - Core 0 (A) 2441 MHz (CH39) 6 dB Bandwidth




Figure 323 - Core 0 (A) 2478 MHz (CH76) 99% Bandwidth




Figure 324 - Core 0 (A) 2478 MHz (CH76) 6 dB Bandwidth




Figure 326 - Core 0 (A) 2404 MHz (CH2) 6 dB Bandwidth




Figure 327 - Core 0 (A) 2441 MHz (CH39) 99% Bandwidth




Figure 328 - Core 0 (A) 2441 MHz (CH39) 6 dB Bandwidth




Figure 329 - Core 0 (A) 2475 MHz (CH73) 99% Bandwidth




Figure 330 - Core 0 (A) 2475 MHz (CH73) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 (a)	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (LE 1M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	0.672	-	-	-	≥500.0
2440	0.664	-	-	-	≥500.0
2480	0.668	-	-	-	≥500.0

Table 56 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	1.016	-	-	-	-
2440	1.016	-	-	-	-
2480	1.012	-	-	-	-

Table 57 - 99% Bandwidth Results




Figure 331 - Core 0 (A) 2402 MHz (CH37) 99% Bandwidth




Figure 332 - Core 0 (A) 2402 MHz (CH37) 6 dB Bandwidth




Figure 333 - Core 0 (A) 2440 MHz (CH17) 99% Bandwidth




Figure 334 - Core 0 (A) 2440 MHz (CH17) 6 dB Bandwidth




Figure 335 - Core 0 (A) 2480 MHz (CH39) 99% Bandwidth




Figure 336 - Core 0 (A) 2480 MHz (CH39) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 (a)	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (2-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	1.076	-	-	≥ 500.0
2441	-	1.076	-	-	≥ 500.0
2480	-	1.076	-	-	≥ 500.0

Table 58 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	1.180	-	-	-
2441	-	1.180	-	-	-
2480	-	1.180	-	-	-

Table 59 - 99% Bandwidth Results




Figure 337 - Core 1 (B) 2402 MHz (CH0) 99% Bandwidth




Figure 338 - Core 1 (B) 2402 MHz (CH0) 6 dB Bandwidth




Figure 339 - Core 1 (B) 2441 MHz (CH39) 99% Bandwidth




Figure 340 - Core 1 (B) 2441 MHz (CH39) 6 dB Bandwidth




Figure 341 - Core 1 (B) 2480 MHz (CH78) 99% Bandwidth




Figure 342 - Core 1 (B) 2480 MHz (CH78) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 (a)	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	0.570	-	-	≥ 500.0
2441	-	0.570	-	-	≥ 500.0
2476	-	0.570	-	-	≥ 500.0

Table 60 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	4.620	-	-	-
2441	-	4.605	-	-	-
2476	-	4.620	-	-	-

Table 61 - 99% Bandwidth Results




Figure 343 - Core 1 (B) 2404 MHz (CH2) 99% Bandwidth




Figure 344 - Core 1 (B) 2404 MHz (CH2) 6 dB Bandwidth




Figure 345 - Core 1 (B) 2441 MHz (CH39) 99% Bandwidth




Figure 346 - Core 1 (B) 2441 MHz (CH39) 6 dB Bandwidth




Figure 347 - Core 1 (B) 2476 MHz (CH74) 99% Bandwidth




Figure 348 - Core 1 (B) 2476 MHz (CH74) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 5.2 (a)	Test Method(s):	C63.10 6.9.3 C63.10 6.9.2
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 8PSK (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCC (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	2.136	-	-	≥500.0
2441	-	2.144	-	-	≥500.0
2478	-	2.136	-	-	≥500.0

Table 62 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	2.360	-	-	-
2441	-	2.368	-	-	-
2478	-	2.368	-	-	-

Table 63 - 99% Bandwidth Results




Figure 349 - Core 1 (B) 2404 MHz (CH2) 99% Bandwidth