




**Figure 504 - Bluetooth LE2M, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz**




**Figure 505 - Bluetooth HDT3, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz**




Figure 506 - Bluetooth HDT4, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 507 - Bluetooth HDT6, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 508 - Bluetooth HDRPS2, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 509 - Bluetooth HDRPM12, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




**Figure 510 - Bluetooth XHDRPM8, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz**

iPA - Core 2 (SISO)

Mode	Packet Type	TX Frequency (MHz)	Band Edge Frequency (MHz)	Level (dBc)
Static	2DH5	2402	2400	-44.36
Static	3DH5	2402	2400	-45.22
Static	HDR4	2404	2400	-48.49
Static	HDR8	2404	2400	-41.04
Static	LE1M	2402	2400	-54.31
Static	LE2M	2404	2400	-55.44
Static	HDT3	2404	2400	-29.10
Static	HDT4	2404	2400	-30.32
Static	HDT6	2404	2400	-28.33
Static	HDRPS2	2404	2400	-46.38
Static	HDRPM12	2404	2400	-41.15
Static	XHDRPM8	2404	2400	-39.86

Table 162 - SISO Authorised Band Edge Results




Figure 511 - Bluetooth 2DH5, SISO, Core 2 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 512 - Bluetooth 3DH5, SISO, Core 2 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 513 - Bluetooth HDR4, SISO, Core 2 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 514 - Bluetooth HDR8, SISO, Core 2 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 515 - Bluetooth LE1M, SISO, Core 2 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 516 - Bluetooth LE2M, SISO, Core 2 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 517 - Bluetooth HDT3, SISO, Core 2 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 518 - Bluetooth HDT4, SISO, Core 2 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 519 - Bluetooth HDT6, SISO, Core 2 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 520 - Bluetooth HDRPS2, SISO, Core 2 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 521 - Bluetooth HDRPM12, SISO, Core 2 - 2404 MHz
Band Edge Frequency 2400 MHz




**Figure 522 - Bluetooth XHDRPM8, SISO, Core 2 - 2404 MHz
Band Edge Frequency 2400 MHz**

iPA - Core 0-1 (MIMO)

Mode	Packet Type	TX Frequency (MHz)	Band Edge Frequency (MHz)	Level (dBc)
Static	2DH5	2402	2400	-53.73
Static	3DH5	2402	2400	-53.22
Static	HDR4	2404	2400	-58.73
Static	HDR8	2404	2400	-51.01
Static	LE1M	2402	2400	-57.03
Static	LE2M	2404	2400	-59.55
Static	HDT3	2404	2400	-36.50
Static	HDT4	2404	2400	-34.63
Static	HDT6	2404	2400	-36.80
Static	HDRPS2	2404	2400	-56.25
Static	HDRPM12	2404	2400	-43.77
Static	XHDRPM8	2404	2400	-45.46

Table 163 - MIMO Authorised Band Edge Results




Figure 523 - Bluetooth 2DH5, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 524 - Bluetooth 3DH5, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 525 - Bluetooth HDR4, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




**Figure 526 - Bluetooth HDR8, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz**




**Figure 527 - Bluetooth LE1M, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz**




Figure 528 - Bluetooth LE2M, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz





Figure 529 - Bluetooth HDT3, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz






Figure 532 - Bluetooth HDRPS2, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 533 - Bluetooth HDRPM12, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz



ePA - Core 0 (SISO)

Mode	Packet Type	TX Frequency (MHz)	Band Edge Frequency (MHz)	Level (dBc)
Static	2DH5	2402	2400	-63.32
Static	3DH5	2402	2400	-62.46
Static	HDR4	2404	2400	-67.50
Static	HDR8	2404	2400	-49.39
Static	LE1M	2402	2400	-66.78
Static	LE2M	2404	2400	-67.44
Static	HDT3	2404	2400	-61.73
Static	HDT4	2404	2400	-60.12
Static	HDT6	2404	2400	-52.77
Static	HDRPS2	2404	2400	-63.40
Static	HDRPM12	2404	2400	-45.97
Static	XHDRPM8	2404	2400	-46.77

Table 164 - SISO Authorised Band Edge Results




Figure 535 - Bluetooth 2DH5, SISO, Core 0 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 536 - Bluetooth 3DH5, SISO, Core 0 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 537 - Bluetooth HDR4, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 538 - Bluetooth HDR8, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 539 - Bluetooth LE1M, SISO, Core 0 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 540 - Bluetooth LE2M, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 541 - Bluetooth HDT3, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 542 - Bluetooth HDT4, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 543 - Bluetooth HDT6, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 544 - Bluetooth HDRPS2, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 545 - Bluetooth HDRPM12, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz




**Figure 546 - Bluetooth XHDRPM8, SISO, Core 0 - 2404 MHz
Band Edge Frequency 2400 MHz**

ePA - Core 1 (SISO)

Mode	Packet Type	TX Frequency (MHz)	Band Edge Frequency (MHz)	Level (dBc)
Static	2DH5	2402	2400	-55.88
Static	3DH5	2402	2400	-55.69
Static	HDR4	2404	2400	-61.75
Static	HDR8	2404	2400	-48.65
Static	LE1M	2402	2400	-64.92
Static	LE2M	2404	2400	-65.90
Static	HDT3	2404	2400	-53.41
Static	HDT4	2404	2400	-53.08
Static	HDT6	2404	2400	-48.01
Static	HDRPS2	2404	2400	-55.84
Static	HDRPM12	2404	2400	-46.11
Static	XHDRPM8	2404	2400	-44.47

Table 165 - SISO Authorised Band Edge Results




Figure 547 - Bluetooth 2DH5, SISO, Core 1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 548 - Bluetooth 3DH5, SISO, Core 1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 549 - Bluetooth HDR4, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 550 - Bluetooth HDR8, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 551 - Bluetooth LE1M, SISO, Core 1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 552 - Bluetooth LE2M, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 553 - Bluetooth HDT3, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 554 - Bluetooth HDT4, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 555 - Bluetooth HDT6, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 556 - Bluetooth HDRPS2, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 557 - Bluetooth HDRPM12, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz




**Figure 558 - Bluetooth XDRPM8, SISO, Core 1 - 2404 MHz
Band Edge Frequency 2400 MHz**

ePA - Core 0-1 (MIMO)

Mode	Packet Type	TX Frequency (MHz)	Band Edge Frequency (MHz)	Level (dBc)
Static	2DH5	2402	2400	-59.37
Static	3DH5	2402	2400	-59.75
Static	HDR4	2404	2400	-65.21
Static	HDR8	2404	2400	-49.83
Static	LE1M	2402	2400	-67.19
Static	LE2M	2404	2400	-67.91
Static	HDT3	2404	2400	-56.31
Static	HDT4	2404	2400	-56.71
Static	HDT6	2404	2400	-50.52
Static	HDRPS2	2404	2400	-59.68
Static	HDRPM12	2404	2400	-46.65
Static	XHDRPM8	2404	2400	-46.52

Table 166 - MIMO Authorised Band Edge Results




Figure 559 - Bluetooth 2DH5, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 560 - Bluetooth 3DH5, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 561 - Bluetooth HDR4, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 562 - Bluetooth HDR8, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 563 - Bluetooth LE1M, MIMO, Core 0-1 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 564 - Bluetooth LE2M, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 565 - Bluetooth HDT3, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 566 - Bluetooth HDT4, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 567 - Bluetooth HDT6, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 568 - Bluetooth HDRPS2, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 569 - Bluetooth HDRPM12, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz




**Figure 570 - Bluetooth XHDRPM8, MIMO, Core 0-1 - 2404 MHz
Band Edge Frequency 2400 MHz**

iPA - Core 0-2 (MIMO)

Mode	Packet Type	TX Frequency (MHz)	Band Edge Frequency (MHz)	Level (dBc)
Static	2DH5	2402	2400	-49.77
Static	3DH5	2402	2400	-50.40
Static	HDR4	2404	2400	-51.31
Static	HDR8	2404	2400	-44.26
Static	LE1M	2402	2400	-57.76
Static	LE2M	2404	2400	-57.76
Static	HDT3	2404	2400	-29.80
Static	HDT4	2404	2400	-31.93
Static	HDT6	2404	2400	-31.01
Static	HDRPS2	2404	2400	-50.28
Static	HDRPM12	2404	2400	-43.81
Static	XHDRPM8	2404	2400	-41.49

Table 167 - MIMO Authorised Band Edge Results




Figure 571 - Bluetooth 2DH5, MIMO, Core 0-2 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 572 - Bluetooth 3DH5, MIMO, Core 0-2 - 2402 MHz
Band Edge Frequency 2400 MHz





Figure 573 - Bluetooth HDR4, MIMO, Core 0-2 - 2404 MHz
Band Edge Frequency 2400 MHz






Figure 576 - Bluetooth LE2M, MIMO, Core 0-2 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 577 - Bluetooth HDT3, MIMO, Core 0-2 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 578 - Bluetooth HDT4, MIMO, Core 0-2 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 579 - Bluetooth HDT6, MIMO, Core 0-2 - 2404 MHz
Band Edge Frequency 2400 MHz




**Figure 580 - Bluetooth HDRPS2, MIMO, Core 0-2 - 2404 MHz
Band Edge Frequency 2400 MHz**




**Figure 581 - Bluetooth HDRPM12, MIMO, Core 0-2 - 2404 MHz
Band Edge Frequency 2400 MHz**




**Figure 582 - Bluetooth XHDRPM8, MIMO, Core 0-2 - 2404 MHz
Band Edge Frequency 2400 MHz**

iPA - Core 1-2 (MIMO)

Mode	Packet Type	TX Frequency (MHz)	Band Edge Frequency (MHz)	Level (dBc)
Static	2DH5	2402	2400	-51.14
Static	3DH5	2402	2400	-49.89
Static	HDR4	2404	2400	-53.19
Static	HDR8	2404	2400	-44.71
Static	LE1M	2402	2400	-54.03
Static	LE2M	2404	2400	-56.11
Static	HDT3	2404	2400	-32.46
Static	HDT4	2404	2400	-34.29
Static	HDT6	2404	2400	-32.94
Static	HDRPS2	2404	2400	-51.56
Static	HDRPM12	2404	2400	-43.44
Static	XHDRPM8	2404	2400	-42.10

Table 168 - MIMO Authorised Band Edge Results




Figure 583 - Bluetooth 2DH5, MIMO, Core 1-2 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 584 - Bluetooth 3DH5, MIMO, Core 1-2 - 2402 MHz
Band Edge Frequency 2400 MHz




Figure 585 - Bluetooth HDR4, MIMO, Core 1-2 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 586 - Bluetooth HDR8, MIMO, Core 1-2 - 2404 MHz
Band Edge Frequency 2400 MHz




Figure 587 - Bluetooth LE1M, MIMO, Core 1-2 - 2402 MHz
Band Edge Frequency 2400 MHz