



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA GFSK (LE 1M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	0.668	-	-	-	≥500.0
2440	0.668	-	-	-	≥500.0
2480	0.668	-	-	-	≥500.0

Table 18 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	1.016	-	-	-	-
2440	1.016	-	-	-	-
2480	1.016	-	-	-	-

Table 19 - 99% Bandwidth Results




Figure 151 - Core 0 (A) 2402 MHz (CH37) 99% Bandwidth




Figure 152 - Core 0 (A) 2402 MHz (CH37) 6 dB Bandwidth




Figure 153 - Core 0 (A) 2440 MHz (CH17) 99% Bandwidth




Figure 154 - Core 0 (A) 2440 MHz (CH17) 6 dB Bandwidth




Figure 155 - Core 0 (A) 2480 MHz (CH39) 99% Bandwidth




Figure 156 - Core 0 (A) 2480 MHz (CH39) 6 dB Bandwidth





Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	0.570	-	-	-	≥ 500.0
2441	0.570	-	-	-	≥ 500.0
2476	0.570	-	-	-	≥ 500.0

Table 20 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	4.635	-	-	-	-
2441	4.635	-	-	-	-
2476	4.650	-	-	-	-

Table 21 - 99% Bandwidth Results




Figure 157 - Core 0 (A) 2404 MHz (CH2) 99% Bandwidth




Figure 158 - Core 0 (A) 2404 MHz (CH2) 6 dB Bandwidth




Figure 159 - Core 0 (A) 2441 MHz (CH39) 99% Bandwidth




Figure 160 - Core 0 (A) 2441 MHz (CH39) 6 dB Bandwidth




Figure 161 - Core 0 (A) 2476 MHz (CH74) 99% Bandwidth




Figure 162 - Core 0 (A) 2476 MHz (CH74) 6 dB Bandwidth





Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA 16QAM (HDRPM12)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	4.060	-	-	-	≥500.0
2441	4.060	-	-	-	≥500.0
2475	4.060	-	-	-	≥500.0

Table 22 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	4.720	-	-	-	-
2441	4.720	-	-	-	-
2475	4.720	-	-	-	-

Table 23 - 99% Bandwidth Results




Figure 163 - Core 0 (A) 2404 MHz (CH2) 99% Bandwidth




Figure 164 - Core 0 (A) 2404 MHz (CH2) 6 dB Bandwidth




Figure 165 - Core 0 (A) 2441 MHz (CH39) 99% Bandwidth




Figure 166 - Core 0 (A) 2441 MHz (CH39) 6 dB Bandwidth




Figure 167 - Core 0 (A) 2475 MHz (CH73) 99% Bandwidth




Figure 168 - Core 0 (A) 2475 MHz (CH73) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA 8PSK (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	2.136	-	-	-	≥500.0
2440	2.144	-	-	-	≥500.0
2476	2.136	-	-	-	≥500.0

Table 24 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	2.376	-	-	-	-
2440	2.368	-	-	-	-
2476	2.376	-	-	-	-

Table 25 - 99% Bandwidth Results




Figure 169 - Core 0 (A) 2404 MHz (CH2) 99% Bandwidth




Figure 170 - Core 0 (A) 2404 MHz (CH2) 6 dB Bandwidth






Figure 171 - Core 0 (A) 2440 MHz (CH38) 99% Bandwidth






Figure 174 - Core 0 (A) 2476 MHz (CH74) 6 dB Bandwidth





Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA $\pi/4$ DQPSK (2-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	1.084	-	-	≥ 500.0
2441	-	1.080	-	-	≥ 500.0
2480	-	1.080	-	-	≥ 500.0

Table 26 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	1.184	-	-	-
2441	-	1.184	-	-	-
2480	-	1.188	-	-	-

Table 27 - 99% Bandwidth Results




Figure 175 - Core 1 (B) 2402 MHz (CH0) 99% Bandwidth




Figure 176 - Core 1 (B) 2402 MHz (CH0) 6 dB Bandwidth




Figure 177 - Core 1 (B) 2441 MHz (CH39) 99% Bandwidth




Figure 178 - Core 1 (B) 2441 MHz (CH39) 6 dB Bandwidth




Figure 179 - Core 1 (B) 2480 MHz (CH78) 99% Bandwidth




Figure 180 - Core 1 (B) 2480 MHz (CH78) 6 dB Bandwidth





Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA GFSK (LE 1M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	0.672	-	-	≥500.0
2440	-	0.668	-	-	≥500.0
2480	-	0.672	-	-	≥500.0

Table 28 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	1.016	-	-	-
2440	-	1.016	-	-	-
2480	-	1.016	-	-	-

Table 29 - 99% Bandwidth Results




Figure 181 - Core 1 (B) 2402 MHz (CH37) 99% Bandwidth






Figure 184 - Core 1 (B) 2440 MHz (CH17) 6 dB Bandwidth




Figure 185 - Core 1 (B) 2480 MHz (CH39) 99% Bandwidth




Figure 186 - Core 1 (B) 2480 MHz (CH39) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	0.570	-	-	≥ 500.0
2441	-	0.570	-	-	≥ 500.0
2476	-	0.570	-	-	≥ 500.0

Table 30 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	4.635	-	-	-
2441	-	4.635	-	-	-
2476	-	4.650	-	-	-

Table 31 - 99% Bandwidth Results




Figure 187 - Core 1 (B) 2404 MHz (CH2) 99% Bandwidth




Figure 188 - Core 1 (B) 2404 MHz (CH2) 6 dB Bandwidth




Figure 189 - Core 1 (B) 2441 MHz (CH39) 99% Bandwidth






Figure 192 - Core 1 (B) 2476 MHz (CH74) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA 16QAM (HDRPM12)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	4.060	-	-	≥500.0
2441	-	4.060	-	-	≥500.0
2475	-	4.080	-	-	≥500.0

Table 32 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	4.740	-	-	-
2441	-	4.720	-	-	-
2475	-	4.720	-	-	-

Table 33 - 99% Bandwidth Results




Figure 193 - Core 1 (B) 2404 MHz (CH2) 99% Bandwidth






Figure 196 - Core 1 (B) 2441 MHz (CH39) 6 dB Bandwidth




Figure 197 - Core 1 (B) 2475 MHz (CH73) 99% Bandwidth




Figure 198 - Core 1 (B) 2475 MHz (CH73) 6 dB Bandwidth



Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	iPA 8PSK (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	2.136	-	-	≥500.0
2440	-	2.144	-	-	≥500.0
2476	-	2.136	-	-	≥500.0

Table 34 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	-	2.376	-	-	-
2440	-	2.368	-	-	-
2476	-	2.368	-	-	-

Table 35 - 99% Bandwidth Results




Figure 199 - Core 1 (B) 2404 MHz (CH2) 99% Bandwidth






Figure 202 - Core 1 (B) 2440 MHz (CH38) 6 dB Bandwidth




Figure 203 - Core 1 (B) 2476 MHz (CH74) 99% Bandwidth




Figure 204 - Core 1 (B) 2476 MHz (CH74) 6 dB Bandwidth





Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (2-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	1.076	-	-	-	≥ 500.0
2441	1.076	-	-	-	≥ 500.0
2480	1.080	-	-	-	≥ 500.0

Table 36 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	1.180	-	-	-	-
2441	1.180	-	-	-	-
2480	1.180	-	-	-	-

Table 37 - 99% Bandwidth Results




Figure 205 - Core 0 (A) 2402 MHz (CH0) 99% Bandwidth




Figure 206 - Core 0 (A) 2402 MHz (CH0) 6 dB Bandwidth




Figure 207 - Core 0 (A) 2441 MHz (CH39) 99% Bandwidth




Figure 208 - Core 0 (A) 2441 MHz (CH39) 6 dB Bandwidth




Figure 209 - Core 0 (A) 2480 MHz (CH78) 99% Bandwidth





Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (LE 1M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	0.668	-	-	-	≥500.0
2440	0.668	-	-	-	≥500.0
2480	0.668	-	-	-	≥500.0

Table 38 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	1.016	-	-	-	-
2440	1.016	-	-	-	-
2480	1.016	-	-	-	-

Table 39 - 99% Bandwidth Results




Figure 211 - Core 0 (A) 2402 MHz (CH37) 99% Bandwidth




Figure 212 - Core 0 (A) 2402 MHz (CH37) 6 dB Bandwidth




Figure 213 - Core 0 (A) 2440 MHz (CH17) 99% Bandwidth




Figure 214 - Core 0 (A) 2440 MHz (CH17) 6 dB Bandwidth




Figure 215 - Core 0 (A) 2480 MHz (CH39) 99% Bandwidth




Figure 216 - Core 0 (A) 2480 MHz (CH39) 6 dB Bandwidth





Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (8-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	0.570	-	-	-	≥ 500.0
2441	0.555	-	-	-	≥ 500.0
2476	0.555	-	-	-	≥ 500.0

Table 40 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	4.605	-	-	-	-
2441	4.605	-	-	-	-
2476	4.620	-	-	-	-

Table 41 - 99% Bandwidth Results




Figure 217 - Core 0 (A) 2404 MHz (CH2) 99% Bandwidth




Figure 218 - Core 0 (A) 2404 MHz (CH2) 6 dB Bandwidth




Figure 219 - Core 0 (A) 2441 MHz (CH39) 99% Bandwidth




Figure 220 - Core 0 (A) 2441 MHz (CH39) 6 dB Bandwidth




Figure 221 - Core 0 (A) 2476 MHz (CH74) 99% Bandwidth




Figure 222 - Core 0 (A) 2476 MHz (CH74) 6 dB Bandwidth





Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 16QAM (HDRPM12)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	2.180	-	-	-	≥500.0
2441	4.060	-	-	-	≥500.0
2475	4.060	-	-	-	≥500.0

Table 42 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	4.700	-	-	-	-
2441	4.700	-	-	-	-
2475	4.700	-	-	-	-

Table 43 - 99% Bandwidth Results




Figure 223 - Core 0 (A) 2404 MHz (CH2) 99% Bandwidth




Figure 224 - Core 0 (A) 2404 MHz (CH2) 6 dB Bandwidth




Figure 225 - Core 0 (A) 2441 MHz (CH39) 99% Bandwidth




Figure 226 - Core 0 (A) 2441 MHz (CH39) 6 dB Bandwidth




Figure 227 - Core 0 (A) 2475 MHz (CH73) 99% Bandwidth





Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA 8PSK (HDT4)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	A (Core 0)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	2.136	-	-	-	≥500.0
2440	2.136	-	-	-	≥500.0
2476	2.136	-	-	-	≥500.0

Table 44 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2404	2.376	-	-	-	-
2440	2.368	-	-	-	-
2476	2.376	-	-	-	-

Table 45 - 99% Bandwidth Results




Figure 229 - Core 0 (A) 2404 MHz (CH2) 99% Bandwidth




Figure 230 - Core 0 (A) 2404 MHz (CH2) 6 dB Bandwidth




Figure 231 - Core 0 (A) 2440 MHz (CH38) 99% Bandwidth




Figure 232 - Core 0 (A) 2440 MHz (CH38) 6 dB Bandwidth




Figure 233 - Core 0 (A) 2476 MHz (CH74) 99% Bandwidth




Figure 234 - Core 0 (A) 2476 MHz (CH74) 6 dB Bandwidth





Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA $\pi/4$ DQPSK (2-DH5)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	1.076	-	-	≥ 500.0
2441	-	1.072	-	-	≥ 500.0
2480	-	1.072	-	-	≥ 500.0

Table 46 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	1.180	-	-	-
2441	-	1.180	-	-	-
2480	-	1.180	-	-	-

Table 47 - 99% Bandwidth Results




Figure 235 - Core 1 (B) 2402 MHz (CH0) 99% Bandwidth




Figure 236 - Core 1 (B) 2402 MHz (CH0) 6 dB Bandwidth




Figure 237 - Core 1 (B) 2441 MHz (CH39) 99% Bandwidth




Figure 238 - Core 1 (B) 2441 MHz (CH39) 6 dB Bandwidth




Figure 239 - Core 1 (B) 2480 MHz (CH78) 99% Bandwidth




Figure 240 - Core 1 (B) 2480 MHz (CH78) 6 dB Bandwidth





Test Configuration			
Frequency Range:	2400-2483.5 MHz	Band:	2.4 GHz
Limit Clause(s):	15.247 (a)(2) RSS-247 6.3.1	Test Method(s):	C63.10 6.9.3 C63.10 11.8.1
Additional Reference(s):	-		

DUT Configuration			
Mode:	ePA GFSK (LE 1M)	Duty Cycle (%):	-
Antenna Configuration:	SISO	DCCF (dB):	-
Active Port(s):	B (Core 1)	Peak Antenna Gain (dBi):	-

Test Frequency (MHz)	6 dB Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	0.668	-	-	≥500.0
2440	-	0.668	-	-	≥500.0
2480	-	0.668	-	-	≥500.0

Table 48 - 6 dB Bandwidth Results

Test Frequency (MHz)	99% Bandwidth (MHz)				Limit (kHz)
	A	B	C	D	
2402	-	1.012	-	-	-
2440	-	1.016	-	-	-
2480	-	1.016	-	-	-

Table 49 - 99% Bandwidth Results




Figure 241 - Core 1 (B) 2402 MHz (CH37) 99% Bandwidth