

APPENDIX G: RU SAR EXCLUSION

G.1 IEEE 802.11ax/be RU SAR Exclusion

To make the most efficient use of the additional available subcarriers (data tones), IEEE 802.11ax/be can utilize Orthogonal Frequency-Division Multiple Access (OFDMA) which divides the existing 802.11 channels into smaller subchannels called Resource Units (RUs). Possible RU sizes are: 26T, 52T, 52T+26T, 106T, 106T+26T, 484T+242T, 996T+484T, 996T+484T+242T.

Per FCC Guidance, 802.11ax/be was considered a higher order 802.11 mode when compared to a/b/g/n/ac to apply KDB Publication 248227 D01v02r02 for OFDM mode selection. Therefore, SAR tests were not required for 802.11ax/be based on the maximum allowed output powers of OFDM modes and the reported SAR values. Per FCC Guidance, maximum conducted powers were performed for each RU size to demonstrate that the output powers would not be higher than the other OFDM 802.11 modes.

G.2 IEEE 802.11ax RU Target Powers

G.2.1 Maximum 802.11ax RU WLAN Output Power

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF8					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
2.4 GHz WIFI 20 MHz Bandwidth	1	13.00	12.00	14.30	13.30	14.30	13.30
	2	13.00	12.00	16.00	15.00	17.50	16.50
	3	13.00	12.00	16.00	15.00	18.80	17.80
	4	13.00	12.00	16.00	15.00	19.00	18.00
	5	13.00	12.00	16.00	15.00	19.00	18.00
	6	13.00	12.00	16.00	15.00	19.00	18.00
	7	13.00	12.00	16.00	15.00	19.00	18.00
	8	13.00	12.00	16.00	15.00	19.00	18.00
	9	13.00	12.00	16.00	15.00	18.80	17.80
	10	13.00	12.00	16.00	15.00	17.00	16.00
	11	13.00	12.00	15.00	14.00	15.00	14.00
	12	13.00	12.00	14.00	13.00	14.00	13.00
	13	-6.30	-7.30	-6.30	-7.30	-6.30	-7.30

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF8											
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones											
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
2.4 GHz WIFI 20 MHz Bandwidth	1	13.00	12.00	14.00	13.00	14.00	13.00	13.00	12.00	14.00	13.00	14.00	13.00
	2	13.00	12.00	15.80	14.80	15.80	14.80	13.00	12.00	15.80	14.80	15.80	14.80
	3	13.00	12.00	16.00	15.00	16.00	15.00	13.00	12.00	16.00	15.00	16.00	15.00
	4	13.00	12.00	16.00	15.00	16.00	15.00	13.00	12.00	16.00	15.00	16.00	15.00
	5	13.00	12.00	16.00	15.00	16.00	15.00	13.00	12.00	16.00	15.00	16.00	15.00
	6	13.00	12.00	16.00	15.00	16.00	15.00	13.00	12.00	16.00	15.00	16.00	15.00
	7	13.00	12.00	16.00	15.00	16.00	15.00	13.00	12.00	16.00	15.00	16.00	15.00
	8	13.00	12.00	16.00	15.00	16.00	15.00	13.00	12.00	16.00	15.00	16.00	15.00
	9	13.00	12.00	16.00	15.00	16.00	15.00	13.00	12.00	16.00	15.00	16.00	15.00
	10	13.00	12.00	16.00	15.00	16.00	15.00	13.00	12.00	16.00	15.00	16.00	15.00
	11	13.00	12.00	14.50	13.50	14.50	13.50	13.00	12.00	14.50	13.50	14.50	13.50
	12	13.00	12.00	13.50	12.50	13.50	12.50	13.00	12.00	13.50	12.50	13.50	12.50
	13	-6.30	-7.30	-6.30	-7.30	-6.30	-7.30	-6.30	-7.30	-6.30	-7.30	-6.30	-7.30

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7b					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
2.4 GHz WIFI 20 MHz Bandwidth	1	13.00	12.00	15.00	14.00	15.00	14.00
	2	13.00	12.00	16.00	15.00	17.50	16.50
	3	13.00	12.00	16.00	15.00	19.00	18.00
	4	13.00	12.00	16.00	15.00	19.00	18.00
	5	13.00	12.00	16.00	15.00	19.00	18.00
	6	13.00	12.00	16.00	15.00	19.00	18.00
	7	13.00	12.00	16.00	15.00	19.00	18.00
	8	13.00	12.00	16.00	15.00	19.00	18.00
	9	13.00	12.00	16.00	15.00	19.00	18.00
	10	13.00	12.00	16.00	15.00	17.80	16.80
	11	13.00	12.00	16.00	15.00	16.00	15.00
	12	13.00	12.00	14.50	13.50	14.50	13.50
	13	-6.30	-7.30	-6.30	-7.30	-6.30	-7.30

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 1 of 48

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7b											
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones											
2.4 GHz WiFi 20 MHz Bandwidth	1	26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
	2	13.00	12.00	15.80	14.80	15.80	14.80	13.00	12.00	15.80	14.80	15.80	14.80
	3	13.00	12.00	16.00	15.00	18.00	17.00	13.00	12.00	16.00	15.00	18.00	17.00
	4	13.00	12.00	16.00	15.00	19.00	18.00	13.00	12.00	16.00	15.00	19.00	18.00
	5	13.00	12.00	16.00	15.00	19.00	18.00	13.00	12.00	16.00	15.00	19.00	18.00
	6	13.00	12.00	16.00	15.00	19.00	18.00	13.00	12.00	16.00	15.00	19.00	18.00
	7	13.00	12.00	16.00	15.00	19.00	18.00	13.00	12.00	16.00	15.00	19.00	18.00
	8	13.00	12.00	16.00	15.00	19.00	18.00	13.00	12.00	16.00	15.00	19.00	18.00
	9	13.00	12.00	16.00	15.00	18.00	17.00	13.00	12.00	16.00	15.00	18.00	17.00
	10	13.00	12.00	16.00	15.00	16.50	15.50	13.00	12.00	16.00	15.00	16.50	15.50
	11	13.00	12.00	14.50	13.50	14.50	13.50	13.00	12.00	14.50	13.50	14.50	13.50
	12	13.00	12.00	13.50	12.50	13.50	12.50	13.00	12.00	13.50	12.50	13.50	12.50
	13	-6.30	-7.30	-6.30	-7.30	-6.30	-7.30	-6.30	-7.30	-6.30	-7.30	-6.30	-7.30
Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF8											
		SISO		SISO		SISO		SISO		SISO		SISO	
		Tones											
5 GHz WiFi 20 MHz Bandwidth	36	26T (Maximum)		26T (Nominal)		52T (Maximum)		52T (Nominal)		106T (Maximum)		106T (Nominal)	
	40	11.50		10.50		14.50		13.50		16.30		15.30	
	44	11.50		10.50		14.50		13.50		17.50		16.50	
	48	11.50		10.50		14.50		13.50		17.50		16.50	
	52	NS		NS		14.50		13.50		17.50		16.50	
	56	NS		NS		14.50		13.50		17.50		16.50	
	60	NS		NS		14.50		13.50		17.50		16.50	
	64	NS		NS		14.50		13.50		16.50		15.50	
	100	NS		NS		14.50		13.50		15.30		14.30	
	104	NS		NS		14.50		13.50		17.50		16.50	
	108	NS		NS		14.50		13.50		17.50		16.50	
	112	NS		NS		14.50		13.50		17.50		16.50	
	116	NS		NS		14.50		13.50		17.50		16.50	
	120	NS		NS		14.50		13.50		17.50		16.50	
	124	NS		NS		14.50		13.50		17.50		16.50	
	128	NS		NS		14.50		13.50		17.50		16.50	
	132	NS		NS		14.50		13.50		17.50		16.50	
	136	NS		NS		14.50		13.50		17.30		16.30	
	140	NS		NS		14.00		13.00		14.00		13.00	
	144	NS		NS		14.50		13.50		17.50		16.50	
	149	11.50		10.50		14.50		13.50		17.50		16.50	
	153	11.50		10.50		14.50		13.50		17.50		16.50	
	157	11.50		10.50		14.50		13.50		17.50		16.50	
	161	11.50		10.50		14.50		13.50		17.50		16.50	
	165	11.50		10.50		14.50		13.50		17.50		16.50	
5 GHz WiFi 40 MHz Bandwidth	38	11.50		10.50		14.00		13.00		14.00		13.00	
	46	11.50		10.50		14.50		13.50		17.50		16.50	
	54	NS		NS		14.50		13.50		17.50		16.50	
	62	NS		NS		14.50		13.50		15.50		14.50	
	102	NS		NS		13.30		12.30		13.30		12.30	
	110	NS		NS		14.50		13.50		17.50		16.50	
	118	NS		NS		14.50		13.50		17.50		16.50	
	126	NS		NS		14.50		13.50		17.50		16.50	
	134	NS		NS		14.30		13.30		14.30		13.30	
	142	NS		NS		14.50		13.50		17.50		16.50	
5 GHz WiFi 80 MHz Bandwidth	151	11.50		10.50		14.50		13.50		17.50		16.50	
	159	11.50		10.50		14.50		13.50		17.50		16.50	
	42	11.50		10.50		12.50		11.50		12.50		11.50	
	58	NS		NS		14.50		13.50		14.50		13.50	
	106	NS		NS		12.50		11.50		12.50		11.50	
5GHz WiFi 160 MHz Bandwidth	122	NS		NS		14.50		13.50		16.30		15.30	
	138	NS		NS		14.50		13.50		17.50		16.50	
	155	11.50		10.50		14.50		13.50		16.50		15.50	
	50	NS		NS		11.80		10.80		11.80		10.80	
	114	NS		NS		11.00		10.00		11.00		10.00	

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 2 of 48

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WFS						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.30	8.30	11.60	10.60	14.10	13.10
	40	9.30	8.30	12.00	11.00	15.10	14.10
	44	9.00	8.00	12.00	11.00	15.10	14.10
	48	9.20	8.20	12.00	11.00	15.10	14.10
	52	NS	NS	12.00	11.00	14.90	13.90
	56	NS	NS	11.90	10.90	15.00	14.00
	60	NS	NS	11.90	10.90	15.00	14.00
	64	NS	NS	11.50	10.50	14.20	13.20
	100	NS	NS	10.50	9.50	13.40	12.40
	104	NS	NS	11.10	10.10	14.30	13.30
	108	NS	NS	11.10	10.10	14.30	13.30
	112	NS	NS	11.10	10.10	14.30	13.30
	116	NS	NS	11.00	10.00	14.30	13.30
	120	NS	NS	11.20	10.20	14.00	13.00
	124	NS	NS	11.00	10.00	14.10	13.10
	128	NS	NS	10.90	9.90	14.30	13.30
	132	NS	NS	11.00	10.00	14.00	13.00
	136	NS	NS	10.90	9.90	13.50	12.50
	140	NS	NS	10.60	9.60	13.20	12.20
	144	NS	NS	11.20	10.20	14.30	13.30
5 GHz WIFI 40 MHz Bandwidth	149	11.50	10.50	14.50	13.50	17.50	16.50
	153	11.50	10.50	14.50	13.50	17.50	16.50
	157	11.50	10.50	14.50	13.50	17.50	16.50
	161	11.50	10.50	14.50	13.50	17.50	16.50
	165	11.50	10.50	14.50	13.50	17.50	16.50
	38	9.20	8.20	11.60	10.60	12.00	11.00
	46	9.00	8.00	12.00	11.00	15.10	14.10
	54	NS	NS	11.90	10.90	14.90	13.90
	62	NS	NS	11.50	10.50	14.00	13.00
	102	NS	NS	10.50	9.50	12.80	11.80
5 GHz WIFI 80 MHz Bandwidth	110	NS	NS	11.10	10.10	14.30	13.30
	118	NS	NS	11.00	10.00	14.00	13.00
	126	NS	NS	10.90	9.90	14.10	13.10
	134	NS	NS	10.90	9.90	13.50	12.50
	142	NS	NS	10.60	9.60	14.10	13.10
	151	11.50	10.50	14.50	13.50	17.50	16.50
	159	11.50	10.50	14.50	13.50	17.50	16.50
	42	9.00	8.00	11.00	10.00	11.00	10.00
5GHz WIFI 160 MHz Bandwidth	58	NS	NS	11.50	10.50	13.00	12.00
	106	NS	NS	10.50	9.50	11.80	10.80
	122	NS	NS	10.90	9.90	14.00	13.00
	138	NS	NS	10.60	9.60	14.10	13.10
	155	11.50	10.50	14.50	13.50	16.30	15.30
	50	NS	NS	10.00	9.00	10.00	9.00
	114	NS	NS	10.00	9.00	10.00	9.00

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 3 of 48

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF8					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.30	8.30	11.60	10.60	14.10	13.10
	40	9.30	8.30	12.00	11.00	15.10	14.10
	44	9.00	8.00	12.00	11.00	15.10	14.10
	48	9.20	8.20	12.00	11.00	15.10	14.10
	52	NS	NS	12.00	11.00	14.90	13.90
	56	NS	NS	11.90	10.90	15.00	14.00
	60	NS	NS	11.90	10.90	15.00	14.00
	64	NS	NS	11.50	10.50	14.20	13.20
	100	NS	NS	11.30	10.30	14.00	13.00
	104	NS	NS	11.90	10.90	15.10	14.10
	108	NS	NS	11.90	10.90	15.10	14.10
	112	NS	NS	11.90	10.90	15.10	14.10
	116	NS	NS	11.80	10.80	15.10	14.10
	120	NS	NS	12.00	11.00	14.80	13.80
	124	NS	NS	11.80	10.80	14.90	13.90
	128	NS	NS	11.70	10.70	15.10	14.10
	132	NS	NS	11.80	10.80	14.80	13.80
	136	NS	NS	11.70	10.70	14.30	13.30
	140	NS	NS	11.40	10.40	13.50	12.50
	144	NS	NS	12.00	11.00	15.10	14.10
5 GHz WIFI 40 MHz Bandwidth	149	11.50	10.50	14.50	13.50	17.50	16.50
	153	11.50	10.50	14.50	13.50	17.50	16.50
	157	11.50	10.50	14.50	13.50	17.50	16.50
	161	11.50	10.50	14.50	13.50	17.50	16.50
	165	11.50	10.50	14.50	13.50	17.50	16.50
	38	9.20	8.20	11.60	10.60	12.00	11.00
	46	9.00	8.00	12.00	11.00	15.10	14.10
	54	NS	NS	11.90	10.90	14.90	13.90
	62	NS	NS	11.50	10.50	14.00	13.00
	102	NS	NS	11.30	10.30	12.80	11.80
5 GHz WIFI 80 MHz Bandwidth	110	NS	NS	11.90	10.90	15.10	14.10
	118	NS	NS	11.80	10.80	14.80	13.80
	126	NS	NS	11.70	10.70	14.90	13.90
	134	NS	NS	11.70	10.70	14.30	13.30
	142	NS	NS	11.40	10.40	14.90	13.90
	151	11.50	10.50	14.50	13.50	17.50	16.50
	159	11.50	10.50	14.50	13.50	17.50	16.50
5GHz WIFI 160 MHz Bandwidth	42	9.00	8.00	11.00	10.00	11.00	10.00
	114	NS	NS	10.00	9.00	10.00	9.00

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 4 of 48

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7a						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	11.50	10.50	14.50	13.50	16.30	15.30
	40	11.50	10.50	14.50	13.50	17.50	16.50
	44	11.50	10.50	14.50	13.50	17.50	16.50
	48	11.50	10.50	14.50	13.50	17.50	16.50
	52	NS	NS	14.50	13.50	17.50	16.50
	56	NS	NS	14.50	13.50	17.50	16.50
	60	NS	NS	14.50	13.50	17.50	16.50
	64	NS	NS	14.50	13.50	16.50	15.50
	100	NS	NS	14.30	13.30	15.30	14.30
	104	NS	NS	14.50	13.50	17.50	16.50
	108	NS	NS	14.50	13.50	17.50	16.50
	112	NS	NS	14.50	13.50	17.50	16.50
	116	NS	NS	14.50	13.50	17.50	16.50
	120	NS	NS	14.50	13.50	17.50	16.50
	124	NS	NS	14.50	13.50	17.50	16.50
	128	NS	NS	14.50	13.50	17.50	16.50
	132	NS	NS	14.50	13.50	17.50	16.50
	136	NS	NS	14.50	13.50	17.30	16.30
	140	NS	NS	14.40	13.40	14.80	13.80
	144	NS	NS	14.50	13.50	17.50	16.50
5 GHz WIFI 40 MHz Bandwidth	149	11.50	10.50	14.50	13.50	17.50	16.50
	153	11.50	10.50	14.50	13.50	17.50	16.50
	157	11.50	10.50	14.50	13.50	17.50	16.50
	161	11.50	10.50	14.50	13.50	17.50	16.50
	165	11.50	10.50	14.50	13.50	17.50	16.50
	38	11.50	10.50	14.00	13.00	14.00	13.00
	46	11.50	10.50	14.50	13.50	17.50	16.50
	54	NS	NS	14.50	13.50	17.50	16.50
	62	NS	NS	14.50	13.50	15.50	14.50
	102	NS	NS	14.30	13.30	14.30	13.30
5 GHz WIFI 80 MHz Bandwidth	110	NS	NS	14.50	13.50	17.50	16.50
	118	NS	NS	14.50	13.50	17.50	16.50
	126	NS	NS	14.50	13.50	17.50	16.50
	134	NS	NS	14.50	13.50	16.50	15.50
	142	NS	NS	14.40	13.40	17.50	16.50
	151	11.50	10.50	14.50	13.50	17.50	16.50
5GHz WIFI 160 MHz Bandwidth	159	11.50	10.50	14.50	13.50	17.50	16.50
	42	11.50	10.50	12.50	11.50	12.50	11.50
5 GHz WIFI 80 MHz Bandwidth	58	NS	NS	14.50	13.50	14.50	13.50
	106	NS	NS	12.30	11.30	12.30	11.30
	122	NS	NS	14.50	13.50	17.50	16.50
	138	NS	NS	14.40	13.40	17.50	16.50
	155	11.50	10.50	14.50	13.50	16.50	15.50
5GHz WIFI 160 MHz Bandwidth	50	NS	NS	11.80	10.80	11.80	10.80
	114	NS	NS	12.00	11.00	12.00	11.00

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 5 of 48

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7a						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.30	8.30	11.60	10.60	14.10	13.10
	40	9.30	8.30	12.00	11.00	15.10	14.10
	44	9.00	8.00	12.00	11.00	15.10	14.10
	48	9.20	8.20	12.00	11.00	15.10	14.10
	52	NS	NS	12.00	11.00	14.90	13.90
	56	NS	NS	11.90	10.90	15.00	14.00
	60	NS	NS	11.90	10.90	15.00	14.00
	64	NS	NS	11.50	10.50	14.20	13.20
	100	NS	NS	10.50	9.50	13.40	12.40
	104	NS	NS	11.10	10.10	14.30	13.30
	108	NS	NS	11.10	10.10	14.30	13.30
	112	NS	NS	11.10	10.10	14.30	13.30
	116	NS	NS	11.00	10.00	14.30	13.30
	120	NS	NS	11.20	10.20	14.00	13.00
	124	NS	NS	11.00	10.00	14.10	13.10
	128	NS	NS	10.90	9.90	14.30	13.30
	132	NS	NS	11.00	10.00	14.00	13.00
	136	NS	NS	10.90	9.90	13.50	12.50
	140	NS	NS	10.60	9.60	13.20	12.20
	144	NS	NS	11.20	10.20	14.30	13.30
5 GHz WIFI 40 MHz Bandwidth	149	11.50	10.50	14.50	13.50	17.50	16.50
	153	11.50	10.50	14.50	13.50	17.50	16.50
	157	11.50	10.50	14.50	13.50	17.50	16.50
	161	11.50	10.50	14.50	13.50	17.50	16.50
	165	11.50	10.50	14.50	13.50	17.50	16.50
	38	9.20	8.20	11.60	10.60	12.00	11.00
	46	9.00	8.00	12.00	11.00	15.10	14.10
	54	NS	NS	11.90	10.90	14.90	13.90
	62	NS	NS	11.50	10.50	14.00	13.00
	102	NS	NS	10.50	9.50	12.80	11.80
5 GHz WIFI 80 MHz Bandwidth	110	NS	NS	11.10	10.10	14.30	13.30
	118	NS	NS	11.00	10.00	14.00	13.00
	126	NS	NS	10.90	9.90	14.10	13.10
	134	NS	NS	10.90	9.90	13.50	12.50
	142	NS	NS	10.60	9.60	14.10	13.10
	151	11.50	10.50	14.50	13.50	17.50	16.50
5GHz WIFI 160 MHz Bandwidth	159	11.50	10.50	14.50	13.50	17.50	16.50
	42	9.00	8.00	11.00	10.00	11.00	10.00
5 GHz WIFI 80 MHz Bandwidth	58	NS	NS	11.50	10.50	13.00	12.00
	106	NS	NS	10.50	9.50	11.80	10.80
	122	NS	NS	10.90	9.90	14.00	13.00
	138	NS	NS	10.60	9.60	14.10	13.10
	155	11.50	10.50	14.50	13.50	16.30	15.30
5GHz WIFI 160 MHz Bandwidth	50	NS	NS	10.00	9.00	10.00	9.00
	114	NS	NS	10.00	9.00	10.00	9.00

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 6 of 48

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7a						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.30	8.30	11.60	10.60	14.10	13.10
	40	9.30	8.30	12.00	11.00	15.10	14.10
	44	9.00	8.00	12.00	11.00	15.10	14.10
	48	9.20	8.20	12.00	11.00	15.10	14.10
	52	NS	NS	12.00	11.00	14.90	13.90
	56	NS	NS	11.90	10.90	15.00	14.00
	60	NS	NS	11.90	10.90	15.00	14.00
	64	NS	NS	11.50	10.50	14.20	13.20
	100	NS	NS	11.30	10.30	14.00	13.00
	104	NS	NS	11.90	10.90	15.10	14.10
	108	NS	NS	11.90	10.90	15.10	14.10
	112	NS	NS	11.90	10.90	15.10	14.10
	116	NS	NS	11.80	10.80	15.10	14.10
	120	NS	NS	12.00	11.00	14.80	13.80
	124	NS	NS	11.80	10.80	14.90	13.90
	128	NS	NS	11.70	10.70	15.10	14.10
	132	NS	NS	11.80	10.80	14.80	13.80
	136	NS	NS	11.70	10.70	14.30	13.30
	140	NS	NS	11.40	10.40	13.50	12.50
	144	NS	NS	12.00	11.00	15.10	14.10
5 GHz WIFI 40 MHz Bandwidth	149	11.50	10.50	14.50	13.50	17.50	16.50
	153	11.50	10.50	14.50	13.50	17.50	16.50
	157	11.50	10.50	14.50	13.50	17.50	16.50
	161	11.50	10.50	14.50	13.50	17.50	16.50
	165	11.50	10.50	14.50	13.50	17.50	16.50
	38	9.20	8.20	11.60	10.60	12.00	11.00
	46	9.00	8.00	12.00	11.00	15.10	14.10
	54	NS	NS	11.90	10.90	14.90	13.90
	62	NS	NS	11.50	10.50	14.00	13.00
	102	NS	NS	11.30	10.30	12.80	11.80
	110	NS	NS	11.90	10.90	15.10	14.10
	118	NS	NS	11.80	10.80	14.80	13.80
5 GHz WIFI 80 MHz Bandwidth	126	NS	NS	11.70	10.70	14.90	13.90
	134	NS	NS	11.70	10.70	14.30	13.30
	142	NS	NS	11.40	10.40	14.90	13.90
	151	11.50	10.50	14.50	13.50	17.50	16.50
	159	11.50	10.50	14.50	13.50	17.50	16.50
	42	9.00	8.00	11.00	10.00	11.00	10.00
5GHz WIFI 160 MHz Bandwidth	58	NS	NS	11.50	10.50	13.00	12.00
	106	NS	NS	11.30	10.30	11.80	10.80
	122	NS	NS	11.70	10.70	14.80	13.80
	138	NS	NS	11.40	10.40	14.90	13.90
	155	11.50	10.50	14.50	13.50	16.30	15.30
	50	NS	NS	10.00	9.00	10.00	9.00
	114	NS	NS	10.00	9.00	10.00	9.00

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 7 of 48

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF8						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-4.20	-5.20	-1.70	-2.70	0.90	-0.10
	5	-4.10	-5.10	-1.20	-2.20	1.80	0.80
	9-29	-4.20	-5.20	-1.40	-2.40	1.50	0.50
	33-61	-3.90	-4.90	-1.00	-2.00	2.10	1.10
	65-85	-0.90	-1.90	1.60	0.60	5.00	4.00
	89	-0.70	-1.70	2.00	1.00	5.20	4.20
	93	-0.70	-1.70	2.10	1.10	4.90	3.90
	97-113	0.10	-0.90	2.90	1.90	5.90	4.90
	117-181	-1.60	-2.60	1.00	0.00	4.10	3.10
	185	-1.80	-2.80	0.90	-0.10	3.90	2.90
	189-225	-2.10	-3.10	0.70	-0.30	3.80	2.80
	229	-2.10	-3.10	0.90	-0.10	3.90	2.90
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-4.30	-5.30	-1.70	-2.70	0.90	-0.10
	11	-4.30	-5.30	-1.40	-2.40	1.60	0.60
	19-27	-4.20	-5.20	-1.30	-2.30	1.50	0.50
	35-59	-3.90	-4.90	-1.00	-2.00	2.10	1.10
	67-75	-0.90	-1.90	1.60	0.60	5.00	4.00
	83	-0.90	-1.90	1.90	0.90	5.00	4.00
	91	-0.70	-1.70	2.00	1.00	4.90	3.90
	99-107	0.10	-0.90	2.90	1.90	6.00	5.00
	115	-1.60	-2.60	1.20	0.20	4.20	3.20
	123-179	-1.70	-2.70	1.00	0.00	4.10	3.10
	187	-1.90	-2.90	0.90	-0.10	3.90	2.90
	195-219	-2.10	-3.10	0.70	-0.30	3.80	2.80
	227	-2.10	-3.10	0.70	-0.30	3.80	2.80
	7	-4.20	-5.20	-1.70	-2.70	0.90	-0.10
6 GHz WIFI (80MHz BW) LP	23	-4.20	-5.20	-1.30	-2.30	1.50	0.50
	39-55	-3.90	-4.90	-1.00	-2.00	2.00	1.00
	71	-1.00	-2.00	1.60	0.60	5.00	4.00
	87	-0.90	-1.90	1.90	0.90	4.90	3.90
	103	0.10	-0.90	2.90	1.90	6.00	5.00
	119	-1.60	-2.60	1.00	0.00	4.20	3.20
	135-167	-1.60	-2.60	1.00	0.00	4.20	3.20
	183	-2.00	-3.00	0.60	-0.40	3.70	2.70
	199	-2.10	-3.10	0.70	-0.30	3.80	2.80
	215	-1.90	-2.90	0.80	-0.20	3.90	2.90
6 GHz WIFI (160MHz BW) LP	15	-4.20	-5.20	-1.70	-2.70	1.10	0.10
	47	-3.90	-4.90	-1.00	-2.00	2.10	1.10
	79	-0.90	-1.90	1.60	0.60	4.90	3.90
	111	-1.70	-2.70	1.20	0.20	4.20	3.20
	143	-1.60	-2.60	1.00	0.00	4.20	3.20
	175	-2.20	-3.20	0.60	-0.40	3.40	2.40
	207	-2.10	-3.10	0.70	-0.30	3.80	2.80

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 8 of 48

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WFS						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	-7.80	-8.80	-5.10	-6.10
	5	NS	NS	-7.40	-8.40	-4.20	-5.20
	9-29	NS	NS	-7.50	-8.50	-4.50	-5.50
	33-61	NS	NS	-6.80	-7.80	-3.70	-4.70
	65-85	-8.30	-9.30	-5.80	-6.80	-2.50	-3.50
	89	-8.10	-9.10	-5.50	-6.50	-2.20	-3.20
	93	-8.10	-9.10	-5.50	-6.50	-2.60	-3.60
	97-113	-8.30	-9.30	-5.50	-6.50	-2.50	-3.50
	117-181	-8.40	-9.40	-5.80	-6.80	-2.70	-3.70
	185	-8.50	-9.50	-5.70	-6.70	-2.70	-3.70
	189-225	-7.60	-8.60	-4.80	-5.80	-1.70	-2.70
	229	-7.60	-8.60	-4.70	-5.70	-1.60	-2.60
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	NS	NS	-7.80	-8.80	-5.10	-6.10
	11	NS	NS	-7.40	-8.40	-4.40	-5.40
	19-27	NS	NS	-7.50	-8.50	-4.50	-5.50
	35-59	NS	NS	-6.80	-7.80	-3.70	-4.70
	67-75	-8.30	-9.30	-5.80	-6.80	-2.50	-3.50
	83	-8.30	-9.30	-5.50	-6.50	-2.40	-3.40
	91	-8.20	-9.20	-5.50	-6.50	-2.60	-3.60
	99-107	-8.30	-9.30	-5.50	-6.50	-2.40	-3.40
	115	-9.00	-10.00	-6.30	-7.30	-3.20	-4.20
	123-179	-8.50	-9.50	-5.80	-6.80	-2.70	-3.70
	187	-8.50	-9.50	-5.70	-6.70	-2.70	-3.70
	195-219	-7.60	-8.60	-4.80	-5.80	-1.70	-2.70
	227	-7.60	-8.60	-4.80	-5.80	-1.70	-2.70
6 GHz WIFI (80MHz BW) LP	7	NS	NS	-7.80	-8.80	-5.10	-6.10
	23	NS	NS	-7.50	-8.50	-4.50	-5.50
	39-55	NS	NS	-6.80	-7.80	-3.70	-4.70
	71	-8.40	-9.40	-5.80	-6.80	-2.50	-3.50
	87	-8.40	-9.40	-5.60	-6.60	-2.60	-3.60
	103	-8.30	-9.30	-5.50	-6.50	-2.40	-3.40
	119	-9.00	-10.00	-6.40	-7.40	-3.20	-4.20
	135-167	-8.50	-9.50	-5.80	-6.80	-2.60	-3.60
	183	-8.60	-9.60	-6.00	-7.00	-2.90	-3.90
	199	-7.60	-8.60	-4.80	-5.80	-1.70	-2.70
6 GHz WIFI (160MHz BW) LP	215	-7.40	-8.40	-4.70	-5.70	-1.60	-2.60
	15	NS	NS	-7.80	-8.80	-5.10	-6.10
	47	NS	NS	-6.80	-7.80	-3.70	-4.70
	79	-8.50	-9.50	-5.80	-6.80	-2.60	-3.60
	111	NS	NS	-6.20	-7.20	-3.20	-4.20
	143	-8.70	-9.70	-5.80	-6.80	-2.60	-3.60
	175	-8.80	-9.80	-6.00	-7.00	-3.20	-4.20
	207	-7.90	-8.90	-4.80	-5.80	-1.70	-2.70

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 9 of 48

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF8					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-7.20	-8.20	-4.80	-5.80	-2.10	-3.10
	5	-7.10	-8.10	-4.40	-5.40	-1.20	-2.20
	9-29	-7.20	-8.20	-4.50	-5.50	-1.50	-2.50
	33-61	-6.60	-7.60	-3.80	-4.80	-0.70	-1.70
	65-85	-5.40	-6.40	-2.90	-3.90	0.40	-0.60
	89	-5.20	-6.20	-2.60	-3.60	0.70	-0.30
	93	-5.20	-6.20	-2.60	-3.60	0.30	-0.70
	97-113	-5.50	-6.50	-2.70	-3.70	0.30	-0.70
	117-181	-5.40	-6.40	-2.80	-3.80	0.30	-0.70
	185	-5.50	-6.50	-2.70	-3.70	0.30	-0.70
	189-225	-4.60	-5.60	-1.80	-2.80	1.30	0.30
	229	-4.60	-5.60	-1.70	-2.70	1.40	0.40
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-7.30	-8.30	-4.80	-5.80	-2.10	-3.10
	11	-7.30	-8.30	-4.40	-5.40	-1.40	-2.40
	19-27	-7.20	-8.20	-4.50	-5.50	-1.50	-2.50
	35-59	-6.60	-7.60	-3.80	-4.80	-0.70	-1.70
	67-75	-5.40	-6.40	-2.90	-3.90	0.40	-0.60
	83	-5.40	-6.40	-2.60	-3.60	0.50	-0.50
	91	-5.30	-6.30	-2.60	-3.60	0.30	-0.70
	99-107	-5.50	-6.50	-2.70	-3.70	0.40	-0.60
	115	-6.10	-7.10	-3.40	-4.40	-0.30	-1.30
	123-179	-5.50	-6.50	-2.80	-3.80	0.30	-0.70
	187	-5.50	-6.50	-2.70	-3.70	0.30	-0.70
	195-219	-4.60	-5.60	-1.80	-2.80	1.30	0.30
	227	-4.60	-5.60	-1.80	-2.80	1.30	0.30
	7	-7.30	-8.30	-4.80	-5.80	-2.10	-3.10
6 GHz WIFI (80MHz BW) LP	23	-7.20	-8.20	-4.50	-5.50	-1.50	-2.50
	39-55	-6.60	-7.60	-3.80	-4.80	-0.70	-1.70
	71	-5.50	-6.50	-2.90	-3.90	0.40	-0.60
	87	-5.50	-6.50	-2.70	-3.70	0.30	-0.70
	103	-5.50	-6.50	-2.70	-3.70	0.40	-0.60
	119	-6.10	-7.10	-3.50	-4.50	-0.30	-1.30
	135-167	-5.50	-6.50	-2.80	-3.80	0.40	-0.60
	183	-5.60	-6.60	-3.00	-4.00	0.10	-0.90
	199	-4.60	-5.60	-1.80	-2.80	1.30	0.30
	215	-4.40	-5.40	-1.70	-2.70	1.40	0.40
	15	-7.20	-8.20	-4.80	-5.80	-2.10	-3.10
	47	-6.60	-7.60	-3.80	-4.80	-0.70	-1.70
	79	-5.60	-6.60	-2.90	-3.90	0.30	-0.70
	111	-6.20	-7.20	-3.30	-4.30	-0.30	-1.30
6 GHz WIFI (160MHz BW) LP	143	-5.70	-6.70	-2.80	-3.80	0.40	-0.60
	175	-5.80	-6.80	-3.00	-4.00	-0.20	-1.20
	207	-4.90	-5.90	-1.80	-2.80	1.30	0.30

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 10 of 48

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF8						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-7.90	-8.90	-5.00	-6.00	-1.90	-2.90
	65-85	-4.90	-5.90	-2.40	-3.40	1.00	0.00
	89	-4.70	-5.70	-2.00	-3.00	1.20	0.20
	93	-4.70	-5.70	-1.90	-2.90	0.90	-0.10
	97-113	-3.90	-4.90	-1.10	-2.10	1.90	0.90
	117-181	-5.60	-6.60	-3.00	-4.00	0.10	-0.90
	185	-5.80	-6.80	-3.10	-4.10	-0.10	-1.10
	189-225	-6.10	-7.10	-3.30	-4.30	-0.20	-1.20
	229	-6.10	-7.10	-3.10	-4.10	-0.10	-1.10
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-7.90	-8.90	-5.00	-6.00	-1.90	-2.90
	67-75	-4.90	-5.90	-2.40	-3.40	1.00	0.00
	83	-4.90	-5.90	-2.10	-3.10	1.00	0.00
	91	-4.70	-5.70	-2.00	-3.00	0.90	-0.10
	99-107	-3.90	-4.90	-1.10	-2.10	2.00	1.00
	115	-5.60	-6.60	-2.80	-3.80	0.20	-0.80
	123-179	-5.70	-6.70	-3.00	-4.00	0.10	-0.90
	187	-5.90	-6.90	-3.10	-4.10	-0.10	-1.10
	195-219	-6.10	-7.10	-3.30	-4.30	-0.20	-1.20
	227	-6.10	-7.10	-3.30	-4.30	-0.20	-1.20
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-7.90	-8.90	-5.00	-6.00	-2.00	-3.00
6 GHz WIFI (80MHz BW) VLP	71	-5.00	-6.00	-2.40	-3.40	1.00	0.00
	87	-4.90	-5.90	-2.10	-3.10	0.90	-0.10
	103	-3.90	-4.90	-1.10	-2.10	2.00	1.00
	119	-5.60	-6.60	-3.00	-4.00	0.20	-0.80
	135-167	-5.60	-6.60	-3.00	-4.00	0.20	-0.80
	183	-6.00	-7.00	-3.40	-4.40	-0.30	-1.30
	199	-6.10	-7.10	-3.30	-4.30	-0.20	-1.20
	215	-5.90	-6.90	-3.20	-4.20	-0.10	-1.10
	15	NS	NS	NS	NS	NS	NS
	47	-7.90	-8.90	-5.00	-6.00	-1.90	-2.90
6 GHz WIFI (160MHz BW) VLP	79	-4.90	-5.90	-2.40	-3.40	0.90	-0.10
	111	-5.70	-6.70	-2.80	-3.80	0.20	-0.80
	143	-5.60	-6.60	-3.00	-4.00	0.20	-0.80
	175	-6.20	-7.20	-3.40	-4.40	-0.60	-1.60
	207	-6.10	-7.10	-3.30	-4.30	-0.20	-1.20

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 11 of 48

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF8						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	NS	NS	-7.70	-8.70
	65-85	NS	NS	NS	NS	-6.50	-7.50
	89	NS	NS	NS	NS	-6.20	-7.20
	93	NS	NS	NS	NS	-6.60	-7.60
	97-113	NS	NS	NS	NS	-6.50	-7.50
	117-181	NS	NS	NS	NS	-6.70	-7.70
	185	NS	NS	NS	NS	-6.70	-7.70
	189-225	NS	NS	-8.80	-9.80	-5.70	-6.70
	229	NS	NS	-8.70	-9.70	-5.60	-6.60
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	NS	NS	-7.70	-8.70
	67-75	NS	NS	NS	NS	-6.50	-7.50
	83	NS	NS	NS	NS	-6.40	-7.40
	91	NS	NS	NS	NS	-6.60	-7.60
	99-107	NS	NS	NS	NS	-6.40	-7.40
	115	NS	NS	NS	NS	-7.20	-8.20
	123-179	NS	NS	NS	NS	-6.70	-7.70
	187	NS	NS	NS	NS	-6.70	-7.70
	195-219	NS	NS	-8.80	-9.80	-5.70	-6.70
	227	NS	NS	-8.80	-9.80	-5.70	-6.70
	7	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) VLP	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	-7.70	-8.70
	71	NS	NS	NS	NS	-6.50	-7.50
	87	NS	NS	NS	NS	-6.60	-7.60
	103	NS	NS	NS	NS	-6.40	-7.40
	119	NS	NS	NS	NS	-7.20	-8.20
	135-167	NS	NS	NS	NS	-6.60	-7.60
	183	NS	NS	NS	NS	-6.90	-7.90
	199	NS	NS	-8.80	-9.80	-5.70	-6.70
	215	NS	NS	-8.70	-9.70	-5.60	-6.60
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	NS	NS	-7.70	-8.70
	79	NS	NS	NS	NS	-6.60	-7.60
	111	NS	NS	NS	NS	-7.20	-8.20
6 GHz WIFI (160MHz BW) VLP	143	NS	NS	NS	NS	-6.60	-7.60
	175	NS	NS	NS	NS	-7.20	-8.20
	207	NS	NS	-8.80	-9.80	-5.70	-6.70

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 12 of 48

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF8					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-7.80	-8.80	-4.70	-5.70
	65-85	NS	NS	-6.90	-7.90	-3.60	-4.60
	89	NS	NS	-6.60	-7.60	-3.30	-4.30
	93	NS	NS	-6.60	-7.60	-3.70	-4.70
	97-113	NS	NS	-6.70	-7.70	-3.70	-4.70
	117-181	NS	NS	-6.80	-7.80	-3.70	-4.70
	185	NS	NS	-6.70	-7.70	-3.70	-4.70
	189-225	-8.60	-9.60	-5.80	-6.80	-2.70	-3.70
	229	-8.60	-9.60	-5.70	-6.70	-2.60	-3.60
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	-7.80	-8.80	-4.70	-5.70
	67-75	NS	NS	-6.90	-7.90	-3.60	-4.60
	83	NS	NS	-6.60	-7.60	-3.50	-4.50
	91	NS	NS	-6.60	-7.60	-3.70	-4.70
	99-107	NS	NS	-6.70	-7.70	-3.60	-4.60
	115	NS	NS	-7.40	-8.40	-4.30	-5.30
	123-179	NS	NS	-6.80	-7.80	-3.70	-4.70
	187	NS	NS	-6.70	-7.70	-3.70	-4.70
	195-219	-8.60	-9.60	-5.80	-6.80	-2.70	-3.70
	227	-8.60	-9.60	-5.80	-6.80	-2.70	-3.70
6 GHz WIFI (80MHz BW) VLP	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	-7.80	-8.80	-4.70	-5.70
	71	NS	NS	-6.90	-7.90	-3.60	-4.60
	87	NS	NS	-6.70	-7.70	-3.70	-4.70
	103	NS	NS	-6.70	-7.70	-3.60	-4.60
	119	NS	NS	-7.50	-8.50	-4.30	-5.30
	135-167	NS	NS	-6.80	-7.80	-3.60	-4.60
	183	NS	NS	-7.00	-8.00	-3.90	-4.90
	199	-8.60	-9.60	-5.80	-6.80	-2.70	-3.70
	215	-8.40	-9.40	-5.70	-6.70	-2.60	-3.60
6 GHz WIFI (160MHz BW) VLP	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	-7.80	-8.80	-4.70	-5.70
	79	NS	NS	-6.90	-7.90	-3.70	-4.70
	111	NS	NS	-7.30	-8.30	-4.30	-5.30
	143	NS	NS	-6.80	-7.80	-3.60	-4.60
	175	NS	NS	-7.00	-8.00	-4.20	-5.20
	207	-8.90	-9.90	-5.80	-6.80	-2.70	-3.70

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 13 of 48

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF8						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.50	9.50	13.50	12.50	15.25	14.25
	5	10.50	9.50	13.50	12.50	15.25	14.25
	9-29	10.50	9.50	13.50	12.50	15.25	14.25
	33-61	10.50	9.50	13.50	12.50	16.00	15.00
	65-85	10.50	9.50	13.50	12.50	16.50	15.50
	89	10.50	9.50	13.50	12.50	16.50	15.50
	93	10.50	9.50	13.50	12.50	16.50	15.50
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.50	8.50	12.50	11.50	15.50	14.50
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) SP	3	10.50	9.50	13.50	12.50	15.25	14.25
	11	10.50	9.50	13.50	12.50	15.25	14.25
	19-27	10.50	9.50	13.50	12.50	15.25	14.25
	35-59	10.50	9.50	13.50	12.50	16.00	15.00
	67-75	10.50	9.50	13.50	12.50	16.50	15.50
	83	10.50	9.50	13.50	12.50	16.50	15.50
	91	10.50	9.50	13.50	12.50	16.50	15.50
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.50	8.50	12.50	11.50	15.50	14.50
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	231	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) SP	7	10.50	9.50	13.50	12.50	15.25	14.25
	23	10.50	9.50	13.50	12.50	15.25	14.25
	39-55	10.50	9.50	13.50	12.50	16.00	15.00
	71	10.50	9.50	13.50	12.50	16.50	15.50
	87	10.50	9.50	13.50	12.50	16.50	15.50
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	9.50	8.50	12.50	11.50	15.50	14.50
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	15	10.50	9.50	13.50	12.50	15.25	14.25
	47	10.50	9.50	13.50	12.50	16.00	15.00
	79	10.50	9.50	13.50	12.50	16.50	15.50
	111	NS	NS	NS	NS	NS	NS
	143	9.50	8.50	12.50	11.50	15.50	14.50
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 14 of 48

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna Wf8						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	7.80	6.80	10.20	9.20	12.90	11.90
	5	7.90	6.90	10.60	9.60	13.80	12.80
	9-29	7.80	6.80	10.50	9.50	13.50	12.50
	33-61	8.40	7.40	11.20	10.20	14.30	13.30
	65-85	9.70	8.70	12.20	11.20	15.50	14.50
	89	9.90	8.90	12.50	11.50	15.80	14.80
	93	9.90	8.90	12.50	11.50	15.40	14.40
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.50	8.50	12.20	11.20	15.30	14.30
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) SP	3	7.70	6.70	10.20	9.20	12.90	11.90
	11	7.70	6.70	10.60	9.60	13.60	12.60
	19-27	7.80	6.80	10.50	9.50	13.50	12.50
	35-59	8.40	7.40	11.20	10.20	14.30	13.30
	67-75	9.70	8.70	12.20	11.20	15.50	14.50
	83	9.70	8.70	12.50	11.50	15.60	14.60
	91	9.80	8.80	12.50	11.50	15.40	14.40
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.50	8.50	12.20	11.20	15.30	14.30
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) SP	7	7.70	6.70	10.20	9.20	12.90	11.90
	23	7.80	6.80	10.50	9.50	13.50	12.50
	39-55	8.40	7.40	11.20	10.20	14.30	13.30
	71	9.60	8.60	12.20	11.20	15.50	14.50
	87	9.60	8.60	12.40	11.40	15.40	14.40
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	9.50	8.50	12.20	11.20	15.40	14.40
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	15	7.40	6.40	10.00	9.00	13.20	12.20
	47	8.60	7.60	11.30	10.30	14.40	13.40
	79	9.80	8.80	12.60	11.60	15.60	14.60
	111	NS	NS	NS	NS	NS	NS
	143	9.50	8.50	11.90	10.90	15.50	14.50
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 15 of 48

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna Wf8						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.50	9.50	13.20	12.20	15.25	14.25
	5	10.50	9.50	13.50	12.50	15.25	14.25
	9-29	10.50	9.50	13.50	12.50	15.25	14.25
	33-61	10.50	9.50	13.50	12.50	16.00	15.00
	65-85	10.50	9.50	13.50	12.50	16.50	15.50
	89	10.50	9.50	13.50	12.50	16.50	15.50
	93	10.50	9.50	13.50	12.50	16.50	15.50
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.50	8.50	12.50	11.50	15.50	14.50
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) SP	3	10.50	9.50	13.20	12.20	15.25	14.25
	11	10.50	9.50	13.50	12.50	15.25	14.25
	19-27	10.50	9.50	13.50	12.50	15.25	14.25
	35-59	10.50	9.50	13.50	12.50	16.00	15.00
	67-75	10.50	9.50	13.50	12.50	16.50	15.50
	83	10.50	9.50	13.50	12.50	16.50	15.50
	91	10.50	9.50	13.50	12.50	16.50	15.50
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.50	8.50	12.50	11.50	15.50	14.50
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.50	9.50	13.20	12.20	15.25	14.25
6 GHz WIFI (80MHz BW) SP	23	10.50	9.50	13.50	12.50	15.25	14.25
	39-55	10.50	9.50	13.50	12.50	16.00	15.00
	71	10.50	9.50	13.50	12.50	16.50	15.50
	87	10.50	9.50	13.50	12.50	16.50	15.50
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	9.50	8.50	12.50	11.50	15.50	14.50
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.40	9.40	13.00	12.00	15.25	14.25
	47	10.50	9.50	13.50	12.50	16.00	15.00
	79	10.50	9.50	13.50	12.50	16.50	15.50
	111	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	143	9.50	8.50	12.50	11.50	15.50	14.50
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 16 of 48

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7a						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-4.10	-5.10	-1.70	-2.70	1.00	0.00
	5	-4.00	-5.00	-1.30	-2.30	1.90	0.90
	9-29	-4.10	-5.10	-1.40	-2.40	1.70	0.70
	33-61	-3.00	-4.00	-0.40	-1.40	2.70	1.70
	65-85	-3.40	-4.40	-0.60	-1.60	2.40	1.40
	89	-3.10	-4.10	-0.60	-1.60	2.80	1.80
	93	-3.20	-4.20	-0.60	-1.60	2.30	1.30
	97-113	-4.10	-5.10	-1.30	-2.30	1.80	0.80
	117-181	-3.00	-4.00	-0.30	-1.30	2.80	1.80
	185	-2.90	-3.90	-0.10	-1.10	3.00	2.00
	189-225	-0.80	-1.80	2.00	1.00	5.10	4.10
	229	-0.70	-1.70	2.00	1.00	5.10	4.10
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-4.10	-5.10	-1.70	-2.70	1.00	0.00
	11	-4.10	-5.10	-1.20	-2.20	1.70	0.70
	19-27	-4.00	-5.00	-1.40	-2.40	1.70	0.70
	35-59	-3.00	-4.00	-0.40	-1.40	2.70	1.70
	67-75	-3.40	-4.40	-0.60	-1.60	2.40	1.40
	83	-3.40	-4.40	-0.60	-1.60	2.50	1.50
	91	-3.30	-4.30	-0.60	-1.60	2.30	1.30
	99-107	-4.10	-5.10	-1.30	-2.30	1.80	0.80
	115	-4.10	-5.10	-1.40	-2.40	1.80	0.80
	123-179	-3.10	-4.10	-0.30	-1.30	2.80	1.80
	187	-2.90	-3.90	-0.10	-1.10	2.90	1.90
	195-219	-0.90	-1.90	2.00	1.00	5.10	4.10
	227	-0.70	-1.70	2.00	1.00	5.10	4.10
6 GHz WIFI (80MHz BW) LP	7	-4.20	-5.20	-1.70	-2.70	1.00	0.00
	23	-4.00	-5.00	-1.40	-2.40	1.70	0.70
	39-55	-3.00	-4.00	-0.40	-1.40	2.70	1.70
	71	-3.40	-4.40	-0.60	-1.60	2.40	1.40
	87	-3.50	-4.50	-0.70	-1.70	2.30	1.30
	103	-4.10	-5.10	-1.30	-2.30	1.80	0.80
	119	-4.10	-5.10	-1.20	-2.20	1.70	0.70
	135-167	-3.10	-4.10	-0.30	-1.30	2.80	1.80
	183	-2.90	-3.90	-0.20	-1.20	2.80	1.80
	199	-0.80	-1.80	2.00	1.00	5.30	4.30
6 GHz WIFI (160MHz BW) LP	215	-0.70	-1.70	2.10	1.10	5.20	4.20
	15	-4.10	-5.10	-1.70	-2.70	1.00	0.00
	47	-3.20	-4.20	-0.40	-1.40	2.70	1.70
	79	-3.60	-4.60	-0.80	-1.80	2.30	1.30
	111	-4.10	-5.10	-1.30	-2.30	1.70	0.70
	143	-3.30	-4.30	-0.20	-1.20	2.80	1.80
	175	-2.90	-3.90	-0.30	-1.30	2.80	1.80
	207	-1.20	-2.20	2.00	1.00	5.10	4.10

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 17 of 48

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7a						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	-7.80	-8.80	-5.10	-6.10
	5	NS	NS	-7.40	-8.40	-4.20	-5.20
	9-29	NS	NS	-7.50	-8.50	-4.50	-5.50
	33-61	NS	NS	-6.80	-7.80	-3.70	-4.70
	65-85	-8.30	-9.30	-5.80	-6.80	-2.50	-3.50
	89	-8.10	-9.10	-5.50	-6.50	-2.20	-3.20
	93	-8.10	-9.10	-5.50	-6.50	-2.60	-3.60
	97-113	-8.30	-9.30	-5.50	-6.50	-2.50	-3.50
	117-181	-8.40	-9.40	-5.80	-6.80	-2.70	-3.70
	185	-8.50	-9.50	-5.70	-6.70	-2.70	-3.70
	189-225	-7.60	-8.60	-4.80	-5.80	-1.70	-2.70
	229	-7.60	-8.60	-4.70	-5.70	-1.60	-2.60
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	NS	NS	-7.80	-8.80	-5.10	-6.10
	11	NS	NS	-7.40	-8.40	-4.40	-5.40
	19-27	NS	NS	-7.50	-8.50	-4.50	-5.50
	35-59	NS	NS	-6.80	-7.80	-3.70	-4.70
	67-75	-8.30	-9.30	-5.80	-6.80	-2.50	-3.50
	83	-8.30	-9.30	-5.50	-6.50	-2.40	-3.40
	91	-8.20	-9.20	-5.50	-6.50	-2.60	-3.60
	99-107	-8.30	-9.30	-5.50	-6.50	-2.40	-3.40
	115	-9.00	-10.00	-6.30	-7.30	-3.20	-4.20
	123-179	-8.50	-9.50	-5.80	-6.80	-2.70	-3.70
	187	-8.50	-9.50	-5.70	-6.70	-2.70	-3.70
	195-219	-7.60	-8.60	-4.80	-5.80	-1.70	-2.70
	227	-7.60	-8.60	-4.80	-5.80	-1.70	-2.70
6 GHz WIFI (80MHz BW) LP	7	NS	NS	-7.80	-8.80	-5.10	-6.10
	23	NS	NS	-7.50	-8.50	-4.50	-5.50
	39-55	NS	NS	-6.80	-7.80	-3.70	-4.70
	71	-8.40	-9.40	-5.80	-6.80	-2.50	-3.50
	87	-8.40	-9.40	-5.60	-6.60	-2.60	-3.60
	103	-8.30	-9.30	-5.50	-6.50	-2.40	-3.40
	119	-9.00	-10.00	-6.40	-7.40	-3.20	-4.20
	135-167	-8.50	-9.50	-5.80	-6.80	-2.60	-3.60
	183	-8.60	-9.60	-6.00	-7.00	-2.90	-3.90
	199	-7.60	-8.60	-4.80	-5.80	-1.70	-2.70
6 GHz WIFI (160MHz BW) LP	215	-7.40	-8.40	-4.70	-5.70	-1.60	-2.60
	15	NS	NS	-7.80	-8.80	-5.10	-6.10
	47	NS	NS	-6.80	-7.80	-3.70	-4.70
	79	-8.50	-9.50	-5.80	-6.80	-2.60	-3.60
	111	NS	NS	-6.20	-7.20	-3.20	-4.20
	143	-8.70	-9.70	-5.80	-6.80	-2.60	-3.60
	175	-8.80	-9.80	-6.00	-7.00	-3.20	-4.20
	207	-7.90	-8.90	-4.80	-5.80	-1.70	-2.70

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 18 of 48

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7a						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-7.20	-8.20	-4.80	-5.80	-2.10	-3.10
	5	-7.10	-8.10	-4.40	-5.40	-1.20	-2.20
	9-29	-7.20	-8.20	-4.50	-5.50	-1.50	-2.50
	33-61	-6.60	-7.60	-3.80	-4.80	-0.70	-1.70
	65-85	-5.40	-6.40	-2.90	-3.90	0.40	-0.60
	89	-5.20	-6.20	-2.60	-3.60	0.70	-0.30
	93	-5.20	-6.20	-2.60	-3.60	0.30	-0.70
	97-113	-5.50	-6.50	-2.70	-3.70	0.30	-0.70
	117-181	-5.40	-6.40	-2.80	-3.80	0.30	-0.70
	185	-5.50	-6.50	-2.70	-3.70	0.30	-0.70
	189-225	-4.60	-5.60	-1.80	-2.80	1.30	0.30
	229	-4.60	-5.60	-1.70	-2.70	1.40	0.40
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-7.30	-8.30	-4.80	-5.80	-2.10	-3.10
	11	-7.30	-8.30	-4.40	-5.40	-1.40	-2.40
	19-27	-7.20	-8.20	-4.50	-5.50	-1.50	-2.50
	35-59	-6.60	-7.60	-3.80	-4.80	-0.70	-1.70
	67-75	-5.40	-6.40	-2.90	-3.90	0.40	-0.60
	83	-5.40	-6.40	-2.60	-3.60	0.50	-0.50
	91	-5.30	-6.30	-2.60	-3.60	0.30	-0.70
	99-107	-5.50	-6.50	-2.70	-3.70	0.40	-0.60
	115	-6.10	-7.10	-3.40	-4.40	-0.30	-1.30
	123-179	-5.50	-6.50	-2.80	-3.80	0.30	-0.70
	187	-5.50	-6.50	-2.70	-3.70	0.30	-0.70
	195-219	-4.60	-5.60	-1.80	-2.80	1.30	0.30
	227	-4.60	-5.60	-1.80	-2.80	1.30	0.30
	7	-7.30	-8.30	-4.80	-5.80	-2.10	-3.10
6 GHz WIFI (80MHz BW) LP	23	-7.20	-8.20	-4.50	-5.50	-1.50	-2.50
	39-55	-6.60	-7.60	-3.80	-4.80	-0.70	-1.70
	71	-5.50	-6.50	-2.90	-3.90	0.40	-0.60
	87	-5.50	-6.50	-2.70	-3.70	0.30	-0.70
	103	-5.50	-6.50	-2.70	-3.70	0.40	-0.60
	119	-6.10	-7.10	-3.50	-4.50	-0.30	-1.30
	135-167	-5.50	-6.50	-2.80	-3.80	0.40	-0.60
	183	-5.60	-6.60	-3.00	-4.00	0.10	-0.90
	199	-4.60	-5.60	-1.80	-2.80	1.30	0.30
	215	-4.40	-5.40	-1.70	-2.70	1.40	0.40
	15	-7.20	-8.20	-4.80	-5.80	-2.10	-3.10
	47	-6.60	-7.60	-3.80	-4.80	-0.70	-1.70
	79	-5.60	-6.60	-2.90	-3.90	0.30	-0.70
	111	-6.20	-7.20	-3.30	-4.30	-0.30	-1.30
6 GHz WIFI (160MHz BW) LP	143	-5.70	-6.70	-2.80	-3.80	0.40	-0.60
	175	-5.80	-6.80	-3.00	-4.00	-0.20	-1.20
	207	-4.90	-5.90	-1.80	-2.80	1.30	0.30

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 19 of 48

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7a						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-7.00	-8.00	-4.40	-5.40	-1.30	-2.30
	65-85	-7.40	-8.40	-4.60	-5.60	-1.60	-2.60
	89	-7.10	-8.10	-4.60	-5.60	-1.20	-2.20
	93	-7.20	-8.20	-4.60	-5.60	-1.70	-2.70
	97-113	-8.10	-9.10	-5.30	-6.30	-2.20	-3.20
	117-181	-7.00	-8.00	-4.30	-5.30	-1.20	-2.20
	185	-6.90	-7.90	-4.10	-5.10	-1.00	-2.00
	189-225	-4.80	-5.80	-2.00	-3.00	1.10	0.10
	229	-4.70	-5.70	-2.00	-3.00	1.10	0.10
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-7.00	-8.00	-4.40	-5.40	-1.30	-2.30
	67-75	-7.40	-8.40	-4.60	-5.60	-1.60	-2.60
	83	-7.40	-8.40	-4.60	-5.60	-1.50	-2.50
	91	-7.30	-8.30	-4.60	-5.60	-1.70	-2.70
	99-107	-8.10	-9.10	-5.30	-6.30	-2.20	-3.20
	115	-8.10	-9.10	-5.40	-6.40	-2.20	-3.20
	123-179	-7.10	-8.10	-4.30	-5.30	-1.20	-2.20
	187	-6.90	-7.90	-4.10	-5.10	-1.10	-2.10
	195-219	-4.90	-5.90	-2.00	-3.00	1.10	0.10
	227	-4.70	-5.70	-2.00	-3.00	1.10	0.10
	7	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) VLP	23	NS	NS	NS	NS	NS	NS
	39-55	-7.00	-8.00	-4.40	-5.40	-1.30	-2.30
	71	-7.40	-8.40	-4.60	-5.60	-1.60	-2.60
	87	-7.50	-8.50	-4.70	-5.70	-1.70	-2.70
	103	-8.10	-9.10	-5.30	-6.30	-2.20	-3.20
	119	-8.10	-9.10	-5.20	-6.20	-2.30	-3.30
	135-167	-7.10	-8.10	-4.30	-5.30	-1.20	-2.20
	183	-6.90	-7.90	-4.20	-5.20	-1.20	-2.20
	199	-4.80	-5.80	-2.00	-3.00	1.30	0.30
	215	-4.70	-5.70	-1.90	-2.90	1.20	0.20
	15	NS	NS	NS	NS	NS	NS
	47	-7.20	-8.20	-4.40	-5.40	-1.30	-2.30
	79	-7.60	-8.60	-4.80	-5.80	-1.70	-2.70
	111	-8.10	-9.10	-5.30	-6.30	-2.30	-3.30
6 GHz WIFI (160MHz BW) VLP	143	-7.30	-8.30	-4.20	-5.20	-1.20	-2.20
	175	-6.90	-7.90	-4.30	-5.30	-1.20	-2.20
	207	-5.20	-6.20	-2.00	-3.00	1.10	0.10

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 20 of 48

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7a						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	NS	NS	-7.70	-8.70
	65-85	NS	NS	NS	NS	-6.50	-7.50
	89	NS	NS	NS	NS	-6.20	-7.20
	93	NS	NS	NS	NS	-6.60	-7.60
	97-113	NS	NS	NS	NS	-6.50	-7.50
	117-181	NS	NS	NS	NS	-6.70	-7.70
	185	NS	NS	NS	NS	-6.70	-7.70
	189-225	NS	NS	-8.80	-9.80	-5.70	-6.70
	229	NS	NS	-8.70	-9.70	-5.60	-6.60
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	NS	NS	-7.70	-8.70
	67-75	NS	NS	NS	NS	-6.50	-7.50
	83	NS	NS	NS	NS	-6.40	-7.40
	91	NS	NS	NS	NS	-6.60	-7.60
	99-107	NS	NS	NS	NS	-6.40	-7.40
	115	NS	NS	NS	NS	-7.20	-8.20
	123-179	NS	NS	NS	NS	-6.70	-7.70
	187	NS	NS	NS	NS	-6.70	-7.70
	195-219	NS	NS	-8.80	-9.80	-5.70	-6.70
	227	NS	NS	-8.80	-9.80	-5.70	-6.70
	7	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) VLP	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	-7.70	-8.70
	71	NS	NS	NS	NS	-6.50	-7.50
	87	NS	NS	NS	NS	-6.60	-7.60
	103	NS	NS	NS	NS	-6.40	-7.40
	119	NS	NS	NS	NS	-7.20	-8.20
	135-167	NS	NS	NS	NS	-6.60	-7.60
	183	NS	NS	NS	NS	-6.90	-7.90
	199	NS	NS	-8.80	-9.80	-5.70	-6.70
	215	NS	NS	-8.70	-9.70	-5.60	-6.60
6 GHz WIFI (160MHz BW) VLP	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	NS	NS	-7.70	-8.70
	79	NS	NS	NS	NS	-6.60	-7.60
	111	NS	NS	NS	NS	-7.20	-8.20
	143	NS	NS	NS	NS	-6.60	-7.60
	175	NS	NS	NS	NS	-7.20	-8.20
	207	NS	NS	-8.80	-9.80	-5.70	-6.70

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 21 of 48

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7a						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-7.80	-8.80	-4.70	-5.70
	65-85	NS	NS	-6.90	-7.90	-3.60	-4.60
	89	NS	NS	-6.60	-7.60	-3.30	-4.30
	93	NS	NS	-6.60	-7.60	-3.70	-4.70
	97-113	NS	NS	-6.70	-7.70	-3.70	-4.70
	117-181	NS	NS	-6.80	-7.80	-3.70	-4.70
	185	NS	NS	-6.70	-7.70	-3.70	-4.70
	189-225	-8.60	-9.60	-5.80	-6.80	-2.70	-3.70
	229	-8.60	-9.60	-5.70	-6.70	-2.60	-3.60
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	-7.80	-8.80	-4.70	-5.70
	67-75	NS	NS	-6.90	-7.90	-3.60	-4.60
	83	NS	NS	-6.60	-7.60	-3.50	-4.50
	91	NS	NS	-6.60	-7.60	-3.70	-4.70
	99-107	NS	NS	-6.70	-7.70	-3.60	-4.60
	115	NS	NS	-7.40	-8.40	-4.30	-5.30
	123-179	NS	NS	-6.80	-7.80	-3.70	-4.70
	187	NS	NS	-6.70	-7.70	-3.70	-4.70
	195-219	-8.60	-9.60	-5.80	-6.80	-2.70	-3.70
	227	-8.60	-9.60	-5.80	-6.80	-2.70	-3.70
	231	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) VLP	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	-7.80	-8.80	-4.70	-5.70
	71	NS	NS	-6.90	-7.90	-3.60	-4.60
	87	NS	NS	-6.70	-7.70	-3.70	-4.70
	103	NS	NS	-6.70	-7.70	-3.60	-4.60
	119	NS	NS	-7.50	-8.50	-4.30	-5.30
	135-167	NS	NS	-6.80	-7.80	-3.60	-4.60
	183	NS	NS	-7.00	-8.00	-3.90	-4.90
	199	-8.60	-9.60	-5.80	-6.80	-2.70	-3.70
	215	-8.40	-9.40	-5.70	-6.70	-2.60	-3.60
	219	NS	NS	NS	NS	NS	NS
	235	NS	NS	NS	NS	NS	NS
	239	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) VLP	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	-7.80	-8.80	-4.70	-5.70
	79	NS	NS	-6.90	-7.90	-3.70	-4.70
	111	NS	NS	-7.30	-8.30	-4.30	-5.30
	143	NS	NS	-6.80	-7.80	-3.60	-4.60
	175	NS	NS	-7.00	-8.00	-4.20	-5.20
	207	-8.90	-9.90	-5.80	-6.80	-2.70	-3.70

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7a					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.50	9.50	13.25	12.25	13.25	12.25
	5	10.50	9.50	13.25	12.25	13.25	12.25
	9-29	10.50	9.50	13.25	12.25	13.25	12.25
	33-61	10.50	9.50	13.50	12.50	14.50	13.50
	65-85	10.50	9.50	13.25	12.25	13.25	12.25
	89	10.50	9.50	13.25	12.25	13.25	12.25
	93	10.50	9.50	13.25	12.25	13.25	12.25
	97-113	NS	NS	NS	NS	NS	NS
	117-181	10.00	9.00	13.00	12.00	13.25	12.25
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) SP	3	10.50	9.50	13.25	12.25	13.25	12.25
	11	10.50	9.50	13.25	12.25	13.25	12.25
	19-27	10.50	9.50	13.25	12.25	13.25	12.25
	35-59	10.50	9.50	13.50	12.50	14.50	13.50
	67-75	10.50	9.50	13.25	12.25	13.25	12.25
	83	10.50	9.50	13.25	12.25	13.25	12.25
	91	10.50	9.50	13.25	12.25	13.25	12.25
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	10.00	9.00	13.00	12.00	13.25	12.25
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.50	9.50	13.25	12.25	13.25	12.25
6 GHz WIFI (80MHz BW) SP	23	10.50	9.50	13.25	12.25	13.25	12.25
	39-55	10.50	9.50	13.50	12.50	14.50	13.50
	71	10.50	9.50	13.25	12.25	13.25	12.25
	87	10.50	9.50	13.25	12.25	13.25	12.25
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	10.00	9.00	13.00	12.00	14.00	13.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.50	9.50	13.25	12.25	13.25	12.25
	47	10.50	9.50	13.50	12.50	14.50	13.50
6 GHz WIFI (160MHz BW) SP	79	10.50	9.50	13.25	12.25	13.25	12.25
	111	NS	NS	NS	NS	NS	NS
	143	10.00	9.00	13.00	12.00	14.00	13.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 23 of 48

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7a						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	7.80	6.80	10.20	9.20	12.90	11.90
	5	7.90	6.90	10.60	9.60	13.25	12.25
	9-29	7.80	6.80	10.50	9.50	13.25	12.25
	33-61	8.40	7.40	11.20	10.20	14.30	13.30
	65-85	9.70	8.70	12.20	11.20	13.25	12.25
	89	9.90	8.90	12.50	11.50	13.25	12.25
	93	9.90	8.90	12.50	11.50	13.25	12.25
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.50	8.50	12.20	11.20	13.25	12.25
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) SP	3	7.70	6.70	10.20	9.20	12.90	11.90
	11	7.70	6.70	10.60	9.60	13.25	12.25
	19-27	7.80	6.80	10.50	9.50	13.25	12.25
	35-59	8.40	7.40	11.20	10.20	14.30	13.30
	67-75	9.70	8.70	12.20	11.20	13.25	12.25
	83	9.70	8.70	12.50	11.50	13.25	12.25
	91	9.80	8.80	12.50	11.50	13.25	12.25
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.50	8.50	12.20	11.20	13.25	12.25
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) SP	7	7.70	6.70	10.20	9.20	12.90	11.90
	23	7.80	6.80	10.50	9.50	13.25	12.25
	39-55	8.40	7.40	11.20	10.20	14.30	13.30
	71	9.60	8.60	12.20	11.20	13.25	12.25
	87	9.60	8.60	12.40	11.40	13.25	12.25
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	9.50	8.50	12.20	11.20	14.00	13.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	15	7.40	6.40	10.00	9.00	13.20	12.20
	47	8.60	7.60	11.30	10.30	14.40	13.40
	79	9.80	8.80	12.60	11.60	13.25	12.25
	111	NS	NS	NS	NS	NS	NS
	143	9.50	8.50	11.90	10.90	14.00	13.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 24 of 48


Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7a					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.50	9.50	13.20	12.20	13.25	12.25
	5	10.50	9.50	13.25	12.25	13.25	12.25
	9-29	10.50	9.50	13.25	12.25	13.25	12.25
	33-61	10.50	9.50	13.50	12.50	14.50	13.50
	65-85	10.50	9.50	13.25	12.25	13.25	12.25
	89	10.50	9.50	13.25	12.25	13.25	12.25
	93	10.50	9.50	13.25	12.25	13.25	12.25
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.50	8.50	12.50	11.50	13.25	12.25
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) SP	3	10.50	9.50	13.20	12.20	13.25	12.25
	11	10.50	9.50	13.25	12.25	13.25	12.25
	19-27	10.50	9.50	13.25	12.25	13.25	12.25
	35-59	10.50	9.50	13.50	12.50	14.50	13.50
	67-75	10.50	9.50	13.25	12.25	13.25	12.25
	83	10.50	9.50	13.25	12.25	13.25	12.25
	91	10.50	9.50	13.25	12.25	13.25	12.25
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.50	8.50	12.50	11.50	13.25	12.25
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) SP	7	10.50	9.50	13.20	12.20	13.25	12.25
	23	10.50	9.50	13.25	12.25	13.25	12.25
	39-55	10.50	9.50	13.50	12.50	14.50	13.50
	71	10.50	9.50	13.25	12.25	13.25	12.25
	87	10.50	9.50	13.25	12.25	13.25	12.25
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	9.50	8.50	12.50	11.50	14.00	13.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	15	10.40	9.40	13.00	12.00	13.25	12.25
	47	10.50	9.50	13.50	12.50	14.50	13.50
	79	10.50	9.50	13.25	12.25	13.25	12.25
	111	NS	NS	NS	NS	NS	NS
	143	9.50	8.50	12.50	11.50	14.00	13.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 25 of 48




Mode		IEEE 802.11 (Maximum 10 GHz) - Minimum 5GHz									
		MIMO CDD		MIMO CDD		MIMO CDD		MIMO CDD		MIMO CDD	
Channel		12_26T (Maximum)	12_26T (Minimum)	16_32T (Maximum)	16_32T (Minimum)	Tx/Rx		16_32T (Maximum)	16_32T (Minimum)	16_32T (Maximum)	16_32T (Minimum)
5 GHz WFI 20 MHz Bandwidth	38	13.10	13.10	15.10	15.10			16.10	16.10		
	40	13.40	13.40	15.70	15.70			16.70	16.70		
	42	13.70	13.70	15.80	15.80			16.80	16.80		
	46	13.70	13.70	15.90	15.90			16.90	16.90		
	52	13.80	13.80	15.90	15.90			16.90	16.90		
	56	13.80	13.80	15.90	15.90			16.90	16.90		
	60	13.90	13.90	15.90	15.90			16.90	16.90		
	64	13.90	13.90	15.90	15.90			16.90	16.90		
	100	13.90	13.90	15.10	15.10			16.10	16.10		
	104	13.90	13.90	15.90	15.90			16.90	16.90		
	112	13.90	13.90	15.90	15.90			16.90	16.90		
	116	13.90	13.90	15.10	15.10			16.10	16.10		
	120	13.90	13.90	15.90	15.90			16.90	16.90		
	124	13.90	13.90	14.80	14.80			15.80	15.80		
	128	13.90	13.90	14.80	14.80			15.80	15.80		
	132	13.90	13.90	14.80	14.80			15.80	15.80		
	136	13.90	13.90	14.80	14.80			15.80	15.80		
	140	13.90	13.90	13.90	13.90			14.90	14.90		
	144	13.90	13.90	13.90	13.90			14.90	14.90		
	5 GHz WFI 40 MHz Bandwidth	148	13.90	13.90	13.90	13.90			14.90	14.90	
152		13.90	13.90	13.90	13.90			14.90	14.90		
156		13.90	13.90	13.90	13.90			14.90	14.90		
160		13.90	13.90	13.90	13.90			14.90	14.90		
164		13.90	13.90	13.90	13.90			14.90	14.90		
168		13.90	13.90	13.90	13.90			14.90	14.90		
172		13.90	13.90	13.90	13.90			14.90	14.90		
176		13.90	13.90	13.90	13.90			14.90	14.90		
180		13.90	13.90	13.90	13.90			14.90	14.90		
184		13.90	13.90	13.90	13.90			14.90	14.90		
5 GHz WFI 80 MHz Bandwidth	188	13.90	13.90	13.90	13.90			14.90	14.90		
	192	13.90	13.90	13.90	13.90			14.90	14.90		
	196	13.90	13.90	13.90	13.90			14.90	14.90		
	200	13.90	13.90	13.90	13.90			14.90	14.90		
	204	13.90	13.90	13.90	13.90			14.90	14.90		
	208	13.90	13.90	13.90	13.90			14.90	14.90		
	212	13.90	13.90	13.90	13.90			14.90	14.90		
	216	13.90	13.90	13.90	13.90			14.90	14.90		
	220	13.90	13.90	13.90	13.90			14.90	14.90		
	224	13.90	13.90	13.90	13.90			14.90	14.90		
5 GHz WFI 160 MHz Bandwidth	228	13.90	13.90	13.90	13.90			14.90	14.90		
	232	13.90	13.90	13.90	13.90			14.90	14.90		
	236	13.90	13.90	13.90	13.90			14.90	14.90		
	240	13.90	13.90	13.90	13.90			14.90	14.90		
	244	13.90	13.90	13.90	13.90			14.90	14.90		

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 26 of 48

[illegible]

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 27 of 48



Approved by:
Technical Manager

APPENDIX G:
Page 28 of 48

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WPI													
		MINI0 C20		MINI0 C20		MINI0 C20		MINI0 C20		MINI0 C20		MINI0 C20		MINI0 C20	
		S2_20T (Maximum)	S2_20T (Nominal)	S2L_20T (Maximum)	S2L_20T (Nominal)	S2L_20T (Maximum)	S2L_20T (Nominal)	6BET_24T2 (Maximum)	6BET_24T2 (Nominal)	6BET_40T (Maximum)	6BET_40T (Nominal)	6BET_40T_20T (Maximum)	6BET_40T_24T2 (Nominal)		
6 GHz WPI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	3	-6.10	-7.10	-4.10	-4.10	-5.10	-6.10	-6.10	-7.10	-4.10	-4.10	-5.10	-6.10		
	4	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	5	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	6	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	7	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	8	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	9	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	10	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	11	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	12	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	13	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	14	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	15	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
6 GHz WPI (20MHz BW) LP	16	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	17	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	18	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	19	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	20	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	21	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	22	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	23	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	24	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	25	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	26	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	27	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	28	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	29	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
30	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10			
6 GHz WPI (20MHz BW) LP	31	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	32	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	33	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	34	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	35	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	36	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	37	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	38	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	39	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	40	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	41	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	42	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	43	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	44	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
45	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10			
6 GHz WPI (20MHz BW) LP	46	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	47	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	48	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	49	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	50	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	51	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	52	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	53	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	54	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	55	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	56	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	57	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	58	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	59	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
60	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10			
6 GHz WPI (20MHz BW) LP	61	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	62	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	63	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	64	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	65	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	66	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	67	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	68	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	69	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	70	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	71	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	72	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	73	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	74	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
75	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10			
6 GHz WPI (20MHz BW) LP	76	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	77	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	78	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	79	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	80	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	81	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	82	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	83	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	84	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	85	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	86	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	87	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	88	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	89	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
90	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10			
6 GHz WPI (20MHz BW) LP	91	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	92	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	93	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	94	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	95	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10		
	96	-5.10	-6.10	-4.10	-4.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.10	-4.10	-5.1		



Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WTR									
		MINAO CSD	MINAO CSD	MINAO CSD	MINAO CSD	MINAO CSD	MINAO CSD	MINAO CSD	MINAO CSD	MINAO CSD	MINAO CSD
		52_26T (Maximum)	52_26T (Maximum)	56_26T (Maximum)	56_26T (Maximum)	Totals		56T_26T (Maximum)	56T_26T (Maximum)	56T_26T (Maximum)	56T_26T (Maximum)
5 GHz WTR (100Watt BW) VLP	1	N/A	N/A	N/A	N/A						
	2	N/A	N/A	N/A	N/A						
	3	N/A	N/A	N/A	N/A						
	4	N/A	N/A	N/A	N/A						
	5	N/A	N/A	N/A	N/A						
	6	N/A	N/A	N/A	N/A						
	7	N/A	N/A	N/A	N/A						
	8	N/A	N/A	N/A	N/A						
	9	N/A	N/A	N/A	N/A						
	10	N/A	N/A	N/A	N/A						
	11	N/A	N/A	N/A	N/A						
	12	N/A	N/A	N/A	N/A						
	13	N/A	N/A	N/A	N/A						
	14	N/A	N/A	N/A	N/A						
	15	N/A	N/A	N/A	N/A						
5 GHz WTR (100Watt BW) VLP	16	N/A	N/A	N/A	N/A						
	17	N/A	N/A	N/A	N/A						
	18	N/A	N/A	N/A	N/A						
	19	N/A	N/A	N/A	N/A						
	20	N/A	N/A	N/A	N/A						
	21	N/A	N/A	N/A	N/A						
	22	N/A	N/A	N/A	N/A						
	23	N/A	N/A	N/A	N/A						
	24	N/A	N/A	N/A	N/A						
	25	N/A	N/A	N/A	N/A						
	26	N/A	N/A	N/A	N/A						
	27	N/A	N/A	N/A	N/A						
	28	N/A	N/A	N/A	N/A						
	29	N/A	N/A	N/A	N/A						
	30	N/A	N/A	N/A	N/A						
5 GHz WTR (100Watt BW) VLP	31	N/A	N/A	N/A	N/A						
	32	N/A	N/A	N/A	N/A						
	33	N/A	N/A	N/A	N/A						
	34	N/A	N/A	N/A	N/A						
	35	N/A	N/A	N/A	N/A						
	36	N/A	N/A	N/A	N/A						
	37	N/A	N/A	N/A	N/A						
	38	N/A	N/A	N/A	N/A						
	39	N/A	N/A	N/A	N/A						
	40	N/A	N/A	N/A	N/A						
	41	N/A	N/A	N/A	N/A						
	42	N/A	N/A	N/A	N/A						
	43	N/A	N/A	N/A	N/A						
	44	N/A	N/A	N/A	N/A						
	45	N/A	N/A	N/A	N/A						
5 GHz WTR (100Watt BW) VLP	46	N/A	N/A	N/A	N/A						
	47	N/A	N/A	N/A	N/A						
	48	N/A	N/A	N/A	N/A						
	49	N/A	N/A	N/A	N/A						
	50	N/A	N/A	N/A	N/A						
	51	N/A	N/A	N/A	N/A						
	52	N/A	N/A	N/A	N/A						
	53	N/A	N/A	N/A	N/A						
	54	N/A	N/A	N/A	N/A						
	55	N/A	N/A	N/A	N/A						
	56	N/A	N/A	N/A	N/A						
	57	N/A	N/A	N/A	N/A						
	58	N/A	N/A	N/A	N/A						
	59	N/A	N/A	N/A	N/A						
	60	N/A	N/A	N/A	N/A						

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WTR									
		MINAO SSM	MINAO SSM	MINAO SSM	MINAO SSM	MINAO SSM	MINAO SSM	MINAO SSM	MINAO SSM	MINAO SSM	MINAO SSM
		52_26T (Maximum)	52_26T (Maximum)	56_26T (Maximum)	56_26T (Maximum)	Totals		56T_26T (Maximum)	56T_26T (Maximum)	56T_26T (Maximum)	56T_26T (Maximum)
5 GHz WTR (100Watt BW) VLP	1	N/A	N/A	N/A	N/A						
	2	N/A	N/A	N/A	N/A						
	3	N/A	N/A	N/A	N/A						
	4	N/A	N/A	N/A	N/A						
	5	N/A	N/A	N/A	N/A						
	6	N/A	N/A	N/A	N/A						
	7	N/A	N/A	N/A	N/A						
	8	N/A	N/A	N/A	N/A						
	9	N/A	N/A	N/A	N/A						
	10	N/A	N/A	N/A	N/A						
	11	N/A	N/A	N/A	N/A						
	12	N/A	N/A	N/A	N/A						
	13	N/A	N/A	N/A	N/A						
	14	N/A	N/A	N/A	N/A						
	15	N/A	N/A	N/A	N/A						
5 GHz WTR (100Watt BW) VLP	16	N/A	N/A	N/A	N/A						
	17	N/A	N/A	N/A	N/A						
	18	N/A	N/A	N/A	N/A						
	19	N/A	N/A	N/A	N/A						
	20	N/A	N/A	N/A	N/A						
	21	N/A	N/A	N/A	N/A						
	22	N/A	N/A	N/A	N/A						
	23	N/A	N/A	N/A	N/A						
	24	N/A	N/A	N/A	N/A						
	25	N/A	N/A	N/A	N/A						
	26	N/A	N/A	N/A	N/A						
	27	N/A	N/A	N/A	N/A						
	28	N/A	N/A	N/A	N/A						
	29	N/A	N/A	N/A	N/A						
	30	N/A	N/A	N/A	N/A						
5 GHz WTR (100Watt BW) VLP	31	N/A	N/A	N/A	N/A						
	32	N/A	N/A	N/A	N/A						
	33	N/A	N/A	N/A	N/A						
	34	N/A	N/A	N/A	N/A						
	35	N/A	N/A	N/A	N/A						
	36	N/A	N/A	N/A	N/A						
	37	N/A	N/A	N/A	N/A						
	38	N/A	N/A	N/A	N/A						
	39	N/A	N/A	N/A	N/A						
	40	N/A	N/A	N/A	N/A						
	41	N/A	N/A	N/A	N/A						
	42	N/A	N/A	N/A	N/A						
	43	N/A	N/A	N/A	N/A						
	44	N/A	N/A	N/A	N/A						
	45	N/A	N/A	N/A	N/A						
5 GHz WTR (100Watt BW) VLP	46	N/A	N/A	N/A	N/A						
	47	N/A	N/A	N/A	N/A						
	48	N/A	N/A	N/A	N/A						
	49	N/A	N/A	N/A	N/A						
	50	N/A	N/A	N/A	N/A						
	51	N/A	N/A	N/A	N/A						
	52	N/A	N/A	N/A	N/A						
	53	N/A	N/A	N/A	N/A						
	54	N/A	N/A	N/A	N/A						
	55	N/A	N/A	N/A	N/A						
	56	N/A	N/A	N/A	N/A						
	57	N/A	N/A	N/A	N/A						
	58	N/A	N/A	N/A	N/A						
	59	N/A	N/A	N/A	N/A						
	60	N/A	N/A	N/A	N/A						

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WTR															
		SSD		SSD		SSD		SSD		SSD							
		SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD	SSD						
5 GHz WTR (100Watt BW) SP	1	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	2	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	3	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	4	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	5	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	6	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	7	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	8	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	9	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	10	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	11	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	12	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
5 GHz WTR (100Watt BW) SP	13	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	14	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	15	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	16	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	17	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	18	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	19	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	20	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	21	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	22	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	23	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	24	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
5 GHz WTR (100Watt BW) SP	25	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	26	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	27	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	28	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	29	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	30	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	31	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	32	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	33	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	34	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	35	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	36	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
5 GHz WTR (100Watt BW) SP	37	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	38	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	39	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	40	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	41	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	42	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	43	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	44	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	45	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	46	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	47	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	
	48	15.00	15.00	15.00	15.00	68B7_243T (Maximum)		68B7_243T (Maximum)		68B7_484T (Maximum)		68B7_484T (Maximum)		68B7_484T_243T (Maximum)		68B7_484T_243T (Maximum)	



Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WTR									
		MINMO CSD	MINMO CSD	MINMO CSD	MINMO CSD	MINMO CSD		MINMO CSD	MINMO CSD	MINMO CSD	MINMO CSD
		S2_26T (Maximum)	S2_26T (Normal)	S4L_26T (Maximum)	S4L_26T (Normal)	Taps		S6B_26T (Maximum)	S6B_26T (Normal)	S8B_26T (Maximum)	S8B_26T (Normal)
6 GHz WTR (20MHz BW) SP	2	N/A	N/A	N/A	N/A						
	3	11.50	11.50	11.50	11.50						
	5	12.50	12.50	12.50	12.50						
	7	12.50	12.50	12.50	12.50						
	9-13	13.50	13.50	13.50	13.50						
	15-19	14.50	14.50	14.50	14.50						
	21	14.50	14.50	14.50	14.50						
	23	14.50	14.50	14.50	14.50						
	25	14.50	14.50	14.50	14.50						
	27-31	15.50	15.50	15.50	15.50						
	33	15.50	15.50	15.50	15.50						
	35	15.50	15.50	15.50	15.50						
6 GHz WTR (20MHz BW) SP	37	15.50	15.50	15.50	15.50						
	39	15.50	15.50	15.50	15.50						
	41	15.50	15.50	15.50	15.50						
	43	15.50	15.50	15.50	15.50						
	45	15.50	15.50	15.50	15.50						
	47	15.50	15.50	15.50	15.50						
	49	15.50	15.50	15.50	15.50						
	51	15.50	15.50	15.50	15.50						
	53	15.50	15.50	15.50	15.50						
	55	15.50	15.50	15.50	15.50						
	57	15.50	15.50	15.50	15.50						
	59	15.50	15.50	15.50	15.50						
6 GHz WTR (20MHz BW) SP	61	15.50	15.50	15.50	15.50						
	63	15.50	15.50	15.50	15.50						
	65	15.50	15.50	15.50	15.50						
	67	15.50	15.50	15.50	15.50						
	69	15.50	15.50	15.50	15.50						
	71	15.50	15.50	15.50	15.50						
	73	15.50	15.50	15.50	15.50						
	75	15.50	15.50	15.50	15.50						
	77	15.50	15.50	15.50	15.50						
	79	15.50	15.50	15.50	15.50						
	81	15.50	15.50	15.50	15.50						
	83	15.50	15.50	15.50	15.50						
6 GHz WTR (20MHz BW) SP	85	15.50	15.50	15.50	15.50						
	87	15.50	15.50	15.50	15.50						
	89	15.50	15.50	15.50	15.50						
	91	15.50	15.50	15.50	15.50						
	93	15.50	15.50	15.50	15.50						
	95	15.50	15.50	15.50	15.50						
	97	15.50	15.50	15.50	15.50						
	99	15.50	15.50	15.50	15.50						
	101	15.50	15.50	15.50	15.50						
	103	15.50	15.50	15.50	15.50						
	105	15.50	15.50	15.50	15.50						
	107	15.50	15.50	15.50	15.50						


Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WTR									
		MINMO SSM	MINMO SSM	MINMO SSM	MINMO SSM	MINMO SSM		MINMO SSM	MINMO SSM	MINMO SSM	MINMO SSM
		S2_26T (Maximum)	S2_26T (Normal)	S4L_26T (Maximum)	S4L_26T (Normal)	Taps		S6B_26T (Maximum)	S6B_26T (Normal)	S8B_26T (Maximum)	S8B_26T (Normal)
6 GHz WTR (20MHz BW) SP	2	N/A	N/A	N/A	N/A						
	3	11.50	11.50	11.50	11.50						
	5	12.50	12.50	12.50	12.50						
	7	12.50	12.50	12.50	12.50						
	9-13	13.50	13.50	13.50	13.50						
	15-19	14.50	14.50	14.50	14.50						
	21	14.50	14.50	14.50	14.50						
	23	14.50	14.50	14.50	14.50						
	25	14.50	14.50	14.50	14.50						
	27-31	15.50	15.50	15.50	15.50						
	33	15.50	15.50	15.50	15.50						
	35	15.50	15.50	15.50	15.50						
6 GHz WTR (20MHz BW) SP	37	15.50	15.50	15.50	15.50						
	39	15.50	15.50	15.50	15.50						
	41	15.50	15.50	15.50	15.50						
	43	15.50	15.50	15.50	15.50						
	45	15.50	15.50	15.50	15.50						
	47	15.50	15.50	15.50	15.50						
	49	15.50	15.50	15.50	15.50						
	51	15.50	15.50	15.50	15.50						
	53	15.50	15.50	15.50	15.50						
	55	15.50	15.50	15.50	15.50						
	57	15.50	15.50	15.50	15.50						
	59	15.50	15.50	15.50	15.50						
6 GHz WTR (20MHz BW) SP	61	15.50	15.50	15.50	15.50						
	63	15.50	15.50	15.50	15.50						
	65	15.50	15.50	15.50	15.50						
	67	15.50	15.50	15.50	15.50						
	69	15.50	15.50	15.50	15.50						
	71	15.50	15.50	15.50	15.50						
	73	15.50	15.50	15.50	15.50						
	75	15.50	15.50	15.50	15.50						
	77	15.50	15.50	15.50	15.50						
	79	15.50	15.50	15.50	15.50						
	81	15.50	15.50	15.50	15.50						
	83	15.50	15.50	15.50	15.50						
6 GHz WTR (20MHz BW) SP	85	15.50	15.50	15.50	15.50						
	87	15.50	15.50	15.50	15.50						
	89	15.50	15.50	15.50	15.50						
	91	15.50	15.50	15.50	15.50						
	93	15.50	15.50	15.50	15.50						
	95	15.50	15.50	15.50	15.50						
	97	15.50	15.50	15.50	15.50						
	99	15.50	15.50	15.50	15.50						
	101	15.50	15.50	15.50	15.50						
	103	15.50	15.50	15.50	15.50						
	105	15.50	15.50	15.50	15.50						
	107	15.50	15.50	15.50	15.50						

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WTRs																		
		SISO	SISO	SISO	SISO	SISO		SISO	SISO	SISO	SISO									
		Taps																		
6 GHz WTR (20MHz BW) LP	S2_26T (Maximum)		S2_26T (Normal)		S4L_26T (Maximum)		S4L_26T (Normal)		6B4T_242T (Maximum)		6B4T_242T (Normal)		8B4T_242T (Maximum)		8B4T_242T (Normal)		8B4T_484T_242T (Maximum)		8B4T_484T_242T (Normal)	
	2	N/A	N/A	N/A	N/A	N/A														
	3	0.00	0.00	0.00	0.00	0.00	0.00													
	5	0.00	0.00	0.00	0.00	0.00	0.00													
	9-25	0.00	0.00	0.00	0.00	0.00	0.00													
	25-45	0.00	0.00	0.00	0.00	0.00	0.00													
	45-65	0.00	0.00	0.00	0.00	0.00	0.00													
	65	0.00	0.00	0.00	0.00	0.00	0.00													
	65-85	0.00	0.00	0.00	0.00	0.00	0.00													
	85-105	0.00	0.00	0.00	0.00	0.00	0.00													
	105-125	0.00	0.00	0.00	0.00	0.00	0.00													
	125-145	0.00	0.00	0.00	0.00	0.00	0.00													
	145-165	0.00	0.00	0.00	0.00	0.00	0.00													
	165-185	0.00	0.00	0.00	0.00	0.00	0.00													
6 GHz WTR (40MHz BW) LP	2	0.00	0.00	0.00	0.00	0.00	0.00													
	3	0.00	0.00	0.00	0.00	0.00	0.00													
	5	0.00	0.00	0.00	0.00	0.00	0.00													
	9-25	0.00	0.00	0.00	0.00	0.00	0.00													
	25-45	0.00	0.00	0.00	0.00	0.00	0.00													
	45-65	0.00	0.00	0.00	0.00	0.00	0.00													
	65	0.00	0.00	0.00	0.00	0.00	0.00													
	65-85	0.00	0.00	0.00	0.00	0.00	0.00													
	85-105	0.00	0.00	0.00	0.00	0.00	0.00													
	105-125	0.00	0.00	0.00	0.00	0.00	0.00													
	125-145	0.00	0.00	0.00	0.00	0.00	0.00													
	145-165	0.00	0.00	0.00	0.00	0.00	0.00													
	165-185	0.00	0.00	0.00	0.00	0.00	0.00													
	185-205	0.00	0.00	0.00	0.00	0.00	0.00													
6 GHz WTR (80MHz BW) LP	2	0.00	0.00	0.00	0.00	0.00	0.00													
	3	0.00	0.00	0.00	0.00	0.00	0.00													
	5	0.00	0.00	0.00	0.00	0.00	0.00													
	9-25	0.00	0.00	0.00	0.00	0.00	0.00													
	25-45	0.00	0.00	0.00	0.00	0.00	0.00													
	45-65	0.00	0.00	0.00	0.00	0.00	0.00													
	65	0.00	0.00	0.00	0.00	0.00	0.00													
	65-85	0.00	0.00	0.00	0.00	0.00	0.00													
	85-105	0.00	0.00	0.00	0.00	0.00	0.00													
	105-125	0.00	0.00	0.00	0.00	0.00	0.00													
	125-145	0.00	0.00	0.00	0.00	0.00	0.00													
	145-165	0.00	0.00	0.00	0.00	0.00	0.00													
	165-185	0.00	0.00	0.00	0.00	0.00	0.00													
	185-205	0.00	0.00	0.00	0.00	0.00	0.00													
6 GHz WTR (160MHz BW) LP	2	0.00	0.00	0.00	0.00	0.00	0.00													
	3	0.00	0.00	0.00	0.00	0.00	0.00													
	5	0.00	0.00	0.00	0.00	0.00	0.00													
	9-25	0.00	0.00	0.00	0.00	0.00	0.00													
	25-45	0.00	0.00	0.00	0.00	0.00	0.00													
	45-65	0.00	0.00	0.00	0.00	0.00	0.00													
	65	0.00	0.00	0.00	0.00	0.00	0.00													
	65-85	0.00	0.00	0.00	0.00	0.00	0.00													
	85-105	0.00	0.00	0.00	0.00	0.00	0.00													
	105-125	0.00	0.00	0.00	0.00	0.00	0.00													
	125-145	0.00	0.00	0.00	0.00	0.00	0.00													
	145-165	0.00	0.00	0.00	0.00	0.00	0.00													
	165-185	0.00	0.00	0.00	0.00	0.00	0.00													
	185-205	0.00	0.00	0.00	0.00	0.00	0.00													



Mode	Channel	SSE 802.11 (Maximum) in dBm - Antenna WP7s											
		MINMO C20		MINMO C20		MINMO C20		MINMO C20		MINMO C20		MINMO C20	
		S2_26T (Maximum)	S2_26T (Desired)	S26_24T (Maximum)	S26_24T (Desired)	666T_24T (Maximum)	666T_24T (Desired)	666T_48T (Maximum)	666T_48T (Desired)	666T_48T_24T (Maximum)	666T_48T_24T (Desired)		
6 GHz WFI (20MHz BW) LP	2	NS	NS	NS	NS	Trans							
	1	-6.10	-7.10	-4.10	-4.10								
	3	-5.10	-5.10	-4.10	-4.10								
	5	-5.10	-5.10	-4.10	-4.10								
	9.25	-5.10	-5.10	-4.10	-4.10								
	9.45	-4.10	-3.10	-3.10	-3.10								
	9.65	-4.10	-3.10	-3.10	-3.10								
	9.85	-3.10	-2.10	-2.10	-2.10								
	10	-3.10	-2.10	-2.10	-2.10								
	10.1	-3.10	-2.10	-2.10	-2.10								
	10.11	-3.10	-2.10	-2.10	-2.10								
	10.12	-3.10	-2.10	-2.10	-2.10								
	10.13	-3.10	-2.10	-2.10	-2.10								
	10.14	-3.10	-2.10	-2.10	-2.10								
	10.15	-3.10	-2.10	-2.10	-2.10								
6 GHz WFI (40MHz BW) LP	10.16	-3.10	-2.10	-2.10	-2.10								
	10.17	-3.10	-2.10	-2.10	-2.10								
	10.18	-3.10	-2.10	-2.10	-2.10								
	10.19	-3.10	-2.10	-2.10	-2.10								
	10.2	-3.10	-2.10	-2.10	-2.10								
	10.21	-3.10	-2.10	-2.10	-2.10								
	10.22	-3.10	-2.10	-2.10	-2.10								
	10.23	-3.10	-2.10	-2.10	-2.10								
	10.24	-3.10	-2.10	-2.10	-2.10								
	10.25	-3.10	-2.10	-2.10	-2.10								
	10.26	-3.10	-2.10	-2.10	-2.10								
	10.27	-3.10	-2.10	-2.10	-2.10								
	10.28	-3.10	-2.10	-2.10	-2.10								
	10.29	-3.10	-2.10	-2.10	-2.10								
	10.3	-3.10	-2.10	-2.10	-2.10								
6 GHz WFI (80MHz BW) LP	10.31	-3.10	-2.10	-2.10	-2.10								
	10.32	-3.10	-2.10	-2.10	-2.10								
	10.33	-3.10	-2.10	-2.10	-2.10								
	10.34	-3.10	-2.10	-2.10	-2.10								
	10.35	-3.10	-2.10	-2.10	-2.10								
	10.36	-3.10	-2.10	-2.10	-2.10								
	10.37	-3.10	-2.10	-2.10	-2.10								
	10.38	-3.10	-2.10	-2.10	-2.10								
	10.39	-3.10	-2.10	-2.10	-2.10								
	10.4	-3.10	-2.10	-2.10	-2.10								
	10.41	-3.10	-2.10	-2.10	-2.10								
	10.42	-3.10	-2.10	-2.10	-2.10								
	10.43	-3.10	-2.10	-2.10	-2.10								
	10.44	-3.10	-2.10	-2.10	-2.10								
	10.45	-3.10	-2.10	-2.10	-2.10								
6 GHz WFI (160MHz BW) LP	10.46	-3.10	-2.10	-2.10	-2.10								
	10.47	-3.10	-2.10	-2.10	-2.10								
	10.48	-3.10	-2.10	-2.10	-2.10								
	10.49	-3.10	-2.10	-2.10	-2.10								
	10.5	-3.10	-2.10	-2.10	-2.10								
	10.51	-3.10	-2.10	-2.10	-2.10								
	10.52	-3.10	-2.10	-2.10	-2.10								
	10.53	-3.10	-2.10	-2.10	-2.10								
	10.54	-3.10	-2.10	-2.10	-2.10								
	10.55	-3.10	-2.10	-2.10	-2.10								
	10.56	-3.10	-2.10	-2.10	-2.10								
	10.57	-3.10	-2.10	-2.10	-2.10								
	10.58	-3.10	-2.10	-2.10	-2.10								
	10.59	-3.10	-2.10	-2.10	-2.10								

Mode	Channel	SSE 802.11 (Maximum) in dBm - Antenna WP7s													
		MINMO C20				MINMO C20		MINMO C20		MINMO C20		MINMO C20		MINMO C20	
		S2_26T (Maximum)		S2_26T (Maximum)		S26_24T (Maximum)		S26_24T (Maximum)		666T_24T (Maximum)		666T_24T (Maximum)		666T_48T (Maximum)	
6 GHz WFI (20MHz BW) LP	2	NS	NS	NS	NS	666T_24T (Maximum)		666T_24T (Maximum)		666T_48T (Maximum)		666T_48T (Maximum)		666T_48T_24T (Maximum)	
	1	-3.10	-4.10	-1.10	-1.10										
	3	-2.10	-3.10	-2.10	-2.10										
	5	-2.10	-3.10	-2.10	-2.10										
	9	-2.10	-3.10	-2.10	-2.10										
	9.25	-2.10	-3.10	-2.10	-2.10										
	9.45	-2.10	-3.10	-2.10	-2.10										
	9.65	-2.10	-3.10	-2.10	-2.10										
	9.85	-2.10	-3.10	-2.10	-2.10										
	10	-2.10	-3.10	-2.10	-2.10										
	10.1	-2.10	-3.10	-2.10	-2.10										
	10.11	-2.10	-3.10	-2.10	-2.10										
	10.12	-2.10	-3.10	-2.10	-2.10										
	10.13	-2.10	-3.10	-2.10	-2.10										
	10.14	-2.10	-3.10	-2.10	-2.10										
6 GHz WFI (40MHz BW) LP	10.15	-2.10	-3.10	-2.10	-2.10										
	10.16	-2.10	-3.10	-2.10	-2.10										
	10.17	-2.10	-3.10	-2.10	-2.10										
	10.18	-2.10	-3.10	-2.10	-2.10										
	10.19	-2.10	-3.10	-2.10	-2.10										
	10.2	-2.10	-3.10	-2.10	-2.10										
	10.21	-2.10	-3.10	-2.10	-2.10										
	10.22	-2.10	-3.10	-2.10	-2.10										
	10.23	-2.10	-3.10	-2.10	-2.10										
	10.24	-2.10	-3.10	-2.10	-2.10										
	10.25	-2.10	-3.10	-2.10	-2.10										
	10.26	-2.10	-3.10	-2.10	-2.10										
	10.27	-2.10	-3.10	-2.10	-2.10										
	10.28	-2.10	-3.10	-2.10	-2.10										
	10.29	-2.10	-3.10	-2.10	-2.10										
6 GHz WFI (80MHz BW) LP	10.3	-2.10	-3.10	-2.10	-2.10										
	10.31	-2.10	-3.10	-2.10	-2.10										
	10.32	-2.10	-3.10	-2.10	-2.10										
	10.33	-2.10	-3.10	-2.10	-2.10										
	10.34	-2.10	-3.10	-2.10	-2.10										
	10.35	-2.10	-3.10	-2.10	-2.10										
	10.36	-2.10	-3.10	-2.10	-2.10										
	10.37	-2.10	-3.10	-2.10	-2.10										
	10.38	-2.10	-3.10	-2.10	-2.10										
	10.39	-2.10	-3.10	-2.10	-2.10										
	10.4	-2.10	-3.10	-2.10	-2.10										
	10.41	-2.10	-3.10	-2.10	-2.10										
	10.42	-2.10	-3.10	-2.10	-2.10										
	10.43	-2.10	-3.10	-2.10	-2.10										
	10.44	-2.10	-3.10	-2.10	-2.10										
6 GHz WFI (160MHz BW) LP	10.45	-2.10	-3.10	-2.10	-2.10										
	10.46	-2.10	-3.10	-2.10	-2.10										
	10.47	-2.10	-3.10	-2.10	-2.10										
	10.48	-2.10	-3.10	-2.10	-2.10										
	10.49	-2.10	-3.10	-2.10	-2.10										
	10.5	-2.10	-3.10	-2.10	-2.10										
	10.51	-2.10	-3.10	-2.10	-2.10										
	10.52	-2.10	-3.10	-2.10	-2.10										

[illegible][illegible]

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 33 of 48

Index	Channel	IEEE 802.11 (Maximum 10 dBm) - Antenna WTPs									
		Types									
		MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD
		5G_2ST (Maximum)	5G_2ST (Maximum)	5G_2ST (Maximum)	5G_2ST (Maximum)	6E4T_2ST (Maximum)	6E4T_2ST (Maximum)	6E6T_4ST (Maximum)	6E6T_4ST (Maximum)	6E6T_4ST_2ST (Maximum)	6E6T_4ST_2ST (Maximum)
4 Giga WHT (20MHz BW) SF	2	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	3	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	5	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	6	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	7	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	8	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	9	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	10	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	11	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	12	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
4 Giga WHT (40MHz BW) SF	13	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	14	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	15	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	16	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	17	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	18	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	19	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	20	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	21	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	22	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
4 Giga WHT (80MHz BW) SF	23	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	24	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	25	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	26	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	27	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	28	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	29	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	30	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	31	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	32	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
4 Giga WHT (160MHz BW) SF	33	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	34	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	35	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	36	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	37	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	38	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	39	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	40	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	41	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
	42	11.50	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25	12.25
4 Giga WHT (320MHz BW) SF	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	112	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	113	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	114	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	116	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

[illegible]

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 34 of 48

G.3 IEEE 802.11ax RU Target Powers

Table G-1
Maximum 2.4 GHz 802.11ax RU Output Power – Ant WF8

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			RU Index		
			0	4	8
2412	1	26T	12.38	12.50	12.34
2437	6	26T	12.35	12.31	12.10
2462	11	26T	12.33	12.11	12.33
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			RU Index		
			37	38	40
2412	1	52T	13.43	13.37	13.09
2437	6	52T	14.95	14.87	15.00
2462	11	52T	14.58	14.35	14.55
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			RU Index		
			53	54	N/A
2412	1	106T	13.39	12.91	
2437	6	106T	18.78	18.52	
2462	11	106T	14.93	14.81	

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 35 of 48

Table G-2
Maximum 2.4 GHz 802.11ax RU Output Power – Ant WF7b

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			RU Index		
			0	4	8
2412	1	26T	12.45	12.23	12.15
2437	6	26T	12.20	12.60	12.27
2462	11	26T	12.52	12.58	12.02
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			RU Index		
			37	38	40
2412	1	52T	14.25	14.00	14.17
2437	6	52T	15.32	15.67	15.41
2462	11	52T	15.65	15.99	15.27
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			RU Index		
			53	54	N/A
2412	1	106T	14.14	14.99	
2437	6	106T	18.39	18.64	
2462	11	106T	15.84	15.35	

Table G-3
Maximum 5 GHz 802.11ax RU Output Power – Ant WF8

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	1	5180	36	26T	9.64	10.68	9.77
		5200	40	26T	9.74	10.71	9.71
		5220	44	26T	9.71	10.89	9.92
		5240	48	26T	9.83	10.84	9.89
	3	5745	149	26T	10.15	10.98	10.13
		5785	157	26T	10.15	11.05	10.14
		5825	165	26T	10.14	11.06	10.14
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	12.86	13.33	12.96
		5200	40	52T	12.91	13.34	13.07
		5220	44	52T	13.11	13.52	13.20
		5240	48	52T	13.19	13.50	13.23
	2A	5260	52	52T	13.22	13.64	13.28
		5280	56	52T	13.36	13.68	13.36
		5300	60	52T	13.36	13.77	13.44
		5320	64	52T	13.39	13.81	13.51
	2C	5500	100	52T	13.62	14.01	13.61
		5600	120	52T	13.61	14.00	13.61
		5580	124	52T	13.62	14.01	13.49
		5720	144	52T	13.47	13.72	13.38
	3	5745	149	52T	13.32	13.67	13.30
		5785	157	52T	13.43	13.71	13.38
		5825	165	52T	13.42	13.76	13.44
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	14.79	14.80	
		5200	40	106T	16.10	16.08	
		5220	44	106T	16.17	16.21	
		5240	48	106T	16.29	16.31	
	2A	5260	52	106T	16.42	16.43	
		5280	56	106T	16.43	16.51	
		5300	60	106T	16.47	16.55	
		5320	64	106T	15.61	15.67	
	2C	5500	100	106T	14.45	14.53	
		5600	120	106T	16.84	16.71	
		5620	124	106T	16.64	16.66	
		5720	144	106T	16.48	16.45	
	3	5745	149	106T	16.41	16.41	
		5785	157	106T	16.50	16.56	
		5825	165	106T	16.41	16.41	

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 37 of 48

Table G-4
Maximum 5 GHz 802.11ax RU Output Power – Ant WF7a

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	1	5180	36	26T	10.00	10.46	10.19
		5200	40	26T	10.13	11.05	10.24
		5220	44	26T	10.02	11.05	10.25
		5240	48	26T	10.20	11.05	10.35
	3	5745	149	26T	10.36	11.24	10.47
		5785	157	26T	10.32	11.28	10.37
		5825	165	26T	10.33	11.09	10.23
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	13.26	13.74	13.53
		5200	40	52T	13.26	13.67	13.33
		5220	44	52T	12.93	13.71	13.36
		5240	48	52T	13.25	13.81	13.45
	2A	5260	52	52T	13.36	13.83	13.51
		5280	56	52T	13.37	13.79	13.48
		5300	60	52T	13.41	13.85	13.57
		5320	64	52T	13.44	13.98	13.62
	2C	5500	100	52T	13.57	13.98	13.65
		5600	120	52T	13.77	14.16	13.80
		5580	124	52T	13.76	14.14	13.75
		5720	144	52T	13.64	13.98	13.64
	3	5745	149	52T	13.58	14.02	13.58
		5785	157	52T	13.55	13.89	13.59
		5825	165	52T	13.50	13.84	13.53
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	15.21	15.31	
		5200	40	106T	16.39	16.52	
		5220	44	106T	16.31	16.47	
		5240	48	106T	16.45	16.56	
	2A	5260	52	106T	16.50	16.60	
		5280	56	106T	16.40	16.50	
		5300	60	106T	16.45	16.63	
		5320	64	106T	15.66	15.71	
	2C	5500	100	106T	14.73	14.74	
		5600	120	106T	16.81	16.82	
		5620	124	106T	16.79	16.83	
		5720	144	106T	16.63	16.59	
	3	5745	149	106T	16.60	16.56	
		5785	157	106T	16.63	16.66	
		5825	165	106T	16.39	16.39	

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 38 of 48

Table G-5
Maximum 6 GHz 802.11ax RU Output Power – Ant WF8

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	5	5955	1	26T	9.67	9.10	9.73
		6175	45	26T	9.59	8.94	9.48
		6195	49	26T	9.42	9.00	9.46
		6415	93	26T	9.17	8.65	9.24
	6	6435	97	26T	-1.88	-0.96	-1.80
		6475	105	26T	-1.68	-0.75	-1.63
		6515	113	26T	-1.71	-0.81	-1.64
	7	6535	117	26T	8.58	8.15	8.42
		6695	149	26T	8.82	8.35	8.70
		6875	185	26T	-2.79	-1.96	-2.82
	8	6895	189	26T	-3.56	-3.68	-3.58
		6995	209	26T	-3.55	-3.74	-3.67
		7015	213	26T	-3.66	-3.87	-3.80
		7115	233	26T	NS	NS	NS
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	5	5955	1	52T	12.85	13.22	12.91
		6175	45	52T	12.81	13.19	12.80
		6195	49	52T	12.79	13.17	12.79
		6415	93	52T	12.46	12.80	12.47
	6	6435	97	52T	1.40	1.78	1.44
		6475	105	52T	1.57	1.98	1.52
		6515	113	52T	1.56	1.96	1.66
	7	6535	117	52T	10.52	10.63	10.54
		6695	149	52T	10.63	10.92	10.56
		6875	185	52T	-0.06	0.32	-0.04
	8	6895	189	52T	-0.15	0.20	-0.14
		6995	209	52T	-0.09	0.20	-0.19
		7015	213	52T	-0.25	0.02	-0.38
		7115	233	52T	NS	NS	NS

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 39 of 48

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	5	5955	1	106T	13.34	13.42	
		6175	45	106T	13.36	13.34	
		6195	49	106T	13.30	13.32	
		6415	93	106T	15.39	15.42	
	6	6435	97	106T	4.06	4.10	
		6475	105	106T	4.02	4.08	
		6515	113	106T	4.03	4.04	
	7	6535	117	106T	13.65	13.62	
		6695	149	106T	13.73	13.68	
		6875	185	106T	2.40	2.32	
	8	6895	189	106T	2.52	2.55	
		6995	209	106T	2.26	2.22	
		7015	213	106T	2.10	2.05	
		7115	233	106T	NS	NS	
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
	6	6445	99	106T	4.09	4.14	4.07
		6485	107	106T	4.01	4.10	4.06
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	8	7025	215	26T	-3.87	-3.75	-3.90
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	8	7025	215	52T	-1.18	-0.98	-1.06
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	60
	8	7025	215	106T	2.10	2.15	2.08

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 40 of 48

Table G-6
Maximum 6 GHz 802.11ax RU Output Power – Ant WF7a

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	5	5955	1	26T	9.64	10.32	9.40
		6175	45	26T	9.06	9.95	9.01
		6195	49	26T	9.05	9.89	9.00
		6415	93	26T	8.72	9.59	8.66
	6	6435	97	26T	-5.64	-4.72	-5.69
		6475	105	26T	-5.65	-4.70	-5.51
		6515	113	26T	-5.58	-4.62	-5.67
	7	6535	117	26T	8.69	9.59	8.66
		6695	149	26T	9.01	9.89	9.05
		6875	185	26T	-3.71	-3.87	-3.77
	8	6895	189	26T	-1.48	-1.41	-1.51
		6995	209	26T	-1.40	-1.46	-1.47
		7015	213	26T	-1.39	-1.39	-1.86
		7115	233	26T	NS	NS	NS
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	5	5955	1	52T	12.51	12.84	12.48
		6175	45	52T	12.26	12.67	12.36
		6195	49	52T	12.29	12.62	12.27
		6415	93	52T	11.87	12.23	11.80
	6	6435	97	52T	-2.54	-2.24	-2.61
		6475	105	52T	-2.65	-2.32	-2.70
		6515	113	52T	-2.57	-2.24	-2.62
	7	6535	117	52T	11.87	12.20	11.84
		6695	149	52T	11.02	11.34	11.02
		6875	185	52T	-0.99	-0.67	-1.04
	8	6895	189	52T	0.74	1.06	0.76
		6995	209	52T	0.68	0.98	0.59
		7015	213	52T	0.63	0.87	0.51
		7115	233	52T	NS	NS	NS

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 41 of 48

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	5	5955	1	106T	11.38	11.27	
		6175	45	106T	11.58	11.55	
		6195	49	106T	11.57	11.57	
		6415	93	106T	10.80	10.78	
	6	6435	97	106T	0.60	0.56	
		6475	105	106T	0.45	0.43	
		6515	113	106T	0.57	0.53	
	7	6535	117	106T	11.35	11.33	
		6695	149	106T	11.47	11.39	
		6875	185	106T	1.71	1.78	
	8	6895	189	106T	3.13	3.15	
		6995	209	106T	3.25	3.11	
		7015	213	106T	3.15	3.11	
		7115	233	106T	NS	NS	
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	8	7025	215	26T	-2.67	-2.34	-2.50
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	7	6545	119	52T	-3.16	-2.88	-3.09
	8	7025	215	52T	0.12	0.53	0.24
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	60
	7	6705	151	106T	12.17	12.11	12.21
	8	7025	215	106T	3.35	3.46	3.39

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 42 of 48

G.4 IEEE 802.11be MRU Target Powers

Table G-7
Maximum 2.4 GHz 802.11be MRU Output Power – Ant WF8

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			RU Index		
			71	72	N/A
2412	1	52T + 26T	13.23	13.89	
2437	6	52T + 26T	17.22	17.30	
2462	11	52T + 26T	14.58	14.00	
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			RU Index		
			82	N/A	N/A
2412	1	106T + 26T	14.23		
2437	6	106T + 26T	17.75		
2462	11	106T + 26T	14.94		

Table G-8
Maximum 2.4 GHz 802.11be MRU Output Power – Ant WF7b

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			RU Index		
			71	72	N/A
2412	1	52T + 26T	14.12	14.92	
2437	6	52T + 26T	17.00	17.22	
2462	11	52T + 26T	15.07	15.36	
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			RU Index		
			82	N/A	N/A
2412	1	106T + 26T	14.93		
2437	6	106T + 26T	18.74		
2462	11	106T + 26T	15.31		

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 43 of 48

Table G-9
Maximum 5 GHz 802.11be MRU Output Power – Ant WF8

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
	1	5180	36	52T + 26T	14.35	14.93	
		5200	40	52T + 26T	15.15	15.25	
		5220	44	52T + 26T	15.41	15.20	
		5240	48	52T + 26T	15.24	15.52	
	2A	5260	52	52T + 26T	15.64	15.57	
		5280	56	52T + 26T	15.70	15.58	
		5300	60	52T + 26T	15.61	15.51	
5320		64	52T + 26T	15.66	15.61		
2C	5500	100	52T + 26T	15.07	14.94		
	5600	120	52T + 26T	15.69	15.54		
	5620	124	52T + 26T	15.67	15.52		
	5720	144	52T + 26T	15.44	15.32		
3	5745	149	52T + 26T	15.42	15.20		
	5785	157	52T + 26T	15.41	15.27		
	5825	165	52T + 26T	15.36	15.24		

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	1	5180	36	106T + 26T	15.44		
		5200	40	106T + 26T	16.79		
		5220	44	106T + 26T	16.85		
		5240	48	106T + 26T	16.87		
	2A	5260	52	106T + 26T	16.73		
		5280	56	106T + 26T	16.74		
		5300	60	106T + 26T	16.72		
5320		64	106T + 26T	16.14			
2C	5500	100	106T + 26T	13.34			
	5600	120	106T + 26T	16.08			
	5620	124	106T + 26T	16.02			
	5720	144	106T + 26T	16.13			
3	5745	149	106T + 26T	16.13			
	5785	157	106T + 26T	16.17			
	5825	165	106T + 26T	16.04			

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
	90	91	92	93				
	1	5210	42	484T + 242T	11.45	11.38	11.50	11.85
	2A	5290	58	484T + 242T	12.67	12.68	12.77	13.32
	2C	5530	106	484T + 242T	10.81	10.72	10.86	11.16
		5610	122	484T + 242T	13.76	13.84	13.96	14.77
5690		138	484T + 242T	16.47	16.28	16.36	17.12	
3	5775	155	484T + 242T	13.66	13.89	13.88	14.65	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	1	5250	50	996T + 484T + 242T	9.79	9.77	9.68	9.9
2C	5570	114	996T + 484T + 242T	8.83	8.66	8.85	9.0	

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 44 of 48

Table G-10
Maximum 5 GHz 802.11be MRU Output Power – Ant WF7a

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
	1	5180	36	52T + 26T	14.95	14.73	
		5200	40	52T + 26T	14.94	14.98	
		5220	44	52T + 26T	14.96	14.90	
		5240	48	52T + 26T	15.06	14.96	
	2A	5260	52	52T + 26T	15.13	15.09	
		5280	56	52T + 26T	15.11	15.07	
		5300	60	52T + 26T	15.16	15.11	
5320		64	52T + 26T	15.28	15.22		
2C	5500	100	52T + 26T	14.87	14.67		
	5600	120	52T + 26T	15.49	15.36		
	5620	124	52T + 26T	15.48	15.36		
	5720	144	52T + 26T	15.27	15.28		
3	5745	149	52T + 26T	15.28	15.14		
	5785	157	52T + 26T	15.24	15.19		
	5825	165	52T + 26T	15.19	15.02		

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	1	5180	36	106T + 26T	15.06		
		5200	40	106T + 26T	16.50		
		5220	44	106T + 26T	16.48		
		5240	48	106T + 26T	16.53		
	2A	5260	52	106T + 26T	16.69		
		5280	56	106T + 26T	16.68		
		5300	60	106T + 26T	16.77		
5320		64	106T + 26T	15.46			
2C	5500	100	106T + 26T	14.47			
	5600	120	106T + 26T	17.14			
	5620	124	106T + 26T	17.13			
	5720	144	106T + 26T	16.87			
3	5745	149	106T + 26T	16.90			
	5785	157	106T + 26T	16.91			
	5825	165	106T + 26T	16.66			

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
	90	91	92	93				
	1	5210	42	484T + 242T	10.94	10.62	10.82	11.08
	2A	5290	58	484T + 242T	12.44	12.43	12.50	12.87
	2C	5530	106	484T + 242T	11.20	11.09	11.22	11.40
		5610	122	484T + 242T	16.50	16.23	16.47	17.11
5690		138	484T + 242T	17.95	17.47	17.69	18.32	
3	5775	155	484T + 242T	14.65	14.59	14.71	15.31	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
1	5250	50	996T + 484T + 242T	10.34	10.52	10.53	10.7	
2C	5570	114	996T + 484T + 242T	11.38	11.14	11.42	11.6	

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 45 of 48

Table G-11
Maximum 6 GHz 802.11be MRU Output Power – Ant WF8

	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
20MHz BW	5	5955	1	52T + 26T	14.74	14.67	
		6175	45	52T + 26T	14.62	14.56	
		6195	49	52T + 26T	14.62	14.48	
		6415	93	52T + 26T	14.27	14.11	
	6	6435	97	52T + 26T	3.85	3.80	
		6475	105	52T + 26T	3.91	3.88	
		6515	113	52T + 26T	4.03	4.02	
	7	6535	117	52T + 26T	13.42	13.24	
		6695	149	52T + 26T	13.69	13.34	
		6875	185	52T + 26T	1.73	1.53	
	8	6895	189	52T + 26T	1.96	1.84	
		6995	209	52T + 26T	1.13	1.98	
20MHz BW	5	5955	1	106T + 26T	13.40		
		6175	45	106T + 26T	13.16		
		6195	49	106T + 26T	13.20		
		6415	93	106T + 26T	16.04		
	6	6435	97	106T + 26T	5.86		
		6475	105	106T + 26T	5.90		
		6515	113	106T + 26T	5.94		
	7	6535	117	106T + 26T	15.19		
		6695	149	106T + 26T	15.45		
		6875	185	106T + 26T	3.14		
	8	6895	189	106T + 26T	4.27		
		6995	209	106T + 26T	4.42		
40MHz BW	8	7005	211	106T + 26T	Avg Conducted Power (dBm)		
					RU Index		
80MHz BW	5	5985	7	484T + 242T	12.66	12.63	12.77
		6145	39	484T + 242T	15.76	15.37	15.61
		6225	55	484T + 242T	15.66	15.31	15.56
		6385	87	484T + 242T	14.28	14.28	14.36
	6	6465	103	484T + 242T	13.35	13.04	13.31
		6545	119	484T + 242T	11.58	11.34	11.48
		6705	151	484T + 242T	15.45	15.04	15.25
	7	6865	183	484T + 242T	9.68	9.47	9.55
		6945	199	484T + 242T	10.91	10.88	10.98
		7025	215	484T + 242T	10.90	10.85	10.97
160MHz BW	5	6025	15	996T + 484T + 242T	13.28	12.98	13.45
		6185	47	996T + 484T + 242T	15.42	14.86	15.29
		6345	79	996T + 484T + 242T	14.86	14.59	15.04
		6505	111	996T + 484T + 242T	15.07	14.62	15.06
	6	6665	143	996T + 484T + 242T	16.12	15.45	15.87
		6825	175	996T + 484T + 242T	13.02	12.68	13.28
		6985	207	996T + 484T + 242T	10.03	10.05	10.11
	7	6025	15	996T + 484T + 242T	13.28	12.98	13.45
		6185	47	996T + 484T + 242T	15.42	14.86	15.29
		6345	79	996T + 484T + 242T	14.86	14.59	15.04
		6505	111	996T + 484T + 242T	15.07	14.62	15.06
	8	6665	143	996T + 484T + 242T	16.12	15.45	15.87
		6825	175	996T + 484T + 242T	13.02	12.68	13.28

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 46 of 48

Table G-12
Maximum 6 GHz 802.11be MRU Output Power – Ant WF7a

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
20MHz BW	5	5955	1	52T + 26T	11.07	11.10	
		6175	45	52T + 26T	11.67	11.58	
		6195	49	52T + 26T	11.56	11.52	
		6415	93	52T + 26T	10.86	10.60	
	6	6435	97	52T + 26T	-0.52	-0.67	
		6475	105	52T + 26T	-0.61	-0.78	
		6515	113	52T + 26T	-0.57	-0.70	
	7	6535	117	52T + 26T	11.24	11.11	
		6695	149	52T + 26T	11.62	11.45	
		6875	185	52T + 26T	0.79	0.65	
	8	6895	189	52T + 26T	2.84	2.66	
		6995	209	52T + 26T	1.96	1.71	
		7015	213	52T + 26T	1.89	1.62	
		7115	233	52T + 26T	NS	NS	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	5	5955	1	106T + 26T	11.29		
		6175	45	106T + 26T	11.54		
		6195	49	106T + 26T	11.53		
		6415	93	106T + 26T	10.66		
	6	6435	97	106T + 26T	0.95		
		6475	105	106T + 26T	0.72		
		6515	113	106T + 26T	0.91		
	7	6535	117	106T + 26T	11.12		
		6695	149	106T + 26T	11.44		
		6875	185	106T + 26T	2.27		
	8	6895	189	106T + 26T	3.86		
		6995	209	106T + 26T	3.82		
		7015	213	106T + 26T	3.64		
		7115	233	106T + 26T	NS		
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	74
40MHz BW	6	6445	99	52T + 26T	-1.35	-1.41	-1.28
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	85	N/A
40MHz BW	6	6445	99	106T + 26T	0.81	0.75	

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 47 of 48

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	5	5985	7	484T + 242T	10.77	10.52	10.63	11.00
		6145	39	484T + 242T	11.61	11.56	11.71	12.16
		6225	55	484T + 242T	11.54	11.52	11.56	12.03
		6385	87	484T + 242T	10.40	10.26	10.37	10.85
	6	6465	103	484T + 242T	7.53	7.17	7.26	7.40
		6545	119	484T + 242T	7.50	7.38	7.33	7.43
	7	6705	151	484T + 242T	11.47	11.37	11.46	11.87
		6865	183	484T + 242T	8.77	8.51	8.61	8.85
		6945	199	484T + 242T	10.18	10.19	10.22	10.55
	8	7025	215	484T + 242T	10.12	10.11	10.16	10.54

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	74	80
	7	6705	151	52T + 26T	12.24	12.51	12.3

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	85	89
	7	6705	151	106T + 26T	12.05	12.16	12.24
	8	7025	215	106T + 26T	4.23	4.10	4.06

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	5	6025	15	996T + 484T + 242T	11.16	10.87	11.21	11.43
		6185	47	996T + 484T + 242T	11.98	11.67	12.15	12.43
		6345	79	996T + 484T + 242T	10.70	10.50	10.77	11.02
	6	6505	111	996T + 484T + 242T	10.77	10.49	10.75	11.04
	7	6665	143	996T + 484T + 242T	11.78	11.55	12.05	12.17
		6825	175	996T + 484T + 242T	11.83	11.54	12.15	12.32
	8	6985	207	996T + 484T + 242T	11.46	11.21	11.71	11.97

FCC ID: BCGA3459	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 48 of 48