





Plot 7-199. PSD TxBF Antenna WF8 (NB UNII HDR8, ePA - 5203MHz)





Plot 7-200. PSD TxBF Antenna WF7a (NB UNII HDR8, ePA - 5203MHz)

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            | Page 143 of 272                   |

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            | Page 144 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-203. PSD TxBF Antenna WF8 (NB UNII HDRPS2, ePA – 5203MHz)




Plot 7-204. PSD TxBF Antenna WF7a (NB UNII HDRPS2, ePA – 5203MHz)

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            | Page 145 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-205. PSD Tx BF Antenna WF8 (NB UNII HDRPS2, iPA – 5203MHz)




Plot 7-206. PSD Tx BF Antenna WF7a (NB UNII HDRPS2, iPA – 5203MHz)


|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            | Page 146 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-207. PSD Tx BF Antenna WF8 (NB UNII XHDRPM6, ePA – 5203MHz)




Plot 7-208. PSD Tx BF Antenna WF7a (NB UNII XHDRPM6, ePA – 5203MHz)

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            | Page 147 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-209. PSD Tx BF Antenna WF8 (NB UNII XHDRPM6, iPA – 5203MHz)





Plot 7-210. PSD Tx BF Antenna WF7a (NB UNII XHDRPM6, iPA – 5203MHz)

|                                            |                                                                                     |                                       |  |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|--|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) |  | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            |  | Page 148 of 272                   |

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            | Page 149 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-213. PSD TxBF Antenna WF8 (NB UNII HDRPM16, iPA – 5203MHz)




Plot 7-214. PSD TxBF Antenna WF7a (NB UNII HDRPM16, iPA – 5203MHz)


|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            | Page 150 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-215. PSD TxBF Antenna WF8 (NB UNII HDRPL12, ePA – 5203MHz)





Plot 7-216. PSD TxBF Antenna WF7a (NB UNII HDRPL12, ePA – 5203MHz)

|                                            |                                                                                     |                                              |  |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------|--|-----------------------------------|
| FCC ID: BCGA3459                           |  | <b>MEASUREMENT REPORT</b><br>(CERTIFICATION) |  | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device                   |  | Page 151 of 272                   |

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




|                                            |                                                                                     |                                               |  |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------|--|-----------------------------------|
| FCC ID: BCGA3459                           |  | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |  | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device                    |  | Page 152 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-219. PSD TxBF Antenna WF8 (NB UNII HDRPL32, ePA - 5203MHz)




Plot 7-220. PSD TxBF Antenna WF7a (NB UNII HDRPL32, ePA - 5203MHz)


|                                            |                                                                                     |                                       |  |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|--|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) |  | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            |  | Page 153 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-221. PSD TxBF Antenna WF8 (NB UNII HDRPL32, iPA – 5203MHz)



Plot 7-222. PSD TxBF Antenna WF7a (NB UNII HDRPL32, iPA – 5203MHz)

|                                            |                                                                                     |                                       |  |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|--|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) |  | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            |  | Page 154 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-223. PSD TxBF Antenna WF8 (NB UNII HDT2, ePA – 5203MHz)




Plot 7-224. PSD TxBF Antenna WF7a (NB UNII HDT2, ePA – 5203MHz)

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            | Page 155 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-225. PSD TxBF Antenna WF8 (NB UNII HDT2, IPA - 5203MHz)



Plot 7-226. PSD TxBF Antenna WF7a (NB UNII HDT2, IPA - 5203MHz)

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            | Page 156 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-227. PSD TxBF Antenna WF8 (NB UNII HDT4, ePA – 5203MHz)



Plot 7-228. PSD TxBF Antenna WF7a (NB UNII HDT4, ePA – 5203MHz)

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            | Page 157 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-229. PSD TxBF Antenna WF8 (NB UNII HDT4, iPA - 5203MHz)



Plot 7-230. PSD TxBF Antenna WF7a (NB UNII HDT4, iPA - 5203MHz)

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            | Page 158 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-231. PSD TxBF Antenna WF8 (NB UNII HDT6, ePA - 5203MHz)



Plot 7-232. PSD TxBF Antenna WF7a (NB UNII HDT6, ePA - 5203MHz)

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            | Page 159 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



|                                            |                                                                                     |                                               |  |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------|--|-----------------------------------|
| FCC ID: BCGA3459                           |  | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |  | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device                    |  | Page 160 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).

## 7.5.6 TxBF Power Spectral Density Measurements (U-NII-3)


| Frequency [MHz] | Data Rate [Mbps] | Mode            | Power Scheme | Antenna WF8 Power Density [dBm/500kHz] | Antenna WF7a Power Density [dBm/500kHz] | Summed Power Density [dBm/500kHz] | Max Permissible Power Density [dBm/500kHz] | Margin [dB] |
|-----------------|------------------|-----------------|--------------|----------------------------------------|-----------------------------------------|-----------------------------------|--------------------------------------------|-------------|
| 5733            | 1.0              | NB UNII BDR     | ePA          | 19.24                                  | 18.81                                   | 22.04                             | 30.00                                      | -7.96       |
| 5788            | 1.0              | NB UNII BDR     | ePA          | 19.19                                  | 18.71                                   | 21.96                             | 30.00                                      | -8.04       |
| 5844            | 1.0              | NB UNII BDR     | ePA          | 18.97                                  | 18.76                                   | 21.88                             | 30.00                                      | -8.12       |
| 5733            | 1.0              | NB UNII BDR     | iPA          | 6.41                                   | 6.47                                    | 9.45                              | 30.00                                      | -20.55      |
| 5788            | 1.0              | NB UNII BDR     | iPA          | 6.26                                   | 6.41                                    | 9.34                              | 30.00                                      | -20.66      |
| 5844            | 1.0              | NB UNII BDR     | iPA          | 6.33                                   | 7.10                                    | 9.74                              | 30.00                                      | -20.26      |
| 5733            | 1.0              | NB UNII LE1M    | ePA          | 18.59                                  | 18.38                                   | 21.49                             | 30.00                                      | -8.51       |
| 5788            | 1.0              | NB UNII LE1M    | ePA          | 18.21                                  | 18.42                                   | 21.33                             | 30.00                                      | -8.67       |
| 5844            | 1.0              | NB UNII LE1M    | ePA          | 18.17                                  | 18.27                                   | 21.23                             | 30.00                                      | -8.77       |
| 5733            | 1.0              | NB UNII LE1M    | iPA          | 5.81                                   | 6.50                                    | 9.18                              | 30.00                                      | -20.82      |
| 5788            | 1.0              | NB UNII LE1M    | iPA          | 5.55                                   | 6.31                                    | 8.96                              | 30.00                                      | -21.04      |
| 5844            | 1.0              | NB UNII LE1M    | iPA          | 5.57                                   | 6.49                                    | 9.07                              | 30.00                                      | -20.93      |
| 5733            | 2.0              | NB UNII LE2M    | ePA          | 16.90                                  | 16.38                                   | 19.66                             | 30.00                                      | -10.34      |
| 5788            | 2.0              | NB UNII LE2M    | ePA          | 16.89                                  | 16.35                                   | 19.64                             | 30.00                                      | -10.36      |
| 5844            | 2.0              | NB UNII LE2M    | ePA          | 16.75                                  | 16.54                                   | 19.65                             | 30.00                                      | -10.35      |
| 5733            | 2.0              | NB UNII LE2M    | iPA          | 4.00                                   | 4.62                                    | 7.33                              | 30.00                                      | -22.67      |
| 5788            | 2.0              | NB UNII LE2M    | iPA          | 3.86                                   | 4.13                                    | 7.01                              | 30.00                                      | -22.99      |
| 5844            | 2.0              | NB UNII LE2M    | iPA          | 3.19                                   | 3.91                                    | 6.57                              | 30.00                                      | -23.43      |
| 5733            | 4.0              | NB UNII HDR4    | ePA          | 10.21                                  | 9.77                                    | 13.00                             | 30.00                                      | -17.00      |
| 5788            | 4.0              | NB UNII HDR4    | ePA          | 9.96                                   | 9.65                                    | 12.82                             | 30.00                                      | -17.18      |
| 5844            | 4.0              | NB UNII HDR4    | ePA          | 9.93                                   | 9.17                                    | 12.58                             | 30.00                                      | -17.42      |
| 5733            | 4.0              | NB UNII HDR4    | iPA          | -0.60                                  | -0.03                                   | 2.71                              | 30.00                                      | -27.29      |
| 5788            | 4.0              | NB UNII HDR4    | iPA          | -0.65                                  | -0.55                                   | 2.41                              | 30.00                                      | -27.59      |
| 5844            | 4.0              | NB UNII HDR4    | iPA          | -1.26                                  | -0.56                                   | 2.12                              | 30.00                                      | -27.88      |
| 5733            | 8.0              | NB UNII HDR8    | ePA          | 7.86                                   | 6.15                                    | 10.10                             | 30.00                                      | -19.90      |
| 5788            | 8.0              | NB UNII HDR8    | ePA          | 7.54                                   | 6.27                                    | 9.96                              | 30.00                                      | -20.04      |
| 5844            | 8.0              | NB UNII HDR8    | ePA          | 7.46                                   | 6.49                                    | 10.01                             | 30.00                                      | -19.99      |
| 5733            | 8.0              | NB UNII HDR8    | iPA          | -3.19                                  | -4.05                                   | -0.59                             | 30.00                                      | -30.59      |
| 5788            | 8.0              | NB UNII HDR8    | iPA          | -3.24                                  | -3.88                                   | -0.53                             | 30.00                                      | -30.53      |
| 5844            | 8.0              | NB UNII HDR8    | iPA          | -3.58                                  | -3.54                                   | -0.55                             | 30.00                                      | -30.55      |
| 5733            | 2.0              | NB UNII HDRP52  | ePA          | 8.88                                   | 8.93                                    | 11.91                             | 30.00                                      | -18.09      |
| 5788            | 2.0              | NB UNII HDRP52  | ePA          | 8.66                                   | 8.64                                    | 11.66                             | 30.00                                      | -18.34      |
| 5844            | 2.0              | NB UNII HDRP52  | ePA          | 8.92                                   | 8.71                                    | 11.83                             | 30.00                                      | -18.17      |
| 5733            | 2.0              | NB UNII HDRP52  | iPA          | -1.18                                  | -1.15                                   | 1.85                              | 30.00                                      | -28.15      |
| 5788            | 2.0              | NB UNII HDRP52  | iPA          | -1.30                                  | -1.21                                   | 1.76                              | 30.00                                      | -28.24      |
| 5844            | 2.0              | NB UNII HDRP52  | iPA          | -1.11                                  | -0.89                                   | 2.01                              | 30.00                                      | -27.99      |
| 5733            | 6.0              | NB UNII XHDRPM6 | ePA          | 6.48                                   | 6.06                                    | 9.29                              | 30.00                                      | -20.71      |
| 5788            | 6.0              | NB UNII XHDRPM6 | ePA          | 6.31                                   | 6.06                                    | 9.20                              | 30.00                                      | -20.80      |
| 5844            | 6.0              | NB UNII XHDRPM6 | ePA          | 6.46                                   | 6.05                                    | 9.27                              | 30.00                                      | -20.73      |
| 5733            | 6.0              | NB UNII XHDRPM6 | iPA          | -4.17                                  | -4.05                                   | -1.10                             | 30.00                                      | -31.10      |
| 5788            | 6.0              | NB UNII XHDRPM6 | iPA          | -4.19                                  | -4.13                                   | -1.15                             | 30.00                                      | -31.15      |
| 5844            | 6.0              | NB UNII XHDRPM6 | iPA          | -4.16                                  | -3.56                                   | -0.84                             | 30.00                                      | -30.84      |
| 5733            | 16.0             | NB UNII HDRPM16 | ePA          | 3.31                                   | 3.30                                    | 6.31                              | 30.00                                      | -23.69      |
| 5788            | 16.0             | NB UNII HDRPM16 | ePA          | 3.21                                   | 3.08                                    | 6.15                              | 30.00                                      | -23.85      |
| 5844            | 16.0             | NB UNII HDRPM16 | ePA          | 3.69                                   | 3.18                                    | 6.45                              | 30.00                                      | -23.55      |
| 5733            | 16.0             | NB UNII HDRPM16 | iPA          | -7.29                                  | -7.13                                   | -4.20                             | 30.00                                      | -34.20      |
| 5788            | 16.0             | NB UNII HDRPM16 | iPA          | -7.15                                  | -7.13                                   | -4.13                             | 30.00                                      | -34.13      |
| 5844            | 16.0             | NB UNII HDRPM16 | iPA          | -7.06                                  | -6.37                                   | -3.69                             | 30.00                                      | -33.69      |
| 5733            | 12.0             | NB UNII HDRPL12 | ePA          | 4.00                                   | 3.47                                    | 6.75                              | 30.00                                      | -23.25      |
| 5788            | 12.0             | NB UNII HDRPL12 | ePA          | 3.23                                   | 2.63                                    | 5.95                              | 30.00                                      | -24.05      |
| 5844            | 12.0             | NB UNII HDRPL12 | ePA          | 3.40                                   | 2.70                                    | 6.07                              | 30.00                                      | -23.93      |
| 5733            | 12.0             | NB UNII HDRPL12 | iPA          | -6.63                                  | -6.57                                   | -3.59                             | 30.00                                      | -33.59      |
| 5788            | 12.0             | NB UNII HDRPL12 | iPA          | -7.27                                  | -6.70                                   | -3.97                             | 30.00                                      | -33.97      |
| 5844            | 12.0             | NB UNII HDRPL12 | iPA          | -7.19                                  | -6.58                                   | -3.86                             | 30.00                                      | -33.86      |
| 5733            | 32.0             | NB UNII HDRPL32 | ePA          | 0.98                                   | 0.42                                    | 3.72                              | 30.00                                      | -26.28      |
| 5788            | 32.0             | NB UNII HDRPL32 | ePA          | 0.81                                   | 0.21                                    | 3.53                              | 30.00                                      | -26.47      |
| 5844            | 32.0             | NB UNII HDRPL32 | ePA          | 1.20                                   | 0.19                                    | 3.74                              | 30.00                                      | -26.26      |
| 5733            | 32.0             | NB UNII HDRPL32 | iPA          | -9.70                                  | -9.49                                   | -6.58                             | 30.00                                      | -36.58      |
| 5788            | 32.0             | NB UNII HDRPL32 | iPA          | -10.09                                 | -9.55                                   | -6.80                             | 30.00                                      | -36.80      |
| 5844            | 32.0             | NB UNII HDRPL32 | iPA          | -10.02                                 | -9.76                                   | -6.88                             | 30.00                                      | -36.88      |
| 5733            | 2.0              | NB UNII HDT2    | ePA          | 9.12                                   | 9.41                                    | 12.28                             | 30.00                                      | -17.72      |
| 5788            | 2.0              | NB UNII HDT2    | ePA          | 8.79                                   | 8.72                                    | 11.76                             | 30.00                                      | -18.24      |
| 5844            | 2.0              | NB UNII HDT2    | ePA          | 8.88                                   | 8.67                                    | 11.79                             | 30.00                                      | -18.21      |
| 5733            | 2.0              | NB UNII HDT2    | iPA          | -0.74                                  | -1.09                                   | 2.10                              | 30.00                                      | -27.90      |
| 5788            | 2.0              | NB UNII HDT2    | iPA          | -1.35                                  | -1.21                                   | 1.73                              | 30.00                                      | -28.27      |
| 5844            | 2.0              | NB UNII HDT2    | iPA          | -1.28                                  | -0.59                                   | 2.09                              | 30.00                                      | -27.91      |
| 5733            | 4.0              | NB UNII HDT4    | ePA          | 9.66                                   | 9.22                                    | 12.46                             | 30.00                                      | -17.54      |
| 5788            | 4.0              | NB UNII HDT4    | ePA          | 9.38                                   | 9.17                                    | 12.28                             | 30.00                                      | -17.72      |
| 5844            | 4.0              | NB UNII HDT4    | ePA          | 9.42                                   | 9.18                                    | 12.31                             | 30.00                                      | -17.69      |
| 5733            | 4.0              | NB UNII HDT4    | iPA          | -0.85                                  | -1.12                                   | 2.02                              | 30.00                                      | -27.98      |
| 5788            | 4.0              | NB UNII HDT4    | iPA          | -1.38                                  | -1.23                                   | 1.71                              | 30.00                                      | -28.29      |
| 5844            | 4.0              | NB UNII HDT4    | iPA          | -1.29                                  | -0.62                                   | 2.07                              | 30.00                                      | -27.93      |
| 5733            | 6.0              | NB UNII HDT6    | ePA          | 6.43                                   | 6.14                                    | 9.30                              | 30.00                                      | -20.70      |
| 5788            | 6.0              | NB UNII HDT6    | ePA          | 6.25                                   | 6.09                                    | 9.18                              | 30.00                                      | -20.82      |
| 5844            | 6.0              | NB UNII HDT6    | ePA          | 6.54                                   | 6.17                                    | 9.37                              | 30.00                                      | -20.63      |
| 5733            | 6.0              | NB UNII HDT6    | iPA          | -3.45                                  | -4.23                                   | -0.81                             | 30.00                                      | -30.81      |
| 5788            | 6.0              | NB UNII HDT6    | iPA          | -4.37                                  | -4.31                                   | -1.33                             | 30.00                                      | -31.33      |
| 5844            | 6.0              | NB UNII HDT6    | iPA          | -4.31                                  | -3.46                                   | -0.86                             | 30.00                                      | -30.86      |

Table 7-19. Power Spectral Density Measurements TxBF


|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            | Page 161 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-235. PSD TxBF Antenna WF8 (NB UNII BDR, ePA - 5788MHz)



Plot 7-236. PSD TxBF Antenna WF7a (NB UNII BDR, ePA - 5788MHz)

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            | Page 162 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-237. PSD TxBF Antenna WF8 (NB UNII BDR, iPA - 5788MHz)





Plot 7-238. PSD TxBF Antenna WF7a (NB UNII BDR, iPA - 5788MHz)

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            | Page 163 of 272                   |

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



|                                            |                                                                                                                                   |                            |                                   |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA3459                           |  <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                            | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                                                                            | EUT Type:<br>Tablet Device | Page 164 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-241. PSD TxBF Antenna WF8 (NB UNII LE1M, iPA - 5788MHz)




Plot 7-242. PSD TxBF Antenna WF7a (NB UNII LE1M, iPA - 5788MHz)


|                                            |                                                                                     |                                       |  |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|--|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) |  | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            |  | Page 165 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-243. PSD TxBF Antenna WF8 (NB UNII LE2M, ePA – 5788MHz)




Plot 7-244. PSD TxBF Antenna WF7a (NB UNII LE2M, ePA – 5788MHz)

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            | Page 166 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-245. PSD Tx BF Antenna WF8 (NB UNII LE2M, iPA – 5788MHz)




Plot 7-246. PSD Tx BF Antenna WF7a (NB UNII LE2M, iPA – 5788MHz)


|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            | Page 167 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-247. PSD TxBF Antenna WF8 (NB UNII HDR4, ePA – 5788MHz)




Plot 7-248. PSD TxBF Antenna WF7a (NB UNII HDR4, ePA – 5788MHz)


|                                            |                                                                                     |                                       |  |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|--|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) |  | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            |  | Page 168 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-249. PSD TxBF Antenna WF8 (NB UNII HDR4, iPA - 5788MHz)




Plot 7-250. PSD TxBF Antenna WF7a (NB UNII HDR4, iPA - 5788MHz)


|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            | Page 169 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-251. PSD Tx BF Antenna WF8 (NB UNII HDR8, ePA – 5788MHz)




Plot 7-252. PSD Tx BF Antenna WF7a (NB UNII HDR8, ePA – 5788MHz)


|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            | Page 170 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-253. PSD TxBF Antenna WF8 (NB UNII HDR8, iPA – 5788MHz)




Plot 7-254. PSD TxBF Antenna WF7a (NB UNII HDR8, iPA – 5788MHz)

|                                            |                                                                                     |                                       |  |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|--|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) |  | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            |  | Page 171 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-255. PSD TxBF Antenna WF8 (NB UNII HDRPS2, ePA – 5788MHz)



Plot 7-256. PSD TxBF Antenna WF7a (NB UNII HDRPS2, ePA – 5788MHz)

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            | Page 172 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-257. PSD TxBF Antenna WF8 (NB UNII HDRPS2, iPA - 5788MHz)




Plot 7-258. PSD TxBF Antenna WF7a (NB UNII HDRPS2, iPA - 5788MHz)


|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            | Page 173 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-259. PSD Tx BF Antenna WF8 (NB UNII XHDRPM6, ePA – 5788MHz)




Plot 7-260. PSD Tx BF Antenna WF7a (NB UNII XHDRPM6, ePA – 5788MHz)


|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            | Page 174 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-261. PSD Tx BF Antenna WF8 (NB UNII XHDRPM6, iPA – 5788MHz)




Plot 7-262. PSD Tx BF Antenna WF7a (NB UNII XHDRPM6, iPA – 5788MHz)


|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            | Page 175 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-263. PSD TxBF Antenna WF8 (NB UNII HDRPM16, ePA – 5788MHz)



Plot 7-264. PSD TxBF Antenna WF7a (NB UNII HDRPM16, ePA – 5788MHz)

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3459                           |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2509100079-10-R6.BCG | Test Dates:<br>09/18/2025 - 12/23/2025                                              | EUT Type:<br>Tablet Device            | Page 176 of 272                   |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).