





Plot 7-513. Radiated Spurious Emissions 1-18GHz SDM (802.11be – Ch. 105 – RU242)




Plot 7-514. Radiated Spurious Emissions 18-40GHz SDM (802.11be – Ch. 105 – RU242)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6475MHz
Channel: 105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12950.00	Average	H	-	-	-85.22	21.81	0.00	43.59	68.23	-24.64
12950.00	Peak	H	-	-	-73.85	21.81	0.00	54.96	88.23	-33.27
* 19425.00	Average	H	-	-	-64.92	-7.78	-9.54	24.76	53.98	-29.22
* 19425.00	Peak	H	-	-	-53.14	-7.78	-9.54	36.54	73.98	-37.44
25900.00	Average	H	-	-	-66.64	-5.74	-9.54	25.08	68.23	-43.15
25900.00	Peak	H	-	-	-55.58	-5.74	-9.54	36.14	88.23	-52.09
32375.00	Average	H	-	-	-70.18	-3.89	-9.54	23.39	68.23	-44.84
32375.00	Peak	H	-	-	-59.28	-3.89	-9.54	34.29	88.23	-53.94
* 38850.00	Average	H	-	-	-67.77	-4.13	-9.54	25.56	53.98	-28.42
* 38850.00	Peak	H	-	-	-56.90	-4.13	-9.54	36.43	73.98	-37.55

Table 7-82. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 198 of 319



Plot 7-515. Radiated Spurious Emissions 1-18GHz SDM (802.11be – Ch. 113 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6515MHz
Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13030.00	Average	V	-	-	-85.27	22.02	43.75	68.23	-24.48
13030.00	Peak	V	-	-	-74.00	22.02	55.02	88.23	-33.21

Table 7-83. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 199 of 319

V 11.0 05/2025



Plot 7-516. Radiated Spurious Emissions 1-18GHz SDM (802.11be – Ch. 117– RU242)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6535MHz
Channel:	117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13070.00	Average	V	-	-	-85.10	21.72	43.63	68.23	-24.60
13070.00	Peak	V	-	-	-73.80	21.72	54.92	88.23	-33.31


Table 7-84. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 200 of 319

V 11.0 05/2025



Plot 7-517. Radiated Spurious Emissions 1-18GHz SDM (802.11be – Ch. 149 – RU242)



Plot 7-518. Radiated Spurious Emissions 18-40GHz SDM (802.11be – Ch. 149 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6695MHz
Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 13390.00	Average	H	-	-	-85.01	22.27	0.00	44.26	53.98	-9.72
* 13390.00	Peak	H	-	-	-73.07	22.27	0.00	56.20	73.98	-17.78
* 20085.00	Average	H	-	-	-65.09	-8.01	-9.54	24.36	53.98	-29.62
* 20085.00	Peak	H	-	-	-53.33	-8.01	-9.54	36.12	73.98	-37.86
26780.00	Average	H	-	-	-66.37	-5.20	-9.54	25.89	68.23	-42.34
26780.00	Peak	H	-	-	-54.95	-5.20	-9.54	37.31	88.23	-50.92
33475.00	Average	H	-	-	-71.64	-4.36	-9.54	21.46	68.23	-46.77
33475.00	Peak	H	-	-	-60.43	-4.36	-9.54	32.67	88.23	-55.56

Table 7-85. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 201 of 319

V 11.0 05/2025



Plot 7-519. Radiated Spurious Emissions 1-18GHz SDM (802.11be – Ch. 185 – RU242)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6875MHz
Channel:	185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13750.00	Average	H	-	-	-82.97	21.79	45.82	68.23	-22.41
13750.00	Peak	H	-	-	-71.68	21.79	57.10	88.23	-31.13

Table 7-86. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 202 of 319

V 11.0 05/2025



Plot 7-520. Radiated Spurious Emissions 1-18GHz SDM (802.11be – Ch. 189 – RU242)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6895MHz
Channel:	189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13790.00	Average	V	-	-	-83.14	22.06	45.92	68.23	-22.31
13790.00	Peak	V	-	-	-71.55	22.06	57.51	88.23	-30.72


Table 7-87. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 203 of 319

V 11.0 05/2025



Plot 7-521. Radiated Spurious Emissions 1-18GHz SDM (802.11be – Ch. 209 – RU242)



Plot 7-522. Radiated Spurious Emissions 18-40GHz SDM (802.11be – Ch. 209 – RU242)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6995MHz
Channel: 209


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13990.00	Average	H	-	-	-83.43	21.96	0.00	45.53	68.23	-22.70
13990.00	Peak	H	-	-	-72.44	21.96	0.00	56.52	88.23	-31.71
* 20985.00	Average	H	-	-	-61.73	-7.54	-9.54	28.19	53.98	-25.79
* 20985.00	Peak	H	-	-	-50.41	-7.54	-9.54	39.51	73.98	-34.47
27980.00	Average	H	-	-	-64.44	-4.26	-9.54	28.76	68.23	-39.47
27980.00	Peak	H	-	-	-53.31	-4.26	-9.54	39.89	88.23	-48.34
34975.00	Average	H	-	-	-61.61	-4.57	-9.54	31.28	68.23	-36.95
34975.00	Peak	H	-	-	-50.16	-4.57	-9.54	42.73	88.23	-45.50

Table 7-88. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 204 of 319

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-523. Radiated Spurious Emissions 1-18GHz SDM (802.11be – Ch. 233 – RU242)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 7115MHz
Channel: 233

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
14230.00	Average	V	-	-	-84.00	22.90	45.90	68.23	-22.33
14230.00	Peak	V	-	-	-72.83	22.90	57.07	88.23	-31.16

Table 7-89. Radiated Spurious Emission Measurements SDM – RU242


FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 205 of 319

V 11.0 05/2025

7.7.2 Antenna WF8 Radiated Band Edge Measurements (20MHz BW)


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6115MHz
 Channel: 33



Plot 7-524 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229




Plot 7-525 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 206 of 319

V 11.0 05/2025


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229



Plot 7-526 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26


FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 207 of 319

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33



Plot 7-527 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33




Plot 7-528 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 208 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229



Plot 7-529 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU52+26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-530 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU52+26

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 209 of 319

V 11.0 05/2025


RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33



Plot 7-531 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-532 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU242


FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 210 of 319

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 7115MHz
Channel: 233



Plot 7-533 Antenna WF8 Radiated Integrated Band Edge (Peak – UNII Band 8) - RU242




Plot 7-534 Antenna WF8 Radiated Integrated Band Edge (Average – UNII Band 8) - RU242

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 211 of 319

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 17
Distance of Measurements: 3 Meters
Operating Frequency: 7045MHz
Channel: 219



Plot 7-537 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227




Plot 7-538 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 213 of 319

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 17
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227




Plot 7-539 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 214 of 319

V 11.0 05/2025


RU484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 6125MHz
Channel: 35



Plot 7-540 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 7045MHz
Channel: 219




Plot 7-541 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 215 of 319

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227



Plot 7-542 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484


FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 216 of 319

V 11.0 05/2025

7.7.4 Antenna WF8 Radiated Band Edge Measurements (80MHz BW)


RU26

Mode:	802.11be OFDMA
Transfer Rate:	MCS11
RU Index:	0
Distance of Measurements:	3 Meters
Operating Frequency:	6145MHz
Channel:	39



Plot 7-543 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode:	802.11be OFDMA
Transfer Rate:	MCS11
RU Index:	0
Distance of Measurements:	3 Meters
Operating Frequency:	6945MHz
Channel:	199




Plot 7-544 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 8) - RU26


FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 217 of 319

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 6945MHz
Channel: 199




Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 218 of 319

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-547 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 219 of 319


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-548 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39




Plot 7-549 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 220 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-550 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39




Plot 7-551 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242


FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 221 of 319

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 6945MHz
Channel: 199




Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 6945MHz
Channel: 199



FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 222 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 6945MHz
Channel: 199



Plot 7-554 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 8) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 6945MHz
Channel: 199




Plot 7-555 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 8) - RU484+242

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 223 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-556 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-557 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 224 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-558 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-559 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 225 of 319

V 11.0 05/2025


RU996

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 67
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-560 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 67
Distance of Measurements: 3 Meters
Operating Frequency: 6945MHz
Channel: 199




Plot 7-561 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 8) - RU996

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 226 of 319

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 67
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-562 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 227 of 319

7.7.5 Antenna WF8 Radiated Band Edge Measurements (160MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-563 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-564 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 228 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-565 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-566 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26 (H)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 229 of 319

V 11.0 05/2025


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-567 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-568 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (H)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 230 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-569 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-570 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (H)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 231 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-571 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-572 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (H)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 232 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-573 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-574 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (H)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 233 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-575 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-576 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 234 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-577 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-578 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 235 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-579 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-580 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 236 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-581 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-582 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 237 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-583 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-584 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 238 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-585 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-586 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 239 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-587 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-588 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 240 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-589 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-590 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 241 of 319

V 11.0 05/2025


RU996x2

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 68
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-591 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996X2

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 68
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-592 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996X2

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 242 of 319

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-595 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 244 of 319


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33



Plot 7-596 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33




Plot 7-597 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 245 of 319

V 11.0 05/2025


RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33



Plot 7-600 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-601 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU242


FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 247 of 319

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 7115MHz
Channel: 233



Plot 7-602 Antenna WF7a Radiated Integrated Band Edge (Peak – UNII Band 8) - RU242



Plot 7-603 Antenna WF7a Radiated Integrated Band Edge (Average – UNII Band 8) - RU242


FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 248 of 319

V 11.0 05/2025

7.7.7 Antenna WF7a Radiated Band Edge Measurements (40MHz BW)


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6125MHz
 Channel: 35



Plot 7-604 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 7085MHz
 Channel: 227




Plot 7-605 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 249 of 319

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 17
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227




Plot 7-606 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 250 of 319

V 11.0 05/2025


RU484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 6125MHz
Channel: 35



Plot 7-607 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227



Plot 7-608 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484


FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 251 of 319

V 11.0 05/2025

7.7.8 Antenna WF7a Radiated Band Edge Measurements (80MHz BW)


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6145MHz
 Channel: 39



Plot 7-609 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 7025MHz
 Channel: 215




Plot 7-610 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 252 of 319

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-611 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 253 of 319


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-612 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39




Plot 7-613 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 254 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-614 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39




Plot 7-615 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 255 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-616 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-617 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 256 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-618 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-619 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 257 of 319

V 11.0 05/2025


RU996

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 67
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-620 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 67
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-621 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996


FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 258 of 319

V 11.0 05/2025

7.7.9 Antenna WF7a Radiated Band Edge Measurements (160MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-622 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-623 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 259 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-624 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-625 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26 (H)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 260 of 319

V 11.0 05/2025


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-626 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (H)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-627 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (L)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 261 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-628 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-629 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (H)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 262 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-630 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-631 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (H)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 263 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-632 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-633 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (H)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 264 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-634 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-635 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 265 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-636 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-637 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 266 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-638 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-639 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 267 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-640 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-641 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 268 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-642 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-643 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 269 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-644 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-645 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 270 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-646 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-647 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 271 of 319


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-648 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-649 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 272 of 319

V 11.0 05/2025

RU996x2

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 68
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-650 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996X2


FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 273 of 319

V 11.0 05/2025

7.7.10 SDM Radiated Band Edge Measurements (20MHz BW)


RU26 & RU52

Mode:	802.11be OFDMA
Transfer Rate:	MCS11
RU Index:	37
Distance of Measurements:	3 Meters
Operating Frequency:	6115MHz
Channel:	33



Plot 7-651 SDM Radiated Lower Band Edge (Peak & Average – UNII Band 5) – RU52

Mode:	802.11be OFDMA
Transfer Rate:	MCS11
RU Index:	0
Distance of Measurements:	3 Meters
Operating Frequency:	7095MHz
Channel:	229




Plot 7-652 SDM Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 274 of 319

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-653 SDM Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 275 of 319

V 11.0 05/2025


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33



Plot 7-654 SDM Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33




Plot 7-655 SDM Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26


FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 276 of 319

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229



Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229



FCC ID: BCGA3459 IC: 579C-A3459		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100079-18-R3.BCG	Test Dates: 09/15/2025 - 11/25/2025	EUT Type: Tablet Device	Page 277 of 319

V 11.0 05/2025