APPENDIX G: LTE AND NR LOWER BANDWIDTH RF CONDUCTED POWERS

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.1 LTE Lower Bandwidth RF Conducted Powers

G.1.1 LTE Band 71

Table G-1
LTE Band 71 Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

LTE Band 71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel 133297 (680.5 MHz) Conducted Power [dBm]	MPR Allowed per 3GPP [dB]	MPR [dB]
QPSK	1	0	21.44	0	0
	1	36	21.45		0
	1	74	21.38		0
	36	0	21.50	0-1	0
	36	18	21.46		0
	36	37	21.42		0
	75	0	21.47		0
16QAM	1	0	21.66	0-1	0
	1	36	21.73		0
	1	74	21.55		0
	36	0	21.45	0-2	0
	36	18	21.41		0
	36	37	21.37		0
	75	0	21.43		0
64QAM	1	0	21.73	0-2	0
	1	36	21.69		0
	1	74	21.60		0
	36	0	21.43	0-3	0
	36	18	21.40		0
	36	37	21.36		0
	75	0	21.43		0
256QAM	1	0	20.22	0-5	1.4
	1	36	20.23		1.4
	1	74	20.25		1.4
	36	0	20.23		1.4
	36	18	20.24		1.4
	36	37	20.20		1.4
	75	0	20.25		1.4

Note: LTE Band 71 at 15 MHz bandwidth does not support three non-overlapping channels. Per KDB Publication 941225 D05v02, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-2
LTE Band 71 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

LTE Band 71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 133172 (668.0 MHz)	Mid Channel 133297 (680.5 MHz)	High Channel 133422 (693.0 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	21.49	21.59	21.52	0	0
	1	25	21.57	21.57	21.57		0
	1	49	21.43	21.46	21.47		0
	25	0	21.63	21.62	21.62	0-1	0
	25	12	21.59	21.53	21.59		0
	25	25	21.56	21.51	21.57		0
	50	0	21.68	21.60	21.65		0
16QAM	1	0	21.67	21.84	21.72	0-1	0
	1	25	21.76	21.87	21.89		0
	1	49	21.60	21.64	21.71		0
	25	0	21.54	21.57	21.55	0-2	0
	25	12	21.51	21.45	21.52		0
	25	25	21.47	21.45	21.50		0
	50	0	21.58	21.51	21.58		0
64QAM	1	0	21.65	21.90	21.79	0-2	0
	1	25	21.76	21.77	21.84		0
	1	49	21.60	21.65	21.69		0
	25	0	21.55	21.59	21.56	0-3	0
	25	12	21.51	21.47	21.52		0
	25	25	21.47	21.45	21.49		0
	50	0	21.59	21.52	21.56		0
256QAM	1	0	20.22	20.21	20.26	0-5	1.4
	1	25	20.28	20.22	20.24		1.4
	1	49	20.22	20.21	20.20		1.4
	25	0	20.33	20.32	20.42		1.4
	25	12	20.29	20.29	20.32		1.4
	25	25	20.27	20.27	20.25		1.4
	50	0	20.38	20.36	20.38		1.4

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-3
LTE Band 71 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 71 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 133147 (665.5 MHz)	Mid Channel 133297 (680.5 MHz)	High Channel 133447 (695.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	21.65	21.69	21.50	0	0
	1	12	21.67	21.59	21.49		0
	1	24	21.66	21.61	21.38		0
	12	0	21.55	21.56	21.55	0-1	0
	12	6	21.60	21.50	21.53		0
	12	13	21.58	21.49	21.43		0
	25	0	21.64	21.53	21.54		0
16QAM	1	0	21.88	21.98	21.86	0-1	0
	1	12	21.92	21.83	21.91		0
	1	24	21.93	21.84	21.75		0
	12	0	21.58	21.56	21.48	0-2	0
	12	6	21.55	21.46	21.46		0
	12	13	21.51	21.45	21.36		0
	25	0	21.53	21.46	21.46		0
64QAM	1	0	21.83	21.94	21.86	0-2	0
	1	12	21.96	21.82	21.82		0
	1	24	21.94	21.85	21.80		0
	12	0	21.54	21.58	21.49	0-3	0
	12	6	21.54	21.48	21.47		0
	12	13	21.53	21.47	21.37		0
	25	0	21.53	21.45	21.47		0
256QAM	1	0	20.33	20.30	20.23	0-5	1.4
	1	12	20.37	20.19	20.24		1.4
	1	24	20.35	20.20	20.29		1.4
	12	0	20.26	20.29	20.21		1.4
	12	6	20.31	20.26	20.20		1.4
	12	13	20.30	20.28	20.23		1.4
	25	0	20.35	20.30	20.23		1.4

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-4
LTE Band 71 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

LTE Band 71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel 133297 (680.5 MHz) Conducted Power [dBm]	MPR Allowed per 3GPP [dB]	MPR [dB]
QPSK	1	0	24.59	0	0
	1	36	24.71		0
	1	74	24.62		0
	36	0	23.66	0-1	1
	36	18	23.76		1
	36	37	23.72		1
	75	0	23.76		1
16QAM	1	0	23.88	0-1	1
	1	36	24.00		1
	1	74	23.95		1
	36	0	22.65	0-2	2
	36	18	22.72		2
	36	37	22.69		2
	75	0	22.72		2
64QAM	1	0	22.53	0-2	2
	1	36	22.69		2
	1	74	22.52		2
	36	0	21.70	0-3	3
	36	18	21.77		3
	36	37	21.73		3
	75	0	21.78		3
256QAM	1	0	19.56	0-5	5
	1	36	19.67		5
	1	74	19.57		5
	36	0	19.70		5
	36	18	19.77		5
	36	37	19.72		5
	75	0	19.78		5

Note: LTE Band 71 at 15 MHz bandwidth does not support three non-overlapping channels. Per KDB Publication 941225 D05v02, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-5
LTE Band 71 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

LTE Band 71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 133172 (668.0 MHz)	Mid Channel 133297 (680.5 MHz)	High Channel 133422 (693.0 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	24.69	24.70	24.69	0	0
	1	25	24.76	24.73	24.66		0
	1	49	24.67	24.70	24.72		0
	25	0	23.76	23.78	23.71	0-1	1
	25	12	23.71	23.79	23.67		1
	25	25	23.69	23.76	23.78		1
	50	0	23.80	23.85	23.73		1
16QAM	1	0	23.86	23.96	23.98	0-1	1
	1	25	23.89	23.99	23.91		1
	1	49	23.82	23.94	24.02		1
	25	0	22.74	22.75	22.73	0-2	2
	25	12	22.71	22.78	22.70		2
	25	25	22.68	22.78	22.78		2
	50	0	22.77	22.85	22.75		2
64QAM	1	0	22.66	22.76	22.60	0-2	2
	1	25	22.72	22.80	22.62		2
	1	49	22.62	22.73	22.69		2
	25	0	21.80	21.82	21.77	0-3	3
	25	12	21.77	21.85	21.73		3
	25	25	21.74	21.81	21.83		3
	50	0	21.85	21.92	21.79		3
256QAM	1	0	19.70	19.68	19.65	0-5	5
	1	25	19.74	19.77	19.65		5
	1	49	19.63	19.68	19.74		5
	25	0	19.80	19.80	19.76		5
	25	12	19.75	19.83	19.72		5
	25	25	19.75	19.81	19.82		5
	50	0	19.85	19.90	19.80		5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-6
LTE Band 71 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 71 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 133147 (665.5 MHz)	Mid Channel 133297 (680.5 MHz)	High Channel 133447 (695.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	24.82	24.89	24.83	0	0
	1	12	24.84	24.82	24.82		0
	1	24	24.86	24.81	24.79		0
	12	0	23.70	23.78	23.68	0-1	1
	12	6	23.73	23.83	23.72		1
	12	13	23.73	23.82	23.76		1
	25	0	23.77	23.79	23.76		1
16QAM	1	0	24.10	24.04	24.10	0-1	1
	1	12	24.08	24.03	24.07		1
	1	24	24.06	24.08	24.09		1
	12	0	22.73	22.76	22.74	0-2	2
	12	6	22.78	22.82	22.76		2
	12	13	22.75	22.80	22.82		2
	25	0	22.75	22.80	22.75		2
64QAM	1	0	22.67	22.89	22.76	0-2	2
	1	12	22.74	22.94	22.76		2
	1	24	22.76	22.91	22.76		2
	12	0	21.73	21.77	21.77	0-3	3
	12	6	21.77	21.82	21.80		3
	12	13	21.78	21.82	21.84		3
	25	0	21.81	21.84	21.80		3
256QAM	1	0	19.76	19.80	19.71	0-5	5
	1	12	19.83	19.80	19.72		5
	1	24	19.81	19.83	19.78		5
	12	0	19.71	19.75	19.75		5
	12	6	19.77	19.80	19.78		5
	12	13	19.76	19.80	19.84		5
	25	0	19.79	19.83	19.80		5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.1.2 LTE Band 12

Table G-7
LTE Band 12 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 12 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 23035 (701.5 MHz)	Mid Channel 23095 (707.5 MHz)	High Channel 23155 (713.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	21.04	21.04	21.07	0	0
	1	12	21.03	21.05	21.12		0
	1	24	21.04	21.03	21.10		0
	12	0	21.01	21.01	20.93	0-1	0
	12	6	20.99	21.00	21.01		0
	12	13	20.99	20.99	21.00		0
	25	0	21.01	21.03	21.03		0
16QAM	1	0	21.26	21.30	21.31	0-1	0
	1	12	21.28	21.32	21.29		0
	1	24	21.25	21.27	21.35		0
	12	0	20.97	20.96	20.94	0-2	0
	12	6	20.96	20.97	20.97		0
	12	13	20.94	20.95	20.95		0
	25	0	20.95	20.95	20.97		0
64QAM	1	0	21.30	21.26	21.32	0-2	0
	1	12	21.26	21.28	21.24		0
	1	24	21.27	21.23	21.30		0
	12	0	20.95	20.97	20.93	0-3	0
	12	6	20.95	20.96	20.98		0
	12	13	20.96	20.96	20.96		0
	25	0	20.95	20.97	20.98		0
256QAM	1	0	19.70	19.91	20.01	0-5	1.2
	1	12	19.93	19.93	20.01		1.2
	1	24	19.93	19.94	20.07		1.2
	12	0	19.92	19.92	19.85		1.2
	12	6	19.90	19.90	19.87		1.2
	12	13	19.90	19.90	19.84		1.2
	25	0	19.93	19.93	19.89		1.2

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-8
LTE Band 12 Measured P_{Limit} Antenna 3b - 3 MHz Bandwidth

LTE Band 12 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 23025 (700.5 MHz)	Mid Channel 23095 (707.5 MHz)	High Channel 23165 (714.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	20.82	20.89	20.90	0	0
	1	7	20.97	21.08	20.97		0
	1	14	20.81	20.89	20.83		0
	8	0	20.85	20.93	20.93	0-1	0
	8	4	20.92	20.97	20.94		0
	8	7	20.90	20.93	20.95		0
	15	0	20.91	20.94	20.90		0
16QAM	1	0	20.90	21.09	21.07	0-1	0
	1	7	21.20	21.23	21.18		0
	1	14	20.93	21.14	21.05		0
	8	0	20.82	20.92	20.87	0-2	0
	8	4	20.95	20.94	20.91		0
	8	7	20.90	20.90	20.92		0
	15	0	20.86	20.88	20.86		0
64QAM	1	0	20.86	21.12	21.11	0-2	0
	1	7	21.11	21.34	21.26		0
	1	14	20.92	21.10	21.13		0
	8	0	20.84	20.91	20.91	0-3	0
	8	4	20.96	20.93	20.91		0
	8	7	20.90	20.88	20.91		0
	15	0	20.87	20.89	20.83		0
256QAM	1	0	19.64	19.69	19.75	0-5	1.2
	1	7	19.82	19.86	19.72		1.2
	1	14	19.65	19.67	19.62		1.2
	8	0	19.72	19.81	19.77		1.2
	8	4	19.85	19.85	19.79		1.2
	8	7	19.79	19.80	19.82		1.2
	15	0	19.81	19.82	19.77		1.2

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-9
LTE Band 12 Measured P_{Limit} Antenna 3b - 1.4 MHz Bandwidth

LTE Band 12 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 23017 (699.7 MHz)	Mid Channel 23095 (707.5 MHz)	High Channel 23173 (715.3 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	20.80	20.87	20.92	0	0
	1	2	20.86	21.11	21.15		0
	1	5	20.83	20.97	20.93		0
	3	0	20.80	20.84	20.87		0
	3	2	20.85	20.91	20.93		0
	3	3	20.82	20.84	20.83		0
	6	0	20.82	20.89	20.90	0-1	0
16QAM	1	0	20.88	21.08	21.07	0-1	0
	1	2	21.06	21.25	21.29		0
	1	5	20.95	21.04	21.05		0
	3	0	20.90	21.00	20.99		0
	3	2	20.92	21.06	21.04		0
	3	3	20.88	21.02	20.94		0
	6	0	20.82	20.91	20.88	0-2	0
64QAM	1	0	20.83	21.08	20.99	0-2	0
	1	2	21.08	21.26	21.26		0
	1	5	20.95	21.02	20.94		0
	3	0	20.90	20.98	20.93		0
	3	2	20.94	21.06	20.98		0
	3	3	20.93	21.01	20.92		0
	6	0	20.84	20.90	20.88	0-3	0
256QAM	1	0	19.64	19.78	19.66	0-5	1.2
	1	2	19.82	19.90	19.83		1.2
	1	5	19.73	19.76	19.63		1.2
	3	0	19.66	19.74	19.74		1.2
	3	2	19.74	19.81	19.81		1.2
	3	3	19.66	19.75	19.73		1.2
	6	0	19.70	19.79	19.80		1.2

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-10
LTE Band 12 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 5 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 20425 (826.5 MHz)	Mid Channel 20525 (836.5 MHz)	High Channel 20625 (846.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	24.51	24.47	24.49	0	0
	1	12	24.53	24.44	24.51		0
	1	24	24.52	24.35	24.26		0
	12	0	23.88	23.91	23.96	0-1	0.5
	12	6	23.88	23.89	23.94		0.5
	12	13	23.88	23.82	23.93		0.5
	25	0	23.89	23.91	23.94		0.5
16QAM	1	0	24.06	24.04	24.05	0-1	0.5
	1	12	24.05	24.08	24.09		0.5
	1	24	24.13	24.09	24.12		0.5
	12	0	23.05	23.05	23.07	0-2	1.5
	12	6	23.03	23.03	23.08		1.5
	12	13	23.04	23.05	23.06		1.5
	25	0	22.91	23.02	22.94		1.5
64QAM	1	0	23.00	23.02	23.03	0-2	1.5
	1	12	22.80	22.89	22.69		1.5
	1	24	22.81	22.85	22.70		1.5
	12	0	22.09	22.11	22.17	0-3	2.5
	12	6	22.10	22.09	22.15		2.5
	12	13	22.08	22.02	22.12		2.5
	25	0	22.11	22.11	22.16		2.5
256QAM	1	0	19.92	19.86	19.97	0-5	4.5
	1	12	19.99	19.84	19.96		4.5
	1	24	19.98	19.90	20.00		4.5
	12	0	20.00	19.97	20.00		4.5
	12	6	19.99	19.93	19.98		4.5
	12	13	19.99	19.99	20.05		4.5
	25	0	20.01	19.96	20.00		4.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-11
LTE Band 12 Measured P_{Limit} Antenna 4 - 3 MHz Bandwidth

LTE Band 5 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 20415 (825.5 MHz)	Mid Channel 20525 (836.5 MHz)	High Channel 20635 (847.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	24.17	24.24	24.24	0	0
	1	7	24.42	24.46	24.36		0
	1	14	24.27	24.20	24.20		0
	8	0	23.84	23.87	23.91	0-1	0.5
	8	4	23.88	23.90	23.94		0.5
	8	7	23.82	23.85	23.91		0.5
	15	0	23.83	23.88	23.88		0.5
16QAM	1	0	23.69	23.90	23.87	0-1	0.5
	1	7	23.89	23.94	23.87		0.5
	1	14	23.73	23.85	23.85		0.5
	8	0	22.61	23.06	22.60	0-2	1.5
	8	4	22.55	23.04	22.80		1.5
	8	7	22.56	23.03	22.61		1.5
	15	0	22.51	23.03	22.65		1.5
64QAM	1	0	22.59	22.80	22.74	0-2	1.5
	1	7	22.60	22.77	22.62		1.5
	1	14	22.58	22.83	22.77		1.5
	8	0	21.85	22.05	21.91	0-3	2.5
	8	4	21.89	22.10	21.93		2.5
	8	7	21.86	21.85	21.88		2.5
	15	0	21.86	21.97	21.91		2.5
256QAM	1	0	19.64	19.82	19.85	0-5	4.5
	1	7	19.89	19.86	19.91		4.5
	1	14	19.75	19.93	19.70		4.5
	8	0	19.80	19.96	19.86		4.5
	8	4	19.84	19.98	19.88		4.5
	8	7	19.81	19.93	19.84		4.5
	15	0	19.81	19.96	19.84		4.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-12
LTE Band 12 Measured P_{Limit} Antenna 4 - 1.4 MHz Bandwidth

LTE Band 5 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 20407 (824.7 MHz)	Mid Channel 20525 (836.5 MHz)	High Channel 20643 (848.3 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	24.41	24.38	24.51	0	0
	1	2	24.52	24.47	24.52		0
	1	5	24.46	24.38	24.45		0
	3	0	24.26	24.34	24.34		0
	3	2	24.34	24.29	24.42		0
	3	3	24.28	24.30	24.30		0
	6	0	23.94	23.97	23.95	0-1	0.5
16QAM	1	0	23.67	23.78	23.73	0-1	0.5
	1	2	23.84	23.94	23.90		0.5
	1	5	23.71	23.84	23.71		0.5
	3	0	23.65	23.73	23.75		0.5
	3	2	23.80	23.77	23.82		0.5
	3	3	23.74	23.82	23.76		0.5
	6	0	22.58	22.72	22.54	0-2	1.5
64QAM	1	0	22.55	22.76	22.64	0-2	1.5
	1	2	22.70	22.89	22.81		1.5
	1	5	22.57	22.64	22.60		1.5
	3	0	22.70	22.90	22.74		1.5
	3	2	22.62	22.93	22.80		1.5
	3	3	22.67	22.88	22.74		1.5
	6	0	21.85	21.90	21.90	0-3	2.5
256QAM	1	0	19.93	19.98	19.95	0-5	4.5
	1	2	19.91	19.99	20.04		4.5
	1	5	19.90	19.89	19.96		4.5
	3	0	19.87	19.95	20.03		4.5
	3	2	19.93	20.02	20.08		4.5
	3	3	19.88	19.96	20.01		4.5
	6	0	19.92	19.99	20.05		4.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.1.3 LTE Band 13

Table G-13
LTE Band 13 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 13 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel 23230 (782.0 MHz) Conducted Power [dBm]	MPR Allowed per 3GPP [dB]	MPR [dB]
QPSK	1	0	20.59	0	0
	1	12	20.46		0
	1	24	20.51		0
	12	0	20.61	0-1	0
	12	6	20.59		0
	12	13	20.57		0
	25	0	20.53		0
16QAM	1	0	20.95	0-1	0
	1	12	20.86		0
	1	24	20.87		0
	12	0	20.58	0-2	0
	12	6	20.55		0
	12	13	20.52		0
	25	0	20.50		0
64QAM	1	0	21.00	0-2	0
	1	12	20.81		0
	1	24	20.88		0
	12	0	20.57	0-3	0
	12	6	20.55		0
	12	13	20.52		0
	25	0	20.50		0
256QAM	1	0	19.63	0-5	0.8
	1	12	19.67		0.8
	1	24	19.56		0.8
	12	0	19.72		0.8
	12	6	19.71		0.8
	12	13	19.64		0.8
	25	0	19.73		0.8

Note: LTE Band 13 at 5 MHz bandwidth does not support three non-overlapping channels. Per KDB Publication 941225 D05v02, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-14
LTE Band 13 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 13 5 MHz Bandwidth					
Modulation	**RB Size**	**RB Offset**	**Mid Channel** **23230** **(782.0 MHz)** **Conducted Power [dBm]**	**MPR Allowed per 3GPP [dB]**	**MPR [dB]**
QPSK	1	0	24.57	0	0
	1	12	24.55		0
	1	24	24.62		0
	12	0	24.06	0-1	0.6
	12	6	24.13		0.6
	12	13	23.99		0.6
	25	0	24.09		0.6
16QAM	1	0	23.82	0-1	0.6
	1	12	23.79		0.6
	1	24	23.90		0.6
	12	0	23.06	0-2	1.6
	12	6	23.09		1.6
	12	13	22.93		1.6
	25	0	23.00		1.6
64QAM	1	0	22.65	0-2	1.6
	1	12	22.68		1.6
	1	24	22.70		1.6
	12	0	21.54	0-3	2.6
	12	6	21.60		2.6
	12	13	21.46		2.6
	25	0	21.55		2.6
256QAM	1	0	19.99	0-5	4.6
	1	12	19.94		4.6
	1	24	19.95		4.6
	12	0	20.03		4.6
	12	6	20.10		4.6
	12	13	19.95		4.6
	25	0	20.05		4.6

Note: LTE Band 13 at 5 MHz bandwidth does not support three non-overlapping channels. Per KDB Publication 941225 D05v02, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.1.4 LTE Band 14

Table G-15
LTE Band 14 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 14 5 MHz Bandwidth					
Modulation	**RB Size**	**RB Offset**	**Mid Channel** **23330** **(793.0 MHz)** **Conducted Power [dBm]**	**MPR Allowed per 3GPP [dB]**	**MPR [dB]**
QPSK	1	0	20.59	0	0
	1	12	20.44		0
	1	24	20.62		0
	12	0	20.57	0-1	0
	12	6	20.55		0
	12	13	20.56		0
	25	0	20.32		0
16QAM	1	0	20.72	0-1	0
	1	12	20.56		0
	1	24	20.74		0
	12	0	20.52	0-2	0
	12	6	20.47		0
	12	13	20.50		0
	25	0	20.49		0
64QAM	1	0	20.65	0-2	0
	1	12	20.51		0
	1	24	20.74		0
	12	0	20.51	0-3	0
	12	6	20.47		0
	12	13	20.49		0
	25	0	20.47		0
256QAM	1	0	19.65	0-5	0.8
	1	12	19.50		0.8
	1	24	19.68		0.8
	12	0	19.50		0.8
	12	6	19.45		0.8
	12	13	19.48		0.8
	25	0	19.48		0.8

Note: LTE Band 14 at 5 MHz bandwidth does not support three non-overlapping channels. Per KDB Publication 941225 D05v02, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-16
LTE Band 14 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 14 5 MHz Bandwidth					
Modulation	**RB Size**	**RB Offset**	**Mid Channel** **23330** **(793.0 MHz)** **Conducted Power [dBm]**	**MPR Allowed per 3GPP [dB]**	**MPR [dB]**
QPSK	1	0	24.49	0	0
	1	12	24.41		0
	1	24	24.62		0
	12	0	24.03	0-1	0.6
	12	6	24.06		0.6
	12	13	24.08		0.6
	25	0	24.04		0.6
16QAM	1	0	23.94	0-1	0.6
	1	12	23.79		0.6
	1	24	23.94		0.6
	12	0	22.99	0-2	1.6
	12	6	23.01		1.6
	12	13	23.07		1.6
	25	0	22.95		1.6
64QAM	1	0	22.74	0-2	1.6
	1	12	22.60		1.6
	1	24	22.85		1.6
	12	0	21.50	0-3	2.6
	12	6	21.53		2.6
	12	13	21.57		2.6
	25	0	21.51		2.6
256QAM	1	0	19.98	0-5	4.6
	1	12	19.84		4.6
	1	24	20.01		4.6
	12	0	19.98		4.6
	12	6	20.02		4.6
	12	13	20.04		4.6
	25	0	19.98		4.6

Note: LTE Band 14 at 5 MHz bandwidth does not support three non-overlapping channels. Per KDB Publication 941225 D05v02, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.1.5 LTE Band 26

Table G-17
LTE Band 26 (Cell) Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 26 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26715 (816.5 MHz)	Mid Channel 26865 (831.5 MHz)	High Channel 27015 (846.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	20.17	20.00	20.13	0	0
	1	12	20.02	20.00	20.18		0
	1	24	20.06	19.94	19.98		0
	12	0	20.07	19.99	20.05	0-1	0
	12	6	19.98	19.98	20.04		0
	12	13	20.04	19.97	19.96		0
	25	0	20.00	19.99	20.05		0
16QAM	1	0	20.46	20.32	20.38	0-1	0
	1	12	20.32	20.28	20.48		0
	1	24	20.37	20.22	20.26		0
	12	0	20.07	19.98	20.04	0-2	0
	12	6	19.98	19.97	20.02		0
	12	13	20.01	19.96	19.93		0
	25	0	19.96	19.95	20.01		0
64QAM	1	0	20.46	20.36	20.47	0-2	0
	1	12	20.30	20.32	20.51		0
	1	24	20.31	20.23	20.26		0
	12	0	20.05	19.99	20.03	0-3	0
	12	6	19.99	19.98	20.02		0
	12	13	20.03	19.94	19.96		0
	25	0	19.97	19.95	19.99		0
256QAM	1	0	19.84	19.72	19.71	0-5	0.2
	1	12	19.84	19.62	19.70		0.2
	1	24	19.83	19.70	19.79		0.2
	12	0	19.66	19.67	19.65		0.2
	12	6	19.69	19.66	19.64		0.2
	12	13	19.69	19.73	19.70		0.2
	25	0	19.70	19.67	19.65		0.2

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-18
LTE Band 26 (Cell) Measured P_{Limit} Antenna 3b - 3 MHz Bandwidth

LTE Band 26 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26705 (815.5 MHz)	Mid Channel 26865 (831.5 MHz)	High Channel 27025 (847.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	19.88	19.81	19.89	0	0
	1	7	20.05	19.95	20.02		0
	1	14	19.76	19.75	19.76		0
	8	0	19.96	19.91	19.92	0-1	0
	8	4	19.98	19.93	19.94		0
	8	7	19.95	19.90	19.89		0
	15	0	19.96	19.89	19.90		0
16QAM	1	0	20.16	20.21	20.16	0-1	0
	1	7	20.27	20.32	20.36		0
	1	14	19.94	20.15	20.01		0
	8	0	19.93	19.94	19.95	0-2	0
	8	4	19.97	19.95	19.94		0
	8	7	19.97	19.93	19.92		0
	15	0	19.94	19.89	19.87		0
64QAM	1	0	20.09	20.15	20.18	0-2	0
	1	7	20.28	20.32	20.28		0
	1	14	20.04	20.14	19.93		0
	8	0	19.97	19.94	19.95	0-3	0
	8	4	20.04	19.98	19.94		0
	8	7	19.96	19.92	19.89		0
	15	0	19.92	19.90	19.90		0
256QAM	1	0	19.43	19.44	19.68	0-5	0.2
	1	7	19.63	19.59	19.56		0.2
	1	14	19.46	19.50	19.37		0.2
	8	0	19.60	19.57	19.64		0.2
	8	4	19.62	19.60	19.66		0.2
	8	7	19.58	19.56	19.62		0.2
	15	0	19.58	19.59	19.61		0.2

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-19
LTE Band 26 (Cell) Measured P_{Limit} Antenna 3b - 1.4 MHz Bandwidth

LTE Band 26 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26697 (814.7 MHz)	Mid Channel 26865 (831.5 MHz)	High Channel 27033 (848.3 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	19.88	19.83	19.81	0	0
	1	2	20.12	19.97	20.04		0
	1	5	19.91	19.81	19.78		0
	3	0	19.88	19.83	19.78		0
	3	2	19.96	19.91	19.83		0
	3	3	19.88	19.83	19.76		0
	6	0	19.95	19.90	19.83	0-1	0
16QAM	1	0	20.16	20.02	20.10	0-1	0
	1	2	20.32	20.31	20.22		0
	1	5	20.16	20.05	20.04		0
	3	0	20.09	19.99	19.97		0
	3	2	20.21	20.07	20.03		0
	3	3	20.15	20.00	19.95		0
	6	0	19.98	19.95	19.84	0-2	0
64QAM	1	0	20.12	20.05	20.10	0-2	0
	1	2	20.36	20.29	20.26		0
	1	5	20.22	19.95	20.06		0
	3	0	20.06	19.96	19.99		0
	3	2	20.15	20.05	20.09		0
	3	3	20.07	20.00	19.95		0
	6	0	19.99	19.93	19.84	0-3	0
256QAM	1	0	19.61	19.79	19.65	0-5	0.2
	1	2	19.80	19.80	19.83		0.2
	1	5	19.61	19.59	19.63		0.2
	3	0	19.72	19.70	19.73		0.2
	3	2	19.79	19.76	19.80		0.2
	3	3	19.73	19.68	19.72		0.2
	6	0	19.77	19.74	19.79		0.2

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-20
LTE Band 26 (Cell) Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 26 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26715 (816.5 MHz)	Mid Channel 26865 (831.5 MHz)	High Channel 27015 (846.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	24.56	24.61	24.53	0	0
	1	12	24.41	24.56	24.51		0
	1	24	24.36	24.53	24.32		0
	12	0	24.19	24.18	24.25	0-1	0.5
	12	6	24.12	24.22	24.22		0.5
	12	13	24.11	24.22	24.21		0.5
	25	0	24.13	24.25	24.24		0.5
16QAM	1	0	24.06	24.04	24.03	0-1	0.5
	1	12	23.95	24.08	24.08		0.5
	1	24	23.94	24.15	24.03		0.5
	12	0	23.18	23.17	23.24	0-2	1.5
	12	6	23.08	23.24	23.22		1.5
	12	13	23.06	23.21	23.20		1.5
	25	0	23.08	23.19	23.20		1.5
64QAM	1	0	22.73	22.87	22.78	0-2	1.5
	1	12	22.60	22.78	22.74		1.5
	1	24	22.58	22.78	22.61		1.5
	12	0	21.44	21.43	21.46	0-3	2.5
	12	6	21.36	21.45	21.46		2.5
	12	13	21.34	21.45	21.45		2.5
	25	0	21.36	21.47	21.47		2.5
256QAM	1	0	20.23	20.33	20.20	0-5	4.5
	1	12	20.11	20.38	20.17		4.5
	1	24	20.13	20.32	20.14		4.5
	12	0	20.18	20.14	20.21		4.5
	12	6	20.10	20.19	20.19		4.5
	12	13	20.09	20.18	20.17		4.5
	25	0	20.11	20.21	20.20		4.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-21
LTE Band 26 (Cell) Measured P_{Limit} Antenna 4 - 3 MHz Bandwidth

LTE Band 26 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26705 (815.5 MHz)	Mid Channel 26865 (831.5 MHz)	High Channel 27025 (847.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	24.26	24.26	24.24	0	0
	1	7	24.40	24.47	24.41		0
	1	14	24.17	24.32	24.21		0
	8	0	24.12	24.14	24.14	0-1	0.5
	8	4	24.15	24.17	24.16		0.5
	8	7	24.12	24.12	24.12		0.5
	15	0	24.14	24.14	24.11		0.5
16QAM	1	0	23.68	23.74	23.81	0-1	0.5
	1	7	23.80	24.16	24.01		0.5
	1	14	23.57	23.85	23.72		0.5
	8	0	23.09	23.17	23.13	0-2	1.5
	8	4	23.17	23.17	23.16		1.5
	8	7	23.12	23.11	23.10		1.5
	15	0	23.07	23.11	23.06		1.5
64QAM	1	0	22.69	22.66	22.60	0-2	1.5
	1	7	22.85	22.91	22.76		1.5
	1	14	22.58	22.74	22.64		1.5
	8	0	21.41	21.41	21.42	0-3	2.5
	8	4	21.43	21.44	21.44		2.5
	8	7	21.38	21.40	21.41		2.5
	15	0	21.41	21.41	21.40		2.5
256QAM	1	0	19.92	19.89	19.87	0-5	4.5
	1	7	20.09	20.16	20.04		4.5
	1	14	19.84	19.97	19.89		4.5
	8	0	20.07	20.11	20.11		4.5
	8	4	20.12	20.14	20.13		4.5
	8	7	20.07	20.09	20.08		4.5
	15	0	20.09	20.11	20.10		4.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-22
LTE Band 26 (Cell) Measured P_{Limit} Antenna 4 - 1.4 MHz Bandwidth

LTE Band 26 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26697 (814.7 MHz)	Mid Channel 26865 (831.5 MHz)	High Channel 27033 (848.3 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	24.18	24.25	24.34	0	0
	1	2	24.41	24.44	24.51		0
	1	5	24.26	24.22	24.30		0
	3	0	24.27	24.34	24.28		0
	3	2	24.35	24.41	24.34		0
	3	3	24.28	24.33	24.27		0
	6	0	24.11	24.11	24.08	0-1	0.5
16QAM	1	0	23.75	23.72	23.77	0-1	0.5
	1	2	23.97	23.93	23.95		0.5
	1	5	23.71	23.72	23.71		0.5
	3	0	23.68	23.77	23.68		0.5
	3	2	23.81	23.81	23.76		0.5
	3	3	23.73	23.73	23.68		0.5
	6	0	23.11	23.14	23.07	0-2	1.5
64QAM	1	0	22.71	22.67	22.62	0-2	1.5
	1	2	22.87	22.87	22.80		1.5
	1	5	22.70	22.65	22.58		1.5
	3	0	22.54	22.56	22.51		1.5
	3	2	22.63	22.61	22.56		1.5
	3	3	22.54	22.55	22.50		1.5
	6	0	21.38	21.40	21.36	0-3	2.5
256QAM	1	0	19.99	19.95	19.91	0-5	4.5
	1	2	20.19	20.12	20.08		4.5
	1	5	19.97	19.94	19.88		4.5
	3	0	20.04	20.05	20.02		4.5
	3	2	20.11	20.11	20.05		4.5
	3	3	20.04	20.03	19.97		4.5
	6	0	20.07	20.09	20.06		4.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.1.6 LTE Band 5

Table G-23
LTE Band 5 (Cell) Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 5 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 20425 (826.5 MHz)	Mid Channel 20525 (836.5 MHz)	High Channel 20625 (846.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	20.00	20.20	20.04	0	0
	1	12	20.02	20.09	20.07		0
	1	24	20.12	20.02	19.97		0
	12	0	20.01	20.10	20.07	0-1	0
	12	6	19.95	20.07	20.06		0
	12	13	19.97	19.98	20.00		0
	25	0	19.96	20.09	20.06		0
16QAM	1	0	20.22	20.42	20.37	0-1	0
	1	12	20.29	20.40	20.24		0
	1	24	20.42	20.30	20.18		0
	12	0	20.02	20.12	20.05	0-2	0
	12	6	19.95	20.08	20.04		0
	12	13	19.95	19.98	19.96		0
	25	0	19.93	20.05	20.05		0
64QAM	1	0	20.29	20.46	20.27	0-2	0
	1	12	20.36	20.40	20.29		0
	1	24	20.45	20.31	20.21		0
	12	0	20.01	20.08	20.02	0-3	0
	12	6	19.96	20.07	20.01		0
	12	13	19.96	19.97	19.92		0
	25	0	19.93	20.05	19.98		0
256QAM	1	0	19.82	19.86	19.92	0-5	0.2
	1	12	19.92	19.91	19.89		0.2
	1	24	19.89	19.93	19.99		0.2
	12	0	19.80	19.87	19.84		0.2
	12	6	19.87	19.85	19.84		0.2
	12	13	19.86	19.90	19.90		0.2
	25	0	19.87	19.87	19.85		0.2

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-24
LTE Band 5 (Cell) Measured P_{Limit} Antenna 3b - 3 MHz Bandwidth

LTE Band 5 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 20415 (825.5 MHz)	Mid Channel 20525 (836.5 MHz)	High Channel 20635 (847.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	19.77	19.91	19.85	0	0
	1	7	19.94	20.07	19.96		0
	1	14	19.80	19.70	19.73		0
	8	0	19.93	20.01	19.87	0-1	0
	8	4	19.99	20.05	19.96		0
	8	7	19.91	19.99	19.91		0
	15	0	19.96	20.00	19.92		0
16QAM	1	0	19.90	20.11	20.01	0-1	0
	1	7	20.09	20.28	20.28		0
	1	14	20.01	20.02	19.87		0
	8	0	19.86	19.95	19.90	0-2	0
	8	4	19.97	19.97	19.93		0
	8	7	19.84	19.91	19.91		0
	15	0	19.88	19.90	19.90		0
64QAM	1	0	19.96	20.09	20.21	0-2	0
	1	7	20.16	20.28	20.29		0
	1	14	19.97	19.96	20.00		0
	8	0	19.85	19.95	19.97	0-3	0
	8	4	19.95	19.98	19.96		0
	8	7	19.88	19.92	19.93		0
	15	0	19.88	19.90	19.88		0
256QAM	1	0	19.82	19.86	19.92	0-5	0.2
	1	7	19.70	19.75	19.82		0.2
	1	14	19.89	19.93	19.99		0.2
	8	0	19.69	19.75	19.81		0.2
	8	4	19.73	19.78	19.85		0.2
	8	7	19.78	19.72	19.81		0.2
	15	0	19.70	19.74	19.80		0.2

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-25
LTE Band 5 (Cell) Measured P_{Limit} Antenna 3b - 1.4 MHz Bandwidth

LTE Band 5 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 20407 (824.7 MHz)	Mid Channel 20525 (836.5 MHz)	High Channel 20643 (848.3 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	19.83	19.90	19.92	0	0
	1	2	20.03	20.10	20.10		0
	1	5	19.83	19.84	19.83		0
	3	0	19.81	19.88	19.78		0
	3	2	19.88	19.93	19.83		0
	3	3	19.81	19.84	19.76		0
	6	0	19.87	19.90	19.82	0-1	0
16QAM	1	0	20.03	20.05	20.10	0-1	0
	1	2	20.21	20.19	20.23		0
	1	5	20.09	20.01	19.98		0
	3	0	20.03	20.03	19.98		0
	3	2	20.06	20.07	20.02		0
	3	3	20.04	19.98	19.94		0
	6	0	19.86	19.90	19.79	0-2	0
64QAM	1	0	19.97	20.05	20.04	0-2	0
	1	2	20.18	20.26	20.23		0
	1	5	20.11	19.96	20.01		0
	3	0	20.01	20.03	20.01		0
	3	2	20.09	20.07	20.03		0
	3	3	20.01	20.03	19.97		0
	6	0	19.86	19.91	19.85	0-3	0
256QAM	1	0	19.66	19.58	19.78	0-5	0.2
	1	2	19.77	19.76	19.91		0.2
	1	5	19.60	19.54	19.73		0.2
	3	0	19.62	19.69	19.77		0.2
	3	2	19.69	19.72	19.82		0.2
	3	3	19.62	19.65	19.73		0.2
	6	0	19.67	19.72	19.78		0.2

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-26
LTE Band 5 (Cell) Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 5 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 20425 (826.5 MHz)	Mid Channel 20525 (836.5 MHz)	High Channel 20625 (846.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	24.51	24.47	24.49	0	0
	1	12	24.53	24.44	24.51		0
	1	24	24.52	24.35	24.26		0
	12	0	23.88	23.91	23.96	0-1	0.5
	12	6	23.88	23.89	23.94		0.5
	12	13	23.88	23.82	23.93		0.5
	25	0	23.89	23.91	23.94		0.5
16QAM	1	0	24.06	24.04	24.05	0-1	0.5
	1	12	24.05	24.08	24.09		0.5
	1	24	24.13	24.09	24.12		0.5
	12	0	23.05	23.05	23.07	0-2	1.5
	12	6	23.03	23.03	23.08		1.5
	12	13	23.04	23.05	23.06		1.5
	25	0	22.91	23.02	22.94		1.5
64QAM	1	0	23.00	23.02	23.03	0-2	1.5
	1	12	22.80	22.89	22.69		1.5
	1	24	22.81	22.85	22.70		1.5
	12	0	22.09	22.11	22.17	0-3	2.5
	12	6	22.10	22.09	22.15		2.5
	12	13	22.08	22.02	22.12		2.5
	25	0	22.11	22.11	22.16		2.5
256QAM	1	0	19.92	19.86	19.97	0-5	4.5
	1	12	19.99	19.84	19.96		4.5
	1	24	19.98	19.90	20.00		4.5
	12	0	20.00	19.97	20.00		4.5
	12	6	19.99	19.93	19.98		4.5
	12	13	19.99	19.99	20.05		4.5
	25	0	20.01	19.96	20.00		4.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-27
LTE Band 5 (Cell) Measured P_{Limit} Antenna 4 - 3 MHz Bandwidth

LTE Band 5 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 20415 (825.5 MHz)	Mid Channel 20525 (836.5 MHz)	High Channel 20635 (847.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	24.17	24.24	24.24	0	0
	1	7	24.42	24.46	24.36		0
	1	14	24.27	24.20	24.20		0
	8	0	23.84	23.87	23.91	0-1	0.5
	8	4	23.88	23.90	23.94		0.5
	8	7	23.82	23.85	23.91		0.5
	15	0	23.83	23.88	23.88		0.5
16QAM	1	0	23.69	23.90	23.87	0-1	0.5
	1	7	23.89	23.94	23.87		0.5
	1	14	23.73	23.85	23.85		0.5
	8	0	22.61	23.06	22.60	0-2	1.5
	8	4	22.55	23.04	22.80		1.5
	8	7	22.56	23.03	22.61		1.5
	15	0	22.51	23.03	22.65		1.5
64QAM	1	0	22.59	22.80	22.74	0-2	1.5
	1	7	22.60	22.77	22.62		1.5
	1	14	22.58	22.83	22.77		1.5
	8	0	21.85	22.05	21.91	0-3	2.5
	8	4	21.89	22.10	21.93		2.5
	8	7	21.86	21.85	21.88		2.5
	15	0	21.86	21.97	21.91		2.5
256QAM	1	0	19.64	19.82	19.85	0-5	4.5
	1	7	19.89	19.86	19.91		4.5
	1	14	19.75	19.93	19.70		4.5
	8	0	19.80	19.96	19.86		4.5
	8	4	19.84	19.98	19.88		4.5
	8	7	19.81	19.93	19.84		4.5
	15	0	19.81	19.96	19.84		4.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-28
LTE Band 5 (Cell) Measured P_{Limit} Antenna 4 - 1.4 MHz Bandwidth

LTE Band 5 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 20407 (824.7 MHz)	Mid Channel 20525 (836.5 MHz)	High Channel 20643 (848.3 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	24.41	24.38	24.51	0	0
	1	2	24.52	24.47	24.52		0
	1	5	24.46	24.38	24.45		0
	3	0	24.26	24.34	24.34		0
	3	2	24.34	24.29	24.42		0
	3	3	24.28	24.30	24.30		0
	6	0	23.94	23.97	23.95	0-1	0.5
16QAM	1	0	23.67	23.78	23.73	0-1	0.5
	1	2	23.84	23.94	23.90		0.5
	1	5	23.71	23.84	23.71		0.5
	3	0	23.65	23.73	23.75		0.5
	3	2	23.80	23.77	23.82		0.5
	3	3	23.74	23.82	23.76		0.5
	6	0	22.58	22.72	22.54	0-2	1.5
64QAM	1	0	22.55	22.76	22.64	0-2	1.5
	1	2	22.70	22.89	22.81		1.5
	1	5	22.57	22.64	22.60		1.5
	3	0	22.70	22.90	22.74		1.5
	3	2	22.62	22.93	22.80		1.5
	3	3	22.67	22.88	22.74		1.5
	6	0	21.85	21.90	21.90	0-3	2.5
256QAM	1	0	19.93	19.98	19.95	0-5	4.5
	1	2	19.91	19.99	20.04		4.5
	1	5	19.90	19.89	19.96		4.5
	3	0	19.87	19.95	20.03		4.5
	3	2	19.93	20.02	20.08		4.5
	3	3	19.88	19.96	20.01		4.5
	6	0	19.92	19.99	20.05		4.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.1.7 LTE Band 66

Table G-29
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 132047 (1717.5 MHz)	Mid Channel 132322 (1745.0 MHz)	High Channel 132597 (1772.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	16.52	16.72	16.59	0	0
	1	36	16.56	16.74	16.55		0
	1	74	16.48	16.69	16.50		0
	36	0	16.62	16.75	16.65	0-1	0
	36	18	16.60	16.74	16.64		0
	36	37	16.59	16.73	16.63		0
	75	0	16.62	16.76	16.64		0
16QAM	1	0	16.62	16.86	16.77	0-1	0
	1	36	16.69	16.87	16.83		0
	1	74	16.70	16.81	16.71		0
	36	0	16.53	16.69	16.58	0-2	0
	36	18	16.53	16.67	16.60		0
	36	37	16.52	16.66	16.58		0
	75	0	16.53	16.68	16.56		0
64QAM	1	0	16.66	16.84	16.76	0-2	0
	1	36	16.73	16.85	16.82		0
	1	74	16.69	16.81	16.70		0
	36	0	16.54	16.67	16.59	0-3	0
	36	18	16.53	16.67	16.58		0
	36	37	16.52	16.67	16.59		0
	75	0	16.53	16.67	16.56		0
256QAM	1	0	16.69	16.85	16.79	0-5	0
	1	36	16.66	16.86	16.79		0
	1	74	16.63	16.81	16.79		0
	36	0	16.54	16.68	16.62		0
	36	18	16.53	16.67	16.63		0
	36	37	16.52	16.68	16.61		0
	75	0	16.53	16.68	16.58		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-30
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 132022 (1715.0 MHz)	Mid Channel 132322 (1745.0 MHz)	High Channel 132622 (1775.0 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	16.58	16.77	16.60	0	0
	1	25	16.61	16.82	16.68		0
	1	49	16.54	16.78	16.58		0
	25	0	16.69	16.84	16.72	0-1	0
	25	12	16.68	16.83	16.70		0
	25	25	16.67	16.82	16.71		0
	50	0	16.72	16.87	16.75		0
16QAM	1	0	16.84	17.01	16.73	0-1	0
	1	25	16.92	17.04	16.83		0
	1	49	16.74	16.96	16.75		0
	25	0	16.62	16.74	16.61	0-2	0
	25	12	16.62	16.72	16.69		0
	25	25	16.60	16.80	16.70		0
	50	0	16.65	16.75	16.73		0
64QAM	1	0	16.71	17.09	16.85	0-2	0
	1	25	16.95	17.07	16.83		0
	1	49	16.78	17.06	16.75		0
	25	0	16.59	16.74	16.69	0-3	0
	25	12	16.58	16.80	16.68		0
	25	25	16.59	16.80	16.70		0
	50	0	16.62	16.76	16.72		0
256QAM	1	0	16.84	17.07	16.77	0-5	0
	1	25	16.78	17.10	17.00		0
	1	49	16.71	16.99	16.77		0
	25	0	16.58	16.74	16.67		0
	25	12	16.58	16.81	16.66		0
	25	25	16.58	16.80	16.69		0
	50	0	16.61	16.82	16.73		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-31
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 131997 (1712.5 MHz)	Mid Channel 132322 (1745.0 MHz)	High Channel 132647 (1777.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	16.58	16.84	16.75	0	0
	1	12	16.57	16.78	16.73		0
	1	24	16.59	16.80	16.72		0
	12	0	16.65	16.81	16.72	0-1	0
	12	6	16.64	16.79	16.70		0
	12	13	16.64	16.79	16.70		0
	25	0	16.67	16.83	16.72		0
16QAM	1	0	16.85	17.08	17.00	0-1	0
	1	12	16.93	17.01	16.98		0
	1	24	16.90	17.13	16.94		0
	12	0	16.62	16.77	16.67	0-2	0
	12	6	16.59	16.73	16.67		0
	12	13	16.62	16.73	16.62		0
	25	0	16.65	16.80	16.63		0
64QAM	1	0	16.91	17.04	17.01	0-2	0
	1	12	16.89	17.04	17.00		0
	1	24	16.88	17.09	17.03		0
	12	0	16.60	16.73	16.63	0-3	0
	12	6	16.65	16.74	16.64		0
	12	13	16.61	16.80	16.63		0
	25	0	16.64	16.75	16.62		0
256QAM	1	0	16.81	17.08	16.96	0-5	0
	1	12	16.93	17.08	16.94		0
	1	24	16.98	17.10	16.98		0
	12	0	16.58	16.73	16.66		0
	12	6	16.61	16.74	16.62		0
	12	13	16.65	16.73	16.57		0
	25	0	16.65	16.72	16.62		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-32
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1b - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 131987 (1711.5 MHz)	Mid Channel 132322 (1745.0 MHz)	High Channel 132657 (1778.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	16.39	16.62	16.44	0	0
	1	7	16.56	16.77	16.65		0
	1	14	16.41	16.62	16.42		0
	8	0	16.56	16.72	16.62	0-1	0
	8	4	16.61	16.76	16.65		0
	8	7	16.57	16.70	16.61		0
	15	0	16.57	16.71	16.62		0
16QAM	1	0	16.63	16.93	16.77	0-1	0
	1	7	16.73	17.12	16.78		0
	1	14	16.63	17.02	16.61		0
	8	0	16.54	16.73	16.64	0-2	0
	8	4	16.64	16.78	16.72		0
	8	7	16.64	16.74	16.63		0
	15	0	16.57	16.70	16.61		0
64QAM	1	0	16.65	16.97	16.75	0-2	0
	1	7	16.76	17.11	16.87		0
	1	14	16.59	16.91	16.57		0
	8	0	16.62	16.74	16.57	0-3	0
	8	4	16.67	16.81	16.65		0
	8	7	16.62	16.73	16.63		0
	15	0	16.56	16.70	16.59		0
256QAM	1	0	16.73	16.97	16.69	0-5	0
	1	7	16.76	17.08	16.84		0
	1	14	16.66	16.91	16.67		0
	8	0	16.61	16.75	16.56		0
	8	4	16.65	16.80	16.68		0
	8	7	16.58	16.75	16.63		0
	15	0	16.56	16.74	16.58		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-33
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1b - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 131979 (1710.7 MHz)	Mid Channel 132322 (1745.0 MHz)	High Channel 132665 (1779.3 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	16.38	16.61	16.47	0	0
	1	2	16.57	16.77	16.65		0
	1	5	16.38	16.58	16.46		0
	3	0	16.49	16.68	16.54		0
	3	2	16.52	16.74	16.59		0
	3	3	16.45	16.67	16.52		0
	6	0	16.55	16.68	16.56	0-1	0
16QAM	1	0	16.42	16.75	16.79	0-1	0
	1	2	16.67	16.99	16.92		0
	1	5	16.50	16.66	16.82		0
	3	0	16.66	16.73	16.63		0
	3	2	16.70	16.74	16.71		0
	3	3	16.64	16.70	16.63		0
	6	0	16.53	16.63	16.58	0-2	0
64QAM	1	0	16.51	16.72	16.85	0-2	0
	1	2	16.67	16.95	17.00		0
	1	5	16.50	16.62	16.71		0
	3	0	16.65	16.70	16.68		0
	3	2	16.76	16.78	16.75		0
	3	3	16.61	16.74	16.68		0
	6	0	16.52	16.66	16.58	0-3	0
256QAM	1	0	16.50	16.74	16.69	0-5	0
	1	2	16.73	16.92	16.93		0
	1	5	16.59	16.76	16.81		0
	3	0	16.60	16.75	16.68		0
	3	2	16.69	16.83	16.76		0
	3	3	16.63	16.72	16.65		0
	6	0	16.54	16.65	16.56		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-34
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 132047 (1717.5 MHz)	Mid Channel 132322 (1745.0 MHz)	High Channel 132597 (1772.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	18.85	18.85	18.75	0	0
	1	36	18.86	18.92	18.80		0
	1	74	18.87	18.93	18.70		0
	36	0	18.78	18.88	18.82	0-1	0
	36	18	18.77	18.93	18.85		0
	36	37	18.77	18.92	18.80		0
	75	0	18.79	18.93	18.86		0
16QAM	1	0	19.05	19.06	19.04	0-1	0
	1	36	19.06	18.94	19.05		0
	1	74	19.09	18.92	19.03		0
	36	0	18.75	18.82	18.79	0-2	0
	36	18	18.74	18.87	18.84		0
	36	37	18.73	18.87	18.76		0
	75	0	18.74	18.88	18.84		0
64QAM	1	0	19.04	19.08	19.03	0-2	0
	1	36	19.05	18.92	19.02		0
	1	74	19.08	18.96	19.02		0
	36	0	18.76	18.83	18.79	0-3	0
	36	18	18.74	18.89	18.84		0
	36	37	18.74	18.87	18.76		0
	75	0	18.74	18.89	18.84		0
256QAM	1	0	19.08	18.85	19.01	0-5	0
	1	36	19.01	18.88	19.08		0
	1	74	18.93	18.98	19.01		0
	36	0	18.75	18.82	18.78		0
	36	18	18.74	18.88	18.85		0
	36	37	18.74	18.88	18.77		0
	75	0	18.74	18.88	18.85		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-35
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 132022 (1715.0 MHz)	Mid Channel 132322 (1745.0 MHz)	High Channel 132622 (1775.0 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	18.75	18.90	18.79	0	0
	1	25	18.74	18.94	18.85		0
	1	49	18.74	18.95	18.79		0
	25	0	18.85	18.95	18.92	0-1	0
	25	12	18.83	18.94	18.91		0
	25	25	18.83	18.94	18.84		0
	50	0	18.88	19.00	18.97		0
16QAM	1	0	18.92	19.09	19.09	0-1	0
	1	25	19.01	19.04	18.98		0
	1	49	18.96	18.97	19.09		0
	25	0	18.80	18.93	18.87	0-2	0
	25	12	18.78	18.90	18.86		0
	25	25	18.78	18.91	18.83		0
	50	0	18.81	18.95	18.89		0
64QAM	1	0	18.97	18.93	19.06	0-2	0
	1	25	19.02	19.00	18.94		0
	1	49	18.92	18.98	18.90		0
	25	0	18.79	18.94	18.86	0-3	0
	25	12	18.77	18.89	18.87		0
	25	25	18.78	18.92	18.83		0
	50	0	18.83	18.96	18.89		0
256QAM	1	0	18.97	19.09	19.03	0-5	0
	1	25	18.92	18.91	18.86		0
	1	49	18.88	18.95	19.07		0
	25	0	18.80	18.93	18.88		0
	25	12	18.78	18.90	18.84		0
	25	25	18.77	18.90	18.81		0
	50	0	18.84	18.97	18.90		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-36
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 131997 (1712.5 MHz)	Mid Channel 132322 (1745.0 MHz)	High Channel 132647 (1777.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	18.90	18.93	18.75	0	0
	1	12	18.87	18.92	18.73		0
	1	24	18.84	18.94	18.79		0
	12	0	18.85	18.94	18.84	0-1	0
	12	6	18.84	18.93	18.83		0
	12	13	18.84	18.93	18.83		0
	25	0	18.86	18.95	18.86		0
16QAM	1	0	18.95	18.95	18.82	0-1	0
	1	12	18.90	18.98	18.84		0
	1	24	18.86	19.00	18.95		0
	12	0	18.85	18.93	18.83	0-2	0
	12	6	18.83	18.96	18.80		0
	12	13	18.81	18.94	18.81		0
	25	0	18.82	18.92	18.83		0
64QAM	1	0	18.90	19.00	18.82	0-2	0
	1	12	18.91	19.03	18.86		0
	1	24	18.84	19.00	18.91		0
	12	0	18.83	18.95	18.82	0-3	0
	12	6	18.82	18.95	18.83		0
	12	13	18.83	18.95	18.83		0
	25	0	18.80	18.93	18.83		0
256QAM	1	0	18.92	19.01	18.88	0-5	0
	1	12	18.93	18.98	18.88		0
	1	24	18.78	19.00	18.89		0
	12	0	18.86	18.94	18.82		0
	12	6	18.84	18.94	18.82		0
	12	13	18.81	18.95	18.81		0
	25	0	18.83	18.93	18.81		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-37
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2b - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 131987 (1711.5 MHz)	Mid Channel 132322 (1745.0 MHz)	High Channel 132657 (1778.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	18.63	18.74	18.60	0	0
	1	7	18.74	18.93	18.78		0
	1	14	18.59	18.76	18.62		0
	8	0	18.78	18.84	18.74	0-1	0
	8	4	18.80	18.88	18.78		0
	8	7	18.77	18.83	18.74		0
	15	0	18.78	18.85	18.76		0
16QAM	1	0	18.85	18.93	18.88	0-1	0
	1	7	18.79	18.87	18.86		0
	1	14	18.89	18.93	18.94		0
	8	0	18.75	18.86	18.74	0-2	0
	8	4	18.79	18.90	18.81		0
	8	7	18.75	18.87	18.75		0
	15	0	18.76	18.85	18.75		0
64QAM	1	0	18.88	18.92	18.85	0-2	0
	1	7	18.84	18.92	18.83		0
	1	14	18.83	18.93	18.90		0
	8	0	18.79	18.83	18.75	0-3	0
	8	4	18.82	18.89	18.82		0
	8	7	18.76	18.86	18.79		0
	15	0	18.76	18.82	18.75		0
256QAM	1	0	18.81	18.90	18.93	0-5	0
	1	7	18.81	18.88	18.79		0
	1	14	18.84	18.96	18.96		0
	8	0	18.79	18.86	18.76		0
	8	4	18.81	18.88	18.83		0
	8	7	18.78	18.84	18.76		0
	15	0	18.75	18.84	18.75		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-38
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2b - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 131979 (1710.7 MHz)	Mid Channel 132322 (1745.0 MHz)	High Channel 132665 (1779.3 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	18.68	18.60	18.68	0	0
	1	2	18.89	18.79	18.87		0
	1	5	18.68	18.61	18.71		0
	3	0	18.71	18.79	18.67		0
	3	2	18.75	18.84	18.74		0
	3	3	18.70	18.78	18.69		0
	6	0	18.75	18.82	18.73	0-1	0
16QAM	1	0	18.91	18.87	18.83	0-1	0
	1	2	19.06	18.98	19.05		0
	1	5	18.93	18.90	18.91		0
	3	0	18.93	18.93	18.82		0
	3	2	18.94	18.98	18.92		0
	3	3	18.87	18.90	18.80		0
	6	0	18.77	18.88	18.75	0-2	0
64QAM	1	0	18.89	18.88	18.88	0-2	0
	1	2	19.05	19.02	19.06		0
	1	5	18.92	18.85	18.87		0
	3	0	18.86	18.91	18.86		0
	3	2	18.94	19.00	18.89		0
	3	3	18.91	18.94	18.85		0
	6	0	18.75	18.86	18.79	0-3	0
256QAM	1	0	18.94	18.90	18.85	0-5	0
	1	2	19.06	19.09	19.04		0
	1	5	18.91	18.80	18.87		0
	3	0	18.89	18.90	18.85		0
	3	2	18.93	18.97	18.87		0
	3	3	18.88	18.93	18.83		0
	6	0	18.74	18.87	18.76		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-39
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 132047 (1717.5 MHz)	Mid Channel 132322 (1745.0 MHz)	High Channel 132597 (1772.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	21.06	20.97	20.84	0	0
	1	36	21.05	20.99	20.84		0
	1	74	21.03	20.97	20.71		0
	36	0	20.98	20.98	20.95	0-1	0
	36	18	20.98	21.01	20.96		0
	36	37	20.97	20.99	20.87		0
	75	0	20.98	21.00	20.95		0
16QAM	1	0	21.18	21.21	21.12	0-1	0
	1	36	21.20	21.26	21.17		0
	1	74	21.19	21.13	21.00		0
	36	0	20.95	20.90	20.86	0-2	0
	36	18	20.94	20.98	20.86		0
	36	37	20.94	20.95	20.77		0
	75	0	20.97	20.96	20.87		0
64QAM	1	0	21.22	21.18	21.09	0-2	0
	1	36	21.24	21.19	21.22		0
	1	74	21.16	21.17	21.03		0
	36	0	20.96	20.87	20.89	0-3	0
	36	18	20.94	20.93	20.86		0
	36	37	20.93	20.91	20.77		0
	75	0	20.97	20.93	20.86		0
256QAM	1	0	19.97	19.83	19.79	0-5	0.9
	1	36	19.95	19.86	19.72		0.9
	1	74	19.87	19.69	19.60		0.9
	36	0	19.90	19.88	19.75		0.9
	36	18	19.91	19.90	19.72		0.9
	36	37	19.84	19.83	19.65		0.9
	75	0	19.91	19.91	19.72		0.9

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-40
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 132022 (1715.0 MHz)	Mid Channel 132322 (1745.0 MHz)	High Channel 132622 (1775.0 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	20.88	21.01	20.96	0	0
	1	25	20.93	21.08	20.95		0
	1	49	20.91	21.02	20.80		0
	25	0	21.03	21.09	21.02	0-1	0
	25	12	21.02	21.07	21.00		0
	25	25	21.03	21.06	20.91		0
	50	0	21.08	21.13	21.05		0
16QAM	1	0	21.12	21.19	21.19	0-1	0
	1	25	21.09	21.24	21.19		0
	1	49	21.09	21.10	21.01		0
	25	0	20.99	21.03	20.90	0-2	0
	25	12	20.97	21.01	20.93		0
	25	25	20.99	21.00	20.86		0
	50	0	21.02	21.06	20.99		0
64QAM	1	0	21.06	21.23	21.20	0-2	0
	1	25	21.09	21.26	21.12		0
	1	49	21.07	21.21	21.07		0
	25	0	20.99	21.01	20.89	0-3	0
	25	12	20.99	21.02	20.94		0
	25	25	20.99	21.01	20.84		0
	50	0	21.02	21.06	20.98		0
256QAM	1	0	19.61	19.90	19.61	0-5	0.9
	1	25	20.09	20.09	19.88		0.9
	1	49	19.60	19.91	19.63		0.9
	25	0	20.10	20.09	19.85		0.9
	25	12	20.04	20.04	19.83		0.9
	25	25	20.04	20.03	19.75		0.9
	50	0	20.10	20.10	19.89		0.9

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-41
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 131997 (1712.5 MHz)	Mid Channel 132322 (1745.0 MHz)	High Channel 132647 (1777.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	21.05	20.99	20.86	0	0
	1	12	21.03	20.96	20.82		0
	1	24	21.03	20.98	20.81		0
	12	0	21.06	21.07	20.90	0-1	0
	12	6	21.05	21.05	20.89		0
	12	13	21.05	21.06	20.89		0
	25	0	21.07	21.07	20.91		0
16QAM	1	0	21.36	21.33	21.13	0-1	0
	1	12	21.30	21.28	21.02		0
	1	24	21.30	21.29	20.99		0
	12	0	21.05	21.03	20.86	0-2	0
	12	6	21.02	21.00	20.83		0
	12	13	21.02	21.01	20.83		0
	25	0	21.02	21.03	20.86		0
64QAM	1	0	21.42	21.36	21.08	0-2	0
	1	12	21.29	21.21	21.03		0
	1	24	21.28	21.22	21.02		0
	12	0	21.02	21.05	20.87	0-3	0
	12	6	21.00	21.02	20.85		0
	12	13	21.01	21.03	20.85		0
	25	0	20.99	21.03	20.86		0
256QAM	1	0	20.01	20.01	19.74	0-5	0.9
	1	12	19.98	20.00	19.68		0.9
	1	24	19.97	20.01	19.72		0.9
	12	0	19.99	20.03	19.75		0.9
	12	6	19.98	20.02	19.73		0.9
	12	13	19.97	20.01	19.73		0.9
	25	0	19.99	20.03	19.75		0.9

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-42
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3a - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 131987 (1711.5 MHz)	Mid Channel 132322 (1745.0 MHz)	High Channel 132657 (1778.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	20.88	20.83	20.58	0	0
	1	7	21.02	20.99	20.76		0
	1	14	20.89	20.81	20.57		0
	8	0	20.96	20.97	20.82	0-1	0
	8	4	20.99	21.00	20.84		0
	8	7	20.95	20.97	20.80		0
	15	0	20.96	20.97	20.81		0
16QAM	1	0	21.13	21.16	20.78	0-1	0
	1	7	21.30	21.26	20.87		0
	1	14	21.01	21.13	20.70		0
	8	0	20.94	20.97	20.78	0-2	0
	8	4	20.97	20.99	20.81		0
	8	7	20.93	20.94	20.79		0
	15	0	20.90	20.94	20.77		0
64QAM	1	0	21.10	21.08	20.82	0-2	0
	1	7	21.24	21.24	20.88		0
	1	14	21.07	21.10	20.81		0
	8	0	20.93	20.96	20.77	0-3	0
	8	4	20.98	20.98	20.83		0
	8	7	20.95	20.97	20.76		0
	15	0	20.91	20.92	20.77		0
256QAM	1	0	19.87	19.92	19.63	0-5	0.9
	1	7	19.88	19.93	19.65		0.9
	1	14	19.86	19.91	19.64		0.9
	8	0	19.88	19.94	19.64		0.9
	8	4	19.92	19.98	19.68		0.9
	8	7	19.88	19.93	19.64		0.9
	15	0	19.90	19.94	19.65		0.9

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-43
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3a - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 131979 (1710.7 MHz)	Mid Channel 132322 (1745.0 MHz)	High Channel 132665 (1779.3 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	20.85	20.74	20.64	0	0
	1	2	21.04	20.94	20.88		0
	1	5	20.84	20.75	20.67		0
	3	0	20.87	20.91	20.71		0
	3	2	20.94	20.97	20.76		0
	3	3	20.87	20.90	20.71		0
	6	0	20.92	20.94	20.74	0-1	0
16QAM	1	0	21.05	20.88	20.83	0-1	0
	1	2	21.24	21.16	21.00		0
	1	5	21.01	21.00	20.88		0
	3	0	20.99	21.00	20.79		0
	3	2	21.08	21.04	20.88		0
	3	3	21.00	20.95	20.79		0
	6	0	20.90	20.96	20.69	0-2	0
64QAM	1	0	21.09	20.92	20.86	0-2	0
	1	2	21.18	21.13	20.98		0
	1	5	20.97	20.85	20.82		0
	3	0	21.00	20.97	20.83		0
	3	2	21.09	21.02	20.84		0
	3	3	20.97	20.97	20.76		0
	6	0	20.91	20.96	20.72	0-3	0
256QAM	1	0	19.61	19.63	19.60	0-5	0.9
	1	2	19.85	19.90	19.62		0.9
	1	5	19.62	19.62	19.61		0.9
	3	0	19.86	19.90	19.62		0.9
	3	2	19.90	19.92	19.62		0.9
	3	3	19.84	19.86	19.61		0.9
	6	0	19.88	19.91	19.60		0.9

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-44
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 132047 (1717.5 MHz)	Mid Channel 132322 (1745.0 MHz)	High Channel 132597 (1772.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	14.01	14.23	14.00	0	0
	1	36	13.95	14.15	13.98		0
	1	74	14.02	14.08	13.98		0
	36	0	14.08	14.28	14.08	0-1	0
	36	18	14.05	14.19	14.05		0
	36	37	14.09	14.17	14.10		0
	75	0	14.06	14.20	14.06		0
16QAM	1	0	14.29	14.42	14.17	0-1	0
	1	36	14.20	14.40	14.15		0
	1	74	14.33	14.28	14.17		0
	36	0	14.05	14.25	14.06	0-2	0
	36	18	14.03	14.17	14.02		0
	36	37	14.10	14.14	14.05		0
	75	0	14.02	14.17	14.05		0
64QAM	1	0	14.25	14.48	14.16	0-2	0
	1	36	14.22	14.34	14.18		0
	1	74	14.35	14.20	14.17		0
	36	0	14.06	14.23	14.05	0-3	0
	36	18	14.03	14.16	14.02		0
	36	37	14.10	14.13	14.05		0
	75	0	14.02	14.16	14.04		0
256QAM	1	0	14.30	14.37	14.20	0-5	0
	1	36	14.24	14.25	14.20		0
	1	74	14.34	14.20	14.16		0
	36	0	14.06	14.22	14.06		0
	36	18	14.02	14.17	14.02		0
	36	37	14.09	14.13	14.05		0
	75	0	14.02	14.15	14.04		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-45
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 132022 (1715.0 MHz)	Mid Channel 132322 (1745.0 MHz)	High Channel 132622 (1775.0 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	14.08	14.30	14.02	0	0
	1	25	14.03	14.22	14.03		0
	1	49	14.03	14.18	14.02		0
	25	0	14.13	14.28	14.12	0-1	0
	25	12	14.10	14.25	14.10		0
	25	25	14.09	14.24	14.17		0
	50	0	14.16	14.31	14.16		0
16QAM	1	0	14.36	14.76	14.17	0-1	0
	1	25	14.28	14.46	14.25		0
	1	49	14.37	14.50	14.25		0
	25	0	14.09	14.20	14.07	0-2	0
	25	12	14.08	14.20	14.04		0
	25	25	14.07	14.17	14.11		0
	50	0	14.12	14.24	14.10		0
64QAM	1	0	14.34	14.63	14.27	0-2	0
	1	25	14.29	14.59	14.37		0
	1	49	14.33	14.44	14.20		0
	25	0	14.07	14.21	14.08	0-3	0
	25	12	14.07	14.18	14.06		0
	25	25	14.08	14.18	14.12		0
	50	0	14.13	14.24	14.09		0
256QAM	1	0	14.32	14.60	14.21	0-5	0
	1	25	14.25	14.54	14.29		0
	1	49	14.16	14.52	14.19		0
	25	0	14.12	14.24	14.06		0
	25	12	14.08	14.22	14.03		0
	25	25	14.07	14.18	14.11		0
	50	0	14.14	14.24	14.09		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-46
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 131997 (1712.5 MHz)	Mid Channel 132322 (1745.0 MHz)	High Channel 132647 (1777.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	14.08	14.26	14.13	0	0
	1	12	14.01	14.22	14.11		0
	1	24	14.02	14.21	14.12		0
	12	0	14.10	14.25	14.15	0-1	0
	12	6	14.09	14.23	14.14		0
	12	13	14.09	14.23	14.14		0
	25	0	14.11	14.26	14.16		0
16QAM	1	0	14.49	14.62	14.37	0-1	0
	1	12	14.30	14.53	14.35		0
	1	24	14.42	14.43	14.38		0
	12	0	14.10	14.26	14.10	0-2	0
	12	6	14.11	14.20	14.11		0
	12	13	14.12	14.20	14.08		0
	25	0	14.10	14.20	14.08		0
64QAM	1	0	14.45	14.58	14.37	0-2	0
	1	12	14.42	14.56	14.33		0
	1	24	14.41	14.59	14.48		0
	12	0	14.08	14.21	14.13	0-3	0
	12	6	14.08	14.18	14.10		0
	12	13	14.07	14.19	14.11		0
	25	0	14.08	14.17	14.11		0
256QAM	1	0	14.50	14.55	14.37	0-5	0
	1	12	14.41	14.47	14.43		0
	1	24	14.45	14.57	14.40		0
	12	0	14.10	14.19	14.15		0
	12	6	14.07	14.21	14.10		0
	12	13	14.08	14.19	14.13		0
	25	0	14.10	14.19	14.11		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-47
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4 - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 131987 (1711.5 MHz)	Mid Channel 132322 (1745.0 MHz)	High Channel 132657 (1778.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	13.86	14.05	13.86	0	0
	1	7	14.00	14.20	14.05		0
	1	14	13.84	14.00	13.89		0
	8	0	14.00	14.13	14.07	0-1	0
	8	4	14.04	14.16	14.09		0
	8	7	14.00	14.12	14.06		0
	15	0	14.00	14.12	14.07		0
16QAM	1	0	14.16	14.45	14.15	0-1	0
	1	7	14.30	14.54	14.22		0
	1	14	14.17	14.28	14.05		0
	8	0	14.07	14.15	14.03	0-2	0
	8	4	14.07	14.14	14.09		0
	8	7	14.06	14.10	14.06		0
	15	0	14.01	14.06	14.01		0
64QAM	1	0	14.18	14.40	14.06	0-2	0
	1	7	14.24	14.49	14.32		0
	1	14	14.12	14.40	14.11		0
	8	0	14.05	14.11	14.07	0-3	0
	8	4	14.10	14.17	14.09		0
	8	7	14.07	14.14	14.03		0
	15	0	14.02	14.08	14.01		0
256QAM	1	0	14.17	14.42	14.16	0-5	0
	1	7	14.25	14.52	14.32		0
	1	14	14.06	14.40	14.12		0
	8	0	14.06	14.15	14.04		0
	8	4	14.09	14.20	14.09		0
	8	7	14.07	14.12	14.07		0
	15	0	13.99	14.07	14.03		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-48
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4 - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 131979 (1710.7 MHz)	Mid Channel 132322 (1745.0 MHz)	High Channel 132665 (1779.3 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	13.89	13.96	13.91	0	0
	1	2	14.03	14.13	14.08		0
	1	5	13.93	13.96	13.93		0
	3	0	13.98	14.03	13.99		0
	3	2	14.00	14.10	14.06		0
	3	3	13.93	14.04	14.00		0
	6	0	13.98	14.09	14.01	0-1	0
16QAM	1	0	14.06	14.19	14.27	0-1	0
	1	2	14.32	14.39	14.42		0
	1	5	14.04	14.01	14.23		0
	3	0	14.24	14.15	14.16		0
	3	2	14.19	14.24	14.19		0
	3	3	14.17	14.15	14.10		0
	6	0	14.04	14.10	14.00	0-2	0
64QAM	1	0	14.16	14.18	14.19	0-2	0
	1	2	14.19	14.36	14.47		0
	1	5	14.10	14.13	14.25		0
	3	0	14.20	14.20	14.15		0
	3	2	14.20	14.28	14.18		0
	3	3	14.16	14.21	14.10		0
	6	0	14.02	14.12	13.99	0-3	0
256QAM	1	0	14.12	14.12	14.22	0-5	0
	1	2	14.23	14.39	14.39		0
	1	5	14.05	14.14	14.20		0
	3	0	14.14	14.17	14.08		0
	3	2	14.23	14.28	14.18		0
	3	3	14.14	14.20	14.15		0
	6	0	14.07	14.12	13.96		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.1.8 LTE Band 25

Table G-49
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26115 (1857.5 MHz)	Mid Channel 26365 (1882.5 MHz)	High Channel 26615 (1907.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	16.36	16.34	16.21	0	0
	1	36	16.56	16.45	16.17		0
	1	74	16.44	16.43	16.09		0
	36	0	16.39	16.30	16.22	0-1	0
	36	18	16.48	16.38	16.21		0
	36	37	16.50	16.38	16.19		0
	75	0	16.49	16.39	16.22		0
16QAM	1	0	16.58	16.54	16.48	0-1	0
	1	36	16.73	16.64	16.43		0
	1	74	16.61	16.51	16.33		0
	36	0	16.35	16.28	16.15	0-2	0
	36	18	16.42	16.33	16.15		0
	36	37	16.45	16.33	16.13		0
	75	0	16.44	16.35	16.17		0
64QAM	1	0	16.54	16.47	16.45	0-2	0
	1	36	16.63	16.55	16.41		0
	1	74	16.69	16.50	16.35		0
	36	0	16.35	16.27	16.17	0-3	0
	36	18	16.42	16.32	16.15		0
	36	37	16.44	16.32	16.14		0
	75	0	16.44	16.35	16.17		0
256QAM	1	0	16.54	16.52	16.48	0-5	0
	1	36	16.64	16.63	16.38		0
	1	74	16.61	16.54	16.33		0
	36	0	16.36	16.28	16.17		0
	36	18	16.42	16.33	16.15		0
	36	37	16.45	16.33	16.12		0
	75	0	16.45	16.35	16.15		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-50
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26090 (1855.0 MHz)	Mid Channel 26365 (1882.5 MHz)	High Channel 26640 (1910.0 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	16.42	16.23	16.17	0	0
	1	25	16.54	16.38	16.18		0
	1	49	16.56	16.32	16.13		0
	25	0	16.47	16.38	16.22	0-1	0
	25	12	16.55	16.43	16.20		0
	25	25	16.56	16.45	16.20		0
	50	0	16.60	16.49	16.27		0
16QAM	1	0	16.60	16.43	16.40	0-1	0
	1	25	16.70	16.61	16.37		0
	1	49	16.78	16.44	16.37		0
	25	0	16.40	16.31	16.16	0-2	0
	25	12	16.48	16.38	16.15		0
	25	25	16.51	16.38	16.15		0
	50	0	16.54	16.43	16.21		0
64QAM	1	0	16.61	16.34	16.46	0-2	0
	1	25	16.76	16.61	16.44		0
	1	49	16.79	16.44	16.35		0
	25	0	16.41	16.32	16.19	0-3	0
	25	12	16.48	16.37	16.18		0
	25	25	16.51	16.38	16.15		0
	50	0	16.54	16.43	16.21		0
256QAM	1	0	16.72	16.40	16.40	0-5	0
	1	25	16.76	16.59	16.44		0
	1	49	16.79	16.52	16.43		0
	25	0	16.41	16.32	16.16		0
	25	12	16.49	16.37	16.15		0
	25	25	16.51	16.40	16.14		0
	50	0	16.54	16.43	16.20		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-51
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26065 (1852.5 MHz)	Mid Channel 26365 (1882.5 MHz)	High Channel 26665 (1912.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	16.47	16.43	16.13	0	0
	1	12	16.46	16.44	16.09		0
	1	24	16.54	16.42	16.12		0
	12	0	16.46	16.42	16.22	0-1	0
	12	6	16.46	16.42	16.22		0
	12	13	16.48	16.43	16.22		0
	25	0	16.48	16.44	16.23		0
16QAM	1	0	16.80	16.79	16.51	0-1	0
	1	12	16.79	16.74	16.50		0
	1	24	16.89	16.69	16.44		0
	12	0	16.43	16.43	16.18	0-2	0
	12	6	16.44	16.39	16.18		0
	12	13	16.44	16.40	16.18		0
	25	0	16.42	16.40	16.18		0
64QAM	1	0	16.79	16.69	16.51	0-2	0
	1	12	16.77	16.66	16.47		0
	1	24	16.87	16.71	16.49		0
	12	0	16.43	16.40	16.20	0-3	0
	12	6	16.43	16.40	16.19		0
	12	13	16.45	16.39	16.17		0
	25	0	16.43	16.40	16.18		0
256QAM	1	0	16.69	16.71	16.47	0-5	0
	1	12	16.75	16.73	16.47		0
	1	24	16.81	16.74	16.45		0
	12	0	16.43	16.42	16.16		0
	12	6	16.42	16.40	16.19		0
	12	13	16.45	16.42	16.17		0
	25	0	16.42	16.40	16.20		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-52
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1b - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26055 (1851.5 MHz)	Mid Channel 26365 (1882.5 MHz)	High Channel 26675 (1913.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	16.27	16.14	15.98	0	0
	1	7	16.44	16.31	16.15		0
	1	14	16.30	16.15	15.97		0
	8	0	16.37	16.33	16.12	0-1	0
	8	4	16.41	16.36	16.16		0
	8	7	16.36	16.33	16.13		0
	15	0	16.38	16.34	16.14		0
16QAM	1	0	16.53	16.32	16.24	0-1	0
	1	7	16.66	16.59	16.46		0
	1	14	16.43	16.34	16.25		0
	8	0	16.34	16.33	16.11	0-2	0
	8	4	16.38	16.34	16.17		0
	8	7	16.37	16.33	16.11		0
	15	0	16.32	16.30	16.06		0
64QAM	1	0	16.48	16.33	16.28	0-2	0
	1	7	16.62	16.56	16.37		0
	1	14	16.50	16.33	16.21		0
	8	0	16.36	16.33	16.11	0-3	0
	8	4	16.38	16.38	16.15		0
	8	7	16.35	16.29	16.09		0
	15	0	16.34	16.30	16.08		0
256QAM	1	0	16.48	16.39	16.22	0-5	0
	1	7	16.68	16.51	16.51		0
	1	14	16.50	16.35	16.19		0
	8	0	16.35	16.32	16.11		0
	8	4	16.39	16.36	16.13		0
	8	7	16.36	16.28	16.13		0
	15	0	16.35	16.32	16.11		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-53
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1b - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26047 (1850.7 MHz)	Mid Channel 26365 (1882.5 MHz)	High Channel 26683 (1914.3 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	16.29	16.24	15.91	0	0
	1	2	16.49	16.41	16.10		0
	1	5	16.28	16.24	15.90		0
	3	0	16.30	16.25	16.07		0
	3	2	16.35	16.32	16.12		0
	3	3	16.29	16.25	16.06		0
	6	0	16.33	16.30	16.10	0-1	0
16QAM	1	0	16.43	16.45	16.11	0-1	0
	1	2	16.68	16.60	16.26		0
	1	5	16.49	16.48	16.16		0
	3	0	16.44	16.49	16.14		0
	3	2	16.48	16.55	16.26		0
	3	3	16.45	16.43	16.15		0
	6	0	16.34	16.33	16.15	0-2	0
64QAM	1	0	16.49	16.48	16.01	0-2	0
	1	2	16.66	16.64	16.19		0
	1	5	16.53	16.48	16.06		0
	3	0	16.43	16.43	16.11		0
	3	2	16.49	16.53	16.26		0
	3	3	16.40	16.45	16.21		0
	6	0	16.37	16.32	16.12	0-3	0
256QAM	1	0	16.44	16.45	16.15	0-5	0
	1	2	16.70	16.65	16.21		0
	1	5	16.42	16.46	16.08		0
	3	0	16.40	16.40	16.16		0
	3	2	16.51	16.52	16.19		0
	3	3	16.46	16.45	16.14		0
	6	0	16.35	16.31	16.13		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-54
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26115 (1857.5 MHz)	Mid Channel 26365 (1882.5 MHz)	High Channel 26615 (1907.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	19.34	19.19	18.94	0	0
	1	36	19.37	19.23	18.87		0
	1	74	19.33	19.18	18.94		0
	36	0	19.32	19.28	18.96	0-1	0
	36	18	19.32	19.23	18.91		0
	36	37	19.40	19.22	18.96		0
	75	0	19.35	19.23	18.93		0
16QAM	1	0	19.50	19.42	19.20	0-1	0
	1	36	19.54	19.46	19.11		0
	1	74	19.47	19.41	19.21		0
	36	0	19.28	19.24	18.92	0-2	0
	36	18	19.29	19.17	18.85		0
	36	37	19.37	19.17	18.91		0
	75	0	19.30	19.17	18.87		0
64QAM	1	0	19.52	19.42	19.21	0-2	0
	1	36	19.52	19.44	19.12		0
	1	74	19.50	19.41	19.23		0
	36	0	19.29	19.25	18.93	0-3	0
	36	18	19.30	19.18	18.86		0
	36	37	19.35	19.17	18.91		0
	75	0	19.32	19.18	18.87		0
256QAM	1	0	19.51	19.41	19.21	0-5	0
	1	36	19.55	19.44	19.14		0
	1	74	19.51	19.42	19.20		0
	36	0	19.28	19.24	18.93		0
	36	18	19.29	19.17	18.85		0
	36	37	19.35	19.16	18.91		0
	75	0	19.31	19.17	18.86		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-55
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26090 (1855.0 MHz)	Mid Channel 26365 (1882.5 MHz)	High Channel 26640 (1910.0 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	19.24	19.29	18.94	0	0
	1	25	19.19	19.28	18.98		0
	1	49	19.38	19.22	18.97		0
	25	0	19.42	19.34	18.94	0-1	0
	25	12	19.35	19.26	18.99		0
	25	25	19.43	19.27	19.05		0
	50	0	19.40	19.32	19.05		0
16QAM	1	0	19.45	19.51	19.12	0-1	0
	1	25	19.42	19.49	19.21		0
	1	49	19.59	19.45	19.21		0
	25	0	19.36	19.29	18.88	0-2	0
	25	12	19.29	19.24	18.92		0
	25	25	19.35	19.22	18.99		0
	50	0	19.38	19.28	18.96		0
64QAM	1	0	19.47	19.53	19.16	0-2	0
	1	25	19.44	19.51	19.19		0
	1	49	19.59	19.49	19.19		0
	25	0	19.36	19.29	18.88	0-3	0
	25	12	19.30	19.21	18.90		0
	25	25	19.37	19.22	19.01		0
	50	0	19.38	19.28	18.98		0
256QAM	1	0	19.45	19.58	19.13	0-5	0
	1	25	19.43	19.50	19.20		0
	1	49	19.58	19.46	19.23		0
	25	0	19.37	19.27	18.89		0
	25	12	19.31	19.22	18.92		0
	25	25	19.38	19.22	18.97		0
	50	0	19.36	19.27	18.97		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-56
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26065 (1852.5 MHz)	Mid Channel 26365 (1882.5 MHz)	High Channel 26665 (1912.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	19.43	19.27	18.94	0	0
	1	12	19.39	19.28	18.92		0
	1	24	19.32	19.24	19.00		0
	12	0	19.41	19.26	19.09	0-1	0
	12	6	19.40	19.24	19.08		0
	12	13	19.41	19.24	19.08		0
	25	0	19.42	19.25	19.10		0
16QAM	1	0	19.72	19.60	19.29	0-1	0
	1	12	19.64	19.65	19.30		0
	1	24	19.61	19.55	19.44		0
	12	0	19.37	19.25	19.03	0-2	0
	12	6	19.36	19.24	19.02		0
	12	13	19.37	19.26	19.01		0
	25	0	19.37	19.25	19.04		0
64QAM	1	0	19.65	19.61	19.30	0-2	0
	1	12	19.67	19.55	19.35		0
	1	24	19.58	19.60	19.27		0
	12	0	19.35	19.25	19.05	0-3	0
	12	6	19.38	19.25	19.00		0
	12	13	19.36	19.24	19.05		0
	25	0	19.37	19.24	19.03		0
256QAM	1	0	19.67	19.59	19.29	0-5	0
	1	12	19.68	19.56	19.29		0
	1	24	19.61	19.58	19.31		0
	12	0	19.35	19.25	19.05		0
	12	6	19.35	19.25	19.02		0
	12	13	19.37	19.26	19.03		0
	25	0	19.37	19.24	19.03		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-57
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2b - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26055 (1851.5 MHz)	Mid Channel 26365 (1882.5 MHz)	High Channel 26675 (1913.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	19.07	19.07	18.86	0	0
	1	7	19.27	19.32	19.01		0
	1	14	19.11	19.06	18.85		0
	8	0	19.33	19.17	18.99	0-1	0
	8	4	19.36	19.20	19.03		0
	8	7	19.34	19.15	18.99		0
	15	0	19.34	19.17	19.01		0
16QAM	1	0	19.40	19.29	19.09	0-1	0
	1	7	19.50	19.51	19.20		0
	1	14	19.46	19.30	19.11		0
	8	0	19.28	19.19	18.95	0-2	0
	8	4	19.32	19.19	18.99		0
	8	7	19.29	19.14	18.94		0
	15	0	19.27	19.14	18.95		0
64QAM	1	0	19.23	19.31	19.18	0-2	0
	1	7	19.48	19.42	19.15		0
	1	14	19.40	19.30	19.14		0
	8	0	19.29	19.16	18.92	0-3	0
	8	4	19.33	19.16	18.96		0
	8	7	19.31	19.15	18.93		0
	15	0	19.29	19.17	18.94		0
256QAM	1	0	19.33	19.33	19.13	0-5	0
	1	7	19.51	19.49	19.20		0
	1	14	19.39	19.31	19.17		0
	8	0	19.30	19.17	18.97		0
	8	4	19.32	19.20	18.99		0
	8	7	19.30	19.13	18.93		0
	15	0	19.32	19.14	18.94		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-58
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2b - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26047 (1850.7 MHz)	Mid Channel 26365 (1882.5 MHz)	High Channel 26683 (1914.3 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	19.21	19.06	18.76	0	0
	1	2	19.35	19.32	18.97		0
	1	5	19.20	19.07	18.77		0
	3	0	19.26	19.10	18.95		0
	3	2	19.33	19.17	19.00		0
	3	3	19.26	19.08	18.92		0
	6	0	19.30	19.15	18.98	0-1	0
16QAM	1	0	19.47	19.32	18.92	0-1	0
	1	2	19.55	19.50	19.19		0
	1	5	19.40	19.33	18.94		0
	3	0	19.40	19.29	19.07		0
	3	2	19.46	19.34	19.12		0
	3	3	19.41	19.27	19.05		0
	6	0	19.33	19.14	18.94	0-2	0
64QAM	1	0	19.41	19.22	18.96	0-2	0
	1	2	19.67	19.47	19.13		0
	1	5	19.39	19.22	18.99		0
	3	0	19.41	19.32	19.04		0
	3	2	19.44	19.30	19.13		0
	3	3	19.43	19.27	19.06		0
	6	0	19.32	19.17	19.01	0-3	0
256QAM	1	0	19.42	19.29	18.98	0-5	0
	1	2	19.65	19.46	19.16		0
	1	5	19.43	19.24	18.97		0
	3	0	19.38	19.30	19.03		0
	3	2	19.48	19.35	19.12		0
	3	3	19.37	19.29	19.06		0
	6	0	19.33	19.16	18.96		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-59
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26115 (1857.5 MHz)	Mid Channel 26365 (1882.5 MHz)	High Channel 26615 (1907.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	20.43	20.22	19.91	0	0
	1	36	20.56	20.26	19.95		0
	1	74	20.42	20.12	20.02		0
	36	0	20.41	20.28	19.99	0-1	0
	36	18	20.46	20.27	19.98		0
	36	37	20.46	20.19	20.05		0
	75	0	20.47	20.28	20.00		0
16QAM	1	0	20.60	20.48	20.11	0-1	0
	1	36	20.70	20.56	20.21		0
	1	74	20.63	20.38	20.24		0
	36	0	20.36	20.22	19.97	0-2	0
	36	18	20.43	20.21	19.96		0
	36	37	20.44	20.13	20.00		0
	75	0	20.43	20.24	19.97		0
64QAM	1	0	20.60	20.50	20.09	0-2	0
	1	36	20.74	20.52	20.20		0
	1	74	20.60	20.41	20.27		0
	36	0	20.37	20.22	19.97	0-3	0
	36	18	20.44	20.21	19.96		0
	36	37	20.44	20.13	20.01		0
	75	0	20.44	20.23	19.96		0
256QAM	1	0	20.07	19.95	19.63	0-5	0.5
	1	36	20.20	20.05	19.65		0.5
	1	74	20.10	19.85	19.77		0.5
	36	0	19.87	19.72	19.46		0.5
	36	18	19.94	19.71	19.46		0.5
	36	37	19.95	19.63	19.49		0.5
	75	0	19.94	19.74	19.46		0.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-60
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26090 (1855.0 MHz)	Mid Channel 26365 (1882.5 MHz)	High Channel 26640 (1910.0 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	20.30	20.30	19.94	0	0
	1	25	20.42	20.31	20.04		0
	1	49	20.42	20.15	20.08		0
	25	0	20.47	20.31	20.03	0-1	0
	25	12	20.54	20.30	20.08		0
	25	25	20.54	20.25	20.13		0
	50	0	20.60	20.36	20.14		0
16QAM	1	0	20.48	20.53	20.18	0-1	0
	1	25	20.63	20.52	20.28		0
	1	49	20.66	20.39	20.24		0
	25	0	20.44	20.27	19.95	0-2	0
	25	12	20.49	20.27	20.01		0
	25	25	20.50	20.20	20.08		0
	50	0	20.54	20.32	20.07		0
64QAM	1	0	20.44	20.56	20.15	0-2	0
	1	25	20.69	20.46	20.34		0
	1	49	20.62	20.37	20.26		0
	25	0	20.43	20.27	19.95	0-3	0
	25	12	20.49	20.27	19.99		0
	25	25	20.49	20.20	20.07		0
	50	0	20.56	20.31	20.06		0
256QAM	1	0	20.00	20.07	19.69	0-5	0.5
	1	25	20.13	20.08	19.76		0.5
	1	49	20.16	19.95	19.76		0.5
	25	0	19.94	19.76	19.45		0.5
	25	12	19.98	19.76	19.50		0.5
	25	25	20.00	19.70	19.58		0.5
	50	0	20.04	19.81	19.57		0.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-61
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26065 (1852.5 MHz)	Mid Channel 26365 (1882.5 MHz)	High Channel 26665 (1912.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	20.55	20.40	20.00	0	0
	1	12	20.51	20.39	19.94		0
	1	24	20.63	20.35	19.99		0
	12	0	20.54	20.37	20.16	0-1	0
	12	6	20.54	20.36	20.16		0
	12	13	20.54	20.36	20.16		0
	25	0	20.55	20.38	20.18		0
16QAM	1	0	20.84	20.67	20.30	0-1	0
	1	12	20.73	20.63	20.35		0
	1	24	20.90	20.63	20.34		0
	12	0	20.51	20.33	20.07	0-2	0
	12	6	20.50	20.35	20.11		0
	12	13	20.53	20.35	20.09		0
	25	0	20.50	20.33	20.11		0
64QAM	1	0	20.76	20.66	20.29	0-2	0
	1	12	20.81	20.57	20.29		0
	1	24	20.90	20.65	20.41		0
	12	0	20.51	20.37	20.07	0-3	0
	12	6	20.51	20.36	20.11		0
	12	13	20.52	20.36	20.09		0
	25	0	20.50	20.33	20.08		0
256QAM	1	0	19.70	19.69	19.85	0-5	0.5
	1	12	19.68	19.61	19.81		0.5
	1	24	19.65	19.60	19.82		0.5
	12	0	19.52	19.85	19.55		0.5
	12	6	19.51	19.85	19.61		0.5
	12	13	19.49	19.85	19.60		0.5
	25	0	19.50	19.84	19.59		0.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-62
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3a - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26055 (1851.5 MHz)	Mid Channel 26365 (1882.5 MHz)	High Channel 26675 (1913.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	20.25	20.19	19.93	0	0
	1	7	20.42	20.38	20.09		0
	1	14	20.26	20.20	19.95		0
	8	0	20.45	20.28	20.06	0-1	0
	8	4	20.49	20.31	20.11		0
	8	7	20.45	20.27	20.06		0
	15	0	20.47	20.29	20.07		0
16QAM	1	0	20.43	20.39	20.11	0-1	0
	1	7	20.57	20.60	20.23		0
	1	14	20.45	20.42	20.03		0
	8	0	20.45	20.28	19.98	0-2	0
	8	4	20.47	20.29	20.09		0
	8	7	20.42	20.23	20.01		0
	15	0	20.40	20.23	20.01		0
64QAM	1	0	20.41	20.47	20.09	0-2	0
	1	7	20.70	20.57	20.25		0
	1	14	20.42	20.36	20.03		0
	8	0	20.42	20.25	20.00	0-3	0
	8	4	20.45	20.30	20.06		0
	8	7	20.46	20.26	20.02		0
	15	0	20.42	20.23	20.02		0
256QAM	1	0	19.93	19.94	19.66	0-5	0.5
	1	7	20.17	20.10	19.73		0.5
	1	14	20.00	19.87	19.62		0.5
	8	0	19.94	19.76	19.49		0.5
	8	4	20.00	19.78	19.56		0.5
	8	7	19.92	19.76	19.53		0.5
	15	0	19.92	19.72	19.50		0.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-63
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3a - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26047 (1850.7 MHz)	Mid Channel 26365 (1882.5 MHz)	High Channel 26683 (1914.3 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	20.34	20.07	19.94	0	0
	1	2	20.57	20.24	20.06		0
	1	5	20.36	20.02	19.91		0
	3	0	20.38	20.15	19.93		0
	3	2	20.42	20.21	20.01		0
	3	3	20.35	20.13	19.93		0
	6	0	20.43	20.25	19.98	0-1	0
16QAM	1	0	20.57	20.27	20.05	0-1	0
	1	2	20.70	20.37	20.30		0
	1	5	20.47	20.16	20.11		0
	3	0	20.49	20.29	20.01		0
	3	2	20.58	20.37	20.10		0
	3	3	20.50	20.27	20.06		0
	6	0	20.43	20.30	19.97	0-2	0
64QAM	1	0	20.58	20.22	20.03	0-2	0
	1	2	20.71	20.44	20.23		0
	1	5	20.50	20.18	20.07		0
	3	0	20.47	20.30	20.03		0
	3	2	20.55	20.32	20.12		0
	3	3	20.51	20.27	20.06		0
	6	0	20.44	20.29	19.97	0-3	0
256QAM	1	0	20.08	19.69	19.59	0-5	0.5
	1	2	20.19	19.92	19.78		0.5
	1	5	19.99	19.63	19.56		0.5
	3	0	20.00	19.77	19.55		0.5
	3	2	20.07	19.81	19.62		0.5
	3	3	20.03	19.80	19.54		0.5
	6	0	19.94	19.80	19.48		0.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-64
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26115 (1857.5 MHz)	Mid Channel 26365 (1882.5 MHz)	High Channel 26615 (1907.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	14.29	14.09	13.75	0	0
	1	36	14.27	14.07	13.83		0
	1	74	14.30	13.99	13.83		0
	36	0	14.28	14.18	13.83	0-1	0
	36	18	14.20	14.10	13.88		0
	36	37	14.21	14.10	13.87		0
	75	0	14.23	14.11	13.90		0
16QAM	1	0	14.53	14.31	14.04	0-1	0
	1	36	14.58	14.22	14.10		0
	1	74	14.55	14.14	14.04		0
	36	0	14.23	14.13	13.78	0-2	0
	36	18	14.19	14.07	13.81		0
	36	37	14.20	14.07	13.80		0
	75	0	14.20	14.11	13.84		0
64QAM	1	0	14.59	14.32	13.99	0-2	0
	1	36	14.57	14.23	14.06		0
	1	74	14.48	14.19	14.11		0
	36	0	14.24	14.12	13.78	0-3	0
	36	18	14.19	14.07	13.82		0
	36	37	14.20	14.07	13.80		0
	75	0	14.20	14.10	13.85		0
256QAM	1	0	14.60	14.31	14.04	0-5	0
	1	36	14.55	14.22	14.10		0
	1	74	14.60	14.23	14.06		0
	36	0	14.25	14.12	13.78		0
	36	18	14.19	14.07	13.81		0
	36	37	14.19	14.06	13.80		0
	75	0	14.20	14.09	13.84		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-65
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26090 (1855.0 MHz)	Mid Channel 26365 (1882.5 MHz)	High Channel 26640 (1910.0 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	14.26	14.14	13.77	0	0
	1	25	14.21	14.11	13.82		0
	1	49	14.16	14.07	13.85		0
	25	0	14.39	14.23	13.88	0-1	0
	25	12	14.31	14.14	13.86		0
	25	25	14.32	14.15	13.93		0
	50	0	14.36	14.21	13.93		0
16QAM	1	0	14.42	14.34	14.02	0-1	0
	1	25	14.46	14.30	14.08		0
	1	49	14.35	14.30	14.11		0
	25	0	14.32	14.16	13.83	0-2	0
	25	12	14.24	14.08	13.83		0
	25	25	14.25	14.08	13.86		0
	50	0	14.29	14.14	13.87		0
64QAM	1	0	14.42	14.36	13.92	0-2	0
	1	25	14.41	14.35	13.99		0
	1	49	14.33	14.26	14.10		0
	25	0	14.33	14.17	13.84	0-3	0
	25	12	14.25	14.08	13.82		0
	25	25	14.25	14.09	13.86		0
	50	0	14.30	14.15	13.88		0
256QAM	1	0	14.51	14.36	14.04	0-5	0
	1	25	14.41	14.37	14.05		0
	1	49	14.37	14.31	14.05		0
	25	0	14.32	14.17	13.83		0
	25	12	14.26	14.08	13.80		0
	25	25	14.25	14.08	13.85		0
	50	0	14.30	14.14	13.87		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-66
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26065 (1852.5 MHz)	Mid Channel 26365 (1882.5 MHz)	High Channel 26665 (1912.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	14.38	14.12	13.78	0	0
	1	12	14.39	14.09	13.83		0
	1	24	14.31	14.14	13.86		0
	12	0	14.37	14.14	13.95	0-1	0
	12	6	14.36	14.12	13.94		0
	12	13	14.37	14.14	13.94		0
	25	0	14.38	14.15	13.97		0
16QAM	1	0	14.62	14.45	14.11	0-1	0
	1	12	14.63	14.44	14.15		0
	1	24	14.58	14.47	14.19		0
	12	0	14.34	14.11	13.90	0-2	0
	12	6	14.32	14.12	13.91		0
	12	13	14.31	14.12	13.88		0
	25	0	14.33	14.11	13.90		0
64QAM	1	0	14.66	14.50	14.17	0-2	0
	1	12	14.61	14.43	14.25		0
	1	24	14.54	14.52	14.19		0
	12	0	14.31	14.12	13.88	0-3	0
	12	6	14.32	14.11	13.90		0
	12	13	14.32	14.13	13.87		0
	25	0	14.33	14.10	13.89		0
256QAM	1	0	14.59	14.43	14.12	0-5	0
	1	12	14.61	14.42	14.23		0
	1	24	14.52	14.40	14.21		0
	12	0	14.36	14.13	13.92		0
	12	6	14.32	14.14	13.90		0
	12	13	14.35	14.14	13.88		0
	25	0	14.33	14.13	13.89		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-67
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4 - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26055 (1851.5 MHz)	Mid Channel 26365 (1882.5 MHz)	High Channel 26675 (1913.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	14.11	13.96	13.71	0	0
	1	7	14.26	14.14	13.87		0
	1	14	14.11	13.98	13.73		0
	8	0	14.29	14.06	13.85	0-1	0
	8	4	14.33	14.11	13.88		0
	8	7	14.29	14.06	13.85		0
	15	0	14.29	14.09	13.86		0
16QAM	1	0	14.30	14.21	13.91	0-1	0
	1	7	14.52	14.35	14.21		0
	1	14	14.34	14.22	13.93		0
	8	0	14.24	14.04	13.78	0-2	0
	8	4	14.29	14.07	13.84		0
	8	7	14.25	14.06	13.77		0
	15	0	14.26	14.04	13.77		0
64QAM	1	0	14.33	14.20	13.91	0-2	0
	1	7	14.49	14.37	14.20		0
	1	14	14.34	14.17	13.93		0
	8	0	14.26	14.03	13.77	0-3	0
	8	4	14.29	14.05	13.83		0
	8	7	14.28	14.04	13.80		0
	15	0	14.27	14.03	13.80		0
256QAM	1	0	14.32	14.14	13.90	0-5	0
	1	7	14.53	14.34	14.06		0
	1	14	14.32	14.18	14.04		0
	8	0	14.27	14.04	13.77		0
	8	4	14.33	14.10	13.86		0
	8	7	14.25	14.05	13.81		0
	15	0	14.24	14.03	13.80		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-68
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4 - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 26047 (1850.7 MHz)	Mid Channel 26365 (1882.5 MHz)	High Channel 26683 (1914.3 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	14.18	13.83	13.76	0	0
	1	2	14.39	14.01	13.95		0
	1	5	14.19	13.82	13.76		0
	3	0	14.22	14.01	13.78		0
	3	2	14.27	14.07	13.86		0
	3	3	14.20	14.01	13.78		0
	6	0	14.27	14.05	13.84	0-1	0
16QAM	1	0	14.41	14.00	13.86	0-1	0
	1	2	14.60	14.26	14.11		0
	1	5	14.35	14.03	13.87		0
	3	0	14.41	14.12	13.89		0
	3	2	14.46	14.16	13.94		0
	3	3	14.41	14.13	13.95		0
	6	0	14.25	14.08	13.81	0-2	0
64QAM	1	0	14.38	14.05	13.97	0-2	0
	1	2	14.62	14.16	14.08		0
	1	5	14.40	14.02	13.98		0
	3	0	14.39	14.15	13.91		0
	3	2	14.47	14.15	13.94		0
	3	3	14.39	14.15	13.87		0
	6	0	14.26	14.05	13.81	0-3	0
256QAM	1	0	14.45	13.98	13.93	0-5	0
	1	2	14.56	14.23	14.07		0
	1	5	14.36	13.97	13.92		0
	3	0	14.43	14.15	13.87		0
	3	2	14.48	14.23	13.99		0
	3	3	14.38	14.10	13.91		0
	6	0	14.24	14.05	13.79		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.1.9 LTE Band 30

Table G-69
LTE Band 30 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel 27710 (2310.0 MHz) Conducted Power [dBm]	MPR Allowed per 3GPP [dB]	MPR [dB]
QPSK	1	0	19.45	0	0
	1	12	19.43		0
	1	24	19.55		0
	12	0	19.63	0-1	0
	12	6	19.55		0
	12	13	19.56		0
	25	0	19.53		0
16QAM	1	0	19.80	0-1	0
	1	12	19.82		0
	1	24	19.79		0
	12	0	19.59	0-2	0
	12	6	19.48		0
	12	13	19.48		0
	25	0	19.49		0
64QAM	1	0	19.81	0-2	0
	1	12	19.77		0
	1	24	19.85		0
	12	0	19.58	0-3	0
	12	6	19.50		0
	12	13	19.50		0
	25	0	19.50		0
256QAM	1	0	17.83	0-5	1.2
	1	12	17.88		1.2
	1	24	17.81		1.2
	12	0	17.81		1.2
	12	6	17.80		1.2
	12	13	17.87		1.2
	25	0	17.89		1.2

Note: LTE Band 30 at 5 MHz bandwidth does not support three non-overlapping channels. Per KDB Publication 941225 D05v02, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-70
LTE Band 30 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel 27710 (2310.0 MHz) Conducted Power [dBm]	MPR Allowed per 3GPP [dB]	MPR [dB]
QPSK	1	0	20.27	0	0
	1	12	20.21		0
	1	24	20.24		0
	12	0	20.27	0-1	0
	12	6	20.31		0
	12	13	20.26		0
	25	0	20.28		0
16QAM	1	0	20.55	0-1	0
	1	12	20.52		0
	1	24	20.55		0
	12	0	20.20	0-2	0
	12	6	20.26		0
	12	13	20.18		0
	25	0	20.26		0
64QAM	1	0	20.54	0-2	0
	1	12	20.53		0
	1	24	20.56		0
	12	0	20.20	0-3	0
	12	6	20.27		0
	12	13	20.17		0
	25	0	20.26		0
256QAM	1	0	18.93	0-5	1.5
	1	12	18.90		1.5
	1	24	18.92		1.5
	12	0	18.90		1.5
	12	6	18.89		1.5
	12	13	18.96		1.5
	25	0	18.91		1.5

Note: LTE Band 30 at 5 MHz bandwidth does not support three non-overlapping channels. Per KDB Publication 941225 D05v02, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-71
LTE Band 30 Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel 27710 (2310.0 MHz) Conducted Power [dBm]	MPR Allowed per 3GPP [dB]	MPR [dB]
QPSK	1	0	19.31	0	0
	1	12	19.15		0
	1	24	19.21		0
	12	0	19.32	0-1	0
	12	6	19.30		0
	12	13	19.30		0
	25	0	19.32		0
16QAM	1	0	19.47	0-1	0
	1	12	19.36		0
	1	24	19.41		0
	12	0	19.32	0-2	0.1
	12	6	19.31		0.1
	12	13	19.31		0.1
	25	0	19.32		0.1
64QAM	1	0	18.59	0-2	0.1
	1	12	18.57		0.1
	1	24	18.64		0.1
	12	0	18.45	0-3	1.1
	12	6	18.44		1.1
	12	13	18.45		1.1
	25	0	18.47		1.1
256QAM	1	0	16.37	0-5	3.1
	1	12	16.32		3.1
	1	24	16.42		3.1
	12	0	16.34		3.1
	12	6	16.33		3.1
	12	13	16.34		3.1
	25	0	16.36		3.1

Note: LTE Band 30 at 5 MHz bandwidth does not support three non-overlapping channels. Per KDB Publication 941225 D05v02, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-72
LTE Band 30 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel 27710 (2310.0 MHz) Conducted Power [dBm]	MPR Allowed per 3GPP [dB]	MPR [dB]
QPSK	1	0	19.14	0	0
	1	12	19.12		0
	1	24	19.09		0
	12	0	19.14	0-1	0
	12	6	19.14		0
	12	13	19.14		0
	25	0	19.16		0
16QAM	1	0	19.35	0-1	0
	1	12	19.34		0
	1	24	19.26		0
	12	0	19.10	0-2	0.1
	12	6	19.08		0.1
	12	13	19.09		0.1
	25	0	19.09		0.1
64QAM	1	0	18.09	0-2	0.1
	1	12	18.04		0.1
	1	24	18.03		0.1
	12	0	18.17	0-3	1.1
	12	6	18.15		1.1
	12	13	18.14		1.1
	25	0	18.17		1.1
256QAM	1	0	16.07	0-5	3.1
	1	12	16.11		3.1
	1	24	16.00		3.1
	12	0	16.13		3.1
	12	6	16.16		3.1
	12	13	16.16		3.1
	25	0	16.18		3.1

Note: LTE Band 30 at 5 MHz bandwidth does not support three non-overlapping channels. Per KDB Publication 941225 D05v02, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.1.10 LTE Band 7

Table G-73
LTE Band 7 Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 20825 (2507.5 MHz)	Mid Channel 21100 (2535.0 MHz)	High Channel 21375 (2562.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	20.86	20.93	20.85	0	0
	1	36	20.90	20.92	20.91		0
	1	74	20.91	20.93	20.86		0
	36	0	20.87	20.88	20.87	0-1	0
	36	18	20.94	20.83	20.93		0
	36	37	20.93	20.90	20.92		0
	75	0	20.94	20.84	20.94		0
16QAM	1	0	21.11	21.05	21.05	0-1	0
	1	36	21.09	21.12	21.13		0
	1	74	21.10	21.15	21.04		0
	36	0	20.79	20.82	20.78	0-2	0
	36	18	20.82	20.80	20.83		0
	36	37	20.86	20.84	20.81		0
	75	0	20.85	20.82	20.82		0
64QAM	1	0	20.96	21.06	20.97	0-2	0
	1	36	21.07	21.14	21.09		0
	1	74	21.10	21.11	21.08		0
	36	0	20.75	20.82	20.80	0-3	0
	36	18	20.82	20.80	20.82		0
	36	37	20.82	20.84	20.81		0
	75	0	20.84	20.83	20.81		0
256QAM	1	0	19.14	19.06	19.08	0-5	2
	1	36	19.16	19.09	19.11		2
	1	74	19.15	19.09	19.07		2
	36	0	19.11	19.12	19.11		2
	36	18	19.18	19.07	19.15		2
	36	37	19.17	19.13	19.14		2
	75	0	19.18	19.07	19.16		2

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-74
LTE Band 7 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 20800 (2505.0 MHz)	Mid Channel 21100 (2535.0 MHz)	High Channel 21400 (2565.0 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	20.67	20.80	20.67	0	0
	1	25	20.80	20.83	20.74		0
	1	49	20.76	20.83	20.75		0
	25	0	20.71	20.89	20.79	0-1	0
	25	12	20.77	20.88	20.77		0
	25	25	20.77	20.88	20.77		0
	50	0	20.83	20.93	20.84		0
16QAM	1	0	20.90	20.94	20.92	0-1	0
	1	25	21.00	21.04	20.88		0
	1	49	20.99	21.05	20.97		0
	25	0	20.66	20.83	20.67	0-2	0
	25	12	20.73	20.81	20.75		0
	25	25	20.71	20.81	20.75		0
	50	0	20.78	20.87	20.76		0
64QAM	1	0	20.92	20.88	20.86	0-2	0
	1	25	20.96	21.00	20.91		0
	1	49	20.93	21.03	21.00		0
	25	0	20.64	20.80	20.70	0-3	0
	25	12	20.72	20.81	20.74		0
	25	25	20.71	20.82	20.74		0
	50	0	20.74	20.88	20.77		0
256QAM	1	0	18.35	18.54	18.36	0-5	2
	1	25	18.45	18.58	18.36		2
	1	49	18.46	18.47	18.32		2
	25	0	18.45	18.64	18.46		2
	25	12	18.51	18.64	18.43		2
	25	25	18.52	18.65	18.42		2
	50	0	18.58	18.71	18.50		2

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-75
LTE Band 7 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 20775 (2502.5 MHz)	Mid Channel 21100 (2535.0 MHz)	High Channel 21425 (2567.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	20.79	20.89	20.64	0	0
	1	12	20.76	20.86	20.65		0
	1	24	20.77	20.90	20.73		0
	12	0	20.70	20.85	20.75	0-1	0
	12	6	20.68	20.84	20.73		0
	12	13	20.69	20.85	20.73		0
	25	0	20.70	20.86	20.77		0
16QAM	1	0	21.00	21.18	21.00	0-1	0
	1	12	20.97	21.09	20.99		0
	1	24	20.99	21.19	21.00		0
	12	0	20.65	20.82	20.69	0-2	0
	12	6	20.64	20.81	20.72		0
	12	13	20.69	20.82	20.69		0
	25	0	20.62	20.80	20.73		0
64QAM	1	0	20.90	21.20	20.96	0-2	0
	1	12	20.95	21.15	20.99		0
	1	24	20.98	21.16	21.00		0
	12	0	20.62	20.81	20.66	0-3	0
	12	6	20.63	20.80	20.72		0
	12	13	20.68	20.81	20.71		0
	25	0	20.65	20.80	20.73		0
256QAM	1	0	18.46	18.61	18.43	0-5	2
	1	12	18.43	18.61	18.41		2
	1	24	18.49	18.62	18.44		2
	12	0	18.38	18.63	18.38		2
	12	6	18.38	18.60	18.37		2
	12	13	18.39	18.61	18.37		2
	25	0	18.43	18.63	18.38		2

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-76
LTE Band 7 Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 20825 (2507.5 MHz)	Mid Channel 21100 (2535.0 MHz)	High Channel 21375 (2562.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	19.35	19.07	19.00	0	0
	1	36	19.31	19.13	19.07		0
	1	74	19.20	19.05	19.03		0
	36	0	19.31	19.17	19.02	0-1	0
	36	18	19.31	19.18	19.15		0
	36	37	19.23	19.13	19.10		0
	75	0	19.31	19.18	19.15		0
16QAM	1	0	19.40	19.44	19.31	0-1	0
	1	36	19.46	19.44	19.40		0
	1	74	19.38	19.34	19.38		0
	36	0	19.19	19.10	18.96	0-2	0
	36	18	19.18	19.15	19.07		0
	36	37	19.14	19.08	19.01		0
	75	0	19.20	19.13	19.06		0
64QAM	1	0	19.44	19.37	19.32	0-2	0
	1	36	19.44	19.41	19.41		0
	1	74	19.35	19.36	19.39		0
	36	0	19.19	19.08	18.97	0-3	0
	36	18	19.18	19.14	19.07		0
	36	37	19.14	19.09	19.00		0
	75	0	19.20	19.10	19.07		0
256QAM	1	0	19.44	19.37	19.32	0-5	0
	1	36	19.49	19.42	19.39		0
	1	74	19.37	19.35	19.42		0
	36	0	19.18	19.06	18.97		0
	36	18	19.18	19.15	19.11		0
	36	37	19.13	19.09	19.06		0
	75	0	19.20	19.16	19.07		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-77
LTE Band 7 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 20800 (2505.0 MHz)	Mid Channel 21100 (2535.0 MHz)	High Channel 21400 (2565.0 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	19.25	19.19	19.10	0	0
	1	25	19.29	19.26	19.13		0
	1	49	19.12	19.16	19.08		0
	25	0	19.34	19.23	19.20	0-1	0
	25	12	19.33	19.23	19.20		0
	25	25	19.33	19.24	19.14		0
	50	0	19.40	19.29	19.27		0
16QAM	1	0	19.39	19.40	19.42	0-1	0
	1	25	19.47	19.48	19.44		0
	1	49	19.35	19.37	19.39		0
	25	0	19.23	19.17	19.10	0-2	0
	25	12	19.23	19.17	19.14		0
	25	25	19.25	19.20	19.11		0
	50	0	19.29	19.23	19.18		0
64QAM	1	0	19.31	19.46	19.33	0-2	0
	1	25	19.47	19.49	19.39		0
	1	49	19.31	19.38	19.36		0
	25	0	19.23	19.15	19.10	0-3	0
	25	12	19.23	19.16	19.14		0
	25	25	19.28	19.18	19.10		0
	50	0	19.29	19.22	19.18		0
256QAM	1	0	19.40	19.41	19.34	0-5	0
	1	25	19.41	19.46	19.38		0
	1	49	19.29	19.41	19.37		0
	25	0	19.23	19.18	19.12		0
	25	12	19.22	19.17	19.14		0
	25	25	19.24	19.18	19.09		0
	50	0	19.30	19.21	19.18		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-78
LTE Band 7 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 20775 (2502.5 MHz)	Mid Channel 21100 (2535.0 MHz)	High Channel 21425 (2567.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	19.32	19.26	19.06	0	0
	1	12	19.29	19.20	19.01		0
	1	24	19.30	19.22	19.08		0
	12	0	19.24	19.21	19.13	0-1	0
	12	6	19.25	19.19	19.11		0
	12	13	19.29	19.20	19.19		0
	25	0	19.28	19.23	19.13		0
16QAM	1	0	19.49	19.48	19.40	0-1	0
	1	12	19.49	19.49	19.35		0
	1	24	19.50	19.50	19.48		0
	12	0	19.21	19.19	19.02	0-2	0
	12	6	19.21	19.19	19.08		0
	12	13	19.24	19.18	19.13		0
	25	0	19.22	19.16	19.09		0
64QAM	1	0	19.47	19.39	19.38	0-2	0
	1	12	19.49	19.40	19.33		0
	1	24	19.48	19.40	19.36		0
	12	0	19.22	19.17	19.03	0-3	0
	12	6	19.22	19.17	19.08		0
	12	13	19.24	19.18	19.15		0
	25	0	19.21	19.14	19.09		0
256QAM	1	0	19.48	19.49	19.36	0-5	0
	1	12	19.47	19.50	19.33		0
	1	24	19.50	19.48	19.39		0
	12	0	19.21	19.17	19.03		0
	12	6	19.20	19.16	19.09		0
	12	13	19.23	19.18	19.14		0
	25	0	19.21	19.17	19.09		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-79
LTE Band 7 Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 20825 (2507.5 MHz)	Mid Channel 21100 (2535.0 MHz)	High Channel 21375 (2562.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	17.49	17.58	17.57	0	0
	1	36	17.62	17.55	17.61		0
	1	74	17.54	17.60	17.64		0
	36	0	17.54	17.54	17.66	0-1	0
	36	18	17.59	17.48	17.66		0
	36	37	17.59	17.56	17.73		0
	75	0	17.60	17.50	17.67		0
16QAM	1	0	17.74	17.78	17.81	0-1	0
	1	36	17.92	17.82	17.90		0
	1	74	17.79	17.83	17.88		0
	36	0	17.52	17.50	17.61	0-2	0
	36	18	17.57	17.46	17.62		0
	36	37	17.54	17.52	17.70		0
	75	0	17.56	17.49	17.64		0
64QAM	1	0	17.78	17.83	17.79	0-2	0
	1	36	17.97	17.84	17.91		0
	1	74	17.84	17.84	17.89		0
	36	0	17.53	17.50	17.62	0-3	0
	36	18	17.59	17.47	17.62		0
	36	37	17.55	17.53	17.69		0
	75	0	17.58	17.48	17.64		0
256QAM	1	0	17.80	17.79	17.82	0-5	0
	1	36	18.01	17.79	17.86		0
	1	74	17.81	17.80	17.94		0
	36	0	17.52	17.51	17.63		0
	36	18	17.58	17.47	17.62		0
	36	37	17.55	17.53	17.69		0
	75	0	17.57	17.49	17.64		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-80
LTE Band 7 Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 20800 (2505.0 MHz)	Mid Channel 21100 (2535.0 MHz)	High Channel 21400 (2565.0 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	17.50	17.52	17.67	0	0
	1	25	17.66	17.47	17.70		0
	1	49	17.56	17.48	17.74		0
	25	0	17.57	17.54	17.74	0-1	0
	25	12	17.60	17.53	17.73		0
	25	25	17.64	17.55	17.78		0
	50	0	17.68	17.59	17.80		0
16QAM	1	0	17.70	17.69	17.95	0-1	0
	1	25	17.90	17.67	17.97		0
	1	49	17.85	17.61	18.02		0
	25	0	17.53	17.47	17.69	0-2	0
	25	12	17.59	17.50	17.67		0
	25	25	17.63	17.48	17.76		0
	50	0	17.63	17.54	17.74		0
64QAM	1	0	17.78	17.67	17.99	0-2	0
	1	25	17.96	17.66	17.96		0
	1	49	17.86	17.65	18.05		0
	25	0	17.53	17.48	17.70	0-3	0
	25	12	17.56	17.47	17.68		0
	25	25	17.63	17.50	17.74		0
	50	0	17.63	17.53	17.73		0
256QAM	1	0	17.79	17.66	17.97	0-5	0
	1	25	17.90	17.72	17.95		0
	1	49	17.81	17.70	18.03		0
	25	0	17.55	17.49	17.69		0
	25	12	17.59	17.50	17.67		0
	25	25	17.63	17.50	17.74		0
	50	0	17.62	17.53	17.73		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-81
LTE Band 7 Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 20775 (2502.5 MHz)	Mid Channel 21100 (2535.0 MHz)	High Channel 21425 (2567.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	17.64	17.57	17.76	0	0
	1	12	17.71	17.47	17.73		0
	1	24	17.72	17.44	17.80		0
	12	0	17.60	17.50	17.74	0-1	0
	12	6	17.64	17.49	17.74		0
	12	13	17.67	17.51	17.75		0
	25	0	17.67	17.51	17.77		0
16QAM	1	0	17.86	17.80	17.98	0-1	0
	1	12	17.92	17.75	17.98		0
	1	24	17.92	17.86	18.08		0
	12	0	17.60	17.47	17.74	0-2	0
	12	6	17.62	17.46	17.72		0
	12	13	17.67	17.46	17.74		0
	25	0	17.63	17.47	17.74		0
64QAM	1	0	17.91	17.79	18.01	0-2	0
	1	12	18.03	17.81	18.04		0
	1	24	18.03	17.84	18.10		0
	12	0	17.60	17.46	17.74	0-3	0
	12	6	17.64	17.46	17.76		0
	12	13	17.67	17.46	17.76		0
	25	0	17.63	17.45	17.73		0
256QAM	1	0	17.97	17.77	17.99	0-5	0
	1	12	17.94	17.78	17.94		0
	1	24	18.02	17.83	18.03		0
	12	0	17.59	17.45	17.74		0
	12	6	17.62	17.47	17.74		0
	12	13	17.67	17.48	17.75		0
	25	0	17.63	17.48	17.75		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-82
LTE Band 7 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 20825 (2507.5 MHz)	Mid Channel 21100 (2535.0 MHz)	High Channel 21375 (2562.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	17.56	17.40	17.30	0	0
	1	36	17.50	17.37	17.26		0
	1	74	17.37	17.24	17.29		0
	36	0	17.47	17.41	17.32	0-1	0
	36	18	17.43	17.36	17.30		0
	36	37	17.42	17.28	17.37		0
	75	0	17.44	17.37	17.32		0
16QAM	1	0	17.75	17.64	17.57	0-1	0
	1	36	17.66	17.64	17.53		0
	1	74	17.50	17.47	17.59		0
	36	0	17.45	17.38	17.29	0-2	0
	36	18	17.39	17.30	17.28		0
	36	37	17.39	17.21	17.32		0
	75	0	17.39	17.31	17.30		0
64QAM	1	0	17.74	17.62	17.56	0-2	0
	1	36	17.66	17.65	17.52		0
	1	74	17.59	17.47	17.59		0
	36	0	17.46	17.37	17.29	0-3	0
	36	18	17.39	17.28	17.27		0
	36	37	17.38	17.21	17.31		0
	75	0	17.39	17.32	17.29		0
256QAM	1	0	17.70	17.58	17.56	0-5	0
	1	36	17.67	17.62	17.56		0
	1	74	17.52	17.45	17.55		0
	36	0	17.46	17.37	17.28		0
	36	18	17.39	17.30	17.28		0
	36	37	17.39	17.21	17.32		0
	75	0	17.39	17.32	17.29		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-83
LTE Band 7 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 20800 (2505.0 MHz)	Mid Channel 21100 (2535.0 MHz)	High Channel 21400 (2565.0 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	17.46	17.46	17.31	0	0
	1	25	17.42	17.41	17.35		0
	1	49	17.39	17.33	17.36		0
	25	0	17.54	17.41	17.38	0-1	0
	25	12	17.47	17.39	17.37		0
	25	25	17.48	17.40	17.44		0
	50	0	17.53	17.46	17.44		0
16QAM	1	0	17.61	17.69	17.57	0-1	0
	1	25	17.64	17.61	17.60		0
	1	49	17.60	17.54	17.62		0
	25	0	17.47	17.37	17.30	0-2	0
	25	12	17.40	17.35	17.30		0
	25	25	17.43	17.35	17.38		0
	50	0	17.47	17.41	17.36		0
64QAM	1	0	17.61	17.68	17.52	0-2	0
	1	25	17.51	17.63	17.56		0
	1	49	17.59	17.52	17.61		0
	25	0	17.46	17.37	17.29	0-3	0
	25	12	17.42	17.35	17.29		0
	25	25	17.41	17.37	17.39		0
	50	0	17.46	17.41	17.35		0
256QAM	1	0	17.64	17.63	17.56	0-5	0
	1	25	17.56	17.62	17.62		0
	1	49	17.57	17.54	17.63		0
	25	0	17.48	17.37	17.31		0
	25	12	17.44	17.34	17.31		0
	25	25	17.42	17.35	17.38		0
	50	0	17.47	17.41	17.35		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-84
LTE Band 7 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel 20775 (2502.5 MHz)	Mid Channel 21100 (2535.0 MHz)	High Channel 21425 (2567.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]				
QPSK	1	0	17.58	17.43	17.33	0	0
	1	12	17.55	17.39	17.32		0
	1	24	17.56	17.41	17.33		0
	12	0	17.51	17.36	17.40	0-1	0
	12	6	17.50	17.35	17.39		0
	12	13	17.51	17.36	17.40		0
	25	0	17.53	17.38	17.42		0
16QAM	1	0	17.82	17.71	17.68	0-1	0
	1	12	17.79	17.70	17.75		0
	1	24	17.85	17.69	17.74		0
	12	0	17.46	17.35	17.32	0-2	0
	12	6	17.45	17.34	17.33		0
	12	13	17.47	17.36	17.32		0
	25	0	17.46	17.35	17.36		0
64QAM	1	0	17.82	17.71	17.63	0-2	0
	1	12	17.77	17.69	17.72		0
	1	24	17.80	17.72	17.64		0
	12	0	17.46	17.35	17.34	0-3	0
	12	6	17.46	17.35	17.36		0
	12	13	17.45	17.34	17.33		0
	25	0	17.45	17.34	17.35		0
256QAM	1	0	17.81	17.72	17.65	0-5	0
	1	12	17.81	17.68	17.62		0
	1	24	17.80	17.71	17.70		0
	12	0	17.46	17.34	17.36		0
	12	6	17.44	17.36	17.37		0
	12	13	17.47	17.35	17.36		0
	25	0	17.45	17.35	17.34		0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.1.11 LTE Band 48

Table G-85
LTE Band 48 Measured P_{Limit} Antenna 1a - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel 55315 (3557.5 MHz)	Low-Mid Channel 55765 (3602.5 MHz)	Mid-High Channel 56215 (3647.5 MHz)	High Channel 56665 (3692.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]					
QPSK	1	0	21.54	21.47	21.50	21.50	0	0
	1	36	21.60	21.53	21.56	21.45		0
	1	74	21.54	21.50	21.51	21.45		0
	36	0	20.63	20.39	20.55	20.57	0-1	1
	36	18	20.62	20.44	20.54	20.55		1
	36	37	20.61	20.43	20.60	20.51		1
	75	0	20.62	20.44	20.55	20.54		1
16QAM	1	0	20.47	20.44	20.51	20.47	0-1	1
	1	36	20.49	20.44	20.57	20.54		1
	1	74	20.42	20.45	20.66	20.43		1
	36	0	19.63	19.39	19.54	19.56	0-2	2
	36	18	19.61	19.42	19.53	19.54		2
	36	37	19.59	19.43	19.57	19.51		2
	75	0	19.63	19.43	19.55	19.54		2
64QAM	1	0	19.66	19.62	19.59	19.59	0-2	2
	1	36	19.71	19.73	19.55	19.57		2
	1	74	19.63	19.66	19.58	19.54		2
	36	0	18.67	18.43	18.60	18.59	0-3	3
	36	18	18.66	18.47	18.58	18.57		3
	36	37	18.65	18.47	18.63	18.55		3
	75	0	18.67	18.48	18.59	18.58		3
256QAM	1	0	16.62	16.59	16.54	16.54	0-5	5
	1	36	16.66	16.70	16.52	16.54		5
	1	74	16.60	16.65	16.53	16.48		5
	36	0	16.64	16.39	16.55	16.55		5
	36	18	16.64	16.44	16.53	16.53		5
	36	37	16.63	16.44	16.59	16.51		5
	75	0	16.65	16.45	16.54	16.54		5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-86
LTE Band 48 Measured P_{Limit} Antenna 1a - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	21.77	21.60	21.49	21.68	0	0
	1	25	21.81	21.52	21.52	21.69		0
	1	49	21.78	21.47	21.49	21.61		0
	25	0	20.74	20.45	20.44	20.63	0-1	1
	25	12	20.72	20.51	20.41	20.60		1
	25	25	20.72	20.52	20.46	20.61		1
	50	0	20.77	20.57	20.47	20.66		1
16QAM	1	0	20.50	20.50	20.42	20.50	0-1	1
	1	25	20.62	20.55	20.44	20.53		1
	1	49	20.69	20.54	20.52	20.50		1
	25	0	19.70	19.41	19.39	19.57	0-2	2
	25	12	19.68	19.49	19.37	19.53		2
	25	25	19.68	19.47	19.43	19.54		2
	50	0	19.74	19.53	19.41	19.62		2
64QAM	1	0	19.72	19.69	19.41	19.63	0-2	2
	1	25	19.73	19.78	19.39	19.67		2
	1	49	19.70	19.74	19.43	19.64		2
	25	0	18.80	18.46	18.46	18.64	0-3	3
	25	12	18.79	18.52	18.43	18.61		3
	25	25	18.73	18.53	18.48	18.61		3
	50	0	18.79	18.59	18.50	18.68		3
256QAM	1	0	16.73	16.67	16.37	16.60	0-5	5
	1	25	16.73	16.77	16.36	16.63		5
	1	49	16.70	16.70	16.40	16.60		5
	25	0	16.72	16.45	16.42	16.61		5
	25	12	16.71	16.51	16.39	16.59		5
	25	25	16.71	16.51	16.43	16.58		5
	50	0	16.77	16.57	16.45	16.65		5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-87
LTE Band 48 Measured P_{Limit} Antenna 1a - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel 55265 (3552.5 MHz)	Low-Mid Channel 55748 (3600.8 MHz)	Mid-High Channel 56232 (3649.2 MHz)	High Channel 56715 (3697.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]					
QPSK	1	0	21.79	21.64	21.59	21.60	0	0
	1	12	21.79	21.71	21.56	21.57		0
	1	24	21.78	21.70	21.64	21.56		0
	12	0	20.73	20.64	20.63	20.59	0-1	1
	12	6	20.73	20.71	20.61	20.59		1
	12	13	20.73	20.71	20.65	20.58		1
	25	0	20.75	20.72	20.62	20.60		1
16QAM	1	0	20.95	20.72	20.54	20.73	0-1	1
	1	12	20.74	20.79	20.59	20.61		1
	1	24	20.87	20.73	20.61	20.67		1
	12	0	19.68	19.62	19.51	19.52	0-2	2
	12	6	19.66	19.69	19.55	19.52		2
	12	13	19.64	19.67	19.60	19.53		2
	25	0	19.70	19.67	19.54	19.56		2
64QAM	1	0	19.72	19.69	19.68	19.67	0-2	2
	1	12	19.73	19.68	19.65	19.61		2
	1	24	19.71	19.66	19.76	19.69		2
	12	0	18.81	18.66	18.63	18.61	0-3	3
	12	6	18.80	18.71	18.62	18.60		3
	12	13	18.79	18.73	18.67	18.59		3
	25	0	18.75	18.74	18.64	18.61		3
256QAM	1	0	16.65	16.69	16.58	16.58	0-5	5
	1	12	16.66	16.72	16.54	16.49		5
	1	24	16.62	16.76	16.60	16.54		5
	12	0	16.71	16.63	16.59	16.57		5
	12	6	16.70	16.69	16.58	16.56		5
	12	13	16.71	16.69	16.62	16.56		5
	25	0	16.72	16.71	16.60	16.58		5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-88
LTE Band 48 Measured P_{Limit} Antenna 2a - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	19.06	19.17	19.18	19.09	0	0
	1	36	19.12	19.28	19.22	19.13		0
	1	74	19.08	19.23	19.20	19.18		0
	36	0	18.23	18.28	18.25	18.24	0-1	1
	36	18	18.25	18.32	18.26	18.31		1
	36	37	18.26	18.32	18.24	18.34		1
	75	0	18.27	18.33	18.21	18.32		1
16QAM	1	0	18.23	18.28	18.23	18.18	0-1	1
	1	36	18.25	18.27	18.16	18.26		1
	1	74	18.24	18.25	18.13	18.26		1
	36	0	17.25	17.27	17.28	17.25	0-2	2
	36	18	17.27	17.32	17.26	17.31		2
	36	37	17.28	17.31	17.25	17.34		2
	75	0	17.26	17.35	17.29	17.31		2
64QAM	1	0	17.21	17.48	17.23	17.24	0-2	2
	1	36	17.26	17.57	17.24	17.30		2
	1	74	17.25	17.51	17.19	17.33		2
	36	0	16.17	16.18	16.23	16.21	0-3	3
	36	18	16.18	16.24	16.23	16.25		3
	36	37	16.19	16.24	16.23	16.30		3
	75	0	16.19	16.25	16.25	16.26		3
256QAM	1	0	14.20	14.48	14.25	14.22	0-5	5
	1	36	14.26	14.57	14.24	14.31		5
	1	74	14.24	14.54	14.21	14.35		5
	36	0	14.24	14.28	14.29	14.24		5
	36	18	14.24	14.32	14.28	14.31		5
	36	37	14.25	14.32	14.28	14.35		5
	75	0	14.26	14.33	14.30	14.32		5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-89
LTE Band 48 Measured P_{Limit} Antenna 2a - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	19.40	19.27	19.30	19.41	0	0
	1	25	19.46	19.34	19.28	19.49		0
	1	49	19.39	19.33	19.24	19.48		0
	25	0	18.33	18.34	18.36	18.35	0-1	1
	25	12	18.32	18.40	18.35	18.34		1
	25	25	18.33	18.41	18.35	18.42		1
	50	0	18.37	18.46	18.41	18.47		1
16QAM	1	0	18.34	18.28	18.20	18.34	0-1	1
	1	25	18.35	18.40	18.23	18.36		1
	1	49	18.26	18.38	18.26	18.29		1
	25	0	17.28	17.27	17.34	17.33	0-2	2
	25	12	17.27	17.37	17.34	17.31		2
	25	25	17.29	17.38	17.34	17.39		2
	50	0	17.34	17.42	17.37	17.44		2
64QAM	1	0	17.33	17.53	17.29	17.36	0-2	2
	1	25	17.38	17.65	17.33	17.48		2
	1	49	17.34	17.59	17.27	17.40		2
	25	0	16.28	16.30	16.32	16.33	0-3	3
	25	12	16.27	16.36	16.30	16.31		3
	25	25	16.28	16.37	16.31	16.38		3
	50	0	16.34	16.42	16.37	16.44		3
256QAM	1	0	14.33	14.57	14.28	14.37	0-5	5
	1	25	14.36	14.65	14.32	14.48		5
	1	49	14.34	14.59	14.28	14.39		5
	25	0	14.30	14.34	14.36	14.35		5
	25	12	14.30	14.39	14.35	14.34		5
	25	25	14.31	14.40	14.35	14.41		5
	50	0	14.36	14.46	14.41	14.47		5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-90
LTE Band 48 Measured P_{Limit} Antenna 2a - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel 55265 (3552.5 MHz)	Low-Mid Channel 55748 (3600.8 MHz)	Mid-High Channel 56232 (3649.2 MHz)	High Channel 56715 (3697.5 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]					
QPSK	1	0	19.36	19.31	19.38	19.57	0	0
	1	12	19.37	19.39	19.36	19.51		0
	1	24	19.40	19.38	19.38	19.54		0
	12	0	18.31	18.31	18.39	18.47	0-1	1
	12	6	18.31	18.37	18.38	18.46		1
	12	13	18.31	18.37	18.38	18.47		1
	25	0	18.32	18.39	18.40	18.47		1
16QAM	1	0	18.39	18.25	18.40	18.55	0-1	1
	1	12	18.36	18.29	18.38	18.59		1
	1	24	18.37	18.25	18.42	18.60		1
	12	0	17.31	17.28	17.34	17.43	0-2	2
	12	6	17.26	17.38	17.36	17.44		2
	12	13	17.27	17.38	17.36	17.43		2
	25	0	17.31	17.38	17.36	17.47		2
64QAM	1	0	17.29	17.40	17.37	17.47	0-2	2
	1	12	17.29	17.40	17.39	17.47		2
	1	24	17.31	17.46	17.38	17.43		2
	12	0	16.27	16.29	16.35	16.44	0-3	3
	12	6	16.27	16.35	16.34	16.44		3
	12	13	16.28	16.36	16.34	16.44		3
	25	0	16.30	16.37	16.37	16.46		3
256QAM	1	0	14.30	14.40	14.37	14.48	0-5	5
	1	12	14.27	14.43	14.41	14.38		5
	1	24	14.30	14.49	14.36	14.50		5
	12	0	14.32	14.32	14.40	14.47		5
	12	6	14.31	14.39	14.38	14.46		5
	12	13	14.32	14.39	14.40	14.47		5
	25	0	14.33	14.41	14.41	14.49		5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-91
LTE Band 48 Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	17.57	17.46	17.39	17.42	0	0
	1	36	17.56	17.47	17.40	17.51		0
	1	74	17.60	17.43	17.42	17.43		0
	36	0	16.62	16.41	16.37	16.55	0-1	1
	36	18	16.62	16.41	16.36	16.59		1
	36	37	16.63	16.40	16.42	16.59		1
	75	0	16.63	16.42	16.37	16.60		1
16QAM	1	0	16.57	16.36	16.26	16.49	0-1	1
	1	36	16.64	16.41	16.27	16.56		1
	1	74	16.54	16.33	16.25	16.57		1
	36	0	15.63	15.44	15.36	15.50	0-2	2
	36	18	15.64	15.43	15.35	15.58		2
	36	37	15.65	15.43	15.41	15.55		2
	75	0	15.66	15.44	15.39	15.60		2
64QAM	1	0	15.67	15.68	15.33	15.52	0-2	2
	1	36	15.68	15.67	15.36	15.62		2
	1	74	15.70	15.65	15.36	15.55		2
	36	0	14.66	14.45	14.40	14.56	0-3	3
	36	18	14.66	14.45	14.40	14.60		3
	36	37	14.67	14.44	14.45	14.59		3
	75	0	14.68	14.45	14.40	14.62		3
256QAM	1	0	12.66	12.69	12.34	12.55	0-5	5
	1	36	12.69	12.72	12.37	12.62		5
	1	74	12.66	12.67	12.37	12.57		5
	36	0	12.65	12.47	12.42	12.56		5
	36	18	12.66	12.47	12.41	12.60		5
	36	37	12.67	12.46	12.47	12.58		5
	75	0	12.68	12.48	12.42	12.60		5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-92
LTE Band 48 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	17.75	17.51	17.45	17.65	0	0
	1	25	17.80	17.54	17.45	17.70		0
	1	49	17.77	17.50	17.47	17.64		0
	25	0	16.68	16.47	16.48	16.67	0-1	1
	25	12	16.68	16.45	16.47	16.66		1
	25	25	16.69	16.46	16.51	16.65		1
	50	0	16.74	16.52	16.53	16.72		1
16QAM	1	0	16.63	16.40	16.22	16.59	0-1	1
	1	25	16.68	16.47	16.35	16.52		1
	1	49	16.61	16.34	16.23	16.52		1
	25	0	15.69	15.46	15.40	15.58	0-2	2
	25	12	15.69	15.45	15.39	15.58		2
	25	25	15.69	15.44	15.45	15.57		2
	50	0	15.75	15.52	15.43	15.63		2
64QAM	1	0	15.76	15.72	15.37	15.65	0-2	2
	1	25	15.82	15.74	15.41	15.68		2
	1	49	15.76	15.69	15.41	15.59		2
	25	0	14.72	14.52	14.50	14.67	0-3	3
	25	12	14.72	14.51	14.48	14.65		3
	25	25	14.73	14.51	14.53	14.66		3
	50	0	14.78	14.57	14.54	14.71		3
256QAM	1	0	12.74	12.76	12.40	12.69	0-5	5
	1	25	12.80	12.79	12.46	12.73		5
	1	49	12.75	12.74	12.46	12.63		5
	25	0	12.73	12.52	12.49	12.68		5
	25	12	12.73	12.51	12.47	12.66		5
	25	25	12.74	12.51	12.52	12.67		5
	50	0	12.79	12.57	12.54	12.73		5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-93
LTE Band 48 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	17.79	17.46	17.45	17.63	0	0
	1	12	17.75	17.43	17.43	17.61		0
	1	24	17.79	17.45	17.54	17.62		0
	12	0	16.67	16.45	16.41	16.65	0-1	1
	12	6	16.68	16.45	16.40	16.64		1
	12	13	16.68	16.45	16.44	16.65		1
	25	0	16.70	16.47	16.43	16.67		1
16QAM	1	0	16.75	16.39	16.41	16.72	0-1	1
	1	12	16.72	16.39	16.38	16.68		1
	1	24	16.77	16.45	16.48	16.63		1
	12	0	15.69	15.44	15.43	15.59	0-2	2
	12	6	15.68	15.45	15.40	15.56		2
	12	13	15.69	15.46	15.45	15.58		2
	25	0	15.70	15.48	15.45	15.59		2
64QAM	1	0	15.72	15.51	15.45	15.57	0-2	2
	1	12	15.66	15.55	15.40	15.58		2
	1	24	15.74	15.51	15.50	15.58		2
	12	0	14.72	14.50	14.46	14.66	0-3	3
	12	6	14.72	14.50	14.45	14.66		3
	12	13	14.73	14.50	14.50	14.66		3
	25	0	14.75	14.52	14.48	14.68		3
256QAM	1	0	12.71	12.54	12.49	12.62	0-5	5
	1	12	12.66	12.57	12.43	12.64		5
	1	24	12.74	12.53	12.52	12.61		5
	12	0	12.72	12.51	12.47	12.66		5
	12	6	12.72	12.50	12.46	12.65		5
	12	13	12.73	12.50	12.51	12.66		5
	25	0	12.74	12.51	12.48	12.67		5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-94
LTE Band 48 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	21.72	21.84	21.77	21.88	0	0
	1	36	21.77	21.91	21.78	21.97		0
	1	74	21.75	21.88	21.82	21.91		0
	36	0	20.87	20.84	20.82	20.99	0-1	1
	36	18	20.87	20.92	20.82	21.06		1
	36	37	20.88	20.93	20.86	21.06		1
	75	0	20.88	20.94	20.83	21.08		1
16QAM	1	0	20.76	20.73	20.51	20.92	0-1	1
	1	36	20.77	20.90	20.64	21.08		1
	1	74	20.80	20.80	20.67	21.00		1
	36	0	19.80	19.75	19.73	19.90	0-2	2
	36	18	19.81	19.83	19.72	19.97		2
	36	37	19.81	19.84	19.76	19.97		2
	75	0	19.83	19.86	19.74	20.00		2
64QAM	1	0	19.82	19.98	19.71	19.91	0-2	2
	1	36	19.85	20.10	19.72	20.03		2
	1	74	19.85	20.08	19.72	19.98		2
	36	0	19.14	19.13	19.07	19.27	0-3	3
	36	18	19.15	19.17	19.06	19.34		3
	36	37	19.16	19.17	19.13	19.32		3
	75	0	19.12	19.14	19.04	19.30		3
256QAM	1	0	16.88	17.03	16.76	16.98	0-5	5
	1	36	16.87	17.17	16.80	17.08		5
	1	74	16.90	17.14	16.80	17.02		5
	36	0	16.86	16.82	16.82	16.98		5
	36	18	16.86	16.90	16.81	17.04		5
	36	37	16.87	16.91	16.85	17.04		5
	75	0	16.87	16.91	16.82	17.06		5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-95
LTE Band 48 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	21.94	21.80	21.83	22.15	0	0
	1	25	21.97	21.93	21.89	22.17		0
	1	49	21.97	21.95	21.88	22.12		0
	25	0	20.98	20.94	20.90	21.16	0-1	1
	25	12	20.97	20.98	20.88	21.15		1
	25	25	20.99	21.00	20.96	21.16		1
	50	0	21.02	21.04	20.94	21.21		1
16QAM	1	0	20.95	20.77	20.75	20.97	0-1	1
	1	25	20.90	20.92	20.66	20.98		1
	1	49	20.96	20.89	20.71	21.04		1
	25	0	19.90	19.83	19.80	20.07	0-2	2
	25	12	19.87	19.87	19.77	20.05		2
	25	25	19.89	19.89	19.83	20.06		2
	50	0	19.94	19.94	19.82	20.09		2
64QAM	1	0	20.00	20.11	19.77	20.10	0-2	2
	1	25	20.02	20.17	19.80	20.10		2
	1	49	19.96	20.13	19.80	20.06		2
	25	0	19.23	19.18	19.15	19.40	0-3	3
	25	12	19.23	19.25	19.14	19.38		3
	25	25	19.24	19.27	19.21	19.39		3
	50	0	19.29	19.30	19.21	19.45		3
256QAM	1	0	16.94	17.12	16.81	17.11	0-5	5
	1	25	17.01	17.20	16.84	17.15		5
	1	49	16.95	17.20	16.84	17.09		5
	25	0	16.94	16.91	16.86	17.12		5
	25	12	16.93	16.95	16.85	17.11		5
	25	25	16.95	16.96	16.93	17.11		5
	50	0	17.00	17.01	16.91	17.17		5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-96
LTE Band 48 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	21.85	21.86	21.76	22.00	0	0
	1	12	21.86	21.91	21.72	21.96		0
	1	24	21.86	21.96	21.84	22.00		0
	12	0	20.97	20.94	20.88	21.17	0-1	1
	12	6	20.97	20.99	20.87	21.17		1
	12	13	20.99	21.00	20.94	21.17		1
	25	0	21.00	21.01	20.89	21.18		1
16QAM	1	0	21.01	20.90	20.89	21.02	0-1	1
	1	12	20.96	20.93	20.85	21.04		1
	1	24	20.91	20.93	20.92	21.00		1
	12	0	19.94	19.85	19.82	20.09	0-2	2
	12	6	19.93	19.95	19.82	20.11		2
	12	13	19.93	19.95	19.88	20.13		2
	25	0	19.90	19.97	19.84	20.12		2
64QAM	1	0	20.05	19.81	19.75	20.14	0-2	2
	1	12	20.01	19.90	19.73	20.07		2
	1	24	20.02	19.88	19.83	20.13		2
	12	0	19.24	19.18	19.14	19.41	0-3	3
	12	6	19.23	19.24	19.13	19.40		3
	12	13	19.25	19.25	19.21	19.40		3
	25	0	19.25	19.26	19.15	19.42		3
256QAM	1	0	16.95	16.90	16.85	17.05	0-5	5
	1	12	16.86	17.03	16.82	17.06		5
	1	24	16.95	17.01	16.91	17.07		5
	12	0	16.94	16.89	16.85	17.13		5
	12	6	16.94	16.94	16.84	17.12		5
	12	13	16.95	16.95	16.91	17.13		5
	25	0	16.95	16.96	16.86	17.14		5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.1.12 LTE Band 41

Table G-97
LTE Band 41 Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel 39750 (2506.0 MHz)	Low-Mid Channel 40185 (2549.5 MHz)	Mid Channel 40620 (2593.0 MHz)	Mid-High Channel 41055 (2636.5 MHz)	High Channel 41490 (2680.0 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]						
QPSK	1	0	21.15	21.25	21.26	20.97	21.21	0	0
	1	36	21.25	21.25	21.29	21.03	21.30		0
	1	74	21.29	21.24	21.18	21.03	21.30		0
	36	0	21.25	21.30	21.38	21.04	21.29	0-1	0
	36	18	21.26	21.23	21.39	21.04	21.28		0
	36	37	21.33	21.25	21.34	21.06	21.28		0
	75	0	21.27	21.24	21.34	21.06	21.27		0
16QAM	1	0	21.40	21.48	21.52	21.30	21.51	0-1	0
	1	36	21.49	21.44	21.79	21.35	21.56		0
	1	74	21.56	21.47	21.59	21.33	21.67		0
	36	0	21.20	21.25	21.38	21.03	21.20	0-2	0.4
	36	18	21.21	21.20	21.35	21.03	21.22		0.4
	36	37	21.28	21.22	21.34	21.04	21.25		0.4
	75	0	21.22	21.22	21.31	21.05	21.23		0.4
64QAM	1	0	20.50	20.92	20.87	20.73	20.99	0-2	0.4
	1	36	20.85	21.02	21.01	20.89	21.01		0.4
	1	74	20.91	20.94	20.93	20.78	20.91		0.4
	36	0	19.66	19.58	19.76	19.42	19.72	0-3	1.4
	36	18	19.65	19.62	19.71	19.43	19.72		1.4
	36	37	19.64	19.61	19.62	19.38	19.73		1.4
	75	0	19.66	19.63	19.72	19.43	19.73		1.4
256QAM	1	0	17.66	17.81	17.69	17.42	17.93	0-5	3.4
	1	36	17.69	17.86	17.71	17.47	17.95		3.4
	1	74	17.65	17.83	17.48	17.40	17.94		3.4
	36	0	17.66	17.56	17.77	17.42	17.70		3.4
	36	18	17.65	17.62	17.68	17.42	17.71		3.4
	36	37	17.65	17.61	17.61	17.36	17.71		3.4
	75	0	17.66	17.62	17.69	17.43	17.71		3.4

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-98
LTE Band 41 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	21.20	21.34	21.37	21.05	21.32	0	0
	1	25	21.35	21.41	21.31	21.11	21.35		0
	1	49	21.35	21.32	21.39	21.06	21.34		0
	25	0	21.30	21.33	21.43	21.11	21.33	0-1	0
	25	12	21.31	21.28	21.45	21.12	21.33		0
	25	25	21.33	21.30	21.38	21.13	21.35		0
	50	0	21.37	21.34	21.44	21.17	21.38		0
16QAM	1	0	21.49	21.71	21.69	21.41	21.65	0-1	0
	1	25	21.64	21.57	21.62	21.34	21.72		0
	1	49	21.58	21.63	21.60	21.39	21.62		0
	25	0	21.25	21.30	21.40	21.06	21.29	0-2	0.4
	25	12	21.25	21.23	21.40	21.07	21.29		0.4
	25	25	21.27	21.27	21.39	21.07	21.34		0.4
	50	0	21.30	21.28	21.20	21.11	21.31		0.4
64QAM	1	0	20.89	20.95	21.06	20.90	21.08	0-2	0.4
	1	25	21.00	21.07	21.02	20.95	21.02		0.4
	1	49	21.01	20.99	20.98	21.01	20.93		0.4
	25	0	19.72	19.63	19.83	19.53	19.78	0-3	1.4
	25	12	19.70	19.69	19.75	19.50	19.78		1.4
	25	25	19.70	19.69	19.70	19.44	19.78		1.4
	50	0	19.77	19.74	19.80	19.55	19.82		1.4
256QAM	1	0	17.75	17.85	17.80	17.55	17.96	0-5	3.4
	1	25	17.80	17.95	17.80	17.54	18.05		3.4
	1	49	17.72	17.90	17.64	17.48	18.01		3.4
	25	0	17.72	17.65	17.84	17.50	17.78		3.4
	25	12	17.71	17.70	17.75	17.50	17.78		3.4
	25	25	17.72	17.70	17.67	17.44	17.79		3.4
	50	0	17.77	17.75	17.80	17.54	17.82		3.4

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-99
LTE Band 41 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel 39750 (2506.0 MHz)	Low-Mid Channel 40185 (2549.5 MHz)	Mid Channel 40620 (2593.0 MHz)	Mid-High Channel 41055 (2636.5 MHz)	High Channel 41490 (2680.0 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]						
QPSK	1	0	21.30	21.42	21.52	21.09	21.41	0	0
	1	12	21.33	21.38	21.46	21.09	21.39		0
	1	24	21.30	21.42	21.47	21.10	21.42		0
	12	0	21.26	21.27	21.42	21.06	21.27	0-1	0
	12	6	21.27	21.27	21.43	21.06	21.27		0
	12	13	21.28	21.28	21.37	21.06	21.29		0
	25	0	21.28	21.28	21.37	21.06	21.29		0
16QAM	1	0	21.63	21.65	21.77	21.46	21.57	0-1	0
	1	12	21.66	21.51	21.79	21.38	21.53		0
	1	24	21.62	21.53	21.79	21.58	21.59		0
	12	0	21.23	21.23	21.31	21.04	21.25	0-2	0.4
	12	6	21.22	21.24	21.30	21.02	21.23		0.4
	12	13	21.24	21.26	21.29	21.05	21.26		0.4
	25	0	21.22	21.22	21.36	21.04	21.23		0.4
64QAM	1	0	20.90	21.11	20.98	20.94	21.15	0-2	0.4
	1	12	20.96	21.15	21.02	20.99	21.11		0.4
	1	24	21.04	21.18	20.99	21.00	21.17		0.4
	12	0	19.75	19.72	19.79	19.54	19.81	0-3	1.4
	12	6	19.74	19.72	19.79	19.54	19.81		1.4
	12	13	19.75	19.73	19.77	19.54	19.82		1.4
	25	0	19.76	19.74	19.73	19.53	19.81		1.4
256QAM	1	0	17.71	17.71	17.83	17.49	17.82	0-5	3.4
	1	12	17.72	17.75	17.73	17.49	17.87		3.4
	1	24	17.74	17.77	17.67	17.43	17.87		3.4
	12	0	17.70	17.69	17.73	17.45	17.75		3.4
	12	6	17.69	17.68	17.72	17.45	17.75		3.4
	12	13	17.69	17.69	17.71	17.46	17.77		3.4
	25	0	17.70	17.70	17.73	17.46	17.77		3.4

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-100
LTE Band 41 Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel 39750 (2506.0 MHz)	Low-Mid Channel 40185 (2549.5 MHz)	Mid Channel 40620 (2593.0 MHz)	Mid-High Channel 41055 (2636.5 MHz)	High Channel 41490 (2680.0 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]						
QPSK	1	0	20.17	20.09	20.09	19.94	19.91	0	0
	1	36	20.22	20.14	20.08	20.03	19.93		0
	1	74	20.26	20.12	20.10	19.97	19.81		0
	36	0	20.25	20.14	20.21	20.04	19.92	0-1	0
	36	18	20.26	20.15	20.22	20.06	19.93		0
	36	37	20.33	20.15	20.24	20.01	19.88		0
	75	0	20.28	20.16	20.23	20.07	19.94		0
16QAM	1	0	20.44	20.39	20.36	20.36	20.15	0-1	0
	1	36	20.49	20.49	20.32	20.37	20.09		0
	1	74	20.50	20.42	20.43	20.38	20.09		0
	36	0	20.23	20.13	20.20	20.02	19.93	0-2	0
	36	18	20.24	20.12	20.22	20.02	19.93		0
	36	37	20.30	20.13	20.23	20.01	19.88		0
	75	0	20.26	20.12	20.19	20.04	19.96		0
64QAM	1	0	20.49	20.37	20.48	20.49	20.44	0-2	0
	1	36	20.49	20.44	20.47	20.48	20.35		0
	1	74	20.48	20.45	20.49	20.42	20.15		0
	36	0	20.24	20.11	20.20	20.04	19.95	0-3	0
	36	18	20.26	20.13	20.22	20.04	19.95		0
	36	37	20.32	20.13	20.21	20.03	19.87		0
	75	0	20.28	20.13	20.23	20.06	19.97		0
256QAM	1	0	18.50	18.57	18.50	18.39	18.54	0-5	1.8
	1	36	18.52	18.59	18.51	18.44	18.62		1.8
	1	74	18.53	18.59	18.37	18.44	18.48		1.8
	36	0	18.47	18.53	18.47	18.37	18.35		1.8
	36	18	18.48	18.52	18.47	18.38	18.36		1.8
	36	37	18.49	18.52	18.47	18.41	18.30		1.8
	75	0	18.50	18.53	18.48	18.40	18.37		1.8

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-101
LTE Band 41 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	20.17	20.09	20.09	19.94	19.91	0	0
	1	25	20.22	20.14	20.08	20.03	19.93		0
	1	49	20.26	20.12	20.10	19.97	19.81		0
	25	0	20.25	20.14	20.21	20.04	19.92	0-1	0
	25	12	20.26	20.15	20.22	20.06	19.93		0
	25	25	20.33	20.15	20.24	20.01	19.88		0
	50	0	20.28	20.16	20.23	20.07	19.94		0
16QAM	1	0	20.44	20.39	20.36	20.36	20.15	0-1	0
	1	25	20.49	20.49	20.32	20.37	20.09		0
	1	49	20.48	20.42	20.43	20.38	20.09		0
	25	0	20.23	20.13	20.20	20.02	19.93	0-2	0
	25	12	20.24	20.12	20.22	20.02	19.93		0
	25	25	20.30	20.13	20.23	20.01	19.88		0
	50	0	20.26	20.12	20.19	20.04	19.96		0
64QAM	1	0	20.48	20.37	20.48	20.49	20.44	0-2	0
	1	25	20.50	20.44	20.47	20.48	20.35		0
	1	49	20.48	20.45	20.49	20.42	20.15		0
	25	0	20.24	20.11	20.20	20.04	19.95	0-3	0
	25	12	20.26	20.13	20.22	20.04	19.95		0
	25	25	20.32	20.13	20.21	20.03	19.87		0
	50	0	20.28	20.13	20.23	20.06	19.97		0
256QAM	1	0	18.59	18.58	18.51	18.47	18.60	0-5	1.8
	1	25	18.67	18.59	18.61	18.51	18.69		1.8
	1	49	18.61	18.58	18.49	18.50	18.58		1.8
	25	0	18.57	18.59	18.55	18.46	18.41		1.8
	25	12	18.57	18.58	18.55	18.46	18.41		1.8
	25	25	18.57	18.58	18.55	18.48	18.37		1.8
	50	0	18.61	18.63	18.60	18.51	18.46		1.8

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-102
LTE Band 41 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	20.24	20.18	20.22	20.05	20.02	0	0
	1	12	20.30	20.20	20.17	20.12	19.98		0
	1	24	20.34	20.18	20.24	20.02	19.97		0
	12	0	20.33	20.21	20.26	20.14	19.99	0-1	0
	12	6	20.33	20.21	20.26	20.15	19.99		0
	12	13	20.34	20.22	20.28	20.09	19.93		0
	25	0	20.39	20.27	20.33	20.19	20.04		0
16QAM	1	0	20.45	20.48	20.46	20.49	20.34	0-1	0
	1	12	20.47	20.49	20.44	20.39	20.34		0
	1	24	20.50	20.49	20.47	20.42	20.29		0
	12	0	20.29	20.17	20.27	20.12	19.98	0-2	0
	12	6	20.28	20.18	20.28	20.11	19.96		0
	12	13	20.29	20.17	20.25	20.08	19.92		0
	25	0	20.36	20.20	20.29	20.14	19.99		0
64QAM	1	0	20.49	20.46	20.43	20.48	20.29	0-2	0
	1	12	20.47	20.36	20.42	20.47	20.24		0
	1	24	20.46	20.42	20.49	20.47	20.22		0
	12	0	20.29	20.18	20.28	20.14	20.02	0-3	0
	12	6	20.28	20.18	20.30	20.14	19.98		0
	12	13	20.31	20.21	20.26	20.05	19.91		0
	25	0	20.35	20.23	20.33	20.15	20.03		0
256QAM	1	0	18.57	18.70	18.53	18.44	18.52	0-5	1.8
	1	12	18.54	18.67	18.53	18.39	18.49		1.8
	1	24	18.59	18.64	18.57	18.45	18.46		1.8
	12	0	18.54	18.56	18.53	18.43	18.38		1.8
	12	6	18.53	18.57	18.52	18.42	18.39		1.8
	12	13	18.55	18.57	18.52	18.43	18.40		1.8
	25	0	18.55	18.59	18.53	18.44	18.39		1.8

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-103
LTE Band 41 Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	20.17	20.16	20.12	19.99	19.97	0	0
	1	36	20.30	20.24	20.14	20.03	19.95		0
	1	74	20.24	20.25	20.12	19.97	19.92		0
	36	0	20.30	20.15	20.24	20.07	20.02	0-1	0
	36	18	20.31	20.23	20.24	20.08	19.94		0
	36	37	20.22	20.25	20.24	20.04	19.95		0
	75	0	20.33	20.24	20.24	20.09	19.94		0
16QAM	1	0	20.45	20.38	20.52	20.47	20.37	0-1	0
	1	36	20.59	20.43	20.50	20.52	20.29		0
	1	74	20.46	20.47	20.49	20.38	20.28		0
	36	0	20.28	20.13	20.24	20.08	20.01	0-2	0
	36	18	20.29	20.21	20.23	20.10	19.92		0
	36	37	20.20	20.22	20.22	20.01	19.92		0
	75	0	20.29	20.22	20.22	20.09	19.93		0
64QAM	1	0	20.49	20.34	20.47	20.58	20.18	0-2	0
	1	36	20.59	20.37	20.58	20.53	20.13		0
	1	74	20.58	20.46	20.59	20.43	20.18		0
	36	0	20.27	20.16	20.23	20.11	20.04	0-3	0
	36	18	20.31	20.23	20.24	20.13	19.94		0
	36	37	20.21	20.24	20.23	20.07	19.95		0
	75	0	20.33	20.25	20.25	20.12	19.95		0
256QAM	1	0	18.15	17.85	18.02	17.94	17.80	0-5	1.9
	1	36	18.08	17.77	18.08	17.94	17.77		1.9
	1	74	18.03	17.87	18.15	18.02	17.63		1.9
	36	0	18.06	17.88	18.10	17.92	17.80		1.9
	36	18	17.96	17.80	18.09	17.91	17.73		1.9
	36	37	17.89	17.81	18.14	17.93	17.75		1.9
	75	0	17.97	17.81	18.16	17.93	17.74		1.9

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-104
LTE Band 41 Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	20.29	20.20	20.25	20.06	20.11	0	0
	1	25	20.26	20.32	20.26	20.11	20.01		0
	1	49	20.20	20.28	20.23	20.03	20.02		0
	25	0	20.30	20.19	20.32	20.13	20.01	0-1	0
	25	12	20.32	20.32	20.31	20.14	20.00		0
	25	25	20.25	20.33	20.32	20.08	20.01		0
	50	0	20.38	20.34	20.38	20.19	20.06		0
16QAM	1	0	20.59	20.52	20.54	20.27	20.40	0-1	0
	1	25	20.55	20.60	20.55	20.45	20.31		0
	1	49	20.46	20.53	20.51	20.44	20.40		0
	25	0	20.28	20.21	20.28	20.11	19.96	0-2	0
	25	12	20.26	20.26	20.27	20.13	19.98		0
	25	25	20.23	20.28	20.31	20.10	19.99		0
	50	0	20.34	20.31	20.33	20.15	19.99		0
64QAM	1	0	20.59	20.45	20.57	20.53	20.33	0-2	0
	1	25	20.49	20.53	20.59	20.52	20.25		0
	1	49	20.53	20.59	20.58	20.56	20.19		0
	25	0	20.30	20.22	20.28	20.12	19.99	0-3	0
	25	12	20.29	20.27	20.28	20.11	19.96		0
	25	25	20.24	20.31	20.30	20.08	20.00		0
	50	0	20.32	20.34	20.35	20.18	20.02		0
256QAM	1	0	18.27	18.00	18.16	17.97	17.80	0-5	1.9
	1	25	18.13	17.97	18.19	18.01	17.83		1.9
	1	49	18.14	17.97	18.13	18.01	17.77		1.9
	25	0	18.22	18.00	18.23	18.01	17.73		1.9
	25	12	18.09	17.92	18.22	17.99	17.71		1.9
	25	25	18.09	17.92	18.27	18.06	17.75		1.9
	50	0	18.15	17.98	18.32	18.05	17.80		1.9

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-105
LTE Band 41 Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	20.36	20.20	20.24	20.16	19.96	0	0
	1	12	20.40	20.28	20.21	20.15	19.94		0
	1	24	20.30	20.32	20.21	20.13	19.96		0
	12	0	20.24	20.21	20.25	20.06	19.90	0-1	0
	12	6	20.27	20.21	20.24	20.06	19.90		0
	12	13	20.24	20.21	20.24	20.07	19.92		0
	25	0	20.28	20.22	20.25	20.07	19.92		0
16QAM	1	0	20.58	20.57	20.58	20.39	20.27	0-1	0
	1	12	20.59	20.58	20.57	20.35	20.32		0
	1	24	20.57	20.59	20.59	20.36	20.42		0
	12	0	20.21	20.19	20.22	20.10	19.88	0-2	0
	12	6	20.22	20.20	20.22	20.11	19.86		0
	12	13	20.19	20.18	20.24	20.08	19.90		0
	25	0	20.22	20.17	20.21	20.07	19.86		0
64QAM	1	0	20.59	20.37	20.58	20.44	20.19	0-2	0
	1	12	20.47	20.44	20.57	20.38	20.13		0
	1	24	20.51	20.55	20.59	20.41	20.15		0
	12	0	20.26	20.18	20.24	20.08	19.90	0-3	0
	12	6	20.25	20.23	20.22	20.08	19.87		0
	12	13	20.21	20.22	20.24	20.10	19.91		0
	25	0	20.23	20.16	20.24	20.07	19.90		0
256QAM	1	0	18.34	17.98	18.27	18.12	17.80	0-5	1.9
	1	12	18.23	17.87	18.28	18.15	17.83		1.9
	1	24	18.17	17.98	18.33	18.22	17.82		1.9
	12	0	18.11	17.87	18.23	18.01	17.81		1.9
	12	6	18.08	17.90	18.16	18.00	17.79		1.9
	12	13	18.10	17.89	18.21	18.01	17.81		1.9
	25	0	18.08	17.91	18.24	18.01	17.81		1.9

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-106
LTE Band 41 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	19.62	19.66	19.54	19.57	19.67	0	0
	1	36	19.82	19.82	19.59	19.63	19.61		0
	1	74	19.86	19.77	19.65	19.63	19.54		0
	36	0	19.74	19.76	19.68	19.65	19.69	0-1	0
	36	18	19.81	19.82	19.68	19.67	19.61		0
	36	37	19.91	19.81	19.68	19.68	19.59		0
	75	0	19.84	19.83	19.68	19.67	19.61		0
16QAM	1	0	19.93	19.88	19.79	19.83	19.90	0-1	0
	1	36	20.08	20.04	19.86	19.86	19.82		0
	1	74	20.14	19.96	19.87	19.87	19.78		0
	36	0	19.72	19.75	19.69	19.64	19.70	0-2	0
	36	18	19.78	19.82	19.72	19.65	19.59		0
	36	37	19.90	19.79	19.71	19.66	19.58		0
	75	0	19.83	19.81	19.70	19.68	19.59		0
64QAM	1	0	19.99	19.93	19.96	19.90	20.01	0-2	0
	1	36	20.08	20.11	20.01	19.96	19.94		0
	1	74	20.19	20.16	20.14	19.94	19.90		0
	36	0	19.78	19.76	19.72	19.67	19.70	0-3	0
	36	18	19.84	19.83	19.72	19.67	19.61		0
	36	37	19.91	19.82	19.72	19.69	19.60		0
	75	0	19.84	19.85	19.75	19.69	19.63		0
256QAM	1	0	18.36	18.45	18.33	18.35	18.48	0-5	1.5
	1	36	18.35	18.46	18.42	18.35	18.55		1.5
	1	74	18.36	18.45	18.49	18.35	18.47		1.5
	36	0	18.33	18.25	18.39	18.33	18.26		1.5
	36	18	18.32	18.23	18.38	18.32	18.32		1.5
	36	37	18.32	18.22	18.43	18.32	18.31		1.5
	75	0	18.34	18.24	18.46	18.34	18.32		1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-107
LTE Band 41 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel 39750 (2506.0 MHz)	Low-Mid Channel 40185 (2549.5 MHz)	Mid Channel 40620 (2593.0 MHz)	Mid-High Channel 41055 (2636.5 MHz)	High Channel 41490 (2680.0 MHz)	MPR Allowed per 3GPP [dB]	MPR [dB]
			Conducted Power [dBm]						
QPSK	1	0	19.77	19.73	19.58	19.56	19.69	0	0
	1	25	19.89	19.83	19.55	19.60	19.60		0
	1	49	19.94	19.77	19.56	19.58	19.54		0
	25	0	19.83	19.70	19.62	19.60	19.56	0-1	0
	25	12	19.90	19.75	19.62	19.60	19.56		0
	25	25	19.91	19.75	19.63	19.62	19.55		0
	50	0	19.97	19.81	19.69	19.66	19.61		0
16QAM	1	0	19.88	19.89	19.80	19.85	19.98	0-1	0
	1	25	20.07	19.98	19.86	19.86	19.78		0
	1	49	20.20	20.09	19.78	19.85	19.80		0
	25	0	19.76	19.67	19.62	19.60	19.57	0-2	0
	25	12	19.87	19.74	19.62	19.60	19.55		0
	25	25	19.86	19.77	19.63	19.60	19.55		0
	50	0	19.89	19.78	19.67	19.64	19.57		0
64QAM	1	0	20.06	19.91	20.03	20.10	19.89	0-2	0
	1	25	20.16	20.06	20.01	19.90	19.80		0
	1	49	20.19	20.10	19.92	19.96	19.78		0
	25	0	19.80	19.69	19.67	19.61	19.61	0-3	0
	25	12	19.88	19.76	19.65	19.60	19.56		0
	25	25	19.89	19.77	19.65	19.63	19.54		0
	50	0	19.92	19.79	19.69	19.64	19.56		0
256QAM	1	0	18.41	18.42	18.31	18.32	18.40	0-5	1.5
	1	25	18.45	18.43	18.42	18.36	18.53		1.5
	1	49	18.38	18.40	18.39	18.30	18.40		1.5
	25	0	18.40	18.20	18.34	18.29	18.27		1.5
	25	12	18.39	18.17	18.33	18.29	18.26		1.5
	25	25	18.40	18.18	18.38	18.30	18.27		1.5
	50	0	18.47	18.24	18.44	18.35	18.33		1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-108
LTE Band 41 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	19.76	19.81	19.69	19.57	19.63	0	0
	1	12	19.85	19.83	19.69	19.58	19.61		0
	1	24	19.87	19.87	19.70	19.61	19.61		0
	12	0	19.82	19.73	19.61	19.60	19.50	0-1	0
	12	6	19.83	19.73	19.62	19.58	19.50		0
	12	13	19.85	19.73	19.63	19.58	19.49		0
	25	0	19.86	19.74	19.65	19.60	19.52		0
16QAM	1	0	20.10	20.09	19.95	19.83	19.91	0-1	0
	1	12	20.08	19.99	19.93	19.88	20.00		0
	1	24	20.19	20.10	19.98	19.89	19.89		0
	12	0	19.80	19.73	19.64	19.59	19.52	0-2	0
	12	6	19.83	19.70	19.62	19.59	19.53		0
	12	13	19.81	19.74	19.65	19.58	19.52		0
	25	0	19.82	19.70	19.63	19.54	19.50		0
64QAM	1	0	19.97	20.09	19.91	19.89	19.82	0-2	0
	1	12	20.10	20.06	19.88	19.93	19.67		0
	1	24	20.07	20.09	20.09	19.93	19.75		0
	12	0	19.79	19.75	19.63	19.59	19.52	0-3	0
	12	6	19.77	19.76	19.65	19.60	19.51		0
	12	13	19.81	19.75	19.67	19.59	19.49		0
	25	0	19.81	19.71	19.65	19.60	19.48		0
256QAM	1	0	18.38	18.22	18.32	18.27	18.33	0-5	1.5
	1	12	18.39	18.20	18.33	18.21	18.32		1.5
	1	24	18.39	18.20	18.39	18.27	18.29		1.5
	12	0	18.36	18.15	18.30	18.26	18.25		1.5
	12	6	18.35	18.14	18.28	18.24	18.24		1.5
	12	13	18.36	18.14	18.34	18.25	18.24		1.5
	25	0	18.38	18.16	18.35	18.27	18.26		1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.2 NR Lower Bandwidth RF Conducted Powers

G.2.1 NR Band n71

Table G-109
NR Band N71 Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

NR Band n71 15 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	136100 (680.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	21.03	0	0.0
	1	40	20.94		0.0
	1	77	21.13		0.0
	36	0	21.03	0-1	0.0
	36	22	20.99	0	0.0
	36	43	21.04	0-1	0.0
	75	0	21.01		0.0
DFT-s-OFDM 16QAM	1	1	20.91	0-1	0.0
CP-OFDM QPSK	1	1	21.14	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-110
NR Band N71 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

NR Band n71 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133600 (668 MHz)	136100 (680.5 MHz)	138600 (693 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.98	21.16	21.14	0	0.0
	1	26	21.08	21.03	21.19		0.0
	1	50	21.21	21.10	21.08		0.0
	25	0	21.13	21.17	21.17	0-1	0.0
	25	14	21.11	21.09	21.07	0	0.0
	25	27	21.22	21.12	21.13	0-1	0.0
	50	0	21.15	21.19	21.17		0.0
DFT-s-OFDM 16QAM	1	1	20.79	20.94	21.06	0-1	0.0
CP-OFDM QPSK	1	1	21.09	21.31	21.29	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-111
NR Band N71 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

NR Band n71 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133100 (665.5 MHz)	136100 (680.5 MHz)	139100 (695.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.75	20.95	21.11	0	0.0
	1	13	20.83	21.13	20.97		0.0
	1	23	20.99	21.05	20.96		0.0
	12	0	21.01	21.14	21.14	0-1	0.0
	12	7	20.93	20.92	21.11	0	0.0
	12	13	20.95	21.00	21.06	0-1	0.0
	25	0	21.06	21.08	21.13		0.0
DFT-s-OFDM 16QAM	1	1	20.90	21.03	20.93	0-1	0.0
CP-OFDM QPSK	1	1	21.25	21.43	21.20	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-112
NR Band N71 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n71 15 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	136100 (680.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.62	0	0.0
	1	40	24.59		0.0
	1	77	24.58		0.0
	36	0	24.10	0-1	1.0
	36	22	24.70	0	0.0
	36	43	24.22	0-1	1.0
	75	0	24.20		1.0
DFT-s-OFDM 16QAM	1	1	23.95	0-1	1.0
CP-OFDM QPSK	1	1	23.62	0-1.5	1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-113
NR Band N71 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n71 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133600 (668 MHz)	136100 (680.5 MHz)	138600 (693 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.54	24.65	24.61	0	0.0
	1	26	24.79	24.62	24.67		0.0
	1	50	24.57	24.74	24.75		0.0
	25	0	24.16	24.23	24.19	0-1	1.0
	25	14	24.76	24.74	24.73	0	0.0
	25	27	24.15	24.24	24.27	0-1	1.0
	50	0	24.30	24.34	24.32		1.0
DFT-s-OFDM 16QAM	1	1	23.91	24.07	23.92	0-1	1.0
CP-OFDM QPSK	1	1	23.68	23.72	23.63	0-1.5	1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-114
NR Band N71 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n71 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133100 (665.5 MHz)	136100 (680.5 MHz)	139100 (695.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.58	24.57	24.65	0	0.0
	1	13	24.41	24.60	25.02		0.0
	1	23	24.65	24.84	24.54		0.0
	12	0	24.09	24.21	24.31	0-1	1.0
	12	7	24.61	24.73	24.84	0	0.0
	12	13	24.19	24.22	24.44	0-1	1.0
	25	0	24.30	24.27	24.34		1.0
DFT-s-OFDM 16QAM	1	1	23.86	23.82	24.13	0-1	1.0
CP-OFDM QPSK	1	1	23.52	23.68	23.87	0-1.5	1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.2.2 NR Band N12

Table G-115
NR Band N12 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

NR Band n12 10 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	141500 (707.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.65	0	0.0
	1	26	20.57		0.0
	1	50	20.61		0.0
	25	0	20.55	0-1	0.0
	25	14	20.63	0	0.0
	25	27	20.66	0-1	0.0
	50	0	20.73		0.0
DFT-s-OFDM 16QAM	1	1	20.60	0-1	0.0
CP-OFDM QPSK	1	1	20.79	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-116
NR Band N12 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

NR Band n12 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	140300 (701.5 MHz)	141500 (707.5 MHz)	142700 (713.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.57	20.61	20.50	0	0.0
	1	13	20.51	20.58	20.51		0.0
	1	23	20.56	20.50	20.50		0.0
	12	0	20.64	20.58	20.56	0-1	0.0
	12	7	20.51	20.60	20.52	0	0.0
	12	13	20.70	20.50	20.60	0-1	0.0
	25	0	20.52	20.64	20.53		0.0
DFT-s-OFDM 16QAM	1	1	20.61	20.58	20.55	0-1	0.0
CP-OFDM QPSK	1	1	20.64	20.58	20.64	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-117
NR Band N12 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n12 10 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	141500 (707.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.83	0	0.0
	1	26	24.62		0.0
	1	50	24.75		0.0
	25	0	24.20	0-1	1.0
	25	14	24.63	0	0.0
	25	27	24.14	0-1	1.0
	50	0	24.19		1.0
DFT-s-OFDM 16QAM	1	1	24.11	0-1	1.0
CP-OFDM QPSK	1	1	23.70	0-1.5	1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-118
NR Band N12 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n12 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	140300 (701.5 MHz)	141500 (707.5 MHz)	142700 (713.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.70	24.63	24.65	0	0.0
	1	13	24.68	24.62	24.70		0.0
	1	23	24.74	24.66	24.62		0.0
	12	0	24.19	24.19	24.18	0-1	1.0
	12	7	24.75	24.64	24.75	0	0.0
	12	13	24.19	24.15	24.11	0-1	1.0
	25	0	24.16	24.19	24.15		1.0
DFT-s-OFDM 16QAM	1	1	23.47	23.56	23.68	0-1	1.0
CP-OFDM QPSK	1	1	23.38	23.28	23.14	0-1.5	1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.2.3 NR Band N14

Table G-119
NR Band N14 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

NR Band n14 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	158100 (790.5 MHz)	159100 (795.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	20.11	20.06	0	0.0
	1	13	20.14	20.14		0.0
	1	23	20.13	20.13		0.0
	12	0	20.17	20.17	0-1	0.0
	12	7	19.98	20.16	0	0.0
	12	13	20.14	19.95	0-1	0.0
	25	0	20.17	20.24		0.0
DFT-s-OFDM 16QAM	1	1	19.70	19.69	0-1	0.0
CP-OFDM QPSK	1	1	20.21	20.20	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-120
NR Band N14 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n14 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	158100 (790.5 MHz)	159100 (795.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.65	24.44	0	0.0
	1	13	24.62	24.55		0.0
	1	23	24.44	24.61		0.0
	12	0	24.11	24.08	0-1	0.6
	12	7	24.61	24.56	0	0.0
	12	13	24.16	24.09	0-1	0.6
	25	0	24.11	24.07		0.6
DFT-s-OFDM 16QAM	1	1	24.01	23.83	0-1	0.6
CP-OFDM QPSK	1	1	23.32	24.10	0-1.5	1.1

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.2.4 NR Band N26

Table G-121
NR Band N26 Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

NR Band n26 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	164300 (821.5 MHz)	168300 (841.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.77	19.72	0	0.0
	1	40	19.66	19.65		0.0
	1	77	19.73	19.71		0.0
	36	0	19.74	19.71	0-1	0.0
	36	22	19.68	19.72	0	0.0
	36	43	19.69	19.77	0-1	0.0
	75	0	19.74	19.76		0.0
DFT-s-OFDM 16QAM	1	1	19.57	19.57	0-1	0.0
CP-OFDM QPSK	1	1	19.95	19.87	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-122
NR Band N26 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

NR Band n26 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163800 (819 MHz)	166300 (831.5 MHz)	168800 (844 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.82	19.75	19.76	0	0.0
	1	26	19.78	19.72	19.74		0.0
	1	50	19.85	19.79	19.76		0.0
	25	0	19.88	19.78	19.82	0-1	0.0
	25	14	19.80	19.77	19.79	0	0.0
	25	27	19.80	19.84	19.86	0-1	0.0
	50	0	19.94	19.80	19.82		0.0
DFT-s-OFDM 16QAM	1	1	19.64	19.58	19.56	0-1	0.0
CP-OFDM QPSK	1	1	19.90	19.95	19.77	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-123
NR Band N26 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

NR Band n26 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163300 (816.5 MHz)	166300 (831.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.84	19.72	19.80	0	0.0
	1	13	19.78	19.70	19.67		0.0
	1	23	19.75	19.70	19.74		0.0
	12	0	19.82	19.75	19.79	0-1	0.0
	12	7	19.83	19.65	19.66	0	0.0
	12	13	19.82	19.85	19.70	0-1	0.0
	25	0	19.88	19.79	19.85		0.0
DFT-s-OFDM 16QAM	1	1	19.63	19.57	19.61	0-1	0.0
CP-OFDM QPSK	1	1	19.96	19.77	19.99	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-124
NR Band N26 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n26 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	164300 (821.5 MHz)	168300 (841.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	23.91	23.97	0	0.0
	1	40	23.85	23.89		0.0
	1	77	24.01	23.93		0.0
	36	0	23.55	23.46	0-1	0.5
	36	22	23.89	23.92	0	0.0
	36	43	23.40	23.43	0-1	0.5
	75	0	23.41	23.42		0.5
DFT-s-OFDM 16QAM	1	1	23.45	23.48	0-1	0.5
CP-OFDM QPSK	1	1	22.91	22.95	0-1.5	1.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-125
NR Band N26 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n26 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163800 (819 MHz)	166300 (831.5 MHz)	168800 (844 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.06	23.98	23.95	0	0.0
	1	26	23.98	24.08	23.90		0.0
	1	50	24.02	24.08	24.04		0.0
	25	0	23.73	23.59	23.60	0-1	0.5
	25	14	24.10	24.10	23.97	0	0.0
	25	27	23.52	23.61	23.55	0-1	0.5
	50	0	23.63	23.65	23.55		0.5
DFT-s-OFDM 16QAM	1	1	23.35	23.31	23.32	0-1	0.5
CP-OFDM QPSK	1	1	23.22	23.25	23.15	0-1.5	1.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-126
NR Band N26 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n26 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163300 (816.5 MHz)	166300 (831.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.06	23.97	23.98	0	0.0
	1	13	24.13	24.08	24.04		0.0
	1	23	24.12	24.01	23.93		0.0
	12	0	23.56	23.59	23.54	0-1	0.5
	12	7	24.21	24.13	24.03	0	0.0
	12	13	23.64	23.64	23.65	0-1	0.5
	25	0	23.71	23.59	23.54		0.5
DFT-s-OFDM 16QAM	1	1	23.50	23.32	23.37	0-1	0.5
CP-OFDM QPSK	1	1	23.00	23.02	23.02	0-1.5	1.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.2.5 NR Band N5

Table G-127
NR Band N5 Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

NR Band n5 15 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	167300 (836.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.91	0	0.0
	1	40	19.93		0.0
	1	77	19.92		0.0
	36	0	20.00	0-1	0.0
	36	22	19.98	0	0.0
	36	43	20.01	0-1	0.0
	75	0	20.00		0.0
DFT-s-OFDM 16QAM	1	1	19.92	0-1	0.0
CP-OFDM QPSK	1	1	20.18	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-128
NR Band N5 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

NR Band n5 10 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	167300 (836.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.00	0	0.0
	1	26	20.04		0.0
	1	50	20.04		0.0
	25	0	20.02	0-1	0.0
	25	14	20.05	0	0.0
	25	27	20.04	0-1	0.0
	50	0	20.00		0.0
DFT-s-OFDM 16QAM	1	1	20.02	0-1	0.0
CP-OFDM QPSK	1	1	20.36	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-129
NR Band N5 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

NR Band n5 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	165300 (826.5 MHz)	167300 (836.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.92	19.93	19.96	0	0.0
	1	13	19.97	20.03	20.07		0.0
	1	23	20.05	19.97	20.06		0.0
	12	0	19.96	19.97	19.92	0-1	0.0
	12	7	19.86	20.03	19.92	0	0.0
	12	13	20.05	20.03	20.01	0-1	0.0
	25	0	20.07	20.00	20.02		0.0
DFT-s-OFDM 16QAM	1	1	19.89	20.00	20.04	0-1	0.0
CP-OFDM QPSK	1	1	20.09	20.29	20.21	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-130
NR Band N5 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n5 15 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	167300 (836.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.19	0	0.0
	1	40	24.02		0.0
	1	77	24.22		0.0
	36	0	23.93	0-1	0.5
	36	22	24.17	0	0.0
	36	43	23.96	0-1	0.5
	75	0	23.93		0.5
DFT-s-OFDM 16QAM	1	1	24.00	0-1	0.5
CP-OFDM QPSK	1	1	23.78	0-1.5	1.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-131
NR Band N5 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n5 10 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	167300 (836.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.20	0	0.0
	1	26	24.21		0.0
	1	50	24.19		0.0
	25	0	24.00	0-1	0.5
	25	14	24.24	0	0.0
	25	27	24.01	0-1	0.5
	50	0	23.99		0.5
DFT-s-OFDM 16QAM	1	1	23.80	0-1	0.5
CP-OFDM QPSK	1	1	23.70	0-1.5	1.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-132
NR Band N5 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n5 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	165300 (826.5 MHz)	167300 (836.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.06	24.19	24.08	0	0.0
	1	13	24.06	24.19	24.26		0.0
	1	23	24.19	24.23	24.21		0.0
	12	0	23.99	23.92	23.94	0-1	0.5
	12	7	24.21	24.19	24.20	0	0.0
	12	13	23.95	24.01	24.08	0-1	0.5
	25	0	24.01	23.99	24.06		0.5
DFT-s-OFDM 16QAM	1	1	23.68	23.85	23.56	0-1	0.5
CP-OFDM QPSK	1	1	23.43	23.44	23.46	0-1.5	1.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.2.6 NR Band N66

Table G-133
NR Band N66 Measured P_{Limit} Antenna 1b - 35 MHz Bandwidth

NR Band n66 35 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.09	0	0.0
	1	94	17.15		0.0
	1	186	17.09		0.0
	90	0	17.23	0-1	0.0
	90	49	17.18	0	0.0
	90	98	17.16	0-1	0.0
	180	0	17.22		0.0
DFT-s-OFDM 16QAM	1	1	16.94	0-1	0.0
CP-OFDM QPSK	1	1	17.22	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-134
NR Band N66 Measured P_{Limit} Antenna 1b - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	349000 (1745 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.63	0	0.0
	1	80	16.65		0.0
	1	158	**16.66**		0.0
	80	0	**16.73**	0-1	0.0
	80	40	**16.73**	0	0.0
	80	80	16.69	0-1	0.0
	160	0	**16.73**		0.0
DFT-s-OFDM 16QAM	1	1	16.55	0-1	0.0
CP-OFDM QPSK	1	1	16.69	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-135
NR Band N66 Measured P_{Limit} Antenna 1b - 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	349000 (1745 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.59	0	0.0
	1	67	16.65		0.0
	1	131	16.59		0.0
	64	0	16.79	0-1	0.0
	64	35	16.77	0	0.0
	64	69	16.75	0-1	0.0
	128	0	16.73		0.0
DFT-s-OFDM 16QAM	1	1	16.71	0-1	0.0
CP-OFDM QPSK	1	1	16.71	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-136
NR Band N66 Measured P_{Limit} Antenna 1b - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.73	16.73	16.83	0	0.0
	1	53	16.66	16.66	16.76		0.0
	1	104	16.61	16.61	16.71		0.0
	50	0	16.77	16.77	16.87	0-1	0.0
	50	28	16.68	16.68	16.78	0	0.0
	50	56	16.68	16.68	16.78	0-1	0.0
	100	0	16.72	16.72	16.82		0.0
DFT-s-OFDM 16QAM	1	1	16.57	16.57	16.67	0-1	0.0
CP-OFDM QPSK	1	1	16.80	16.80	16.90	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-137
NR Band N66 Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.67	16.69	16.67	0	0.0
	1	40	16.58	16.70	16.58		0.0
	1	77	16.63	16.63	16.63		0.0
	36	0	16.71	16.79	16.71	0-1	0.0
	36	22	16.66	16.74	16.66	0	0.0
	36	43	16.70	16.76	16.70	0-1	0.0
	75	0	16.73	16.80	16.73		0.0
DFT-s-OFDM 16QAM	1	1	16.73	16.63	16.67	0-1	0.0
CP-OFDM QPSK	1	1	16.87	16.81	16.87	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-138
NR Band N66 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.66	16.65	16.65	0	0.0
	1	26	16.64	16.78	16.69		0.0
	1	50	16.61	16.59	16.69		0.0
	25	0	16.71	16.72	16.72	0-1	0.0
	25	14	16.68	16.70	16.70	0	0.0
	25	27	16.68	16.80	16.72	0-1	0.0
	50	0	16.70	16.69	16.67		0.0
DFT-s-OFDM 16QAM	1	1	16.53	16.59	16.54	0-1	0.0
CP-OFDM QPSK	1	1	16.74	16.78	16.76	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-139
NR Band N66 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.62	16.58	16.58	0	0.0
	1	13	16.57	16.63	16.56		0.0
	1	23	16.69	16.58	16.60		0.0
	12	0	16.64	16.66	16.66	0-1	0.0
	12	7	16.63	16.62	16.65	0	0.0
	12	13	16.62	16.74	16.67	0-1	0.0
	25	0	16.66	16.66	16.63		0.0
DFT-s-OFDM 16QAM	1	1	16.59	16.56	16.54	0-1	0.0
CP-OFDM QPSK	1	1	16.71	16.69	16.72	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-140
NR Band N66 Measured P_{Limit} Antenna 2b - 35 MHz Bandwidth

NR Band n66 35 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.52	0	0.0
	1	94	18.71		0.0
	1	186	18.60		0.0
	90	0	18.60	0-1	0.0
	90	49	18.58	0	0.0
	90	98	18.69	0-1	0.0
	180	0	18.65		0.0
DFT-s-OFDM 16QAM	1	1	18.28	0-1	0.0
CP-OFDM QPSK	1	1	18.53	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-141
NR Band N66 Measured P_{Limit} Antenna 2b - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.55	0	0.0
	1	80	18.66		0.0
	1	158	18.78		0.0
	80	0	18.59	0-1	0.0
	80	40	18.63	0	0.0
	80	80	18.72	0-1	0.0
	160	0	18.64		0.0
DFT-s-OFDM 16QAM	1	1	18.37	0-1	0.0
CP-OFDM QPSK	1	1	18.66	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-142
NR Band N66 Measured P_{Limit} Antenna 2b - 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	349000 (1745 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.49	0	0.0
	1	67	18.55		0.0
	1	131	18.52		0.0
	64	0	18.68	0-1	0.0
	64	35	18.61	0	0.0
	64	69	18.66	0-1	0.0
	128	0	18.70		0.0
DFT-s-OFDM 16QAM	1	1	18.21	0-1	0.0
CP-OFDM QPSK	1	1	18.51	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-143
NR Band N66 Measured P_{Limit} Antenna 2b - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.48	18.55	18.63	0	0.0
	1	53	18.50	18.56	18.57		0.0
	1	104	18.61	18.64	18.59		0.0
	50	0	18.58	18.64	18.66	0-1	0.0
	50	28	18.53	18.61	18.63	0	0.0
	50	56	18.57	18.67	18.72	0-1	0.0
	100	0	18.60	18.67	18.69		0.0
DFT-s-OFDM 16QAM	1	1	18.30	18.40	18.46	0-1	0.0
CP-OFDM QPSK	1	1	18.66	18.62	18.80	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-144
NR Band N66 Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.43	18.68	18.64	0	0.0
	1	40	18.53	18.59	18.68		0.0
	1	77	18.50	18.58	18.58		0.0
	36	0	18.54	18.66	18.64	0-1	0.0
	36	22	18.54	18.61	18.71	0	0.0
	36	43	18.56	18.65	18.63	0-1	0.0
	75	0	18.60	18.69	18.76		0.0
DFT-s-OFDM 16QAM	1	1	18.28	18.45	18.37	0-1	0.0
CP-OFDM QPSK	1	1	18.51	18.79	18.68	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-145
NR Band N66 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.53	18.69	18.70	0	0.0
	1	26	18.60	18.63	18.65		0.0
	1	50	18.66	18.72	18.68		0.0
	25	0	18.62	18.71	18.78	0-1	0.0
	25	14	18.67	18.67	18.74	0	0.0
	25	27	18.65	18.75	18.72	0-1	0.0
	50	0	18.72	18.79	18.86		0.0
DFT-s-OFDM 16QAM	1	1	18.36	18.49	18.54	0-1	0.0
CP-OFDM QPSK	1	1	18.55	18.75	18.78	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-146
NR Band N66 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.63	18.63	18.61	0	0.0
	1	13	18.55	18.57	18.68		0.0
	1	23	18.58	18.62	18.65		0.0
	12	0	18.55	18.70	18.70	0-1	0.0
	12	7	18.57	18.63	18.69	0	0.0
	12	13	18.59	18.68	18.69	0-1	0.0
	25	0	18.62	18.68	18.71		0.0
DFT-s-OFDM 16QAM	1	1	18.34	18.48	18.46	0-1	0.0
CP-OFDM QPSK	1	1	18.59	18.70	18.73	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-147
NR Band N66 Measured P_{Limit} Antenna 3a - 35 MHz Bandwidth

NR Band n66 35 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.71	0	0.0
	1	94	20.97		0.0
	1	186	20.82		0.0
	90	0	20.93	0-1	0.0
	90	49	20.94	0	0.0
	90	98	20.90	0-1	0.0
	180	0	21.02		0.0
DFT-s-OFDM 16QAM	1	1	20.54	0-1	0.0
CP-OFDM QPSK	1	1	20.81	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-148
NR Band N66 Measured P_{Limit} Antenna 3a - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.94	0	0.0
	1	80	20.84		0.0
	1	158	20.93		0.0
	80	0	20.93	0-1	0.0
	80	40	20.98	0	0.0
	80	80	20.93	0-1	0.0
	160	0	21.01		0.0
DFT-s-OFDM 16QAM	1	1	20.75	0-1	0.0
CP-OFDM QPSK	1	1	20.85	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-149
NR Band N66 Measured P_{Limit} Antenna 3a - 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	349000 (1745 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.63	0	0.0
	1	67	20.85		0.0
	1	131	20.84		0.0
	64	0	20.99	0-1	0.0
	64	35	20.93	0	0.0
	64	69	20.92	0-1	0.0
	128	0	20.99		0.0
DFT-s-OFDM 16QAM	1	1	20.48	0-1	0.0
CP-OFDM QPSK	1	1	20.75	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-150
NR Band N66 Measured P_{Limit} Antenna 3a - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.92	21.01	21.01	0	0.0
	1	53	20.82	20.91	20.79		0.0
	1	104	20.89	20.88	20.81		0.0
	50	0	20.95	21.02	20.85	0-1	0.0
	50	28	20.82	20.92	20.76	0	0.0
	50	56	20.91	20.91	20.76	0-1	0.0
	100	0	20.94	21.02	20.93		0.0
DFT-s-OFDM 16QAM	1	1	20.69	20.77	20.79	0-1	0.0
CP-OFDM QPSK	1	1	20.91	20.88	21.03	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-151
NR Band N66 Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.88	21.01	20.88	0	0.0
	1	40	20.84	20.89	20.73		0.0
	1	77	20.88	20.74	20.75		0.0
	36	0	20.95	21.02	20.83	0-1	0.0
	36	22	20.89	20.98	20.84	0	0.0
	36	43	20.91	20.96	20.81	0-1	0.0
	75	0	20.91	21.02	20.86		0.0
DFT-s-OFDM 16QAM	1	1	20.71	20.67	20.76	0-1	0.0
CP-OFDM QPSK	1	1	20.87	21.04	20.88	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-152
NR Band N66 Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.93	21.01	20.80	0	0.0
	1	26	20.88	20.97	20.60		0.0
	1	50	20.92	20.91	20.62		0.0
	25	0	20.98	21.07	20.90	0-1	0.0
	25	14	20.95	21.03	20.85	0	0.0
	25	27	20.95	21.05	20.85	0-1	0.0
	50	0	21.01	21.13	20.95		0.0
DFT-s-OFDM 16QAM	1	1	20.67	20.64	20.65	0-1	0.0
CP-OFDM QPSK	1	1	20.96	21.07	20.92	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-153
NR Band N66 Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.92	20.95	20.72	0	0.0
	1	13	20.85	20.93	20.84		0.0
	1	23	20.81	20.88	20.74		0.0
	12	0	20.95	21.05	20.83	0-1	0.0
	12	7	20.95	21.02	20.79	0	0.0
	12	13	20.99	21.01	20.81	0-1	0.0
	25	0	21.01	21.03	20.85		0.0
DFT-s-OFDM 16QAM	1	1	20.55	20.71	20.45	0-1	0.0
CP-OFDM QPSK	1	1	20.87	20.88	20.70	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-154
NR Band N66 Measured P_{Limit} Antenna 4 - 35 MHz Bandwidth

NR Band n66 35 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.37	0	0.0
	1	94	14.49		0.0
	1	186	14.42		0.0
	90	0	14.70	0-1	0.0
	90	49	14.57	0	0.0
	90	98	14.52	0-1	0.0
	180	0	14.63		0.0
DFT-s-OFDM 16QAM	1	1	14.18	0-1	0.0
CP-OFDM QPSK	1	1	14.43	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-155
NR Band N66 Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.53	0	0.0
	1	80	14.51		0.0
	1	158	14.54		0.0
	80	0	14.69	0-1	0.0
	80	40	14.60	0	0.0
	80	80	14.55	0-1	0.0
	160	0	14.61		0.0
DFT-s-OFDM 16QAM	1	1	14.37	0-1	0.0
CP-OFDM QPSK	1	1	14.71	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-156
NR Band N66 Measured P_{Limit} Antenna 4 - 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	349000 (1745 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.46	0	0.0
	1	67	14.46		0.0
	1	131	14.41		0.0
	64	0	14.61	0-1	0.0
	64	35	14.61	0	0.0
	64	69	14.56	0-1	0.0
	128	0	14.68		0.0
DFT-s-OFDM 16QAM	1	1	14.28	0-1	0.0
CP-OFDM QPSK	1	1	14.52	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-157
NR Band N66 Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	14.51	14.66	14.47	0	0.0
	1	53	14.37	14.48	14.43		0.0
	1	104	14.52	14.48	14.39		0.0
	50	0	14.54	14.61	14.49	0-1	0.0
	50	28	14.50	14.56	14.44	0	0.0
	50	56	14.56	14.53	14.40	0-1	0.0
	100	0	14.55	14.62	14.55		0.0
DFT-s-OFDM 16QAM	1	1	14.39	14.37	14.35	0-1	0.0
CP-OFDM QPSK	1	1	14.63	14.71	14.65	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-158
NR Band N66 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	14.53	14.59	14.49	0	0.0
	1	40	14.39	14.49	14.32		0.0
	1	77	14.48	14.49	14.52		0.0
	36	0	14.60	14.61	14.48	0-1	0.0
	36	22	14.48	14.55	14.39	0	0.0
	36	43	14.47	14.56	14.46	0-1	0.0
	75	0	14.52	14.60	14.44		0.0
DFT-s-OFDM 16QAM	1	1	14.38	14.35	14.23	0-1	0.0
CP-OFDM QPSK	1	1	14.58	14.57	14.47	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-159
NR Band N66 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	14.49	14.59	14.46	0	0.0
	1	26	14.43	14.57	14.39		0.0
	1	50	14.47	14.57	14.49		0.0
	25	0	14.63	14.68	14.49	0-1	0.0
	25	14	14.55	14.61	14.44	0	0.0
	25	27	14.53	14.62	14.53	0-1	0.0
	50	0	14.62	14.65	14.51		0.0
DFT-s-OFDM 16QAM	1	1	14.36	14.45	14.23	0-1	0.0
CP-OFDM QPSK	1	1	14.65	14.76	14.54	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-160
NR Band N66 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	14.61	14.58	14.47	0	0.0
	1	13	14.51	14.61	14.43		0.0
	1	23	14.56	14.54	14.38		0.0
	12	0	14.60	14.63	14.50	0-1	0.0
	12	7	14.60	14.58	14.51	0	0.0
	12	13	14.61	14.60	14.47	0-1	0.0
	25	0	14.61	14.64	14.52		0.0
DFT-s-OFDM 16QAM	1	1	14.45	14.32	14.27	0-1	0.0
CP-OFDM QPSK	1	1	14.65	14.63	14.46	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.2.7 NR Band N25

Table G-161
NR Band N25 Measured P_{Limit} Antenna 1b - 35 MHz Bandwidth

NR Band n25 35 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	376500 (1882.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.44	0	0.0
	1	94	16.37		0.0
	1	186	16.10		0.0
	90	0	16.50	0-1	0.0
	90	49	16.47	0	0.0
	90	98	16.40	0-1	0.0
	180	0	16.53		0.0
DFT-s-OFDM 16QAM	1	1	16.24	0-1	0.0
CP-OFDM QPSK	1	1	16.59	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-162
NR Band N25 Measured P_{Limit} Antenna 1b - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	376500 (1882.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.48	0	0.0
	1	80	16.54		0.0
	1	158	16.44		0.0
	80	0	16.52	0-1	0.0
	80	40	16.50	0	0.0
	80	80	16.39	0-1	0.0
	160	0	16.52		0.0
DFT-s-OFDM 16QAM	1	1	16.33	0-1	0.0
CP-OFDM QPSK	1	1	16.57	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-163
NR Band N25 Measured P_{Limit} Antenna 1b - 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	376500 (1882.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.41	0	0.0
	1	67	16.38		0.0
	1	131	16.25		0.0
	64	0	16.57	0-1	0.0
	64	35	16.56	0	0.0
	64	69	16.48	0-1	0.0
	128	0	16.61		0.0
DFT-s-OFDM 16QAM	1	1	16.17	0-1	0.0
CP-OFDM QPSK	1	1	16.43	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-164
NR Band N25 Measured P_{Limit} Antenna 1b - 20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.55	16.55	16.34	0	0.0
	1	53	16.59	16.52	16.40		0.0
	1	104	16.50	16.44	16.36		0.0
	50	0	16.72	16.56	16.34	0-1	0.0
	50	28	16.59	16.54	16.30	0	0.0
	50	56	16.59	16.48	16.36	0-1	0.0
	100	0	16.66	16.56	16.38		0.0
DFT-s-OFDM 16QAM	1	1	16.42	16.35	16.14	0-1	0.0
CP-OFDM QPSK	1	1	16.65	16.53	16.36	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-165
NR Band N25 Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.59	16.48	16.29	0	0.0
	1	40	16.55	16.53	16.29		0.0
	1	77	16.60	16.45	16.35		0.0
	36	0	16.62	16.54	16.36	0-1	0.0
	36	22	16.66	16.54	16.34	0	0.0
	36	43	16.60	16.48	16.41	0-1	0.0
	75	0	16.71	16.56	16.38		0.0
DFT-s-OFDM 16QAM	1	1	16.40	16.35	16.12	0-1	0.0
CP-OFDM QPSK	1	1	16.60	16.50	16.31	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-166
NR Band N25 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.60	16.62	16.40	0	0.0
	1	26	16.74	16.60	16.30		0.0
	1	50	16.59	16.54	16.40		0.0
	25	0	16.70	16.63	16.40	0-1	0.0
	25	14	16.74	16.57	16.39	0	0.0
	25	27	16.74	16.53	16.48	0-1	0.0
	50	0	16.82	16.67	16.46		0.0
DFT-s-OFDM 16QAM	1	1	16.51	16.38	16.13	0-1	0.0
CP-OFDM QPSK	1	1	16.62	16.64	16.26	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-167
NR Band N25 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.59	16.56	16.21	0	0.0
	1	13	16.61	16.56	16.35		0.0
	1	23	16.66	16.54	16.29		0.0
	12	0	16.70	16.57	16.37	0-1	0.0
	12	7	16.65	16.54	16.29	0	0.0
	12	13	16.70	16.55	16.34	0-1	0.0
	25	0	16.71	16.60	16.36		0.0
DFT-s-OFDM 16QAM	1	1	16.47	16.29	16.01	0-1	0.0
CP-OFDM QPSK	1	1	16.66	16.47	16.25	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-168
NR Band N25 Measured P_{Limit} Antenna 2b - 35 MHz Bandwidth

NR Band n25 35 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.30	0	0.0
	1	94	19.25		0.0
	1	186	19.02		0.0
	90	0	19.47	0-1	0.0
	90	49	19.28	0	0.0
	90	98	19.28	0-1	0.0
	180	0	19.36		0.0
DFT-s-OFDM 16QAM	1	1	19.14	0-1	0.0
CP-OFDM QPSK	1	1	19.27	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-169
NR Band N25 Measured P_{Limit} Antenna 2b - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	376500 (1882.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.44	0	0.0
	1	80	19.24		0.0
	1	158	19.20		0.0
	80	0	19.48	0-1	0.0
	80	40	19.34	0	0.0
	80	80	19.30	0-1	0.0
	160	0	19.38		0.0
DFT-s-OFDM 16QAM	1	1	19.28	0-1	0.0
CP-OFDM QPSK	1	1	19.51	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-170
NR Band N25 Measured P_{Limit} Antenna 2b - 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	376500 (1882.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.33	0	0.0
	1	67	19.25		0.0
	1	131	19.02		0.0
	64	0	19.40	0-1	0.0
	64	35	19.31	0	0.0
	64	69	19.36	0-1	0.0
	128	0	19.37		0.0
DFT-s-OFDM 16QAM	1	1	19.12	0-1	0.0
CP-OFDM QPSK	1	1	19.37	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-171
NR Band N25 Measured P_{Limit} Antenna 2b - 20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.31	19.42	19.35	0	0.0
	1	53	19.28	19.22	19.04		0.0
	1	104	19.43	19.17	19.05		0.0
	50	0	19.43	19.40	19.18	0-1	0.0
	50	28	19.34	19.28	19.13	0	0.0
	50	56	19.42	19.34	19.12	0-1	0.0
	100	0	19.41	19.36	19.19		0.0
DFT-s-OFDM 16QAM	1	1	19.15	19.26	19.02	0-1	0.0
CP-OFDM QPSK	1	1	19.43	19.49	19.20	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-172
NR Band N25 Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.34	19.43	19.24	0	0.0
	1	40	19.28	19.28	18.91		0.0
	1	77	19.38	19.22	19.05		0.0
	36	0	19.39	19.39	19.17	0-1	0.0
	36	22	19.39	19.28	19.12	0	0.0
	36	43	19.39	19.36	19.12	0-1	0.0
	75	0	19.40	19.31	19.18		0.0
DFT-s-OFDM 16QAM	1	1	19.21	19.27	18.93	0-1	0.0
CP-OFDM QPSK	1	1	19.50	19.55	19.18	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-173
NR Band N25 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.40	19.36	19.07	0	0.0
	1	26	19.39	19.26	18.93		0.0
	1	50	19.37	19.25	19.10		0.0
	25	0	19.46	19.45	19.20	0-1	0.0
	25	14	19.43	19.34	19.14	0	0.0
	25	27	19.44	19.41	19.16	0-1	0.0
	50	0	19.54	19.44	19.21		0.0
DFT-s-OFDM 16QAM	1	1	19.20	19.18	18.97	0-1	0.0
CP-OFDM QPSK	1	1	19.43	19.41	19.20	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-174
NR Band N25 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.35	19.30	18.99	0	0.0
	1	13	19.32	19.28	18.95		0.0
	1	23	19.39	19.27	19.11		0.0
	12	0	19.45	19.35	19.09	0-1	0.0
	12	7	19.44	19.37	19.02	0	0.0
	12	13	19.45	19.34	19.14	0-1	0.0
	25	0	19.47	19.36	19.12		0.0
DFT-s-OFDM 16QAM	1	1	19.17	19.11	18.79	0-1	0.0
CP-OFDM QPSK	1	1	19.41	19.33	19.19	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-175
NR Band N25 Measured P_{Limit} Antenna 3a - 35 MHz Bandwidth

NR Band n25 35 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.19	0	0.0
	1	94	20.17		0.0
	1	186	19.94		0.0
	90	0	20.30	0-1	0.0
	90	49	20.17	0	0.0
	90	98	20.07	0-1	0.0
	180	0	20.31		0.0
DFT-s-OFDM 16QAM	1	1	20.04	0-1	0.0
CP-OFDM QPSK	1	1	20.22	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-176
NR Band N25 Measured P_{Limit} Antenna 3a - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	376500 (1882.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.24	0	0.0
	1	80	20.25		0.0
	1	158	19.95		0.0
	80	0	20.30	0-1	0.0
	80	40	20.23	0	0.0
	80	80	20.05	0-1	0.0
	160	0	20.26		0.0
DFT-s-OFDM 16QAM	1	1	20.07	0-1	0.0
CP-OFDM QPSK	1	1	20.28	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-177
NR Band N25 Measured P_{Limit} Antenna 3a - 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	376500 (1882.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.06	0	0.0
	1	67	20.12		0.0
	1	131	19.87		0.0
	64	0	20.31	0-1	0.0
	64	35	20.20	0	0.0
	64	69	20.12	0-1	0.0
	128	0	20.35		0.0
DFT-s-OFDM 16QAM	1	1	19.94	0-1	0.0
CP-OFDM QPSK	1	1	20.15	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-178
NR Band N25 Measured P_{Limit} Antenna 3a - 20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.25	20.27	19.98	0	0.0
	1	53	20.32	20.11	19.94		0.0
	1	104	20.27	20.02	19.93		0.0
	50	0	20.41	20.28	20.01	0-1	0.0
	50	28	20.41	20.17	20.06	0	0.0
	50	56	20.36	20.11	20.03	0-1	0.0
	100	0	20.49	20.32	20.08		0.0
DFT-s-OFDM 16QAM	1	1	20.11	20.07	19.78	0-1	0.0
CP-OFDM QPSK	1	1	20.39	20.25	19.95	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-179
NR Band N25 Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.27	20.22	19.94	0	0.0
	1	40	20.30	20.06	19.85		0.0
	1	77	20.26	19.96	19.93		0.0
	36	0	20.29	20.28	20.04	0-1	0.0
	36	22	20.32	20.18	20.01	0	0.0
	36	43	20.41	20.15	20.03	0-1	0.0
	75	0	20.37	20.27	20.03		0.0
DFT-s-OFDM 16QAM	1	1	20.10	20.08	19.76	0-1	0.0
CP-OFDM QPSK	1	1	20.25	20.33	19.96	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-180
NR Band N25 Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.29	20.19	19.96	0	0.0
	1	26	20.36	20.15	19.92		0.0
	1	50	20.38	20.03	19.96		0.0
	25	0	20.35	20.32	20.04	0-1	0.0
	25	14	20.39	20.20	19.99	0	0.0
	25	27	20.42	20.16	20.03	0-1	0.0
	50	0	20.44	20.33	20.08		0.0
DFT-s-OFDM 16QAM	1	1	20.19	20.05	19.80	0-1	0.0
CP-OFDM QPSK	1	1	20.32	20.23	19.90	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-181
NR Band N25 Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.28	20.21	19.88	0	0.0
	1	13	20.26	20.12	19.84		0.0
	1	23	20.32	20.19	19.95		0.0
	12	0	20.37	20.30	19.98	0-1	0.0
	12	7	20.31	20.17	19.95	0	0.0
	12	13	20.34	20.21	19.95	0-1	0.0
	25	0	20.36	20.23	20.01		0.0
DFT-s-OFDM 16QAM	1	1	20.12	20.04	19.72	0-1	0.0
CP-OFDM QPSK	1	1	20.34	20.40	19.93	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-182
NR Band N25 Measured P_{Limit} Antenna 4 - 35 MHz Bandwidth

NR Band n25 35 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	376500 (1882.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.04	0	0.0
	1	94	14.03		0.0
	1	186	13.83		0.0
	90	0	14.09	0-1	0.0
	90	49	14.01	0	0.0
	90	98	13.97	0-1	0.0
	180	0	14.08		0.0
DFT-s-OFDM 16QAM	1	1	13.83	0-1	0.0
CP-OFDM QPSK	1	1	14.25	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-183
NR Band N25 Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	376500 (1882.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.26	0	0.0
	1	80	13.97		0.0
	1	158	13.98		0.0
	80	0	14.08	0-1	0.0
	80	40	14.03	0	0.0
	80	80	13.94	0-1	0.0
	160	0	14.05		0.0
DFT-s-OFDM 16QAM	1	1	14.00	0-1	0.0
CP-OFDM QPSK	1	1	14.21	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-184
NR Band N25 Measured P_{Limit} Antenna 4 - 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	376500 (1882.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.04	0	0.0
	1	67	13.91		0.0
	1	131	13.84		0.0
	64	0	14.06	0-1	0.0
	64	35	14.02	0	0.0
	64	69	14.01	0-1	0.0
	128	0	14.13		0.0
DFT-s-OFDM 16QAM	1	1	13.80	0-1	0.0
CP-OFDM QPSK	1	1	13.99	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-185
NR Band N25 Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	14.15	13.96	13.84	0	0.0
	1	53	14.03	13.95	13.74		0.0
	1	104	14.08	13.84	13.74		0.0
	50	0	14.12	14.05	13.89	0-1	0.0
	50	28	14.11	14.02	13.79	0	0.0
	50	56	14.19	14.02	13.83	0-1	0.0
	100	0	14.17	14.08	13.86		0.0
DFT-s-OFDM 16QAM	1	1	13.93	13.81	13.62	0-1	0.0
CP-OFDM QPSK	1	1	14.23	13.99	13.87	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-186
NR Band N25 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	14.14	14.06	13.86	0	0.0
	1	40	14.03	13.94	13.82		0.0
	1	77	14.07	13.90	13.80		0.0
	36	0	14.15	14.04	13.79	0-1	0.0
	36	22	14.11	14.02	13.82	0	0.0
	36	43	14.12	14.02	13.92	0-1	0.0
	75	0	14.15	14.04	13.86		0.0
DFT-s-OFDM 16QAM	1	1	13.97	13.80	13.64	0-1	0.0
CP-OFDM QPSK	1	1	14.28	14.03	13.89	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-187
NR Band N25 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	14.22	14.08	13.86	0	0.0
	1	26	14.09	14.06	13.85		0.0
	1	50	14.11	14.04	13.87		0.0
	25	0	14.20	14.12	13.90	0-1	0.0
	25	14	14.16	14.07	13.88	0	0.0
	25	27	14.21	14.09	13.96	0-1	0.0
	50	0	14.24	14.13	13.93		0.0
DFT-s-OFDM 16QAM	1	1	13.99	13.91	13.58	0-1	0.0
CP-OFDM QPSK	1	1	14.42	14.15	13.90	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-188
NR Band N25 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	14.16	14.00	13.80	0	0.0
	1	13	14.15	14.11	13.81		0.0
	1	23	14.15	14.05	13.90		0.0
	12	0	14.19	14.09	13.90	0-1	0.0
	12	7	14.17	14.05	13.91	0	0.0
	12	13	14.22	14.06	13.93	0-1	0.0
	25	0	14.26	14.11	13.96		0.0
DFT-s-OFDM 16QAM	1	1	13.94	13.70	13.60	0-1	0.0
CP-OFDM QPSK	1	1	14.27	14.07	13.90	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.2.8 NR Band N30

Table G-189
NR Band N30 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	462000 (2310 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.52	0	0.0
	1	13	19.46		0.0
	1	23	19.67		0.0
	12	0	19.55	0-1	0.0
	12	7	19.53	0	0.0
	12	13	19.51	0-1	0.0
	25	0	19.50		0.0
DFT-s-OFDM 16QAM	1	1	19.35	0-1	0.0
CP-OFDM QPSK	1	1	19.60	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-190
NR Band N30 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	462000 (2310 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.68	0	0.0
	1	13	20.61		0.0
	1	23	20.58		0.0
	12	0	20.75	0-1	0.0
	12	7	20.66	0	0.0
	12	13	20.69	0-1	0.0
	25	0	20.66		0.0
DFT-s-OFDM 16QAM	1	1	20.40	0-1	0.0
CP-OFDM QPSK	1	1	20.30	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-191
NR Band N30 Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	462000 (2310 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.73	0	0.0
	1	13	18.75		0.0
	1	23	18.81		0.0
	12	0	18.87	0-1	0.0
	12	7	18.82	0	0.0
	12	13	18.85	0-1	0.0
	25	0	18.83		0.0
DFT-s-OFDM 16QAM	1	1	18.61	0-1	0.0
CP-OFDM QPSK	1	1	18.76	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-192
NR Band N30 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	462000 (2310 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.68	0	0.0
	1	13	18.70		0.0
	1	23	18.69		0.0
	12	0	18.77	0-1	0.0
	12	7	18.77	0	0.0
	12	13	18.77	0-1	0.0
	25	0	18.76		0.0
DFT-s-OFDM 16QAM	1	1	18.55	0-1	0.0
CP-OFDM QPSK	1	1	18.73	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.2.9 NR Band N7

Table G-193
NR Band N7 Measured P_{Limit} Antenna 1b - 35 MHz Bandwidth

NR Band n7 35 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.03	0	0.0
	1	94	20.19		0.0
	1	186	20.12		0.0
	90	0	20.18	0-1	0.0
	90	49	20.10	0	0.0
	90	98	20.20	0-1	0.0
	180	0	20.17		0.0
DFT-s-OFDM 16QAM	1	1	19.89	0-1	0.0
CP-OFDM QPSK	1	1	20.22	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-194
NR Band N7 Measured P_{Limit} Antenna 1b - 30 MHz Bandwidth

NR Band n7 30 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.32	0	0.0
	1	80	20.02		0.0
	1	158	20.14		0.0
	80	0	20.21	0-1	0.0
	80	40	20.09	0	0.0
	80	80	20.23	0-1	0.0
	160	0	20.17		0.0
DFT-s-OFDM 16QAM	1	1	20.04	0-1	0.0
CP-OFDM QPSK	1	1	20.41	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-195
NR Band N7 Measured P_{Limit} Antenna 1b - 25 MHz Bandwidth

NR Band n7 25 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507000 (2535 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.00	0	0.0
	1	67	20.03		0.0
	1	131	20.00		0.0
	64	0	20.22	0-1	0.0
	64	35	20.10	0	0.0
	64	69	20.13	0-1	0.0
	128	0	20.19		0.0
DFT-s-OFDM 16QAM	1	1	19.79	0-1	0.0
CP-OFDM QPSK	1	1	20.16	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-196
NR Band N7 Measured P_{Limit} Antenna 1b - 20 MHz Bandwidth

NR Band n7 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.99	20.04	20.10	0	0.0
	1	53	20.06	19.97	20.12		0.0
	1	104	20.14	20.11	20.18		0.0
	50	0	20.10	20.18	20.17	0-1	0.0
	50	28	20.07	20.03	20.16	0	0.0
	50	56	20.11	20.07	20.18	0-1	0.0
	100	0	20.15	20.09	20.22		0.0
DFT-s-OFDM 16QAM	1	1	19.94	19.97	19.91	0-1	0.0
CP-OFDM QPSK	1	1	20.24	20.12	20.25	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-197
NR Band N7 Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.10	20.20	20.18	0	0.0
	1	40	20.11	19.97	20.05		0.0
	1	77	20.23	20.04	20.34		0.0
	36	0	20.09	20.09	20.13	0-1	0.0
	36	22	20.09	20.01	20.06	0	0.0
	36	43	20.10	20.06	20.23	0-1	0.0
	75	0	20.17	20.08	20.18		0.0
DFT-s-OFDM 16QAM	1	1	19.92	19.91	19.94	0-1	0.0
CP-OFDM QPSK	1	1	20.07	20.28	20.32	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-198
NR Band N7 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.13	20.15	20.19	0	0.0
	1	26	20.10	20.07	20.07		0.0
	1	50	20.17	20.10	20.25		0.0
	25	0	20.16	20.20	20.22	0-1	0.0
	25	14	20.18	20.11	20.22	0	0.0
	25	27	20.19	20.13	20.34	0-1	0.0
	50	0	20.24	20.17	20.30		0.0
DFT-s-OFDM 16QAM	1	1	19.87	19.98	20.10	0-1	0.0
CP-OFDM QPSK	1	1	20.13	20.29	20.37	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-199
NR Band N7 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

NR Band n7 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.08	20.04	20.22	0	0.0
	1	13	20.05	19.97	20.22		0.0
	1	23	20.03	20.03	20.25		0.0
	12	0	20.03	20.05	20.24	0-1	0.0
	12	7	20.04	20.00	20.10	0	0.0
	12	13	20.05	20.04	20.13	0-1	0.0
	25	0	20.08	20.13	20.33		0.0
DFT-s-OFDM 16QAM	1	1	19.88	20.00	20.11	0-1	0.0
CP-OFDM QPSK	1	1	20.20	20.14	20.23	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-200
NR Band N7 Measured P_{Limit} Antenna 2b - 35 MHz Bandwidth

NR Band n7 35 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.86	0	0.0
	1	94	18.87		0.0
	1	186	18.88		0.0
	90	0	18.94	0-1	0.0
	90	49	18.86	0	0.0
	90	98	18.81	0-1	0.0
	180	0	18.95		0.0
DFT-s-OFDM 16QAM	1	1	18.61	0-1	0.0
CP-OFDM QPSK	1	1	19.01	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-201
NR Band N7 Measured P_{Limit} Antenna 2b - 30 MHz Bandwidth

NR Band n7 30 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507000 (2535 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.87	0	0.0
	1	80	18.79		0.0
	1	158	18.81		0.0
	80	0	18.93	0-1	0.0
	80	40	18.89	0	0.0
	80	80	18.81	0-1	0.0
	160	0	18.92		0.0
DFT-s-OFDM 16QAM	1	1	18.72	0-1	0.0
CP-OFDM QPSK	1	1	19.05	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-202
NR Band N7 Measured P_{Limit} Antenna 2b - 25 MHz Bandwidth

NR Band n7 25 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507000 (2535 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.69	0	0.0
	1	67	18.78		0.0
	1	131	18.72		0.0
	64	0	18.85	0-1	0.0
	64	35	18.87	0	0.0
	64	69	18.81	0-1	0.0
	128	0	18.97		0.0
DFT-s-OFDM 16QAM	1	1	18.51	0-1	0.0
CP-OFDM QPSK	1	1	18.78	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-203
NR Band N7 Measured P_{Limit} Antenna 2b - 20 MHz Bandwidth

NR Band n7 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.82	18.87	18.83	0	0.0
	1	53	18.80	18.77	18.82		0.0
	1	104	18.81	18.79	18.78		0.0
	50	0	18.96	18.89	18.86	0-1	0.0
	50	28	18.86	18.84	18.87	0	0.0
	50	56	18.96	18.83	18.80	0-1	0.0
	100	0	18.93	18.92	18.95		0.0
DFT-s-OFDM 16QAM	1	1	18.63	18.70	18.63	0-1	0.0
CP-OFDM QPSK	1	1	18.81	18.96	18.85	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-204
NR Band N7 Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.82	18.83	18.85	0	0.0
	1	40	18.93	18.79	18.76		0.0
	1	77	19.09	18.80	18.87		0.0
	36	0	18.88	18.86	18.91	0-1	0.0
	36	22	18.93	18.85	18.81	0	0.0
	36	43	18.89	18.82	18.91	0-1	0.0
	75	0	18.96	18.91	18.84		0.0
DFT-s-OFDM 16QAM	1	1	18.63	18.66	18.66	0-1	0.0
CP-OFDM QPSK	1	1	18.86	18.83	18.98	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-205
NR Band N7 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.95	18.89	18.81	0	0.0
	1	26	18.95	18.89	18.86		0.0
	1	50	18.98	18.85	18.86		0.0
	25	0	19.04	18.96	18.92	0-1	0.0
	25	14	19.06	18.87	18.91	0	0.0
	25	27	19.09	18.91	19.00	0-1	0.0
	50	0	19.14	19.03	18.93		0.0
DFT-s-OFDM 16QAM	1	1	18.72	18.76	18.72	0-1	0.0
CP-OFDM QPSK	1	1	19.11	18.89	18.98	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-206
NR Band N7 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

NR Band n7 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.92	18.96	18.79	0	0.0
	1	13	18.97	18.87	18.92		0.0
	1	23	19.05	18.86	18.92		0.0
	12	0	18.78	18.89	18.93	0-1	0.0
	12	7	18.94	18.76	18.94	0	0.0
	12	13	18.83	18.83	18.88	0-1	0.0
	25	0	18.96	18.90	18.93		0.0
DFT-s-OFDM 16QAM	1	1	18.67	18.67	18.73	0-1	0.0
CP-OFDM QPSK	1	1	18.94	18.99	18.98	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-207
NR Band N7 Measured P_{Limit} Antenna 3a - 35 MHz Bandwidth

NR Band n7 35 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.85	0	0.0
	1	94	17.93		0.0
	1	186	17.90		0.0
	90	0	17.91	0-1	0.0
	90	49	17.92	0	0.0
	90	98	17.80	0-1	0.0
	180	0	18.03		0.0
DFT-s-OFDM 16QAM	1	1	17.68	0-1	0.0
CP-OFDM QPSK	1	1	17.89	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-208
NR Band N7 Measured P_{Limit} Antenna 3a - 30 MHz Bandwidth

NR Band n7 30 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.88	0	0.0
	1	80	17.91		0.0
	1	158	17.92		0.0
	80	0	17.97	0-1	0.0
	80	40	17.99	0	0.0
	80	80	17.97	0-1	0.0
	160	0	18.00		0.0
DFT-s-OFDM 16QAM	1	1	17.70	0-1	0.0
CP-OFDM QPSK	1	1	17.90	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-209
NR Band N7 Measured P_{Limit} Antenna 3a - 25 MHz Bandwidth

NR Band n7 25 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507000 (2535 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.83	0	0.0
	1	67	17.90		0.0
	1	131	17.88		0.0
	64	0	17.90	0-1	0.0
	64	35	17.98	0	0.0
	64	69	17.94	0-1	0.0
	128	0	17.88		0.0
DFT-s-OFDM 16QAM	1	1	17.67	0-1	0.0
CP-OFDM QPSK	1	1	17.78	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-210
NR Band N7 Measured P_{Limit} Antenna 3a - 20 MHz Bandwidth

NR Band n7 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.79	17.88	17.91	0	0.0
	1	53	17.79	17.86	17.89		0.0
	1	104	17.86	17.98	17.84		0.0
	50	0	17.87	17.90	17.92	0-1	0.0
	50	28	17.83	17.93	17.93	0	0.0
	50	56	17.85	17.93	17.95	0-1	0.0
	100	0	17.89	17.98	17.98		0.0
DFT-s-OFDM 16QAM	1	1	17.66	17.67	17.71	0-1	0.0
CP-OFDM QPSK	1	1	17.60	17.75	17.78	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-211
NR Band N7 Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.74	17.79	17.89	0	0.0
	1	40	17.80	17.90	17.92		0.0
	1	77	17.82	17.88	17.86		0.0
	36	0	17.82	17.92	17.99	0-1	0.0
	36	22	17.85	17.97	17.99	0	0.0
	36	43	17.87	17.93	17.88	0-1	0.0
	75	0	17.86	17.99	18.02		0.0
DFT-s-OFDM 16QAM	1	1	17.56	17.68	17.67	0-1	0.0
CP-OFDM QPSK	1	1	17.83	17.84	17.93	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-212
NR Band N7 Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.82	17.91	17.96	0	0.0
	1	26	17.78	17.92	17.94		0.0
	1	50	17.90	17.92	17.88		0.0
	25	0	17.84	17.94	18.06	0-1	0.0
	25	14	17.84	17.98	17.99	0	0.0
	25	27	17.91	17.95	17.94	0-1	0.0
	50	0	17.72	17.86	17.86		0.0
DFT-s-OFDM 16QAM	1	1	17.68	17.70	17.76	0-1	0.0
CP-OFDM QPSK	1	1	17.71	17.76	17.79	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-213
NR Band N7 Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

NR Band n7 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.82	17.88	17.87	0	0.0
	1	13	17.58	17.80	17.62		0.0
	1	23	17.84	17.98	17.86		0.0
	12	0	17.80	17.90	17.84	0-1	0.0
	12	7	17.60	17.87	17.77	0	0.0
	12	13	17.81	17.90	17.84	0-1	0.0
	25	0	17.79	17.98	17.90		0.0
DFT-s-OFDM 16QAM	1	1	17.63	17.73	17.71	0-1	0.0
CP-OFDM QPSK	1	1	17.65	17.85	17.78	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-214
NR Band N7 Measured P_{Limit} Antenna 4 - 35 MHz Bandwidth

NR Band n7 35 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.17	0	0.0
	1	94	17.19		0.0
	1	186	17.23		0.0
	90	0	17.35	0-1	0.0
	90	49	17.26	0	0.0
	90	98	17.26	0-1	0.0
	180	0	17.32		0.0
DFT-s-OFDM 16QAM	1	1	16.99	0-1	0.0
CP-OFDM QPSK	1	1	17.39	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-215
NR Band N7 Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth

NR Band n7 30 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.24	0	0.0
	1	80	17.33		0.0
	1	158	17.34		0.0
	80	0	17.36	0-1	0.0
	80	40	17.28	0	0.0
	80	80	17.30	0-1	0.0
	160	0	17.33		0.0
DFT-s-OFDM 16QAM	1	1	17.14	0-1	0.0
CP-OFDM QPSK	1	1	17.33	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-216
NR Band N7 Measured P_{Limit} Antenna 4 - 25 MHz Bandwidth

NR Band n7 25 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507000 (2535 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.12	0	0.0
	1	67	17.20		0.0
	1	131	17.16		0.0
	64	0	17.28	0-1	0.0
	64	35	17.26	0	0.0
	64	69	17.27	0-1	0.0
	128	0	17.37		0.0
DFT-s-OFDM 16QAM	1	1	16.88	0-1	0.0
CP-OFDM QPSK	1	1	17.15	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-217
NR Band N7 Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth

NR Band n7 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.40	17.27	17.36	0	0.0
	1	53	17.30	17.19	17.18		0.0
	1	104	17.24	17.30	17.35		0.0
	50	0	17.39	17.27	17.29	0-1	0.0
	50	28	17.36	17.26	17.29	0	0.0
	50	56	17.29	17.23	17.38	0-1	0.0
	100	0	17.42	17.32	17.36		0.0
DFT-s-OFDM 16QAM	1	1	17.15	17.12	17.09	0-1	0.0
CP-OFDM QPSK	1	1	17.35	17.41	17.34	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-218
NR Band N7 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.37	17.23	17.28	0	0.0
	1	40	17.31	17.20	17.27		0.0
	1	77	17.30	17.22	17.32		0.0
	36	0	17.39	17.26	17.32	0-1	0.0
	36	22	17.33	17.25	17.34	0	0.0
	36	43	17.36	17.27	17.42	0-1	0.0
	75	0	17.38	17.29	17.36		0.0
DFT-s-OFDM 16QAM	1	1	17.13	16.91	17.05	0-1	0.0
CP-OFDM QPSK	1	1	17.41	17.30	17.25	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-219
NR Band N7 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.46	17.29	17.27	0	0.0
	1	26	17.34	17.26	17.51		0.0
	1	50	17.37	17.28	17.44		0.0
	25	0	17.39	17.33	17.39	0-1	0.0
	25	14	17.39	17.30	17.39	0	0.0
	25	27	17.40	17.33	17.47	0-1	0.0
	50	0	17.44	17.38	17.43		0.0
DFT-s-OFDM 16QAM	1	1	17.17	16.98	17.10	0-1	0.0
CP-OFDM QPSK	1	1	17.61	17.33	17.28	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-220
NR Band N7 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n7 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.33	17.22	17.32	0	0.0
	1	13	17.36	17.22	17.32		0.0
	1	23	17.39	17.23	17.38		0.0
	12	0	17.36	17.29	17.44	0-1	0.0
	12	7	17.27	17.27	17.42	0	0.0
	12	13	17.29	17.20	17.44	0-1	0.0
	25	0	17.36	17.29	17.43		0.0
DFT-s-OFDM 16QAM	1	1	17.16	17.08	17.24	0-1	0.0
CP-OFDM QPSK	1	1	17.52	17.30	17.28	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.2.10 NR Band N41

Table G-221
NR Band N41 Measured P_{Limit} Antenna 1b - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.15	19.29	0	0.0
	1	123	19.10	19.09		0.0
	1	243	19.25	19.10		0.0
	120	0	19.20	19.30	0-1	0.0
	120	63	19.19	19.21	0	0.0
	120	125	19.29	19.12	0-1	0.0
	243	0	19.21	19.28		0.0
DFT-s-OFDM 16QAM	1	1	18.80	19.17	0-1	0.0
CP-OFDM QPSK	1	1	19.07	19.21	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-222
NR Band N41 Measured P_{Limit} Antenna 1b - 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.99	19.20	0	0.0
	1	109	19.22	19.27		0.0
	1	215	19.24	19.21		0.0
	108	0	19.20	19.24	0-1	0.0
	108	55	19.18	19.23	0	0.0
	108	109	19.28	19.16	0-1	0.0
	216	0	19.23	19.27		0.0
DFT-s-OFDM 16QAM	1	1	18.90	19.14	0-1	0.0
CP-OFDM QPSK	1	1	19.12	19.18	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-223
NR Band N41 Measured P_{Limit} Antenna 1b - 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.93	19.17	0	0.0
	1	95	19.04	19.07		0.0
	1	187	19.17	19.17		0.0
	90	0	19.16	19.32	0-1	0.0
	90	50	19.12	19.14	0	0.0
	90	99	19.24	19.14	0-1	0.0
	180	0	19.23	19.19		0.0
DFT-s-OFDM 16QAM	1	1	18.77	18.92	0-1	0.0
CP-OFDM QPSK	1	1	19.10	19.19	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-224
NR Band N41 Measured P_{Limit} Antenna 1b - 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.02	19.19	19.22	0	0.0
	1	81	19.10	19.39	19.14		0.0
	1	160	19.22	19.30	19.14		0.0
	81	0	19.17	19.33	19.26	0-1	0.0
	81	41	19.12	19.45	19.13	0	0.0
	81	81	19.15	19.37	19.13	0-1	0.0
	162	0	19.21	19.48	19.21		0.0
DFT-s-OFDM 16QAM	1	1	18.71	19.09	19.05	0-1	0.0
CP-OFDM QPSK	1	1	19.15	19.19	19.22	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-225
NR Band N41 Measured P_{Limit} Antenna 1b - 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.89	19.09	19.09	0	0.0
	1	67	19.15	19.41	19.16		0.0
	1	131	19.03	19.09	19.02		0.0
	64	0	19.16	19.12	19.21	0-1	0.0
	64	35	19.20	19.16	19.19	0	0.0
	64	69	19.23	19.14	19.26	0-1	0.0
	128	0	19.00	19.26	19.13		0.0
DFT-s-OFDM 16QAM	1	1	18.78	18.93	19.01	0-1	0.0
CP-OFDM QPSK	1	1	19.01	18.99	19.04	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-226
NR Band N41 Measured P_{Limit} Antenna 1b - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	18.87	19.11	19.21	19.00	0	0.0
	1	53	18.96	19.02	19.06	19.00		0.0
	1	104	18.96	19.20	19.06	19.04		0.0
	50	0	18.96	19.09	19.21	18.99	0-1	0.0
	50	28	18.99	19.02	19.17	18.97	0	0.0
	50	56	18.99	19.15	19.19	19.12	0-1	0.0
	100	0	19.05	19.11	19.17	19.07		0.0
DFT-s-OFDM 16QAM	1	1	18.89	18.87	19.07	18.85	0-1	0.0
CP-OFDM QPSK	1	1	19.05	19.16	19.43	19.19	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-227
NR Band N41 Measured P_{Limit} Antenna 1b - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	18.93	19.02	19.16	19.13	19.01	0	0.0
	1	39	18.99	19.03	19.28	19.10	18.96		0.0
	1	76	19.00	19.08	19.22	19.00	18.99		0.0
	36	0	18.96	19.02	19.05	19.20	18.98	0-1	0.0
	36	21	18.99	19.07	19.13	19.19	19.02	0	0.0
	36	42	19.00	19.12	19.10	19.12	19.12	0-1	0.0
	75	0	19.03	19.13	19.22	19.20	19.05		0.0
DFT-s-OFDM 16QAM	1	1	18.71	18.86	19.01	19.02	18.83	0-1	0.0
CP-OFDM QPSK	1	1	18.96	19.10	19.04	19.17	19.11	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-228
NR Band N41 Measured P_{Limit} Antenna 1b - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	19.02	19.15	19.09	19.20	19.04	0	0.0
	1	26	19.13	19.19	19.16	19.18	19.18		0.0
	1	49	19.24	19.31	19.17	19.22	19.15		0.0
	25	0	19.16	19.28	19.24	19.26	19.13	0-1	0.0
	25	13	19.15	19.34	19.21	19.24	19.19	0	0.0
	25	26	19.25	19.35	19.20	19.22	19.14	0-1	0.0
	50	0	19.20	19.33	19.24	19.28	19.23		0.0
DFT-s-OFDM 16QAM	1	1	19.14	19.02	19.05	19.05	18.96	0-1	0.0
CP-OFDM QPSK	1	1	19.23	19.28	19.17	19.27	19.26	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-229
NR Band N41 Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	18.93	19.02	19.07	18.88	18.79	0	0.0
	1	19	19.01	19.18	19.06	18.88	18.85		0.0
	1	36	19.12	19.20	19.06	18.86	18.83		0.0
	18	0	19.06	19.16	19.12	18.95	18.92	0-1	0.0
	18	10	19.06	19.22	19.09	18.94	18.88	0	0.0
	18	20	19.07	19.22	19.09	18.91	18.85	0-1	0.0
	36	0	18.82	18.92	19.13	18.95	18.93		0.0
DFT-s-OFDM 16QAM	1	1	18.81	18.94	19.01	18.74	18.92	0-1	0.0
CP-OFDM QPSK	1	1	18.81	18.87	19.21	19.14	18.93	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-230
NR Band N41 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	19.02	19.12	19.23	19.05	18.99	0	0.0
	1	12	18.99	19.17	19.21	19.02	18.97		0.0
	1	22	19.10	19.21	19.22	19.01	18.96		0.0
	12	0	19.09	19.22	19.24	19.11	19.06	0-1	0.0
	12	6	19.09	19.25	19.24	19.03	19.00	0	0.0
	12	12	18.90	19.02	18.85	18.76	19.00	0-1	0.0
	24	0	19.13	19.26	19.29	19.11	19.10		0.0
DFT-s-OFDM 16QAM	1	1	18.92	19.01	19.03	18.87	18.82	0-1	0.0
CP-OFDM QPSK	1	1	19.10	19.21	19.45	19.21	19.14	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-231
NR Band N41 Measured P_{Limit} Antenna 2b - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18	18.20	0	0.0
	1	123	17.91	18.18		0.0
	1	243	17.95	18.04		0.0
	120	0	18.06	18.25	0-1	0.0
	120	63	17.93	18.19	0	0.0
	120	125	18.14	18.21	0-1	0.0
	243	0	18.01	18.28		0.0
DFT-s-OFDM 16QAM	1	1	17.79	18.01	0-1	0.0
CP-OFDM QPSK	1	1	18.14	18.23	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-232
NR Band N41 Measured P_{Limit} Antenna 2b - 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.00	18.25	0	0.0
	1	109	18.02	18.19		0.0
	1	215	18.17	18.13		0.0
	108	0	18.14	18.29	0-1	0.0
	108	55	17.96	18.25	0	0.0
	108	109	18.10	18.25	0-1	0.0
	216	0	18.01	18.32		0.0
DFT-s-OFDM 16QAM	1	1	17.88	18.13	0-1	0.0
CP-OFDM QPSK	1	1	18.18	18.28	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-233
NR Band N41 Measured P_{Limit} Antenna 2b - 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.88	18.16	0	0.0
	1	95	17.98	18.16		0.0
	1	187	17.91	17.90		0.0
	90	0	18.12	18.29	0-1	0.0
	90	50	18.04	18.17	0	0.0
	90	99	18.00	18.17	0-1	0.0
	180	0	17.98	18.17		0.0
DFT-s-OFDM 16QAM	1	1	17.83	18.00	0-1	0.0
CP-OFDM QPSK	1	1	18.13	18.24	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-234
NR Band N41 Measured P_{Limit} Antenna 2b - 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth						
			Channel			MPR Allowed per 3GPP [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)	
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.05	18.21	18.26	0
	1	81	17.97	18.10	18.13	
	1	160	18.03	18.24	18.01	
	81	0	18.15	18.18	18.25	0-1
	81	41	18.03	18.16	18.19	0
	81	81	17.91	18.25	18.15	0-1
	162	0	17.99	18.17	18.18	
DFT-s-OFDM 16QAM	1	1	17.76	17.90	18.06	0-1
CP-OFDM QPSK	1	1	18.16	18.21	18.25	0-1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-235
NR Band N41 Measured P_{Limit} Antenna 2b - 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.90	18.00	18.16	0	0.0
	1	67	18.06	18.16	18.24		0.0
	1	131	17.87	18.14	17.91		0.0
	64	0	18.11	18.23	18.20	0-1	0.0
	64	35	18.10	18.21	18.23	0	0.0
	64	69	18.08	18.27	18.28	0-1	0.0
	128	0	18.19	18.21	18.29		0.0
DFT-s-OFDM 16QAM	1	1	17.80	17.83	17.88	0-1	0.0
CP-OFDM QPSK	1	1	18.03	18.13	18.20	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-236
NR Band N41 Measured P_{Limit} Antenna 2b - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	18.06	18.08	18.26	18.21	0	0.0
	1	53	18.07	18.17	18.27	18.18		0.0
	1	104	18.08	18.20	18.25	18.05		0.0
	50	0	18.12	18.18	18.22	18.26	0-1	0.0
	50	28	18.08	18.19	18.24	18.22	0	0.0
	50	56	18.07	18.24	18.28	18.29	0-1	0.0
	100	0	18.23	18.29	18.24	18.24		0.0
DFT-s-OFDM 16QAM	1	1	18.09	18.00	18.12	18.29	0-1	0.0
CP-OFDM QPSK	1	1	18.17	18.06	18.26	18.26	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-237
NR Band N41 Measured P_{Limit} Antenna 2b - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	18.08	18.00	18.23	18.21	18.24	0	0.0
	1	39	18.17	18.06	18.20	18.25	18.23		0.0
	1	76	18.05	18.23	18.26	18.19	18.08		0.0
	36	0	18.12	18.04	18.25	18.27	18.25	0-1	0.0
	36	21	18.16	18.03	18.16	18.20	18.26	0	0.0
	36	42	18.12	18.17	18.29	18.24	18.21	0-1	0.0
	75	0	18.19	18.05	18.17	18.24	18.29		0.0
DFT-s-OFDM 16QAM	1	1	17.91	17.96	18.04	18.15	18.25	0-1	0.0
CP-OFDM QPSK	1	1	18.24	18.10	18.29	18.29	18.25	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-238
NR Band N41 Measured P_{Limit} Antenna 2b - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	18.10	17.96	18.15	18.21	18.23	0	0.0
	1	26	18.05	17.95	18.12	18.31	18.12		0.0
	1	49	18.12	18.13	18.27	18.22	18.08		0.0
	25	0	18.12	18.02	18.19	18.28	18.28	0-1	0.0
	25	13	18.08	18.00	18.13	18.28	18.25	0	0.0
	25	26	18.16	18.09	18.23	18.25	18.12	0-1	0.0
	50	0	18.14	18.04	18.19	18.25	18.29		0.0
DFT-s-OFDM 16QAM	1	1	17.91	17.97	18.16	18.15	18.04	0-1	0.0
CP-OFDM QPSK	1	1	18.24	18.05	18.27	18.20	18.27	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-239
NR Band N41 Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	18.10	17.95	18.16	18.10	18.24	0	0.0
	1	19	18.07	17.96	18.16	18.02	18.12		0.0
	1	36	18.14	18.01	18.17	18.00	18.09		0.0
	18	0	18.13	18.02	18.16	18.09	18.27	0-1	0.0
	18	10	18.12	17.99	18.13	18.07	18.19	0	0.0
	18	20	18.13	18.01	18.22	18.04	18.14	0-1	0.0
	36	0	18.13	18.04	18.19	18.11	18.27		0.0
DFT-s-OFDM 16QAM	1	1	18.08	17.79	18.08	18.19	18.03	0-1	0.0
CP-OFDM QPSK	1	1	18.20	18.03	18.26	18.17	18.25	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-240
NR Band N41 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	18.16	18.04	18.18	18.11	18.27	0	0.0
	1	12	18.11	18.00	18.23	18.13	18.16		0.0
	1	22	18.14	18.05	18.22	18.11	18.13		0.0
	12	0	18.22	18.08	18.21	18.22	18.29	0-1	0.0
	12	6	18.18	18.09	18.27	18.15	18.20	0	0.0
	12	12	18.08	18.01	18.05	18.20	18.10	0-1	0.0
	24	0	18.21	18.11	18.24	18.26	18.25		0.0
DFT-s-OFDM 16QAM	1	1	17.98	17.82	17.99	18.22	18.02	0-1	0.0
CP-OFDM QPSK	1	1	18.22	18.15	18.26	18.29	18.24	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-241
NR Band N41 Measured P_{Limit} Antenna 3a - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.05	18.23	0	0.0
	1	123	18.18	18.14		0.0
	1	243	18.26	17.99		0.0
	120	0	18.19	18.29	0-1	0.0
	120	63	18.16	18.15	0	0.0
	120	125	18.21	18.06	0-1	0.0
	243	0	18.22	18.23		0.0
DFT-s-OFDM 16QAM	1	1	18.10	18.19	0-1	0.0
CP-OFDM QPSK	1	1	18.22	18.22	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-242
NR Band N41 Measured P_{Limit} Antenna 3a - 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.25	18.22	0	0.0
	1	109	18.04	18.09		0.0
	1	215	18.20	17.96		0.0
	108	0	18.22	18.21	0-1	0.0
	108	55	18.25	18.16	0	0.0
	108	109	18.19	18.05	0-1	0.0
	216	0	18.26	18.23		0.0
DFT-s-OFDM 16QAM	1	1	18.10	18.05	0-1	0.0
CP-OFDM QPSK	1	1	18.18	18.13	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-243
NR Band N41 Measured P_{Limit} Antenna 3a - 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.23	18.26	0	0.0
	1	95	18.12	17.97		0.0
	1	187	18.10	17.87		0.0
	90	0	18.19	18.18	0-1	0.0
	90	50	18.18	18.08	0	0.0
	90	99	18.16	18.05	0-1	0.0
	180	0	18.22	18.16		0.0
DFT-s-OFDM 16QAM	1	1	18.04	18.05	0-1	0.0
CP-OFDM QPSK	1	1	18.24	18.23	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-244
NR Band N41 Measured P_{Limit} Antenna 3a - 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.13	18.11	18.16	0	0.0
	1	81	18.08	18.13	17.98		0.0
	1	160	18.12	18.15	18.04		0.0
	81	0	18.17	18.24	18.14	0-1	0.0
	81	41	18.18	18.24	18.06	0	0.0
	81	81	18.15	18.31	18.00	0-1	0.0
	162	0	18.21	18.25	18.14		0.0
DFT-s-OFDM 16QAM	1	1	18.17	18.02	17.93	0-1	0.0
CP-OFDM QPSK	1	1	18.27	18.21	18.22	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-245
NR Band N41 Measured P_{Limit} Antenna 3a - 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.14	18.00	18.01	0	0.0
	1	67	18.13	18.14	18.01		0.0
	1	131	18.01	18.05	17.89		0.0
	64	0	18.18	18.01	18.11	0-1	0.0
	64	35	18.04	18.02	18.08	0	0.0
	64	69	18.06	18.07	18.10	0-1	0.0
	128	0	18.11	18.05	18.15		0.0
DFT-s-OFDM 16QAM	1	1	17.99	18.13	17.99	0-1	0.0
CP-OFDM QPSK	1	1	18.02	18.02	18.15	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-246
NR Band N41 Measured P_{Limit} Antenna 3a - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	18.07	18.02	18.25	18.13	0	0.0
	1	53	18.01	17.98	18.13	17.98		0.0
	1	104	18.00	18.14	18.02	18.03		0.0
	50	0	18.16	17.97	18.25	18.10	0-1	0.0
	50	28	18.07	18.08	18.16	18.01	0	0.0
	50	56	18.01	18.21	18.07	18.10	0-1	0.0
	100	0	18.11	18.12	18.21	18.10		0.0
DFT-s-OFDM 16QAM	1	1	18.06	17.91	18.03	17.89	0-1	0.0
CP-OFDM QPSK	1	1	18.18	17.98	18.22	18.13	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-247
NR Band N41 Measured P_{Limit} Antenna 3a - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	18.15	18.08	18.21	18.20	18.09	0	0.0
	1	39	18.19	17.91	18.20	18.01	18.00		0.0
	1	76	18.01	18.05	18.29	17.96	18.03		0.0
	36	0	18.17	18.03	18.23	18.11	18.06	0-1	0.0
	36	21	18.16	17.97	18.21	18.09	18.01	0	0.0
	36	42	18.10	18.00	18.34	18.04	18.08	0-1	0.0
	75	0	18.15	18.01	18.23	18.10	18.06		0.0
DFT-s-OFDM 16QAM	1	1	17.98	17.87	18.01	18.00	18.08	0-1	0.0
CP-OFDM QPSK	1	1	18.21	18.11	18.29	18.25	18.15	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-248
NR Band N41 Measured P_{Limit} Antenna 3a - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	18.04	18.00	18.12	18.00	18.03	0	0.0
	1	26	18.08	17.87	18.14	18.00	18.00		0.0
	1	49	18.03	17.86	18.22	17.89	18.06		0.0
	25	0	18.16	18.00	18.17	18.06	18.03	0-1	0.0
	25	13	18.14	17.89	18.14	18.03	18.08	0	0.0
	25	26	18.15	17.91	18.23	18.03	18.05	0-1	0.0
	50	0	18.16	17.94	18.20	18.13	18.12		0.0
DFT-s-OFDM 16QAM	1	1	18.04	17.99	17.91	17.92	17.81	0-1	0.0
CP-OFDM QPSK	1	1	18.08	18.08	18.19	18.18	18.08	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-249
NR Band N41 Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	17.96	17.89	18.07	17.96	18.05	0	0.0
	1	19	18.04	17.78	18.12	17.93	17.99		0.0
	1	36	17.99	17.83	18.12	17.83	18.02		0.0
	18	0	18.03	17.94	18.13	18.02	18.09	0-1	0.0
	18	10	18.07	17.81	18.11	17.97	18.07	0	0.0
	18	20	18.10	17.87	18.18	18.00	18.07	0-1	0.0
	36	0	18.16	17.87	18.13	18.02	18.10		0.0
DFT-s-OFDM 16QAM	1	1	17.85	17.86	18.09	17.88	17.85	0-1	0.0
CP-OFDM QPSK	1	1	18.06	17.93	18.12	18.02	18.10	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-250
NR Band N41 Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	18.07	17.96	18.17	18.23	18.17	0	0.0
	1	12	18.16	17.92	18.23	18.18	18.15		0.0
	1	22	18.18	17.92	18.17	18.09	18.11		0.0
	12	0	18.17	18.01	18.22	18.23	18.19	0-1	0.0
	12	6	18.22	17.96	18.27	18.16	18.15	0	0.0
	12	12	18.15	17.92	18.20	18.17	18.20	0-1	0.0
	24	0	18.27	18.13	18.29	18.26	18.26		0.0
DFT-s-OFDM 16QAM	1	1	17.84	17.88	18.00	18.17	18.01	0-1	0.0
CP-OFDM QPSK	1	1	18.17	18.02	18.28	18.20	18.27	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-251
NR Band N41 Measured P_{Limit} Antenna 4 - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.25	17.42	0	0.0
	1	123	17.27	17.34		0.0
	1	243	17.46	17.32		0.0
	120	0	17.48	17.49	0-1	0.0
	120	63	17.44	17.45	0	0.0
	120	125	17.57	17.42	0-1	0.0
	243	0	17.54	17.52		0.0
DFT-s-OFDM 16QAM	1	1	17.18	17.22	0-1	0.0
CP-OFDM QPSK	1	1	17.32	17.50	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-252
NR Band N41 Measured P_{Limit} Antenna 4 - 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.39	17.50	0	0.0
	1	109	17.46	17.25		0.0
	1	215	17.62	17.33		0.0
	108	0	17.53	17.55	0-1	0.0
	108	55	17.46	17.42	0	0.0
	108	109	17.52	17.44	0-1	0.0
	216	0	17.53	17.49		0.0
DFT-s-OFDM 16QAM	1	1	17.19	17.26	0-1	0.0
CP-OFDM QPSK	1	1	17.44	17.44	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-253
NR Band N41 Measured P_{Limit} Antenna 4 - 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.20	17.46	0	0.0
	1	95	17.33	17.27		0.0
	1	187	17.46	17.32		0.0
	90	0	17.49	17.50	0-1	0.0
	90	50	17.46	17.32	0	0.0
	90	99	17.48	17.50	0-1	0.0
	180	0	17.53	17.37		0.0
DFT-s-OFDM 16QAM	1	1	17.01	17.16	0-1	0.0
CP-OFDM QPSK	1	1	17.25	17.48	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-254
NR Band N41 Measured P_{Limit} Antenna 4 - 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.34	17.53	17.50	0	0.0
	1	81	17.38	17.39	17.28		0.0
	1	160	17.40	17.55	17.48		0.0
	81	0	17.48	17.53	17.45	0-1	0.0
	81	41	17.47	17.46	17.35	0	0.0
	81	81	17.48	17.51	17.43	0-1	0.0
	162	0	17.53	17.53	17.42		0.0
DFT-s-OFDM 16QAM	1	1	17.23	17.21	17.32	0-1	0.0
CP-OFDM QPSK	1	1	17.47	17.69	17.56	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-255
NR Band N41 Measured P_{Limit} Antenna 4 - 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.17	17.36	17.24	0	0.0
	1	67	17.46	17.46	17.47		0.0
	1	131	17.28	17.37	17.25		0.0
	64	0	17.48	17.56	17.39	0-1	0.0
	64	35	17.51	17.54	17.45	0	0.0
	64	69	17.52	17.55	17.56	0-1	0.0
	128	0	17.63	17.60	17.50		0.0
DFT-s-OFDM 16QAM	1	1	17.02	17.23	17.22	0-1	0.0
CP-OFDM QPSK	1	1	17.27	17.44	17.35	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-256
NR Band N41 Measured P_{Limit} Antenna 4 - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	17.36	17.45	17.53	17.38	0	0.0
	1	53	17.51	17.52	17.41	17.38		0.0
	1	104	17.50	17.49	17.54	17.46		0.0
	50	0	17.49	17.54	17.50	17.43	0-1	0.0
	50	28	17.54	17.53	17.45	17.44	0	0.0
	50	56	17.52	17.57	17.54	17.53	0-1	0.0
	100	0	17.58	17.64	17.56	17.48		0.0
DFT-s-OFDM 16QAM	1	1	17.22	17.46	17.34	17.16	0-1	0.0
CP-OFDM QPSK	1	1	17.45	17.57	17.60	17.44	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-257
NR Band N41 Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	17.36	17.44	17.49	17.47	17.36	0	0.0
	1	39	17.42	17.38	17.44	17.42	17.39		0.0
	1	76	17.13	17.54	17.47	17.42	17.40		0.0
	36	0	17.44	17.46	17.52	17.52	17.42	0-1	0.0
	36	21	17.46	17.44	17.38	17.48	17.46	0	0.0
	36	42	17.48	17.48	17.52	17.47	17.48	0-1	0.0
	75	0	17.50	17.45	17.49	17.51	17.46		0.0
DFT-s-OFDM 16QAM	1	1	17.18	17.25	17.52	17.29	17.27	0-1	0.0
CP-OFDM QPSK	1	1	17.40	17.54	17.59	17.56	17.49	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-258
NR Band N41 Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	17.36	17.46	17.50	17.53	17.46	0	0.0
	1	26	17.39	17.39	17.46	17.46	17.46		0.0
	1	49	17.52	17.51	17.51	17.45	17.43		0.0
	25	0	17.42	17.48	17.57	17.57	17.49	0-1	0.0
	25	13	17.45	17.47	17.54	17.52	17.53	0	0.0
	25	26	17.51	17.48	17.53	17.54	17.53	0-1	0.0
	50	0	17.54	17.53	17.56	17.56	17.56		0.0
DFT-s-OFDM 16QAM	1	1	17.31	17.27	17.36	17.35	17.42	0-1	0.0
CP-OFDM QPSK	1	1	17.47	17.53	17.66	17.60	17.58	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-259
NR Band N41 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth								
			Channel					MPR Allowed per 3GPP [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)	
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	17.39	17.45	17.50	17.53	17.46	0
	1	19	17.40	17.48	17.45	17.49	17.44	
	1	36	17.52	17.46	17.46	17.41	17.44	
	18	0	17.43	17.50	17.55	17.53	17.53	0-1
	18	10	17.46	17.47	17.52	17.53	17.50	0
	18	20	17.49	17.49	17.52	17.53	17.50	0-1
	36	0	17.48	17.51	17.55	17.54	17.54	
DFT-s-OFDM 16QAM	1	1	17.24	17.26	17.54	17.33	17.40	0-1
CP-OFDM QPSK	1	1	17.46	17.54	17.61	17.60	17.54	0-1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-260
NR Band N41 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	17.40	17.49	17.52	17.50	17.50	0	0.0
	1	12	17.39	17.45	17.49	17.50	17.47		0.0
	1	22	17.43	17.50	17.56	17.45	17.47		0.0
	12	0	17.42	17.53	17.56	17.54	17.54	0-1	0.0
	12	6	17.44	17.51	17.53	17.55	17.53	0	0.0
	12	12	17.50	17.53	17.54	17.54	17.50	0-1	0.0
	24	0	17.49	17.59	17.61	17.62	17.59		0.0
DFT-s-OFDM 16QAM	1	1	17.23	17.36	17.33	17.33	17.35	0-1	0.0
CP-OFDM QPSK	1	1	17.51	17.59	17.54	17.61	17.60	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.2.11 NR Band N48

Table G-261
NR Band N48 Measured P_{Limit} Antenna 1a - 35 MHz Bandwidth

NR Band n48 35 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637834 (3567.51 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.68	0	0.0
	1	46	19.83		0.0
	1	90	19.85		0.0
	45	0	18.66	0-1	1.0
	45	24	19.84	0	0.0
	45	47	18.63	0-1	1.0
	90	0	19.52		1.0
DFT-s-OFDM 16QAM	1	1	18.65	0-1	1.0
CP-OFDM QPSK	1	1	18.25	0-1.5	1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-262
NR Band N48 Measured P_{Limit} Antenna 1a - 30 MHz Bandwidth

NR Band n48 30 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	19.73	19.85	19.69	19.80	0	0.0
	1	39	19.80	19.83	19.77	19.71		0.0
	1	76	19.69	19.70	19.85	19.58		0.0
	36	0	18.70	18.87	18.69	18.59	0-1	1.0
	36	21	19.62	19.67	19.75	19.90	0	0.0
	36	42	18.65	18.81	18.94	18.80	0-1	1.0
	75	0	18.70	19.48	19.32	18.64		1.0
DFT-s-OFDM 16QAM	1	1	18.82	18.76	18.75	18.92	0-1	1.0
CP-OFDM QPSK	1	1	18.25	18.33	18.38	18.21	0-1.5	1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-263
NR Band N48 Measured P_{Limit} Antenna 1a - 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	19.92	19.93	19.62	19.64	0	0.0
	1	26	19.85	19.64	19.87	19.98		0.0
	1	49	19.86	19.98	19.69	19.94		0.0
	25	0	19.45	18.60	19.50	18.57	0-1	1.0
	25	13	19.68	19.57	19.75	19.89	0	0.0
	25	26	19.38	19.43	18.73	18.64	0-1	1.0
	50	0	19.52	19.16	19.27	19.18		1.0
DFT-s-OFDM 16QAM	1	1	19.25	19.32	19.31	19.41	0-1	1.0
CP-OFDM QPSK	1	1	18.25	18.73	18.38	18.41	0-1.5	1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-264
NR Band N48 Measured P_{Limit} Antenna 1a - 15 MHz Bandwidth

NR Band n48 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	19.72	19.88	20.45	19.72	0	0.0
	1	19	20.54	19.93	19.60	19.68		0.0
	1	36	20.29	19.98	19.61	19.59		0.0
	18	0	19.24	19.52	19.35	19.27	0-1	1.0
	18	10	19.67	20.06	20.52	19.80	0	0.0
	18	20	18.59	18.94	18.69	18.82	0-1	1.0
	36	0	19.51	18.81	18.59	18.56		1.0
DFT-s-OFDM 16QAM	1	1	18.96	18.94	18.97	19.00	0-1	1.0
CP-OFDM QPSK	1	1	18.25	18.23	18.38	18.22	0-1.5	1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-265
NR Band N48 Measured P_{Limit} Antenna 1a - 10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	19.89	20.14	19.56	19.63	0	0.0
	1	12	19.73	19.74	19.94	19.37		0.0
	1	22	19.78	19.74	19.69	19.85		0.0
	12	0	18.61	18.89	19.00	19.12	0-1	1.0
	12	6	19.89	19.55	19.53	19.25	0	0.0
	12	12	18.74	18.94	18.93	18.73	0-1	1.0
	24	0	18.71	18.94	19.15	19.10		1.0
DFT-s-OFDM 16QAM	1	1	18.66	18.69	18.74	19.00	0-1	1.0
CP-OFDM QPSK	1	1	18.25	18.73	18.38	18.41	0-1.5	1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.2.12 NR Band N48

Table G-266
NR Band N48 Measured P_{Limit} Antenna 2a - 30 MHz Bandwidth

NR Band n48 30 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	16.60	16.90	16.93	16.83	0	0.0
	1	39	16.42	16.94	16.69	16.69		0.0
	1	76	16.55	16.87	16.76	16.56		0.0
	36	0	15.60	15.96	15.85	15.81	0-1	1.0
	36	21	16.52	17.09	16.84	16.68	0	0.0
	36	42	15.57	16.04	15.82	15.75	0-1	1.0
	75	0	15.55	16.01	15.87	15.81		1.0
DFT-s-OFDM 16QAM	1	1	15.43	15.97	15.65	15.63	0-1	1.0
CP-OFDM QPSK	1	1	15.21	15.59	15.30	15.50	0-1.5	1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-267
NR Band N48 Measured P_{Limit} Antenna 2a - 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	16.71	16.89	16.95	16.63	0	0.0
	1	26	16.44	16.88	16.84	16.68		0.0
	1	49	16.52	17.09	16.85	16.51		0.0
	25	0	15.68	16.04	15.82	15.66	0-1	1.0
	25	13	16.57	17.03	16.82	16.65	0	0.0
	25	26	15.57	16.01	15.85	15.70	0-1	1.0
	50	0	15.69	16.03	15.93	15.64		1.0
DFT-s-OFDM 16QAM	1	1	15.45	15.79	15.80	15.45	0-1	1.0
CP-OFDM QPSK	1	1	15.46	15.50	15.53	15.30	0-1.5	1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-268
NR Band N48 Measured P_{Limit} Antenna 2a - 15 MHz Bandwidth

NR Band n48 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	16.47	16.80	16.72	16.64	0	0.0
	1	19	16.51	16.81	16.67	16.61		0.0
	1	36	16.36	16.71	16.73	16.46		0.0
	18	0	15.54	15.84	15.77	15.60	0-1	1.0
	18	10	16.53	16.90	16.68	16.63	0	0.0
	18	20	15.50	15.91	15.72	15.57	0-1	1.0
	36	0	15.57	15.99	15.72	15.62		1.0
DFT-s-OFDM 16QAM	1	1	15.32	15.47	15.47	15.48	0-1	1.0
CP-OFDM QPSK	1	1	15.32	15.30	15.29	15.27	0-1.5	1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-269
NR Band N48 Measured P_{Limit} Antenna 2a - 10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	16.75	16.70	16.97	16.82	0	0.0
	1	12	16.79	16.77	17.03	16.99		0.0
	1	22	16.80	16.83	16.96	17.06		0.0
	12	0	15.96	15.70	15.66	15.77	0-1	1.0
	12	6	16.92	16.82	17.08	17.09	0	0.0
	12	12	15.89	16.08	16.08	15.99	0-1	1.0
	24	0	15.98	15.82	16.06	16.04		1.0
DFT-s-OFDM 16QAM	1	1	16.17	15.64	15.99	15.87	0-1	1.0
CP-OFDM QPSK	1	1	15.39	15.28	15.32	15.37	0-1.5	1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.2.13 NR Band N48

Table G-270
NR Band N48 Measured P_{Limit} Antenna 3b - 30 MHz Bandwidth

NR Band n48 30 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	15.55	15.62	15.64	15.67	0	0.0
	1	39	15.43	15.55	15.62	15.69		0.0
	1	76	15.53	15.68	15.62	15.77		0.0
	36	0	14.59	14.69	14.70	14.64	0-1	1.0
	36	21	15.51	15.70	15.67	15.73	0	0.0
	36	42	14.56	14.73	14.65	14.81	0-1	1.0
	75	0	14.60	14.67	14.69	14.73		1.0
DFT-s-OFDM 16QAM	1	1	14.41	14.76	14.49	14.47	0-1	1.0
CP-OFDM QPSK	1	1	14.72	14.74	14.69	14.68	0-1.5	1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-271
NR Band N48 Measured P_{Limit} Antenna 3b - 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	15.54	15.64	15.62	15.65	0	0.0
	1	26	15.46	15.49	15.52	15.81		0.0
	1	49	15.57	15.65	15.71	15.78		0.0
	25	0	14.57	14.61	14.63	14.71	0-1	1.0
	25	13	15.51	15.73	15.68	15.78	0	0.0
	25	26	14.57	14.67	14.75	14.73	0-1	1.0
	50	0	14.59	14.35	14.70	14.75		1.0
DFT-s-OFDM 16QAM	1	1	14.53	14.35	14.49	14.67	0-1	1.0
CP-OFDM QPSK	1	1	14.04	13.95	13.93	13.97	0-1.5	1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-272
NR Band N48 Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

NR Band n48 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	15.53	15.55	15.56	15.61	0	0.0
	1	19	15.45	15.62	15.52	15.65		0.0
	1	36	15.47	15.61	15.65	15.81		0.0
	18	0	14.58	14.63	14.69	14.67	0-1	1.0
	18	10	15.53	15.70	15.61	15.75	0	0.0
	18	20	14.55	14.62	14.60	14.75	0-1	1.0
	36	0	14.57	14.74	14.63	14.83		1.0
DFT-s-OFDM 16QAM	1	1	14.47	14.51	14.48	14.42	0-1	1.0
CP-OFDM QPSK	1	1	14.60	14.72	14.73	14.85	0-1.5	1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-273
NR Band N48 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	15.56	15.69	15.67	15.76	0	0.0
	1	12	15.53	15.66	15.72	15.69		0.0
	1	22	15.54	15.56	15.77	15.83		0.0
	12	0	14.62	14.71	14.67	14.83	0-1	1.0
	12	6	15.56	15.72	15.85	15.83	0	0.0
	12	12	14.62	14.81	14.79	14.81	0-1	1.0
	24	0	14.65	14.49	14.77	14.76		1.0
DFT-s-OFDM 16QAM	1	1	14.45	14.49	14.65	14.45	0-1	1.0
CP-OFDM QPSK	1	1	14.61	14.68	14.70	14.72	0-1.5	1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.2.14 NR Band N48

Table G-274
NR Band N48 Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth

NR Band n48 30 MHz Bandwidth							
			Channel				MPR Allowed per 3GPP [dB]
Modulation	RB Size	RB Offset	637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)	
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.01	19.65	19.84	19.70	0
	1	39	19.81	19.68	19.76	19.70	
	1	76	19.78	19.83	19.72	19.73	
	36	0	18.99	18.81	18.80	18.77	0-1
	36	21	19.90	19.95	19.77	19.76	0
	36	42	18.93	18.88	18.85	18.69	0-1
	75	0	18.98	18.76	18.75	18.78	
DFT-s-OFDM 16QAM	1	1	18.88	18.94	18.59	18.49	0-1
CP-OFDM QPSK	1	1	18.28	18.25	18.26	18.12	0-1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-275
NR Band N48 Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	19.89	19.73	19.81	19.69	0	0.0
	1	26	19.88	19.76	19.71	19.59		0.0
	1	49	19.88	19.64	19.91	19.75		0.0
	25	0	18.59	18.83	18.91	18.73	0-1	1.0
	25	13	19.78	19.68	19.67	19.66	0	0.0
	25	26	18.47	18.91	18.91	18.78	0-1	1.0
	50	0	18.65	18.90	18.86	18.77		1.0
DFT-s-OFDM 16QAM	1	1	18.62	18.46	18.62	18.58	0-1	1.0
CP-OFDM QPSK	1	1	18.15	18.16	18.12	18.10	0-1.5	1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-276
NR Band N48 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n48 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	19.55	19.45	19.61	19.47	0	0.0
	1	19	19.54	19.36	19.37	19.43		0.0
	1	36	19.52	19.47	19.40	19.52		0.0
	18	0	18.72	18.58	18.60	18.52	0-1	1.0
	18	10	19.56	19.25	19.56	19.50	0	0.0
	18	20	18.63	18.62	18.24	18.55	0-1	1.0
	36	0	18.63	18.56	18.53	18.55		1.0
DFT-s-OFDM 16QAM	1	1	18.53	18.45	18.44	18.47	0-1	1.0
CP-OFDM QPSK	1	1	18.25	18.20	18.16	18.24	0-1.5	1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-277
NR Band N48 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	19.48	19.33	19.34	19.28	0	0.0
	1	12	19.50	19.45	19.32	19.38		0.0
	1	22	19.53	19.51	19.46	19.24		0.0
	12	0	18.59	18.52	18.53	18.38	0-1	1.0
	12	6	19.56	19.48	19.43	19.41	0	0.0
	12	12	18.60	18.59	18.47	18.42	0-1	1.0
	24	0	18.62	18.57	18.45	18.43		1.0
DFT-s-OFDM 16QAM	1	1	18.36	18.32	18.28	18.26	0-1	1.0
CP-OFDM QPSK	1	1	18.03	17.99	17.95	17.98	0-1.5	1.5

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.2.15 NR Band N77 DoD

Table G-278
NR Band N77 DoD Measured P_{Limit} Antenna 1a - 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	**RB Size**	**RB Offset**	**633334 (3500.01 MHz)**	**MPR Allowed per 3GPP [dB]**	**MPR [dB]**
DFT-s-OFDM QPSK	1	1	18.61	0	0.0
	1	123	18.46		0.0
	1	243	18.59		0.0
	120	0	18.81	0-1	0.0
	120	63	18.70	0	0.0
	120	125	18.71	0-1	0.0
	243	0	18.80		0.0
DFT-s-OFDM 16QAM	1	1	18.55	0-1	0.0
CP-OFDM QPSK	1	1	18.89	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-279
NR Band N77 DoD Measured P_{Limit} Antenna 1a - 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	18.49	0	0.0
	1	109	18.56		0.0
	1	215	18.68		0.0
	108	0	18.83	0-1	0.0
	108	55	18.74	0	0.0
	108	109	18.75	0-1	0.0
	216	0	18.84		0.0
DFT-s-OFDM 16QAM	1	1	18.65	0-1	0.0
CP-OFDM QPSK	1	1	18.95	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-280
NR Band N77 DoD Measured P_{Limit} Antenna 1a - 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	18.56	0	0.0
	1	95	18.54		0.0
	1	187	18.53		0.0
	90	0	18.80	0-1	0.0
	90	50	18.74	0	0.0
	90	99	18.75	0-1	0.0
	180	0	18.80		0.0
DFT-s-OFDM 16QAM	1	1	18.56	0-1	0.0
CP-OFDM QPSK	1	1	18.75	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-281
NR Band N77 DoD Measured P_{Limit} Antenna 1a - 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	18.60	0	0.0
	1	81	18.74		0.0
	1	160	18.70		0.0
	81	0	18.85	0-1	0.0
	81	41	18.76	0	0.0
	81	81	18.69	0-1	0.0
	162	0	18.81		0.0
DFT-s-OFDM 16QAM	1	1	18.61	0-1	0.0
CP-OFDM QPSK	1	1	19.00	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-282
NR Band N77 DoD Measured P_{Limit} Antenna 1a - 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	18.64	0	0.0
	1	67	18.60		0.0
	1	131	18.53		0.0
	64	0	18.85	0-1	0.0
	64	35	18.77	0	0.0
	64	69	18.76	0-1	0.0
	128	0	18.92		0.0
DFT-s-OFDM 16QAM	1	1	18.48	0-1	0.0
CP-OFDM QPSK	1	1	18.78	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-283
NR Band N77 DoD Measured P_{Limit} Antenna 1a - 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	18.73	0	0.0
	1	53	18.74		0.0
	1	104	18.76		0.0
	50	0	18.87	0-1	0.0
	50	28	18.81	0	0.0
	50	56	18.78	0-1	0.0
	100	0	18.88		0.0
DFT-s-OFDM 16QAM	1	1	18.68	0-1	0.0
CP-OFDM QPSK	1	1	18.96	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-284
NR Band N77 DoD Measured P_{Limit} Antenna 1a - 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	18.79	0	0.0
	1	39	18.76		0.0
	1	76	18.73		0.0
	36	0	18.87	0-1	0.0
	36	21	18.79	0	0.0
	36	42	18.74	0-1	0.0
	75	0	18.86		0.0
DFT-s-OFDM 16QAM	1	1	18.70	0-1	0.0
CP-OFDM QPSK	1	1	18.95	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-285
NR Band N77 DoD Measured P_{Limit} Antenna 1a - 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	18.84	0	0.0
	1	26	18.63		0.0
	1	49	18.77		0.0
	25	0	18.85	0-1	0.0
	25	13	18.82	0	0.0
	25	26	18.75	0-1	0.0
	50	0	18.89		0.0
DFT-s-OFDM 16QAM	1	1	18.75	0-1	0.0
CP-OFDM QPSK	1	1	18.95	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-286
NR Band N77 DoD Measured P_{Limit} Antenna 1a - 15 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	18.84	0	0.0
	1	26	18.63		0.0
	1	49	18.77		0.0
	25	0	18.85	0-1	0.0
	25	13	18.82	0	0.0
	25	26	18.75	0-1	0.0
	50	0	18.89		0.0
DFT-s-OFDM 16QAM	1	1	18.75	0-1	0.0
CP-OFDM QPSK	1	1	18.95	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-287
NR Band N77 DoD Measured P_{Limit} Antenna 1a - 10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	18.81	0	0.0
	1	12	18.86		0.0
	1	22	18.73		0.0
	12	0	18.91	0-1	0.0
	12	6	18.89	0	0.0
	12	12	18.84	0-1	0.0
	24	0	18.90		0.0
DFT-s-OFDM 16QAM	1	1	18.67	0-1	0.0
CP-OFDM QPSK	1	1	18.96	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.2.16 NR Band N77 DoD

Table G-288
NR Band N77 DoD Measured P_{Limit} Antenna 2a - 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	**RB Size**	**RB Offset**	**633334 (3500.01 MHz)**	**MPR Allowed per 3GPP [dB]**	**MPR [dB]**
DFT-s-OFDM QPSK	1	1	17.10	0	0.0
	1	123	16.71		0.0
	1	243	16.94		0.0
	120	0	17.18	0-1	0.0
	120	63	17.00	0	0.0
	120	125	16.88	0-1	0.0
	243	0	17.11		0.0
DFT-s-OFDM 16QAM	1	1	16.84	0-1	0.0
CP-OFDM QPSK	1	1	17.07	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-289
NR Band N77 DoD Measured P_{Limit} Antenna 2a - 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	17.01	0	0.0
	1	109	16.88		0.0
	1	215	16.86		0.0
	108	0	17.13	0-1	0.0
	108	55	17.02	0	0.0
	108	109	16.91	0-1	0.0
	216	0	17.10		0.0
DFT-s-OFDM 16QAM	1	1	16.87	0-1	0.0
CP-OFDM QPSK	1	1	17.11	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-290
NR Band N77 DoD Measured P_{Limit} Antenna 2a - 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	17.06	0	0.0
	1	95	16.94		0.0
	1	187	16.86		0.0
	90	0	17.08	0-1	0.0
	90	50	17.00	0	0.0
	90	99	16.91	0-1	0.0
	180	0	17.09		0.0
DFT-s-OFDM 16QAM	1	1	16.85	0-1	0.0
CP-OFDM QPSK	1	1	16.93	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-291
NR Band N77 DoD Measured P_{Limit} Antenna 2a - 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	17.03	0	0.0
	1	81	16.84		0.0
	1	160	16.85		0.0
	81	0	17.07	0-1	0.0
	81	41	17.02	0	0.0
	81	81	16.91	0-1	0.0
	162	0	17.05		0.0
DFT-s-OFDM 16QAM	1	1	16.77	0-1	0.0
CP-OFDM QPSK	1	1	17.17	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-292
NR Band N77 DoD Measured P_{Limit} Antenna 2a - 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	16.86	0	0.0
	1	67	16.92		0.0
	1	131	16.62		0.0
	64	0	17.08	0-1	0.0
	64	35	17.00	0	0.0
	64	69	16.92	0-1	0.0
	128	0	17.13		0.0
DFT-s-OFDM 16QAM	1	1	16.77	0-1	0.0
CP-OFDM QPSK	1	1	16.97	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-293
NR Band N77 DoD Measured P_{Limit} Antenna 2a - 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	17.04	0	0.0
	1	53	16.96		0.0
	1	104	16.83		0.0
	50	0	17.08	0-1	0.0
	50	28	16.98	0	0.0
	50	56	16.94	0-1	0.0
	100	0	17.10		0.0
DFT-s-OFDM 16QAM	1	1	17.03	0-1	0.0
CP-OFDM QPSK	1	1	16.71	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-294
NR Band N77 DoD Measured P_{Limit} Antenna 2a - 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	17.06	0	0.0
	1	39	16.98		0.0
	1	76	16.91		0.0
	36	0	17.05	0-1	0.0
	36	21	17.03	0	0.0
	36	42	16.95	0-1	0.0
	75	0	17.04		0.0
DFT-s-OFDM 16QAM	1	1	16.85	0-1	0.0
CP-OFDM QPSK	1	1	17.14	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-295
NR Band N77 DoD Measured P_{Limit} Antenna 2a - 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	16.98	0	0.0
	1	26	16.89		0.0
	1	49	16.89		0.0
	25	0	17.05	0-1	0.0
	25	13	17.03	0	0.0
	25	26	16.93	0-1	0.0
	50	0	17.06		0.0
DFT-s-OFDM 16QAM	1	1	16.79	0-1	0.0
CP-OFDM QPSK	1	1	17.10	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-296
NR Band N77 DoD Measured P_{Limit} Antenna 2a - 15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	17.02	0	0.0
	1	19	16.90		0.0
	1	36	16.83		0.0
	18	0	17.07	0-1	0.0
	18	10	17.01	0	0.0
	18	20	16.96	0-1	0.0
	36	0	17.06		0.0
DFT-s-OFDM 16QAM	1	1	16.90	0-1	0.0
CP-OFDM QPSK	1	1	17.08	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-297
NR Band N77 DoD Measured P_{Limit} Antenna 2a - 10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	16.97	0	0.0
	1	12	16.91		0.0
	1	22	16.82		0.0
	12	0	17.03	0-1	0.0
	12	6	16.98	0	0.0
	12	12	16.95	0-1	0.0
	24	0	17.07		0.0
DFT-s-OFDM 16QAM	1	1	16.77	0-1	0.0
CP-OFDM QPSK	1	1	17.08	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.2.17 NR Band N77 DoD

Table G-298
NR Band N77 DoD Measured P_{Limit} Antenna 3b - 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	**RB Size**	**RB Offset**	**633334 (3500.01 MHz)**	**MPR Allowed per 3GPP [dB]**	**MPR [dB]**
DFT-s-OFDM QPSK	1	1	16.34	0	0.0
	1	123	16.51		0.0
	1	243	16.40		0.0
	120	0	16.29	0-1	0.0
	120	63	16.32	0	0.0
	120	125	16.47	0-1	0.0
	243	0	16.43		0.0
DFT-s-OFDM 16QAM	1	1	16.05	0-1	0.0
CP-OFDM QPSK	1	1	16.25	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-299
NR Band N77 DoD Measured P_{Limit} Antenna 3b - 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	16.24	0	0.0
	1	109	16.28		0.0
	1	215	16.50		0.0
	108	0	16.34	0-1	0.0
	108	55	16.35	0	0.0
	108	109	16.51	0-1	0.0
	216	0	16.42		0.0
DFT-s-OFDM 16QAM	1	1	16.06	0-1	0.0
CP-OFDM QPSK	1	1	16.39	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-300
NR Band N77 DoD Measured P_{Limit} Antenna 3b - 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	16.17	0	0.0
	1	95	16.20		0.0
	1	187	16.27		0.0
	90	0	16.26	0-1	0.0
	90	50	16.32	0	0.0
	90	99	16.45	0-1	0.0
	180	0	16.36		0.0
DFT-s-OFDM 16QAM	1	1	15.96	0-1	0.0
CP-OFDM QPSK	1	1	16.10	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-301
NR Band N77 DoD Measured P_{Limit} Antenna 3b - 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	16.24	0	0.0
	1	81	16.21		0.0
	1	160	16.34		0.0
	81	0	16.26	0-1	0.0
	81	41	16.31	0	0.0
	81	81	16.39	0-1	0.0
	162	0	16.35		0.0
DFT-s-OFDM 16QAM	1	1	16.26	0-1	0.0
CP-OFDM QPSK	1	1	16.29	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-302
NR Band N77 DoD Measured P_{Limit} Antenna 3b - 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	16.10	0	0.0
	1	67	16.35		0.0
	1	131	16.23		0.0
	64	0	16.34	0-1	0.0
	64	35	16.32	0	0.0
	64	69	16.43	0-1	0.0
	128	0	16.45		0.0
DFT-s-OFDM 16QAM	1	1	15.92	0-1	0.0
CP-OFDM QPSK	1	1	16.17	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-303
NR Band N77 DoD Measured P_{Limit} Antenna 3b - 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	16.23	0	0.0
	1	53	16.24		0.0
	1	104	16.42		0.0
	50	0	16.34	0-1	0.0
	50	28	16.33	0	0.0
	50	56	16.46	0-1	0.0
	100	0	16.42		0.0
DFT-s-OFDM 16QAM	1	1	16.11	0-1	0.0
CP-OFDM QPSK	1	1	16.31	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-304
NR Band N77 DoD Measured P_{Limit} Antenna 3b - 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	16.36	0	0.0
	1	39	16.28		0.0
	1	76	16.41		0.0
	36	0	16.38	0-1	0.0
	36	21	16.35	0	0.0
	36	42	16.39	0-1	0.0
	75	0	16.38		0.0
DFT-s-OFDM 16QAM	1	1	16.33	0-1	0.0
CP-OFDM QPSK	1	1	16.42	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-305
NR Band N77 DoD Measured P_{Limit} Antenna 3b - 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	16.25	0	0.0
	1	26	16.36		0.0
	1	49	16.42		0.0
	25	0	16.38	0-1	0.0
	25	13	16.33	0	0.0
	25	26	16.41	0-1	0.0
	50	0	16.40		0.0
DFT-s-OFDM 16QAM	1	1	16.12	0-1	0.0
CP-OFDM QPSK	1	1	16.31	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-306
NR Band N77 DoD Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	16.33	0	0.0
	1	19	16.29		0.0
	1	36	16.32		0.0
	18	0	16.37	0-1	0.0
	18	10	16.30	0	0.0
	18	20	16.42	0-1	0.0
	36	0	16.36		0.0
DFT-s-OFDM 16QAM	1	1	16.15	0-1	0.0
CP-OFDM QPSK	1	1	16.42	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-307
NR Band N77 DoD Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	16.39	0	0.0
	1	12	16.35		0.0
	1	22	16.40		0.0
	12	0	16.44	0-1	0.0
	12	6	16.40	0	0.0
	12	12	16.47	0-1	0.0
	24	0	16.48		0.0
DFT-s-OFDM 16QAM	1	1	16.20	0-1	0.0
CP-OFDM QPSK	1	1	16.45	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.2.18 NR Band N77 DoD

Table G-308
NR Band N77 DoD Measured P_{Limit} Antenna 4 - 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	**RB Size**	**RB Offset**	**633334 (3500.01 MHz)**	**MPR Allowed per 3GPP [dB]**	**MPR [dB]**
DFT-s-OFDM QPSK	1	1	20.99	0	0.0
	1	123	21.16		0.0
	1	243	21.06		0.0
	120	0	21.07	0-1	0.0
	120	63	21.11	0	0.0
	120	125	21.18	0-1	0.0
	243	0	21.21		0.0
DFT-s-OFDM 16QAM	1	1	20.94	0-1	0.0
CP-OFDM QPSK	1	1	21.19	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-309
NR Band N77 DoD Measured P_{Limit} Antenna 4 - 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	21.18	0	0.0
	1	109	21.12		0.0
	1	215	21.29		0.0
	108	0	21.08	0-1	0.0
	108	55	21.12	0	0.0
	108	109	21.20	0-1	0.0
	216	0	21.20		0.0
DFT-s-OFDM 16QAM	1	1	20.90	0-1	0.0
CP-OFDM QPSK	1	1	21.20	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-310
NR Band N77 DoD Measured P_{Limit} Antenna 4 - 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	20.94	0	0.0
	1	95	21.07		0.0
	1	187	21.06		0.0
	90	0	21.07	0-1	0.0
	90	50	21.08	0	0.0
	90	99	21.21	0-1	0.0
	180	0	21.20		0.0
DFT-s-OFDM 16QAM	1	1	20.81	0-1	0.0
CP-OFDM QPSK	1	1	21.06	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-311
NR Band N77 DoD Measured P_{Limit} Antenna 4 - 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	21.02	0	0.0
	1	81	21.05		0.0
	1	160	21.14		0.0
	81	0	21.00	0-1	0.0
	81	41	21.09	0	0.0
	81	81	21.15	0-1	0.0
	162	0	21.18		0.0
DFT-s-OFDM 16QAM	1	1	20.98	0-1	0.0
CP-OFDM QPSK	1	1	21.25	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-312
NR Band N77 DoD Measured P_{Limit} Antenna 4 - 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	20.93	0	0.0
	1	67	21.15		0.0
	1	131	20.99		0.0
	64	0	21.00	0-1	0.0
	64	35	21.14	0	0.0
	64	69	21.17	0-1	0.0
	128	0	21.25		0.0
DFT-s-OFDM 16QAM	1	1	20.67	0-1	0.0
CP-OFDM QPSK	1	1	21.06	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-313
NR Band N77 DoD Measured P_{Limit} Antenna 4 - 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	21.10	0	0.0
	1	53	21.08		0.0
	1	104	21.24		0.0
	50	0	21.06	0-1	0.0
	50	28	21.11	0	0.0
	50	56	21.21	0-1	0.0
	100	0	21.22		0.0
DFT-s-OFDM 16QAM	1	1	20.91	0-1	0.0
CP-OFDM QPSK	1	1	21.14	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-314
NR Band N77 DoD Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	20.98	0	0.0
	1	39	21.09		0.0
	1	76	21.18		0.0
	36	0	21.12	0-1	0.0
	36	21	21.16	0	0.0
	36	42	21.21	0-1	0.0
	75	0	21.18		0.0
DFT-s-OFDM 16QAM	1	1	20.83	0-1	0.0
CP-OFDM QPSK	1	1	21.12	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-315
NR Band N77 DoD Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	21.03	0	0.0
	1	26	21.16		0.0
	1	49	21.13		0.0
	25	0	21.11	0-1	0.0
	25	13	21.15	0	0.0
	25	26	21.22	0-1	0.0
	50	0	21.18		0.0
DFT-s-OFDM 16QAM	1	1	20.84	0-1	0.0
CP-OFDM QPSK	1	1	21.09	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-316
NR Band N77 DoD Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	21.08	0	0.0
	1	19	21.10		0.0
	1	36	21.14		0.0
	18	0	21.17	0-1	0.0
	18	10	21.14	0	0.0
	18	20	21.20	0-1	0.0
	36	0	21.14		0.0
DFT-s-OFDM 16QAM	1	1	20.93	0-1	0.0
CP-OFDM QPSK	1	1	21.18	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-317
NR Band N77 DoD Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth					
				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
DFT-s-OFDM QPSK	1	1	21.17	0	0.0
	1	12	21.13		0.0
	1	22	21.20		0.0
	12	0	21.23	0-1	0.0
	12	6	21.21	0	0.0
	12	12	21.29	0-1	0.0
	24	0	21.27		0.0
DFT-s-OFDM 16QAM	1	1	20.98	0-1	0.0
CP-OFDM QPSK	1	1	21.25	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.2.19 NR Band N77

Table G-318
NR Band N77 Measured P_{Limit} Antenna 1a - 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.97	19.74	0	0.0
	1	123	19.92	19.77		0.0
	1	243	19.92	19.69		0.0
	120	0	20.03	19.71	0-1	0.0
	120	63	20.12	19.77	0	0.0
	120	125	20.14	19.77	0-1	0.0
	243	0	20.24	19.87		0.0
DFT-s-OFDM 16QAM	1	1	19.86	19.69	0-1	0.0
CP-OFDM QPSK	1	1	20.15	20.00	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-319
NR Band N77 Measured P_{Limit} Antenna 1a - 80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	20.05	19.74	0	0.0
	1	109	20.02	19.77		0.0
	1	215	20.18	19.53		0.0
	108	0	20.09	19.75	0-1	0.0
	108	55	20.15	19.75	0	0.0
	108	109	20.20	19.77	0-1	0.0
	216	0	20.25	19.86		0.0
DFT-s-OFDM 16QAM	1	1	19.81	19.57	0-1	0.0
CP-OFDM QPSK	1	1	20.10	19.86	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-320
NR Band N77 Measured P_{Limit} Antenna 1a - 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.76	19.51	0	0.0
	1	95	20.15	19.72		0.0
	1	187	20.30	19.64		0.0
	90	0	20.05	19.72	0-1	0.0
	90	50	20.13	19.73	0	0.0
	90	99	20.20	19.76	0-1	0.0
	180	0	20.18	19.82		0.0
DFT-s-OFDM 16QAM	1	1	19.92	19.58	0-1	0.0
CP-OFDM QPSK	1	1	20.02	19.70	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-321
NR Band N77 Measured P_{Limit} Antenna 1a - 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	20.05	19.61	0	0.0
	1	81	19.96	19.74		0.0
	1	160	20.22	19.68		0.0
	81	0	20.11	19.70	0-1	0.0
	81	41	20.10	19.74	0	0.0
	81	81	20.22	19.79	0-1	0.0
	162	0	20.25	19.82		0.0
DFT-s-OFDM 16QAM	1	1	19.98	19.60	0-1	0.0
CP-OFDM QPSK	1	1	20.07	19.74	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-322
NR Band N77 Measured P_{Limit} Antenna 1a - 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.96	19.51	0	0.0
	1	67	20.15	19.73		0.0
	1	131	20.10	19.58		0.0
	64	0	20.15	19.82	0-1	0.0
	64	35	20.18	19.77	0	0.0
	64	69	20.21	19.78	0-1	0.0
	128	0	20.23	19.82		0.0
DFT-s-OFDM 16QAM	1	1	19.85	19.58	0-1	0.0
CP-OFDM QPSK	1	1	20.08	19.76	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-323
NR Band N77 Measured P_{Limit} Antenna 1a - 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	20.10	19.74	0	0.0
	1	53	20.15	19.75		0.0
	1	104	20.17	19.77		0.0
	50	0	20.15	19.83	0-1	0.0
	50	28	20.19	19.78	0	0.0
	50	56	20.22	19.81	0-1	0.0
	100	0	20.21	19.88		0.0
DFT-s-OFDM 16QAM	1	1	19.91	19.68	0-1	0.0
CP-OFDM QPSK	1	1	20.19	19.91	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-324
NR Band N77 Measured P_{Limit} Antenna 1a - 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	20.14	19.78	0	0.0
	1	39	20.20	19.79		0.0
	1	76	20.17	19.75		0.0
	36	0	20.14	19.82	0-1	0.0
	36	21	20.21	19.77	0	0.0
	36	42	20.20	19.81	0-1	0.0
	75	0	20.22	19.81		0.0
DFT-s-OFDM 16QAM	1	1	20.02	19.56	0-1	0.0
CP-OFDM QPSK	1	1	20.27	19.84	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-325
NR Band N77 Measured P_{Limit} Antenna 1a - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	20.13	19.79	0	0.0
	1	26	20.17	19.71		0.0
	1	49	20.20	19.71		0.0
	25	0	20.18	19.83	0-1	0.0
	25	13	20.21	19.81	0	0.0
	25	26	20.22	19.79	0-1	0.0
	50	0	20.24	19.84		0.0
DFT-s-OFDM 16QAM	1	1	19.99	19.64	0-1	0.0
CP-OFDM QPSK	1	1	20.26	20.03	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-326
NR Band N77 Measured P_{Limit} Antenna 1a - 15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	20.09	19.76	0	0.0
	1	19	20.14	19.73		0.0
	1	36	20.17	19.72		0.0
	18	0	20.16	19.82	0-1	0.0
	18	10	20.22	19.78	0	0.0
	18	20	20.22	19.82	0-1	0.0
	36	0	20.23	19.82		0.0
DFT-s-OFDM 16QAM	1	1	20.15	19.58	0-1	0.0
CP-OFDM QPSK	1	1	20.19	19.90	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-327
NR Band N77 Measured P_{Limit} Antenna 1a - 10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	20.20	19.81	0	0.0
	1	12	20.20	19.87		0.0
	1	22	20.22	19.86		0.0
	12	0	20.26	19.89	0-1	0.0
	12	6	20.28	19.93	0	0.0
	12	12	20.30	19.85	0-1	0.0
	24	0	20.34	19.97		0.0
DFT-s-OFDM 16QAM	1	1	19.95	19.50	0-1	0.0
CP-OFDM QPSK	1	1	20.30	19.90	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.2.20 NR Band N77

Table G-328
NR Band N77 Measured P_{Limit} Antenna 2a - 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	15.46	16.10	0	0.0
	1	123	15.50	15.69		0.0
	1	243	15.67	15.62		0.0
	120	0	15.66	16.00	0-1	0.0
	120	63	15.64	15.86	0	0.0
	120	125	15.82	15.81	0-1	0.0
	243	0	15.73	15.95		0.0
DFT-s-OFDM 16QAM	1	1	15.34	15.70	0-1	0.0
CP-OFDM QPSK	1	1	15.47	16.00	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-329
NR Band N77 Measured P_{Limit} Antenna 2a - 80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	15.44	16.01	0	0.0
	1	109	15.45	15.74		0.0
	1	215	15.72	15.61		0.0
	108	0	15.62	16.01	0-1	0.0
	108	55	15.63	15.86	0	0.0
	108	109	15.80	15.82	0-1	0.0
	216	0	15.72	15.94		0.0
DFT-s-OFDM 16QAM	1	1	15.39	15.73	0-1	0.0
CP-OFDM QPSK	1	1	15.51	16.05	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-330
NR Band N77 Measured P_{Limit} Antenna 2a - 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	15.45	15.82	0	0.0
	1	95	15.48	15.61		0.0
	1	187	15.64	15.60		0.0
	90	0	15.60	15.98	0-1	0.0
	90	50	15.61	15.81	0	0.0
	90	99	15.80	15.70	0-1	0.0
	180	0	15.73	15.92		0.0
DFT-s-OFDM 16QAM	1	1	15.37	15.73	0-1	0.0
CP-OFDM QPSK	1	1	15.60	15.85	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-331
NR Band N77 Measured P_{Limit} Antenna 2a - 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	15.60	15.91	0	0.0
	1	81	15.58	15.60		0.0
	1	160	15.76	15.62		0.0
	81	0	15.67	15.94	0-1	0.0
	81	41	15.58	15.87	0	0.0
	81	81	15.75	15.80	0-1	0.0
	162	0	15.71	15.92		0.0
DFT-s-OFDM 16QAM	1	1	15.40	15.80	0-1	0.0
CP-OFDM QPSK	1	1	15.57	16.12	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-332
NR Band N77 Measured P_{Limit} Antenna 2a - 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	15.53	15.79	0	0.0
	1	67	15.60	15.85		0.0
	1	131	15.63	15.62		0.0
	64	0	15.66	15.91	0-1	0.0
	64	35	15.63	15.86	0	0.0
	64	69	15.76	15.81	0-1	0.0
	128	0	15.77	16.03		0.0
DFT-s-OFDM 16QAM	1	1	15.40	15.68	0-1	0.0
CP-OFDM QPSK	1	1	15.60	15.85	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-333
NR Band N77 Measured P_{Limit} Antenna 2a - 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	15.61	15.96	0	0.0
	1	53	15.59	15.80		0.0
	1	104	15.86	15.83		0.0
	50	0	15.69	15.95	0-1	0.0
	50	28	15.67	15.87	0	0.0
	50	56	15.76	15.84	0-1	0.0
	100	0	15.73	15.97		0.0
DFT-s-OFDM 16QAM	1	1	15.44	15.83	0-1	0.0
CP-OFDM QPSK	1	1	15.69	16.11	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-334
NR Band N77 Measured P_{Limit} Antenna 2a - 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	15.66	15.97	0	0.0
	1	39	15.56	15.82		0.0
	1	76	15.70	15.79		0.0
	36	0	15.70	15.93	0-1	0.0
	36	21	15.67	15.92	0	0.0
	36	42	15.68	15.84	0-1	0.0
	75	0	15.69	15.92		0.0
DFT-s-OFDM 16QAM	1	1	15.59	15.91	0-1	0.0
CP-OFDM QPSK	1	1	15.76	16.16	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-335
NR Band N77 Measured P_{Limit} Antenna 2a - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	15.64	15.88	0	0.0
	1	26	15.61	15.86		0.0
	1	49	15.68	15.80		0.0
	25	0	15.70	15.89	0-1	0.0
	25	13	15.74	15.88	0	0.0
	25	26	15.77	15.84	0-1	0.0
	50	0	15.79	15.96		0.0
DFT-s-OFDM 16QAM	1	1	15.55	15.77	0-1	0.0
CP-OFDM QPSK	1	1	15.81	16.09	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-336
NR Band N77 Measured P_{Limit} Antenna 2a - 15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	15.75	15.94	0	0.0
	1	19	15.73	15.81		0.0
	1	36	15.65	15.70		0.0
	18	0	15.76	15.96	0-1	0.0
	18	10	15.73	15.89	0	0.0
	18	20	15.76	15.91	0-1	0.0
	36	0	15.77	15.95		0.0
DFT-s-OFDM 16QAM	1	1	15.56	15.73	0-1	0.0
CP-OFDM QPSK	1	1	15.81	16.10	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-337
NR Band N77 Measured P_{Limit} Antenna 2a - 10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	15.80	15.97	0	0.0
	1	12	15.76	15.90		0.0
	1	22	15.74	15.85		0.0
	12	0	15.87	16.01	0-1	0.0
	12	6	15.88	15.97	0	0.0
	12	12	15.86	16.01	0-1	0.0
	24	0	15.93	16.08		0.0
DFT-s-OFDM 16QAM	1	1	15.66	15.77	0-1	0.0
CP-OFDM QPSK	1	1	15.92	16.08	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.2.21 NR Band N77

Table G-338
NR Band N77 Measured P_{Limit} Antenna 3b - 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	15.89	16.03	0	0.0
	1	123	15.67	15.75		0.0
	1	243	16.03	16.02		0.0
	120	0	15.93	15.83	0-1	0.0
	120	63	15.78	15.80	0	0.0
	120	125	15.90	15.80	0-1	0.0
	243	0	15.92	15.94		0.0
DFT-s-OFDM 16QAM	1	1	15.79	15.72	0-1	0.0
CP-OFDM QPSK	1	1	16.01	16.04	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-339
NR Band N77 Measured P_{Limit} Antenna 3b - 80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	15.81	16.00	0	0.0
	1	109	15.71	15.90		0.0
	1	215	15.92	15.90		0.0
	108	0	15.98	15.85	0-1	0.0
	108	55	15.83	15.82	0	0.0
	108	109	15.94	15.80	0-1	0.0
	216	0	15.94	15.92		0.0
DFT-s-OFDM 16QAM	1	1	15.89	15.72	0-1	0.0
CP-OFDM QPSK	1	1	16.19	16.09	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-340
NR Band N77 Measured P_{Limit} Antenna 3b - 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.02	15.78	0	0.0
	1	95	15.83	15.65		0.0
	1	187	15.91	15.72		0.0
	90	0	15.98	15.80	0-1	0.0
	90	50	15.83	15.77	0	0.0
	90	99	15.97	15.78	0-1	0.0
	180	0	15.92	15.85		0.0
DFT-s-OFDM 16QAM	1	1	15.92	15.57	0-1	0.0
CP-OFDM QPSK	1	1	16.07	15.71	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-341
NR Band N77 Measured P_{Limit} Antenna 3b - 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.08	15.67	0	0.0
	1	81	15.80	15.64		0.0
	1	160	16.03	15.89		0.0
	81	0	15.92	15.82	0-1	0.0
	81	41	15.85	15.78	0	0.0
	81	81	15.91	15.78	0-1	0.0
	162	0	15.93	15.88		0.0
DFT-s-OFDM 16QAM	1	1	15.94	15.88	0-1	0.0
CP-OFDM QPSK	1	1	16.16	15.79	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-342
NR Band N77 Measured P_{Limit} Antenna 3b - 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	15.91	15.67	0	0.0
	1	67	15.84	15.81		0.0
	1	131	15.83	15.64		0.0
	64	0	15.92	15.87	0-1	0.0
	64	35	15.90	15.81	0	0.0
	64	69	15.91	15.84	0-1	0.0
	128	0	16.01	15.96		0.0
DFT-s-OFDM 16QAM	1	1	15.78	15.48	0-1	0.0
CP-OFDM QPSK	1	1	16.03	15.73	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-343
NR Band N77 Measured P_{Limit} Antenna 3b - 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	15.98	15.80	0	0.0
	1	53	15.89	15.78		0.0
	1	104	15.95	15.86		0.0
	50	0	15.94	15.88	0-1	0.0
	50	28	15.92	15.87	0	0.0
	50	56	15.93	15.85	0-1	0.0
	100	0	15.97	15.93		0.0
DFT-s-OFDM 16QAM	1	1	15.82	15.66	0-1	0.0
CP-OFDM QPSK	1	1	16.03	15.97	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-344
NR Band N77 Measured P_{Limit} Antenna 3b - 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	15.89	15.83	0	0.0
	1	39	15.94	15.80		0.0
	1	76	15.87	15.84		0.0
	36	0	15.93	15.89	0-1	0.0
	36	21	15.91	15.82	0	0.0
	36	42	15.93	15.85	0-1	0.0
	75	0	15.95	15.89		0.0
DFT-s-OFDM 16QAM	1	1	15.71	15.61	0-1	0.0
CP-OFDM QPSK	1	1	15.98	15.95	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-345
NR Band N77 Measured P_{Limit} Antenna 3b - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	15.87	15.84	0	0.0
	1	26	15.83	15.78		0.0
	1	49	15.84	15.77		0.0
	25	0	15.96	15.85	0-1	0.0
	25	13	15.93	15.85	0	0.0
	25	26	15.93	15.85	0-1	0.0
	50	0	16.00	15.90		0.0
DFT-s-OFDM 16QAM	1	1	15.73	15.62	0-1	0.0
CP-OFDM QPSK	1	1	15.91	16.00	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-346
NR Band N77 Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	15.91	15.88	0	0.0
	1	19	15.89	15.81		0.0
	1	36	15.83	15.75		0.0
	18	0	15.98	15.84	0-1	0.0
	18	10	15.91	15.81	0	0.0
	18	20	15.92	15.85	0-1	0.0
	36	0	15.98	15.90		0.0
DFT-s-OFDM 16QAM	1	1	15.70	15.62	0-1	0.0
CP-OFDM QPSK	1	1	15.99	15.95	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-347
NR Band N77 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	15.98	15.91	0	0.0
	1	12	16.05	15.84		0.0
	1	22	15.94	15.86		0.0
	12	0	16.04	15.98	0-1	0.0
	12	6	16.03	15.92	0	0.0
	12	12	16.06	15.94	0-1	0.0
	24	0	16.18	15.98		0.0
DFT-s-OFDM 16QAM	1	1	15.81	15.72	0-1	0.0
CP-OFDM QPSK	1	1	16.16	16.06	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

G.2.22 NR Band N77

Table G-348
NR Band N77 Measured P_{Limit} Antenna 4 - 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.80	19.59	0	0.0
	1	123	18.89	19.51		0.0
	1	243	18.95	19.27		0.0
	120	0	18.83	19.65	0-1	0.0
	120	63	18.92	19.47	0	0.0
	120	125	19.02	19.57	0-1	0.0
	243	0	19.01	19.47		0.0
DFT-s-OFDM 16QAM	1	1	18.96	19.53	0-1	0.0
CP-OFDM QPSK	1	1	18.94	19.70	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-349
NR Band N77 Measured P_{Limit} Antenna 4 - 80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.86	19.49	0	0.0
	1	109	18.95	19.52		0.0
	1	215	18.98	19.30		0.0
	108	0	18.83	19.62	0-1	0.0
	108	55	18.85	19.39	0	0.0
	108	109	18.92	19.54	0-1	0.0
	216	0	18.80	19.48		0.0
DFT-s-OFDM 16QAM	1	1	18.89	19.38	0-1	0.0
CP-OFDM QPSK	1	1	18.84	19.74	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-350
NR Band N77 Measured P_{Limit} Antenna 4 - 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.99	19.55	0	0.0
	1	95	18.88	19.53		0.0
	1	187	18.86	19.28		0.0
	90	0	18.98	19.67	0-1	0.0
	90	50	18.80	19.41	0	0.0
	90	99	18.83	19.54	0-1	0.0
	180	0	18.80	19.47		0.0
DFT-s-OFDM 16QAM	1	1	18.92	19.41	0-1	0.0
CP-OFDM QPSK	1	1	18.96	19.70	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-351
NR Band N77 Measured P_{Limit} Antenna 4 - 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.89	19.57	0	0.0
	1	81	18.82	19.51		0.0
	1	160	18.88	19.46		0.0
	81	0	18.86	19.59	0-1	0.0
	81	41	18.83	19.38	0	0.0
	81	81	18.84	19.54	0-1	0.0
	162	0	18.99	19.48		0.0
DFT-s-OFDM 16QAM	1	1	18.80	19.41	0-1	0.0
CP-OFDM QPSK	1	1	18.87	19.65	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-352
NR Band N77 Measured P_{Limit} Antenna 4 - 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.84	19.37	0	0.0
	1	67	18.94	19.56		0.0
	1	131	18.89	19.26		0.0
	64	0	18.83	19.63	0-1	0.0
	64	35	18.83	19.41	0	0.0
	64	69	18.89	19.49	0-1	0.0
	128	0	18.85	19.54		0.0
DFT-s-OFDM 16QAM	1	1	18.87	19.48/	0-1	0.0
CP-OFDM QPSK	1	1	18.90	19.54	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-353
NR Band N77 Measured P_{Limit} Antenna 4 - 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.89	19.47	0	0.0
	1	53	18.86	19.53		0.0
	1	104	18.91	19.43		0.0
	50	0	18.80	19.62	0-1	0.0
	50	28	18.89	19.37	0	0.0
	50	56	18.83	19.49	0-1	0.0
	100	0	18.97	19.49		0.0
DFT-s-OFDM 16QAM	1	1	18.92	19.42	0-1	0.0
CP-OFDM QPSK	1	1	18.81	19.61	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-354
NR Band N77 Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.82	19.52	0	0.0
	1	39	18.80	19.56		0.0
	1	76	18.81	19.41		0.0
	36	0	18.88	19.65	0-1	0.0
	36	21	18.81	19.43	0	0.0
	36	42	18.82	19.50	0-1	0.0
	75	0	18.87	19.43		0.0
DFT-s-OFDM 16QAM	1	1	18.86	19.36	0-1	0.0
CP-OFDM QPSK	1	1	18.97	19.65	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-355
NR Band N77 Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.83	19.38	0	0.0
	1	26	18.82	19.50		0.0
	1	49	18.90	19.37		0.0
	25	0	18.89	19.60	0-1	0.0
	25	13	18.87	19.40	0	0.0
	25	26	18.85	19.49	0-1	0.0
	50	0	18.92	19.49		0.0
DFT-s-OFDM 16QAM	1	1	18.84	19.40	0-1	0.0
CP-OFDM QPSK	1	1	19.01	19.61	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-356
NR Band N77 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.90	19.41	0	0.0
	1	19	18.84	19.50		0.0
	1	36	18.82	19.41		0.0
	18	0	18.90	19.60	0-1	0.0
	18	10	18.85	19.39	0	0.0
	18	20	18.84	19.55	0-1	0.0
	36	0	18.90	19.47		0.0
DFT-s-OFDM 16QAM	1	1	18.81	19.45	0-1	0.0
CP-OFDM QPSK	1	1	18.95	19.64	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.

Table G-357
NR Band N77 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.88	19.43	0	0.0
	1	12	18.85	19.51		0.0
	1	22	18.82	19.54		0.0
	12	0	18.97	19.60	0-1	0.0
	12	6	18.97	19.50	0	0.0
	12	12	18.97	19.52	0-1	0.0
	24	0	19.08	19.59		0.0
DFT-s-OFDM 16QAM	1	1	18.83	19.34	0-1	0.0
CP-OFDM QPSK	1	1	18.99	19.60	0-1.5	0.0

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.INFO@ELEMENT.COM.