

APPENDIX J: RU SAR EXCLUSION

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 1 of 60

J.1 IEEE 802.11ax/be RU SAR Exclusion

To make the most efficient use of the additional available subcarriers (data tones), IEEE 802.11ax/be can utilize Orthogonal Frequency-Division Multiple Access (OFDMA) which divides the existing 802.11 channels into smaller subchannels called Resource Units (RUs). Possible RU sizes are: 26T, 52T, 52T+26T, 106T, 106T+26T, 484T+242T, 996T+484T, 996T+484T+242T.

Per FCC Guidance, 802.11ax/be was considered a higher order 802.11 mode when compared to a/b/g/n/ac to apply KDB Publication 248227 D01v02r02 for OFDM mode selection. Therefore, SAR tests were not required for 802.11ax/be based on the maximum allowed output powers of OFDM modes and the reported SAR values. Per FCC Guidance, maximum conducted powers were performed for each RU size to demonstrate that the output powers would not be higher than the other OFDM 802.11 modes.

J.2 IEEE 802.11ax/be RU Target Powers

J.2.1 Maximum 802.11ax RU WLAN Output Power

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3a					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
2.4 GHz WIFI 20 MHz Bandwidth	1-13	26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
		12.00	11.00	13.70	12.70	13.70	12.70
		12.00	11.00	15.00	14.00	17.20	16.20
		12.00	11.00	15.00	14.00	18.00	17.00
		12.00	11.00	15.00	14.00	18.00	17.00
		12.00	11.00	15.00	14.00	18.00	17.00
		12.00	11.00	15.00	14.00	18.00	17.00
		12.00	11.00	15.00	14.00	18.00	17.00
		12.00	11.00	15.00	14.00	18.00	17.00
		12.00	11.00	15.00	14.00	18.00	17.00
		12.00	11.00	15.00	14.00	18.00	17.00
		12.00	11.00	15.00	14.00	18.00	17.00
		12.00	11.00	15.00	14.00	18.00	17.00
		12.00	11.00	15.00	14.00	18.00	17.00
		12.00	11.00	15.00	14.00	18.00	17.00
2.4 GHz WIFI 20 MHz Bandwidth	1-13	8.50	-9.50	-8.50	-9.50	-8.50	-9.50

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 1a					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
2.4 GHz WIFI 20 MHz Bandwidth	1-13	26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
		12.00	10.50	14.20	12.70	14.20	12.70
		12.00	10.50	15.00	13.50	17.20	15.70
		12.00	10.50	15.00	13.50	18.00	16.50
		12.00	10.50	15.00	13.50	18.00	16.50
		12.00	10.50	15.00	13.50	18.00	16.50
		12.00	10.50	15.00	13.50	18.00	16.50
		12.00	10.50	15.00	13.50	18.00	16.50
		12.00	10.50	15.00	13.50	18.00	16.50
		12.00	10.50	15.00	13.50	18.00	16.50
		12.00	10.50	15.00	13.50	18.00	16.50
		12.00	10.50	15.00	13.50	18.00	16.50
		12.00	10.50	15.00	13.50	18.00	16.50
		12.00	10.50	15.00	13.50	18.00	16.50
		12.00	10.50	15.00	13.50	18.00	16.50
2.4 GHz WIFI 20 MHz Bandwidth	1-13	-4.70	-6.20	-4.70	-6.20	-4.70	-6.20

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 2 of 60

Mode	IEEE 802.11 (Maximum in dBm) - Antenna 1a								
	Channel	MIMO CDD g/n (Maximum)	MIMO CDD g/n (Nominal)	MIMO CDD ax SU (Maximum)	MIMO CDD ax SU (Nominal)	MIMO SDM g/n (Maximum)	MIMO SDM g/n (Nominal)	MIMO SDM ax SU (Maximum)	MIMO SDM ax SU (Nominal)
2.4 GHz WIFI 20 MHz Bandwidth	1	14.70	13.70	14.00	13.00	14.70	13.70	14.00	13.00
	2	18.00	17.00	17.10	16.10	18.00	17.00	17.10	16.10
	3	19.40	18.40	19.10	18.10	19.40	18.40	19.10	18.10
	4	20.50	19.50	20.00	19.00	20.50	19.50	20.00	19.00
	5	21.00	20.00	21.00	20.00	21.00	20.00	21.00	20.00
	6	21.00	20.00	21.00	20.00	21.00	20.00	21.00	20.00
	7	20.50	19.50	20.50	19.50	20.50	19.50	20.50	19.50
	8	20.30	19.30	20.00	19.00	20.30	19.30	20.00	19.00
	9	18.70	17.70	18.70	17.70	18.70	17.70	18.70	17.70
	10	18.20	17.20	17.50	16.50	18.20	17.20	17.50	16.50
	11	15.80	14.80	15.20	14.20	15.80	14.80	15.20	14.20
	12	13.60	12.60	13.50	12.50	13.60	12.60	13.50	12.50
	13	7.30	6.30	5.40	4.40	7.30	6.30	5.40	4.40

Mode	IEEE 802.11 (Maximum in dBm) - Antenna 3c						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	11.00	10.00	14.00	13.00	16.20	15.20
	40	11.00	10.00	14.00	13.00	17.00	16.00
	44	11.00	10.00	14.00	13.00	17.00	16.00
	48	11.00	10.00	14.00	13.00	17.00	16.00
	52	NS	NS	14.00	13.00	17.00	16.00
	56	NS	NS	14.00	13.00	17.00	16.00
	60	NS	NS	14.00	13.00	17.00	16.00
	64	NS	NS	14.00	13.00	16.20	15.20
	100	NS	NS	14.00	13.00	14.70	13.70
	104	NS	NS	14.00	13.00	17.00	16.00
	108	NS	NS	14.00	13.00	17.00	16.00
	112	NS	NS	14.00	13.00	17.00	16.00
	116	NS	NS	14.00	13.00	17.00	16.00
	120	NS	NS	14.00	13.00	17.00	16.00
	124	NS	NS	14.00	13.00	17.00	16.00
	128	NS	NS	14.00	13.00	17.00	16.00
	132	NS	NS	14.00	13.00	17.00	16.00
	136	NS	NS	14.00	13.00	17.00	16.00
	140	NS	NS	13.70	12.70	13.70	12.70
	144	NS	NS	14.00	13.00	17.00	16.00
	149	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 40 MHz Bandwidth	153	11.00	10.00	14.00	13.00	17.00	16.00
	157	11.00	10.00	14.00	13.00	17.00	16.00
	161	11.00	10.00	14.00	13.00	17.00	16.00
	165	11.00	10.00	14.00	13.00	17.00	16.00
	38	11.00	10.00	14.00	13.00	14.70	13.70
	46	11.00	10.00	14.00	13.00	17.00	16.00
	54	NS	NS	14.00	13.00	17.00	16.00
	62	NS	NS	14.00	13.00	14.50	13.50
	102	NS	NS	12.20	11.20	12.20	11.20
	110	NS	NS	14.00	13.00	17.00	16.00
5 GHz WIFI 80 MHz Bandwidth	118	NS	NS	14.00	13.00	17.00	16.00
	126	NS	NS	14.00	13.00	17.00	16.00
	134	NS	NS	14.00	13.00	16.50	15.50
	142	NS	NS	14.00	13.00	17.00	16.00
	151	11.00	10.00	14.00	13.00	17.00	16.00
	159	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 160 Mhz Bandwidth	42	11.00	10.00	14.00	13.00	14.20	13.20
	58	NS	NS	13.50	12.50	13.50	12.50
	106	NS	NS	12.70	11.70	12.70	11.70
	122	NS	NS	14.00	13.00	17.00	16.00
	138	NS	NS	14.00	13.00	17.00	16.00
5GHz WIFI	155	11.00	10.00	14.00	13.00	17.00	16.00
	50	NS	NS	12.50	11.50	12.50	11.50
	114	NS	NS	11.50	10.50	11.50	10.50

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 3 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3c					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.00	8.00	11.80	10.80	14.30	13.30
	40	9.00	8.00	12.00	11.00	15.00	14.00
	44	9.00	8.00	12.00	11.00	14.90	13.90
	48	9.00	8.00	11.80	10.80	15.00	14.00
	52	NS	NS	12.00	11.00	15.00	14.00
	56	NS	NS	12.00	11.00	15.00	14.00
	60	NS	NS	12.00	11.00	15.00	14.00
	64	NS	NS	11.50	10.50	14.10	13.10
	100	NS	NS	11.60	10.60	13.90	12.90
	104	NS	NS	11.90	10.90	15.00	14.00
	108	NS	NS	12.00	11.00	15.00	14.00
	112	NS	NS	12.00	11.00	15.00	14.00
	116	NS	NS	11.80	10.80	15.00	14.00
	120	NS	NS	11.90	10.90	15.00	14.00
	124	NS	NS	11.90	10.90	15.00	14.00
	128	NS	NS	11.80	10.80	15.00	14.00
	132	NS	NS	12.00	11.00	15.00	14.00
	136	NS	NS	11.40	10.40	14.20	13.20
	140	NS	NS	11.60	10.60	13.50	12.50
	144	NS	NS	12.00	11.00	15.00	14.00
	149	9.00	8.00	12.00	11.00	15.00	14.00
	153	9.00	8.00	12.00	11.00	15.00	14.00
	157	9.00	8.00	12.00	11.00	15.00	14.00
	161	9.00	8.00	12.00	11.00	15.00	14.00
	165	9.00	8.00	12.00	11.00	15.00	14.00
5 GHz WIFI 40 MHz Bandwidth	38	9.00	8.00	11.70	10.70	13.70	12.70
	46	9.00	8.00	11.80	10.80	14.90	13.90
	54	NS	NS	12.00	11.00	14.80	13.80
	62	NS	NS	11.70	10.70	13.70	12.70
	102	NS	NS	11.40	10.40	12.20	11.20
	110	NS	NS	12.00	11.00	15.00	14.00
	118	NS	NS	11.80	10.80	15.00	14.00
	126	NS	NS	11.80	10.80	15.00	14.00
	134	NS	NS	11.70	10.70	14.20	13.20
	142	NS	NS	11.60	10.60	15.00	14.00
	151	9.00	8.00	12.00	11.00	15.00	14.00
	159	9.00	8.00	12.00	11.00	15.00	14.00
5 GHz WIFI 80 MHz Bandwidth	42	9.10	8.10	11.80	10.80	13.50	12.50
	58	NS	NS	11.70	10.70	13.00	12.00
	106	NS	NS	11.40	10.40	12.20	11.20
	122	NS	NS	11.80	10.80	15.00	14.00
	138	NS	NS	11.70	10.70	15.00	14.00
5GHz WIFI 160 Mhz Bandwidth	155	9.50	8.50	12.50	11.50	15.50	14.50
	50	NS	NS	11.50	10.50	11.70	10.70
	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 4 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3c					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.00	8.00	11.80	10.80	14.30	13.30
	40	9.00	8.00	12.00	11.00	15.00	14.00
	44	9.00	8.00	12.00	11.00	14.90	13.90
	48	9.00	8.00	11.80	10.80	15.00	14.00
	52	NS	NS	12.00	11.00	15.00	14.00
	56	NS	NS	12.00	11.00	15.00	14.00
	60	NS	NS	12.00	11.00	15.00	14.00
	64	NS	NS	11.50	10.50	14.10	13.10
	100	NS	NS	11.60	10.60	13.90	12.90
	104	NS	NS	11.90	10.90	15.00	14.00
	108	NS	NS	12.00	11.00	15.00	14.00
	112	NS	NS	12.00	11.00	15.00	14.00
	116	NS	NS	11.80	10.80	15.00	14.00
	120	NS	NS	11.90	10.90	15.00	14.00
	124	NS	NS	11.90	10.90	15.00	14.00
	128	NS	NS	11.80	10.80	15.00	14.00
	132	NS	NS	12.00	11.00	15.00	14.00
	136	NS	NS	11.40	10.40	14.20	13.20
	140	NS	NS	11.60	10.60	13.50	12.50
	144	NS	NS	12.00	11.00	15.00	14.00
	149	9.00	8.00	12.00	11.00	15.00	14.00
	153	9.00	8.00	12.00	11.00	15.00	14.00
	157	9.00	8.00	12.00	11.00	15.00	14.00
	161	9.00	8.00	12.00	11.00	15.00	14.00
	165	9.00	8.00	12.00	11.00	15.00	14.00
5 GHz WIFI 40 MHz Bandwidth	38	9.00	8.00	11.70	10.70	13.70	12.70
	46	9.00	8.00	11.80	10.80	14.90	13.90
	54	NS	NS	12.00	11.00	14.80	13.80
	62	NS	NS	11.70	10.70	13.70	12.70
	102	NS	NS	11.40	10.40	12.20	11.20
	110	NS	NS	12.00	11.00	15.00	14.00
	118	NS	NS	11.80	10.80	15.00	14.00
	126	NS	NS	11.80	10.80	15.00	14.00
	134	NS	NS	11.70	10.70	14.20	13.20
	142	NS	NS	11.60	10.60	15.00	14.00
	151	9.00	8.00	12.00	11.00	15.00	14.00
	159	9.00	8.00	12.00	11.00	15.00	14.00
	42	9.10	8.10	11.80	10.80	13.50	12.50
	58	NS	NS	11.70	10.70	13.00	12.00
5 GHz WIFI 80 MHz Bandwidth	106	NS	NS	11.40	10.40	12.20	11.20
	122	NS	NS	11.80	10.80	15.00	14.00
	138	NS	NS	11.70	10.70	15.00	14.00
	155	9.50	8.50	12.50	11.50	15.50	14.50
5GHz WIFI 160 Mhz Bandwidth	50	NS	NS	11.50	10.50	11.70	10.70
	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 5 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3a					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.00	7.50	12.00	10.50	15.00	13.50
	40	9.00	7.50	12.00	10.50	15.00	13.50
	44	9.00	7.50	12.00	10.50	15.00	13.50
	48	9.00	7.50	12.00	10.50	15.00	13.50
	52	NS	NS	12.00	10.50	15.00	13.50
	56	NS	NS	12.00	10.50	15.00	13.50
	60	NS	NS	12.00	10.50	15.00	13.50
	64	NS	NS	12.00	10.50	15.00	13.50
	100	NS	NS	12.00	10.50	14.70	13.20
	104	NS	NS	12.00	10.50	15.00	13.50
	108	NS	NS	12.00	10.50	15.00	13.50
	112	NS	NS	12.00	10.50	15.00	13.50
	116	NS	NS	12.00	10.50	15.00	13.50
	120	NS	NS	12.00	10.50	15.00	13.50
	124	NS	NS	12.00	10.50	15.00	13.50
	128	NS	NS	12.00	10.50	15.00	13.50
	132	NS	NS	12.00	10.50	15.00	13.50
	136	NS	NS	12.00	10.50	15.00	13.50
	140	NS	NS	12.00	10.50	13.70	12.20
	144	NS	NS	12.00	10.50	15.00	13.50
	149	9.00	7.50	12.00	10.50	15.00	13.50
	153	9.00	7.50	12.00	10.50	15.00	13.50
	157	9.00	7.50	12.00	10.50	15.00	13.50
	161	9.00	7.50	12.00	10.50	15.00	13.50
	165	9.00	7.50	12.00	10.50	15.00	13.50
5 GHz WIFI 40 MHz Bandwidth	38	9.00	7.50	12.00	10.50	14.70	13.20
	46	9.00	7.50	12.00	10.50	15.00	13.50
	54	NS	NS	12.00	10.50	15.00	13.50
	62	NS	NS	12.00	10.50	13.70	12.20
	102	NS	NS	12.00	10.50	12.50	11.00
	110	NS	NS	12.00	10.50	15.00	13.50
	118	NS	NS	12.00	10.50	15.00	13.50
	126	NS	NS	12.00	10.50	15.00	13.50
	134	NS	NS	12.00	10.50	15.00	13.50
	142	NS	NS	12.00	10.50	15.00	13.50
	151	9.00	7.50	12.00	10.50	15.00	13.50
	159	9.00	7.50	12.00	10.50	15.00	13.50
5 GHz WIFI 80 MHz Bandwidth	42	9.50	8.00	12.50	11.00	14.20	12.70
	58	NS	NS	12.50	11.00	13.50	12.00
	106	NS	NS	12.50	11.00	13.50	12.00
	122	NS	NS	12.50	11.00	15.50	14.00
	138	NS	NS	12.50	11.00	15.50	14.00
5GHz WIFI 160 Mhz Bandwidth	155	9.50	8.00	12.50	11.00	15.50	14.00
	50	NS	NS	12.00	10.50	12.50	11.00
	114	NS	NS	11.50	10.00	11.50	10.00

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 6 of 60

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 3a						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.00	7.50	11.80	10.30	14.30	12.80
	40	9.00	7.50	12.00	10.50	15.00	13.50
	44	9.00	7.50	12.00	10.50	14.90	13.40
	48	9.00	7.50	11.80	10.30	15.00	13.50
	52	NS	NS	12.00	10.50	15.00	13.50
	56	NS	NS	12.00	10.50	15.00	13.50
	60	NS	NS	12.00	10.50	15.00	13.50
	64	NS	NS	11.50	10.00	14.10	12.60
	100	NS	NS	11.60	10.10	13.90	12.40
	104	NS	NS	11.90	10.40	15.00	13.50
	108	NS	NS	12.00	10.50	15.00	13.50
	112	NS	NS	12.00	10.50	15.00	13.50
	116	NS	NS	11.80	10.30	15.00	13.50
	120	NS	NS	11.90	10.40	15.00	13.50
	124	NS	NS	11.90	10.40	15.00	13.50
	128	NS	NS	11.80	10.30	15.00	13.50
	132	NS	NS	12.00	10.50	15.00	13.50
	136	NS	NS	11.40	9.90	14.20	12.70
	140	NS	NS	11.60	10.10	13.50	12.00
	144	NS	NS	12.00	10.50	15.00	13.50
	149	9.00	7.50	12.00	10.50	15.00	13.50
	153	9.00	7.50	12.00	10.50	15.00	13.50
	157	9.00	7.50	12.00	10.50	15.00	13.50
	161	9.00	7.50	12.00	10.50	15.00	13.50
	165	9.00	7.50	12.00	10.50	15.00	13.50
5 GHz WIFI 40 MHz Bandwidth	38	9.00	7.50	11.70	10.20	13.70	12.20
	46	9.00	7.50	11.80	10.30	14.90	13.40
	54	NS	NS	12.00	10.50	14.80	13.30
	62	NS	NS	11.70	10.20	13.70	12.20
	102	NS	NS	11.40	9.90	12.20	10.70
	110	NS	NS	12.00	10.50	15.00	13.50
	118	NS	NS	11.80	10.30	15.00	13.50
	126	NS	NS	11.80	10.30	15.00	13.50
	134	NS	NS	11.70	10.20	14.20	12.70
	142	NS	NS	11.60	10.10	15.00	13.50
	151	9.00	7.50	12.00	10.50	15.00	13.50
	159	9.00	7.50	12.00	10.50	15.00	13.50
5 GHz WIFI 80 MHz Bandwidth	42	9.10	7.60	11.80	10.30	13.50	12.00
	58	NS	NS	11.70	10.20	13.00	11.50
	106	NS	NS	11.40	9.90	12.20	10.70
	122	NS	NS	11.80	10.30	15.00	13.50
	138	NS	NS	11.70	10.20	15.00	13.50
5GHz WIFI 160 Mhz Bandwidth	155	9.50	8.00	12.50	11.00	15.50	14.00
	50	NS	NS	11.50	10.00	11.70	10.20
	114	NS	NS	11.00	9.50	11.00	9.50

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 7 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3a					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.00	7.50	11.80	10.30	14.30	12.80
	40	9.00	7.50	12.00	10.50	15.00	13.50
	44	9.00	7.50	12.00	10.50	14.90	13.40
	48	9.00	7.50	11.80	10.30	15.00	13.50
	52	NS	NS	12.00	10.50	15.00	13.50
	56	NS	NS	12.00	10.50	15.00	13.50
	60	NS	NS	12.00	10.50	15.00	13.50
	64	NS	NS	11.50	10.00	14.10	12.60
	100	NS	NS	11.60	10.10	13.90	12.40
	104	NS	NS	11.90	10.40	15.00	13.50
	108	NS	NS	12.00	10.50	15.00	13.50
	112	NS	NS	12.00	10.50	15.00	13.50
	116	NS	NS	11.80	10.30	15.00	13.50
	120	NS	NS	11.90	10.40	15.00	13.50
	124	NS	NS	11.90	10.40	15.00	13.50
	128	NS	NS	11.80	10.30	15.00	13.50
	132	NS	NS	12.00	10.50	15.00	13.50
	136	NS	NS	11.40	9.90	14.20	12.70
	140	NS	NS	11.60	10.10	13.50	12.00
	144	NS	NS	12.00	10.50	15.00	13.50
	149	9.00	7.50	12.00	10.50	15.00	13.50
	153	9.00	7.50	12.00	10.50	15.00	13.50
	157	9.00	7.50	12.00	10.50	15.00	13.50
	161	9.00	7.50	12.00	10.50	15.00	13.50
	165	9.00	7.50	12.00	10.50	15.00	13.50
5 GHz WIFI 40 MHz Bandwidth	38	9.00	7.50	11.70	10.20	13.70	12.20
	46	9.00	7.50	11.80	10.30	14.90	13.40
	54	NS	NS	12.00	10.50	14.80	13.30
	62	NS	NS	11.70	10.20	13.70	12.20
	102	NS	NS	11.40	9.90	12.20	10.70
	110	NS	NS	12.00	10.50	15.00	13.50
	118	NS	NS	11.80	10.30	15.00	13.50
	126	NS	NS	11.80	10.30	15.00	13.50
	134	NS	NS	11.70	10.20	14.20	12.70
	142	NS	NS	11.60	10.10	15.00	13.50
	151	9.00	7.50	12.00	10.50	15.00	13.50
	159	9.00	7.50	12.00	10.50	15.00	13.50
5 GHz WIFI 80 MHz Bandwidth	42	9.10	7.60	11.80	10.30	13.50	12.00
	58	NS	NS	11.70	10.20	13.00	11.50
	106	NS	NS	11.40	9.90	12.20	10.70
	122	NS	NS	11.80	10.30	15.00	13.50
	138	NS	NS	11.70	10.20	15.00	13.50
5GHz WIFI 160 Mhz Bandwidth	155	9.50	8.00	12.50	11.00	15.50	14.00
	50	NS	NS	11.50	10.00	11.70	10.20
	114	NS	NS	11.00	9.50	11.00	9.50

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 8 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.00	8.00	12.00	11.00	15.00	14.00
	40	9.00	8.00	12.00	11.00	15.00	14.00
	44	9.00	8.00	12.00	11.00	15.00	14.00
	48	9.00	8.00	12.00	11.00	15.00	14.00
	52	NS	NS	12.00	11.00	15.00	14.00
	56	NS	NS	12.00	11.00	15.00	14.00
	60	NS	NS	12.00	11.00	15.00	14.00
	64	NS	NS	12.00	11.00	15.00	14.00
	100	NS	NS	12.00	11.00	14.70	13.70
	104	NS	NS	12.00	11.00	15.00	14.00
	108	NS	NS	12.00	11.00	15.00	14.00
	112	NS	NS	12.00	11.00	15.00	14.00
	116	NS	NS	12.00	11.00	15.00	14.00
	120	NS	NS	12.00	11.00	15.00	14.00
	124	NS	NS	12.00	11.00	15.00	14.00
	128	NS	NS	12.00	11.00	15.00	14.00
	132	NS	NS	12.00	11.00	15.00	14.00
	136	NS	NS	12.00	11.00	15.00	14.00
	140	NS	NS	12.00	11.00	13.70	12.70
	144	NS	NS	12.00	11.00	15.00	14.00
	149	9.00	8.00	12.00	11.00	15.00	14.00
	153	9.00	8.00	12.00	11.00	15.00	14.00
	157	9.00	8.00	12.00	11.00	15.00	14.00
	161	9.00	8.00	12.00	11.00	15.00	14.00
	165	9.00	8.00	12.00	11.00	15.00	14.00
5 GHz WIFI 40 MHz Bandwidth	38	9.00	8.00	12.00	11.00	14.70	13.70
	46	9.00	8.00	12.00	11.00	15.00	14.00
	54	NS	NS	12.00	11.00	15.00	14.00
	62	NS	NS	12.00	11.00	13.70	12.70
	102	NS	NS	12.00	11.00	12.50	11.50
	110	NS	NS	12.00	11.00	15.00	14.00
	118	NS	NS	12.00	11.00	15.00	14.00
	126	NS	NS	12.00	11.00	15.00	14.00
	134	NS	NS	12.00	11.00	15.00	14.00
	142	NS	NS	12.00	11.00	15.00	14.00
	151	9.00	8.00	12.00	11.00	15.00	14.00
	159	9.00	8.00	12.00	11.00	15.00	14.00
5 GHz WIFI 80 MHz Bandwidth	42	9.50	8.50	12.50	11.50	14.20	13.20
	58	NS	NS	12.50	11.50	13.50	12.50
	106	NS	NS	12.50	11.50	13.50	12.50
	122	NS	NS	12.50	11.50	15.50	14.50
	138	NS	NS	12.50	11.50	15.50	14.50
5GHz WIFI 160 Mhz Bandwidth	155	9.50	8.50	12.50	11.50	15.50	14.50
	50	NS	NS	12.00	11.00	12.50	11.50
	114	NS	NS	11.50	10.50	11.50	10.50

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 9 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.00	8.00	11.80	10.80	14.30	13.30
	40	9.00	8.00	12.00	11.00	15.00	14.00
	44	9.00	8.00	12.00	11.00	14.90	13.90
	48	9.00	8.00	11.80	10.80	15.00	14.00
	52	NS	NS	12.00	11.00	15.00	14.00
	56	NS	NS	12.00	11.00	15.00	14.00
	60	NS	NS	12.00	11.00	15.00	14.00
	64	NS	NS	11.50	10.50	14.10	13.10
	100	NS	NS	11.60	10.60	13.90	12.90
	104	NS	NS	11.90	10.90	15.00	14.00
	108	NS	NS	12.00	11.00	15.00	14.00
	112	NS	NS	12.00	11.00	15.00	14.00
	116	NS	NS	11.80	10.80	15.00	14.00
	120	NS	NS	11.90	10.90	15.00	14.00
	124	NS	NS	11.90	10.90	15.00	14.00
	128	NS	NS	11.80	10.80	15.00	14.00
	132	NS	NS	12.00	11.00	15.00	14.00
	136	NS	NS	11.40	10.40	14.20	13.20
	140	NS	NS	11.60	10.60	13.50	12.50
	144	NS	NS	12.00	11.00	15.00	14.00
	149	9.00	8.00	12.00	11.00	15.00	14.00
	153	9.00	8.00	12.00	11.00	15.00	14.00
	157	9.00	8.00	12.00	11.00	15.00	14.00
	161	9.00	8.00	12.00	11.00	15.00	14.00
	165	9.00	8.00	12.00	11.00	15.00	14.00
5 GHz WIFI 40 MHz Bandwidth	38	9.00	8.00	11.70	10.70	13.70	12.70
	46	9.00	8.00	11.80	10.80	14.90	13.90
	54	NS	NS	12.00	11.00	14.80	13.80
	62	NS	NS	11.70	10.70	13.70	12.70
	102	NS	NS	11.40	10.40	12.20	11.20
	110	NS	NS	12.00	11.00	15.00	14.00
	118	NS	NS	11.80	10.80	15.00	14.00
	126	NS	NS	11.80	10.80	15.00	14.00
	134	NS	NS	11.70	10.70	14.20	13.20
	142	NS	NS	11.60	10.60	15.00	14.00
	151	9.00	8.00	12.00	11.00	15.00	14.00
	159	9.00	8.00	12.00	11.00	15.00	14.00
5 GHz WIFI 80 MHz Bandwidth	42	9.10	8.10	11.80	10.80	13.50	12.50
	58	NS	NS	11.70	10.70	13.00	12.00
	106	NS	NS	11.40	10.40	12.20	11.20
	122	NS	NS	11.80	10.80	15.00	14.00
	138	NS	NS	11.70	10.70	15.00	14.00
5GHz WIFI 160 Mhz Bandwidth	155	9.50	8.50	12.50	11.50	15.50	14.50
	50	NS	NS	11.50	10.50	11.70	10.70
	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 10 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.00	8.00	11.80	10.80	14.30	13.30
	40	9.00	8.00	12.00	11.00	15.00	14.00
	44	9.00	8.00	12.00	11.00	14.90	13.90
	48	9.00	8.00	11.80	10.80	15.00	14.00
	52	NS	NS	12.00	11.00	15.00	14.00
	56	NS	NS	12.00	11.00	15.00	14.00
	60	NS	NS	12.00	11.00	15.00	14.00
	64	NS	NS	11.50	10.50	14.10	13.10
	100	NS	NS	11.60	10.60	13.90	12.90
	104	NS	NS	11.90	10.90	15.00	14.00
	108	NS	NS	12.00	11.00	15.00	14.00
	112	NS	NS	12.00	11.00	15.00	14.00
	116	NS	NS	11.80	10.80	15.00	14.00
	120	NS	NS	11.90	10.90	15.00	14.00
	124	NS	NS	11.90	10.90	15.00	14.00
	128	NS	NS	11.80	10.80	15.00	14.00
	132	NS	NS	12.00	11.00	15.00	14.00
	136	NS	NS	11.40	10.40	14.20	13.20
	140	NS	NS	11.60	10.60	13.50	12.50
	144	NS	NS	12.00	11.00	15.00	14.00
	149	9.00	8.00	12.00	11.00	15.00	14.00
	153	9.00	8.00	12.00	11.00	15.00	14.00
	157	9.00	8.00	12.00	11.00	15.00	14.00
	161	9.00	8.00	12.00	11.00	15.00	14.00
	165	9.00	8.00	12.00	11.00	15.00	14.00
5 GHz WIFI 40 MHz Bandwidth	38	9.00	8.00	11.70	10.70	13.70	12.70
	46	9.00	8.00	11.80	10.80	14.90	13.90
	54	NS	NS	12.00	11.00	14.80	13.80
	62	NS	NS	11.70	10.70	13.70	12.70
	102	NS	NS	11.40	10.40	12.20	11.20
	110	NS	NS	12.00	11.00	15.00	14.00
	118	NS	NS	11.80	10.80	15.00	14.00
	126	NS	NS	11.80	10.80	15.00	14.00
	134	NS	NS	11.70	10.70	14.20	13.20
	142	NS	NS	11.60	10.60	15.00	14.00
	151	9.00	8.00	12.00	11.00	15.00	14.00
	159	9.00	8.00	12.00	11.00	15.00	14.00
	42	9.10	8.10	11.80	10.80	13.50	12.50
	58	NS	NS	11.70	10.70	13.00	12.00
5 GHz WIFI 80 MHz Bandwidth	106	NS	NS	11.40	10.40	12.20	11.20
	122	NS	NS	11.80	10.80	15.00	14.00
	138	NS	NS	11.70	10.70	15.00	14.00
	155	9.50	8.50	12.50	11.50	15.50	14.50
	50	NS	NS	11.50	10.50	11.70	10.70
5GHz WIFI 160 Mhz Bandwidth	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 11 of 60

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 3c						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-1.90	-2.90	0.40	-0.60	3.00	2.00
	5	-2.00	-3.00	0.80	-0.20	3.80	2.80
	9-29	-2.00	-3.00	0.50	-0.50	3.70	2.70
	33-61	-1.70	-2.70	0.80	-0.20	4.10	3.10
	65-85	-2.30	-3.30	0.30	-0.70	3.50	2.50
	89	-2.10	-3.10	0.50	-0.50	3.60	2.60
	93	-2.10	-3.10	0.70	-0.30	3.70	2.70
	97-113	-2.30	-3.30	0.40	-0.60	3.50	2.50
	117-181	-2.50	-3.50	0.30	-0.70	3.30	2.30
	185	-3.20	-4.20	-0.50	-1.50	2.90	1.90
	189-225	-3.30	-4.30	-0.60	-1.60	2.40	1.40
	229	-3.00	-4.00	-0.30	-1.30	2.70	1.70
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-2.10	-3.10	0.40	-0.60	2.90	1.90
	11	-2.00	-3.00	0.70	-0.30	3.80	2.80
	19-27	-2.20	-3.20	0.50	-0.50	3.70	2.70
	35-59	-1.90	-2.90	0.80	-0.20	4.10	3.10
	67-75	-2.40	-3.40	0.40	-0.60	3.50	2.50
	83	-2.40	-3.40	0.30	-0.70	3.70	2.70
	91	-2.10	-3.10	0.50	-0.50	3.60	2.60
	99-107	-2.40	-3.40	0.40	-0.60	3.50	2.50
	115	-2.40	-3.40	0.40	-0.60	3.50	2.50
	123-179	-2.50	-3.50	0.20	-0.80	3.30	2.30
	187	-3.20	-4.20	-0.50	-1.50	2.80	1.80
	195-219	-3.40	-4.40	-0.70	-1.70	2.40	1.40
	227	-3.10	-4.10	-0.40	-1.40	2.70	1.70
	7	-2.00	-3.00	0.40	-0.60	3.00	2.00
6 GHz WIFI (80MHz BW) LP	23	-2.00	-3.00	0.50	-0.50	3.70	2.70
	39-55	-1.80	-2.80	0.80	-0.20	4.10	3.10
	71	-2.40	-3.40	0.40	-0.60	3.50	2.50
	87	-2.30	-3.30	0.30	-0.70	3.60	2.60
	103	-2.40	-3.40	0.40	-0.60	3.50	2.50
	119	-2.30	-3.30	0.30	-0.70	3.40	2.40
	135-167	-2.40	-3.40	0.10	-0.90	3.30	2.30
	183	-3.30	-4.30	-0.50	-1.50	2.70	1.70
	199	-3.30	-4.30	-0.30	-1.30	2.70	1.70
	215	-3.40	-4.40	-0.60	-1.60	2.40	1.40
6 GHz WIFI (160MHz BW) LP	15	-2.30	-3.30	0.40	-0.60	3.40	2.40
	47	-1.80	-2.80	0.80	-0.20	4.10	3.10
	79	-2.90	-3.90	0.30	-0.70	3.50	2.50
	111	-2.60	-3.60	0.40	-0.60	3.40	2.40
	143	-2.40	-3.40	0.30	-0.70	3.30	2.30
	175	-3.30	-4.30	-0.50	-1.50	2.40	1.40
	207	-3.30	-4.30	-1.10	-2.10	2.40	1.40

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 12 of 60

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 3c						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-7.50	-8.50	-5.00	-6.00	-2.30	-3.30
	5	-7.30	-8.30	-4.60	-5.60	-1.60	-2.60
	9-29	-7.30	-8.30	-4.80	-5.80	-1.60	-2.60
	33-61	-7.20	-8.20	-4.90	-5.90	-1.30	-2.30
	65-85	-7.10	-8.10	-4.50	-5.50	-1.30	-2.30
	89	-7.00	-8.00	-4.30	-5.30	-1.20	-2.20
	93	-7.10	-8.10	-4.20	-5.20	-1.20	-2.20
	97-113	-7.00	-8.00	-4.30	-5.30	-1.20	-2.20
	117-181	-7.80	-8.80	-5.40	-6.40	-2.00	-3.00
	185	-8.20	-9.20	-5.50	-6.50	-2.10	-3.10
	189-225	-7.20	-8.20	-4.50	-5.50	-1.50	-2.50
	229	-6.90	-7.90	-4.20	-5.20	-1.20	-2.20
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-7.40	-8.40	-5.00	-6.00	-2.40	-3.40
	11	-7.30	-8.30	-4.60	-5.60	-1.50	-2.50
	19-27	-7.50	-8.50	-4.80	-5.80	-1.60	-2.60
	35-59	-7.40	-8.40	-5.20	-6.20	-1.30	-2.30
	67-75	-7.20	-8.20	-4.40	-5.40	-1.30	-2.30
	83	-7.20	-8.20	-4.50	-5.50	-1.10	-2.10
	91	-7.10	-8.10	-4.30	-5.30	-1.20	-2.20
	99-107	-7.10	-8.10	-4.30	-5.30	-1.20	-2.20
	115	-7.70	-8.70	-4.90	-5.90	-1.90	-2.90
	123-179	-7.80	-8.80	-5.40	-6.40	-2.00	-3.00
	187	-8.20	-9.20	-5.50	-6.50	-2.20	-3.20
	195-219	-7.40	-8.40	-4.60	-5.60	-1.50	-2.50
	227	-7.00	-8.00	-4.30	-5.30	-1.20	-2.20
	7	-7.40	-8.40	-4.90	-5.90	-2.30	-3.30
6 GHz WIFI (80MHz BW) LP	23	-7.60	-8.60	-4.80	-5.80	-1.60	-2.60
	39-55	-7.20	-8.20	-4.70	-5.70	-1.30	-2.30
	71	-7.20	-8.20	-4.40	-5.40	-1.30	-2.30
	87	-7.10	-8.10	-4.60	-5.60	-1.20	-2.20
	103	-7.10	-8.10	-4.30	-5.30	-1.20	-2.20
	119	-7.60	-8.60	-5.00	-6.00	-1.90	-2.90
	135-167	-7.70	-8.70	-5.40	-6.40	-2.00	-3.00
	183	-8.30	-9.30	-5.50	-6.50	-2.30	-3.30
	199	-7.20	-8.20	-4.30	-5.30	-1.50	-2.50
	215	-7.30	-8.30	-4.50	-5.50	-1.50	-2.50
6 GHz WIFI (160MHz BW) LP	15	-7.90	-8.90	-5.10	-6.10	-1.90	-2.90
	47	-7.20	-8.20	-4.90	-5.90	-1.40	-2.40
	79	-7.70	-8.70	-4.50	-5.50	-1.30	-2.30
	111	-7.90	-8.90	-4.90	-5.90	-1.90	-2.90
	143	-7.80	-8.80	-5.00	-6.00	-2.00	-3.00
	175	-8.30	-9.30	-5.90	-6.90	-2.60	-3.60
	207	-7.20	-8.20	-5.00	-6.00	-1.50	-2.50

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 13 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3c					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-4.50	-5.50	-2.00	-3.00	0.70	-0.30
	5	-4.30	-5.30	-1.60	-2.60	1.40	0.40
	9-29	-4.30	-5.30	-1.80	-2.80	1.40	0.40
	33-61	-4.20	-5.20	-1.90	-2.90	1.70	0.70
	65-85	-4.20	-5.20	-1.60	-2.60	1.60	0.60
	89	-4.10	-5.10	-1.40	-2.40	1.70	0.70
	93	-4.20	-5.20	-1.30	-2.30	1.70	0.70
	97-113	-4.10	-5.10	-1.40	-2.40	1.70	0.70
	117-181	-4.90	-5.90	-2.50	-3.50	0.90	-0.10
	185	-5.30	-6.30	-2.60	-3.60	0.80	-0.20
	189-225	-4.50	-5.50	-1.80	-2.80	1.20	0.20
	229	-4.20	-5.20	-1.50	-2.50	1.50	0.50
	233	NS	NS	NS	NS	NS	NS
	3	-4.40	-5.40	-2.00	-3.00	0.60	-0.40
6 GHz WiFi (40MHz BW) LP	11	-4.30	-5.30	-1.60	-2.60	1.50	0.50
	19-27	-4.50	-5.50	-1.80	-2.80	1.40	0.40
	35-59	-4.40	-5.40	-2.20	-3.20	1.70	0.70
	67-75	-4.30	-5.30	-1.50	-2.50	1.60	0.60
	83	-4.30	-5.30	-1.60	-2.60	1.80	0.80
	91	-4.20	-5.20	-1.40	-2.40	1.70	0.70
	99-107	-4.20	-5.20	-1.40	-2.40	1.70	0.70
	115	-4.80	-5.80	-2.00	-3.00	1.00	0.00
	123-179	-4.90	-5.90	-2.50	-3.50	0.90	-0.10
	187	-5.30	-6.30	-2.60	-3.60	0.70	-0.30
	195-219	-4.70	-5.70	-1.90	-2.90	1.20	0.20
	227	-4.30	-5.30	-1.60	-2.60	1.50	0.50
	7	-4.40	-5.40	-1.90	-2.90	0.70	-0.30
	23	-4.60	-5.60	-1.80	-2.80	1.40	0.40
	39-55	-4.20	-5.20	-1.70	-2.70	1.70	0.70
6 GHz WiFi (80MHz BW) LP	71	-4.30	-5.30	-1.50	-2.50	1.60	0.60
	87	-4.20	-5.20	-1.70	-2.70	1.70	0.70
	103	-4.20	-5.20	-1.40	-2.40	1.70	0.70
	119	-4.70	-5.70	-2.10	-3.10	1.00	0.00
	135-167	-4.80	-5.80	-2.50	-3.50	0.90	-0.10
	183	-5.40	-6.40	-2.60	-3.60	0.60	-0.40
	199	-4.50	-5.50	-1.60	-2.60	1.20	0.20
	215	-4.60	-5.60	-1.80	-2.80	1.20	0.20
	15	-4.90	-5.90	-2.10	-3.10	1.10	0.10
	47	-4.20	-5.20	-1.90	-2.90	1.60	0.60
6 GHz WiFi (160MHz BW) LP	79	-4.80	-5.80	-1.60	-2.60	1.60	0.60
	111	-5.00	-6.00	-2.00	-3.00	1.00	0.00
	143	-4.90	-5.90	-2.10	-3.10	0.90	-0.10
	175	-5.40	-6.40	-3.00	-4.00	0.30	-0.70
	207	-4.50	-5.50	-2.30	-3.30	1.20	0.20
Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3c					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-5.70	-6.70	-3.20	-4.20	0.10	-0.90
	65-85	-6.30	-7.30	-3.70	-4.70	-0.50	-1.50
	89	-6.10	-7.10	-3.50	-4.50	-0.40	-1.40
	93	-6.10	-7.10	-3.30	-4.30	-0.30	-1.30
	97-113	-6.30	-7.30	-3.60	-4.60	-0.50	-1.50
	117-181	-6.50	-7.50	-3.70	-4.70	-0.70	-1.70
	185	-7.20	-8.20	-4.50	-5.50	-1.10	-2.10
	189-225	-7.30	-8.30	-4.60	-5.60	-1.60	-2.60
	229	-7.00	-8.00	-4.30	-5.30	-1.30	-2.30
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-5.90	-6.90	-3.20	-4.20	0.10	-0.90
	67-75	-6.40	-7.40	-3.60	-4.60	-0.50	-1.50
	83	-6.40	-7.40	-3.70	-4.70	-0.30	-1.30
	91	-6.10	-7.10	-3.50	-4.50	-0.40	-1.40
	99-107	-6.40	-7.40	-3.60	-4.60	-0.50	-1.50
	115	-6.40	-7.40	-3.60	-4.60	-0.50	-1.50
	123-179	-6.50	-7.50	-3.80	-4.80	-0.70	-1.70
	187	-7.20	-8.20	-4.50	-5.50	-1.20	-2.20
	195-219	-7.40	-8.40	-4.70	-5.70	-1.60	-2.60
	227	-7.10	-8.10	-4.40	-5.40	-1.30	-2.30
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-5.80	-6.80	-3.20	-4.20	0.10	-0.90
6 GHz WiFi (80MHz BW) VLP	71	-6.40	-7.40	-3.60	-4.60	-0.50	-1.50
	87	-6.30	-7.30	-3.70	-4.70	-0.40	-1.40
	103	-6.40	-7.40	-3.60	-4.60	-0.50	-1.50
	119	-6.30	-7.30	-3.70	-4.70	-0.60	-1.60
	135-167	-6.40	-7.40	-3.90	-4.90	-0.70	-1.70
	183	-7.30	-8.30	-4.50	-5.50	-1.30	-2.30
	199	-7.30	-8.30	-4.30	-5.30	-1.30	-2.30
	215	-7.40	-8.40	-4.60	-5.60	-1.60	-2.60
	15	NS	NS	NS	NS	NS	NS
	47	-5.80	-6.80	-3.20	-4.20	0.10	-0.90
6 GHz WiFi (160MHz BW) VLP	79	-6.90	-7.90	-3.70	-4.70	-0.50	-1.50
	111	-6.60	-7.60	-3.60	-4.60	-0.60	-1.60
	143	-6.40	-7.40	-3.70	-4.70	-0.70	-1.70
	175	-7.30	-8.30	-4.50	-5.50	-1.60	-2.60
	207	-7.30	-8.30	-5.10	-6.10	-1.60	-2.60

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 14 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3c					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-8.90	-9.90	-5.30	-6.30
	65-85	NS	NS	-8.50	-9.50	-5.30	-6.30
	89	NS	NS	-8.30	-9.30	-5.20	-6.20
	93	NS	NS	-8.20	-9.20	-5.20	-6.20
	97-113	NS	NS	-8.30	-9.30	-5.20	-6.20
	117-181	NS	NS	NS	NS	-6.00	-7.00
	185	NS	NS	NS	NS	-6.10	-7.10
	189-225	NS	NS	-8.50	-9.50	-5.50	-6.50
	229	NS	NS	-8.20	-9.20	-5.20	-6.20
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	NS	NS	-5.30	-6.30
	67-75	NS	NS	-8.40	-9.40	-5.30	-6.30
	83	NS	NS	-8.50	-9.50	-5.10	-6.10
	91	NS	NS	-8.30	-9.30	-5.20	-6.20
	99-107	NS	NS	-8.30	-9.30	-5.20	-6.20
	115	NS	NS	-8.90	-9.90	-5.90	-6.90
	123-179	NS	NS	NS	NS	-6.00	-7.00
	187	NS	NS	NS	NS	-6.20	-7.20
	195-219	NS	NS	-8.60	-9.60	-5.50	-6.50
	227	NS	NS	-8.30	-9.30	-5.20	-6.20
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	-8.70	-9.70	-5.30	-6.30
6 GHz WiFi (80MHz BW) VLP	71	NS	NS	-8.40	-9.40	-5.30	-6.30
	87	NS	NS	-8.60	-9.60	-5.20	-6.20
	103	NS	NS	-8.30	-9.30	-5.20	-6.20
	119	NS	NS	-9.00	-10.00	-5.90	-6.90
	135-167	NS	NS	NS	NS	-6.00	-7.00
	183	NS	NS	NS	NS	-6.30	-7.30
	199	NS	NS	-8.30	-9.30	-5.50	-6.50
	215	NS	NS	-8.50	-9.50	-5.50	-6.50
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	-8.90	-9.90	-5.40	-6.40
6 GHz WiFi (160MHz BW) VLP	79	NS	NS	-8.50	-9.50	-5.30	-6.30
	111	NS	NS	-8.90	-9.90	-5.90	-6.90
	143	NS	NS	-9.00	-10.00	-6.00	-7.00
	175	NS	NS	NS	NS	-6.60	-7.60
	207	NS	NS	-9.00	-10.00	-5.50	-6.50

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3c					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-8.20	-9.20	-5.90	-6.90	-2.30	-3.30
	65-85	-8.20	-9.20	-5.60	-6.60	-2.40	-3.40
	89	-8.10	-9.10	-5.40	-6.40	-2.30	-3.30
	93	-8.20	-9.20	-5.30	-6.30	-2.30	-3.30
	97-113	-8.10	-9.10	-5.40	-6.40	-2.30	-3.30
	117-181	-8.90	-9.90	-6.50	-7.50	-3.10	-4.10
	185	NS	NS	-6.60	-7.60	-3.20	-4.20
	189-225	-8.50	-9.50	-5.80	-6.80	-2.80	-3.80
	229	-8.20	-9.20	-5.50	-6.50	-2.50	-3.50
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-8.40	-9.40	-6.20	-7.20	-2.30	-3.30
	67-75	-8.30	-9.30	-5.50	-6.50	-2.40	-3.40
	83	-8.30	-9.30	-5.60	-6.60	-2.20	-3.20
	91	-8.20	-9.20	-5.40	-6.40	-2.30	-3.30
	99-107	-8.20	-9.20	-5.40	-6.40	-2.30	-3.30
	115	-8.80	-9.80	-6.00	-7.00	-3.00	-4.00
	123-179	-8.90	-9.90	-6.50	-7.50	-3.10	-4.10
	187	NS	NS	-6.60	-7.60	-3.30	-4.30
	195-219	-8.70	-9.70	-5.90	-6.90	-2.80	-3.80
	227	-8.30	-9.30	-5.60	-6.60	-2.50	-3.50
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-8.20	-9.20	-5.70	-6.70	-2.30	-3.30
6 GHz WiFi (80MHz BW) VLP	71	-8.30	-9.30	-5.50	-6.50	-2.40	-3.40
	87	-8.20	-9.20	-5.70	-6.70	-2.30	-3.30
	103	-8.20	-9.20	-5.40	-6.40	-2.30	-3.30
	119	-8.70	-9.70	-6.10	-7.10	-3.00	-4.00
	135-167	-8.80	-9.80	-6.50	-7.50	-3.10	-4.10
	183	NS	NS	-6.60	-7.60	-3.40	-4.40
	199	-8.50	-9.50	-5.60	-6.60	-2.80	-3.80
	215	-8.60	-9.60	-5.80	-6.80	-2.80	-3.80
	15	NS	NS	NS	NS	NS	NS
	47	-8.20	-9.20	-5.90	-6.90	-2.40	-3.40
6 GHz WiFi (160MHz BW) VLP	79	-8.80	-9.80	-5.60	-6.60	-2.40	-3.40
	111	-9.00	-10.00	-6.00	-7.00	-3.00	-4.00
	143	-8.90	-9.90	-6.10	-7.10	-3.10	-4.10
	175	NS	NS	-7.00	-8.00	-3.70	-4.70
	207	-8.50	-9.50	-6.30	-7.30	-2.80	-3.80

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 15 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3c					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	12.25	11.25	12.25	11.25
	5	10.00	9.00	12.25	11.25	12.25	11.25
	9-29	10.00	9.00	12.25	11.25	12.25	11.25
	33-61	10.00	9.00	13.00	12.00	13.25	12.25
	65-85	10.00	9.00	13.00	12.00	13.25	12.25
	89	10.00	9.00	13.00	12.00	13.25	12.25
	93	10.00	9.00	13.00	12.00	13.25	12.25
	97-113	NS	NS	NS	NS	NS	NS
	117-181	10.00	9.00	12.00	11.00	12.00	11.00
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.00	9.00	12.25	11.25	12.25	11.25
6 GHz WiFi (40MHz BW) SP	11	10.00	9.00	12.25	11.25	12.25	11.25
	19-27	10.00	9.00	12.25	11.25	12.25	11.25
	35-59	10.00	9.00	13.00	12.00	13.25	12.25
	67-75	10.00	9.00	13.00	12.00	13.25	12.25
	83	10.00	9.00	13.00	12.00	13.25	12.25
	91	10.00	9.00	13.00	12.00	13.25	12.25
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	10.00	9.00	12.00	11.00	12.00	11.00
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.00	9.00	12.25	11.25	12.25	11.25
	23	10.00	9.00	12.25	11.25	12.25	11.25
	39-55	10.00	9.00	13.00	12.00	13.25	12.25
6 GHz WiFi (80MHz BW) SP	71	10.00	9.00	13.00	12.00	13.25	12.25
	87	10.00	9.00	13.00	12.00	13.25	12.25
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	10.00	9.00	12.00	11.00	12.00	11.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.00	9.00	12.25	11.25	12.25	11.25
	47	10.00	9.00	13.00	12.00	13.25	12.25
	79	10.00	9.00	13.00	12.00	13.25	12.25
	111	NS	NS	NS	NS	NS	NS
	143	10.00	9.00	12.00	11.00	12.00	11.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS
Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3c					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	8.00	7.00	11.00	10.00	12.25	11.25
	5	8.00	7.00	11.00	10.00	12.25	11.25
	9-29	8.00	7.00	11.00	10.00	12.25	11.25
	33-61	8.00	7.00	11.00	10.00	13.25	12.25
	65-85	8.00	7.00	11.00	10.00	13.25	12.25
	89	8.00	7.00	11.00	10.00	13.25	12.25
	93	8.00	7.00	11.00	10.00	13.25	12.25
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.00	7.00	11.00	10.00	12.00	11.00
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	8.00	7.00	11.00	10.00	12.25	11.25
	11	8.00	7.00	11.00	10.00	12.25	11.25
6 GHz WiFi (40MHz BW) SP	19-27	8.00	7.00	11.00	10.00	12.25	11.25
	35-59	8.00	7.00	11.00	10.00	13.25	12.25
	67-75	8.00	7.00	11.00	10.00	13.25	12.25
	83	8.00	7.00	11.00	10.00	13.25	12.25
	91	8.00	7.00	11.00	10.00	13.25	12.25
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.00	7.00	11.00	10.00	12.00	11.00
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	8.00	7.00	11.00	10.00	12.25	11.25
	23	8.00	7.00	11.00	10.00	12.25	11.25
	39-55	8.00	7.00	11.00	10.00	13.25	12.25
	71	8.00	7.00	11.00	10.00	13.25	12.25
6 GHz WiFi (80MHz BW) SP	87	8.00	7.00	11.00	10.00	13.25	12.25
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.00	7.00	11.00	10.00	12.00	11.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	8.00	7.00	11.00	10.00	12.25	11.25
	47	8.00	7.00	11.00	10.00	13.25	12.25
	79	8.00	7.00	11.00	10.00	13.25	12.25
	111	NS	NS	NS	NS	NS	NS
	143	8.00	7.00	11.00	10.00	12.00	11.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 16 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3c					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	8.00	7.00	11.00	10.00	12.25	11.25
	5	8.00	7.00	11.00	10.00	12.25	11.25
	9-29	8.00	7.00	11.00	10.00	12.25	11.25
	33-61	8.00	7.00	11.00	10.00	13.25	12.25
	65-85	8.00	7.00	11.00	10.00	13.25	12.25
	89	8.00	7.00	11.00	10.00	13.25	12.25
	93	8.00	7.00	11.00	10.00	13.25	12.25
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.00	7.00	11.00	10.00	12.00	11.00
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) SP	3	8.00	7.00	11.00	10.00	12.25	11.25
	11	8.00	7.00	11.00	10.00	12.25	11.25
	19-27	8.00	7.00	11.00	10.00	12.25	11.25
	35-59	8.00	7.00	11.00	10.00	13.25	12.25
	67-75	8.00	7.00	11.00	10.00	13.25	12.25
	83	8.00	7.00	11.00	10.00	13.25	12.25
	91	8.00	7.00	11.00	10.00	13.25	12.25
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.00	7.00	11.00	10.00	12.00	11.00
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) SP	7	8.00	7.00	11.00	10.00	12.25	11.25
	23	8.00	7.00	11.00	10.00	12.25	11.25
	39-55	8.00	7.00	11.00	10.00	13.25	12.25
	71	8.00	7.00	11.00	10.00	13.25	12.25
	87	8.00	7.00	11.00	10.00	13.25	12.25
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.00	7.00	11.00	10.00	12.00	11.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	15	8.00	7.00	11.00	10.00	12.25	11.25
	47	8.00	7.00	11.00	10.00	13.25	12.25
	79	8.00	7.00	11.00	10.00	13.25	12.25
	111	NS	NS	NS	NS	NS	NS
	143	8.00	7.00	11.00	10.00	12.00	11.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 17 of 60

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 3a						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-0.60	-2.10	1.90	0.40	4.80	3.30
	5	-0.30	-1.80	2.30	0.80	5.30	3.80
	9-29	-0.30	-1.80	2.40	0.90	5.40	3.90
	33-61	-0.40	-1.90	1.90	0.40	5.60	4.10
	65-85	0.60	-0.90	3.30	1.80	6.40	4.90
	89	0.60	-0.90	3.40	1.90	6.90	5.40
	93	0.50	-1.00	3.40	1.90	6.40	4.90
	97-113	0.90	-0.60	3.40	1.90	6.60	5.10
	117-181	-0.90	-2.40	1.40	-0.10	5.00	3.50
	185	-0.70	-2.20	2.20	0.70	5.30	3.80
	189-225	2.00	0.50	4.60	3.10	7.50	6.00
	229	2.40	0.90	4.80	3.30	7.80	6.30
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-0.10	-1.60	1.90	0.40	4.70	3.20
	11	-0.40	-1.90	2.40	0.90	5.40	3.90
	19-27	-0.30	-1.80	2.30	0.80	5.30	3.80
	35-59	-0.60	-2.10	1.60	0.10	5.60	4.10
	67-75	0.60	-0.90	3.50	2.00	6.40	4.90
	83	0.70	-0.80	3.30	1.80	6.60	5.10
	91	0.50	-1.00	3.50	2.00	6.40	4.90
	99-107	0.80	-0.70	3.40	1.90	6.60	5.10
	115	-0.60	-2.10	1.90	0.40	4.90	3.40
	123-179	-1.00	-2.50	1.40	-0.10	5.00	3.50
	187	-0.70	-2.20	2.00	0.50	5.20	3.70
	195-219	1.60	0.10	4.70	3.20	7.50	6.00
	227	2.40	0.90	4.80	3.30	7.80	6.30
	7	-0.50	-2.00	2.30	0.80	4.80	3.30
6 GHz WIFI (80MHz BW) LP	23	-0.70	-2.20	2.30	0.80	5.40	3.90
	39-55	-0.40	-1.90	2.10	0.60	5.60	4.10
	71	0.60	-0.90	3.40	1.90	6.40	4.90
	87	0.70	-0.80	3.00	1.50	6.40	4.90
	103	0.80	-0.70	3.40	1.90	6.60	5.10
	119	-0.80	-2.30	1.90	0.40	5.00	3.50
	135-167	-0.90	-2.40	1.40	-0.10	5.10	3.60
	183	-0.70	-2.20	2.20	0.70	5.40	3.90
	199	1.80	0.30	4.70	3.20	7.50	6.00
	215	2.00	0.50	4.50	3.00	7.90	6.40
6 GHz WIFI (160MHz BW) LP	15	-1.00	-2.50	1.80	0.30	5.10	3.60
	47	-0.40	-1.90	1.90	0.40	5.40	3.90
	79	0.00	-1.50	3.30	1.80	6.40	4.90
	111	-0.80	-2.30	1.90	0.40	5.00	3.50
	143	-1.00	-2.50	2.10	0.60	5.20	3.70
	175	-0.80	-2.30	1.40	-0.10	5.10	3.60
	207	2.00	0.50	4.70	3.20	7.50	6.00

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 18 of 60

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 3a						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-7.50	-9.00	-5.00	-6.50	-2.30	-3.80
	5	-7.30	-8.80	-4.60	-6.10	-1.60	-3.10
	9-29	-7.30	-8.80	-4.80	-6.30	-1.60	-3.10
	33-61	-7.20	-8.70	-4.90	-6.40	-1.30	-2.80
	65-85	-7.10	-8.60	-4.50	-6.00	-1.30	-2.80
	89	-7.00	-8.50	-4.30	-5.80	-1.20	-2.70
	93	-7.10	-8.60	-4.20	-5.70	-1.20	-2.70
	97-113	-7.00	-8.50	-4.30	-5.80	-1.20	-2.70
	117-181	-7.80	-9.30	-5.40	-6.90	-2.00	-3.50
	185	-8.20	-9.70	-5.50	-7.00	-2.10	-3.60
	189-225	-7.20	-8.70	-4.50	-6.00	-1.50	-3.00
	229	-6.90	-8.40	-4.20	-5.70	-1.20	-2.70
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-7.40	-8.90	-5.00	-6.50	-2.40	-3.90
	11	-7.30	-8.80	-4.60	-6.10	-1.50	-3.00
	19-27	-7.50	-9.00	-4.80	-6.30	-1.60	-3.10
	35-59	-7.40	-8.90	-5.20	-6.70	-1.30	-2.80
	67-75	-7.20	-8.70	-4.40	-5.90	-1.30	-2.80
	83	-7.20	-8.70	-4.50	-6.00	-1.10	-2.60
	91	-7.10	-8.60	-4.30	-5.80	-1.20	-2.70
	99-107	-7.10	-8.60	-4.30	-5.80	-1.20	-2.70
	115	-7.70	-9.20	-4.90	-6.40	-1.90	-3.40
	123-179	-7.80	-9.30	-5.40	-6.90	-2.00	-3.50
	187	-8.20	-9.70	-5.50	-7.00	-2.20	-3.70
	195-219	-7.40	-8.90	-4.60	-6.10	-1.50	-3.00
	227	-7.00	-8.50	-4.30	-5.80	-1.20	-2.70
	231	-7.40	-8.90	-4.90	-6.40	-2.30	-3.80
6 GHz WIFI (80MHz BW) LP	23	-7.60	-9.10	-4.80	-6.30	-1.60	-3.10
	39-55	-7.20	-8.70	-4.70	-6.20	-1.30	-2.80
	71	-7.20	-8.70	-4.40	-5.90	-1.30	-2.80
	87	-7.10	-8.60	-4.60	-6.10	-1.20	-2.70
	103	-7.10	-8.60	-4.30	-5.80	-1.20	-2.70
	119	-7.60	-9.10	-5.00	-6.50	-1.90	-3.40
	135-167	-7.70	-9.20	-5.40	-6.90	-2.00	-3.50
	183	-8.30	-9.80	-5.50	-7.00	-2.30	-3.80
	199	-7.20	-8.70	-4.30	-5.80	-1.50	-3.00
	215	-7.30	-8.80	-4.50	-6.00	-1.50	-3.00
6 GHz WIFI (160MHz BW) LP	15	-7.90	-9.40	-5.10	-6.60	-1.90	-3.40
	47	-7.20	-8.70	-4.90	-6.40	-1.40	-2.90
	79	-7.70	-9.20	-4.50	-6.00	-1.30	-2.80
	111	-7.90	-9.40	-4.90	-6.40	-1.90	-3.40
	143	-7.80	-9.30	-5.00	-6.50	-2.00	-3.50
	175	-8.30	-9.80	-5.90	-7.40	-2.60	-4.10
	207	-7.20	-8.70	-5.00	-6.50	-1.50	-3.00

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 19 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3a					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-4.50	-6.00	-2.00	-3.50	0.70	-0.80
	5	-4.30	-5.80	-1.60	-3.10	1.40	-0.10
	9-29	-4.30	-5.80	-1.80	-3.30	1.40	-0.10
	33-61	-4.20	-5.70	-1.90	-3.40	1.70	0.20
	65-85	-4.20	-5.70	-1.60	-3.10	1.60	0.10
	89	-4.10	-5.60	-1.40	-2.90	1.70	0.20
	93	-4.20	-5.70	-1.30	-2.80	1.70	0.20
	97-113	-4.10	-5.60	-1.40	-2.90	1.70	0.20
	117-181	-4.90	-6.40	-2.50	-4.00	0.90	-0.60
	185	-5.30	-6.80	-2.60	-4.10	0.80	-0.70
	189-225	-4.50	-6.00	-1.80	-3.30	1.20	-0.30
	229	-4.20	-5.70	-1.50	-3.00	1.50	0.00
	233	NS	NS	NS	NS	NS	NS
	3	-4.40	-5.90	-2.00	-3.50	0.60	-0.90
6 GHz WiFi (40MHz BW) LP	11	-4.30	-5.80	-1.60	-3.10	1.50	0.00
	19-27	-4.50	-6.00	-1.80	-3.30	1.40	-0.10
	35-59	-4.40	-5.90	-2.20	-3.70	1.70	0.20
	67-75	-4.30	-5.80	-1.50	-3.00	1.60	0.10
	83	-4.30	-5.80	-1.60	-3.10	1.80	0.30
	91	-4.20	-5.70	-1.40	-2.90	1.70	0.20
	99-107	-4.20	-5.70	-1.40	-2.90	1.70	0.20
	115	-4.80	-6.30	-2.00	-3.50	1.00	-0.50
	123-179	-4.90	-6.40	-2.50	-4.00	0.90	-0.60
	187	-5.30	-6.80	-2.60	-4.10	0.70	-0.80
	195-219	-4.70	-6.20	-1.90	-3.40	1.20	-0.30
	227	-4.30	-5.80	-1.60	-3.10	1.50	0.00
	7	-4.40	-5.90	-1.90	-3.40	0.70	-0.80
	23	-4.60	-6.10	-1.80	-3.30	1.40	-0.10
	39-55	-4.20	-5.70	-1.70	-3.20	1.70	0.20
6 GHz WiFi (80MHz BW) LP	71	-4.30	-5.80	-1.50	-3.00	1.60	0.10
	87	-4.20	-5.70	-1.70	-3.20	1.70	0.20
	103	-4.20	-5.70	-1.40	-2.90	1.70	0.20
	119	-4.70	-6.20	-2.10	-3.60	1.00	-0.50
	135-167	-4.80	-6.30	-2.50	-4.00	0.90	-0.60
	183	-5.40	-6.90	-2.60	-4.10	0.60	-0.90
	199	-4.50	-6.00	-1.60	-3.10	1.20	-0.30
	215	-4.60	-6.10	-1.80	-3.30	1.20	-0.30
	15	-4.90	-6.40	-2.10	-3.60	1.10	-0.40
	47	-4.20	-5.70	-1.90	-3.40	1.60	0.10
6 GHz WiFi (160MHz BW) LP	79	-4.80	-6.30	-1.60	-3.10	1.60	0.10
	111	-5.00	-6.50	-2.00	-3.50	1.00	-0.50
	143	-4.90	-6.40	-2.10	-3.60	0.90	-0.60
	175	-5.40	-6.90	-3.00	-4.50	0.30	-1.20
	207	-4.50	-6.00	-2.30	-3.80	1.20	-0.30
Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3a					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-4.40	-5.90	-2.10	-3.60	1.60	0.10
	65-85	-3.40	-4.90	-0.70	-2.20	2.40	0.90
	89	-3.40	-4.90	-0.60	-2.10	2.90	1.40
	93	-3.50	-5.00	-0.60	-2.10	2.40	0.90
	97-113	-3.10	-4.60	-0.60	-2.10	2.60	1.10
	117-181	-4.90	-6.40	-2.60	-4.10	1.00	-0.50
	185	-4.70	-6.20	-1.80	-3.30	1.30	-0.20
	189-225	-2.00	-3.50	0.60	-0.90	3.50	2.00
	229	-1.60	-3.10	0.80	-0.70	3.80	2.30
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-4.60	-6.10	-2.40	-3.90	1.60	0.10
	67-75	-3.40	-4.90	-0.50	-2.00	2.40	0.90
	83	-3.30	-4.80	-0.70	-2.20	2.60	1.10
	91	-3.50	-5.00	-0.50	-2.00	2.40	0.90
	99-107	-3.20	-4.70	-0.60	-2.10	2.60	1.10
	115	-4.60	-6.10	-2.10	-3.60	0.90	-0.60
	123-179	-5.00	-6.50	-2.60	-4.10	1.00	-0.50
	187	-4.70	-6.20	-2.00	-3.50	1.20	-0.30
	195-219	-2.40	-3.90	0.70	-0.80	3.50	2.00
	227	-1.60	-3.10	0.80	-0.70	3.80	2.30
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-4.40	-5.90	-1.90	-3.40	1.60	0.10
6 GHz WiFi (80MHz BW) VLP	71	-3.40	-4.90	-0.60	-2.10	2.40	0.90
	87	-3.30	-4.80	-1.00	-2.50	2.40	0.90
	103	-3.20	-4.70	-0.60	-2.10	2.60	1.10
	119	-4.80	-6.30	-2.10	-3.60	1.00	-0.50
	135-167	-4.90	-6.40	-2.60	-4.10	1.10	-0.40
	183	-4.70	-6.20	-1.80	-3.30	1.40	-0.10
	199	-2.20	-3.70	0.70	-0.80	3.50	2.00
	215	-2.00	-3.50	0.50	-1.00	3.90	2.40
	15	NS	NS	NS	NS	NS	NS
	47	-4.40	-5.90	-2.10	-3.60	1.40	-0.10
6 GHz WiFi (160MHz BW) VLP	79	-4.00	-5.50	-0.70	-2.20	2.40	0.90
	111	-4.80	-6.30	-2.10	-3.60	1.00	-0.50
	143	-5.00	-6.50	-1.90	-3.40	1.20	-0.30
	175	-4.80	-6.30	-2.60	-4.10	1.10	-0.40
	207	-2.00	-3.50	0.70	-0.80	3.50	2.00

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 20 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3a					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-8.90	-10.40	-5.30	-6.80
	65-85	NS	NS	-8.50	-10.00	-5.30	-6.80
	89	NS	NS	-8.30	-9.80	-5.20	-6.70
	93	NS	NS	-8.20	-9.70	-5.20	-6.70
	97-113	NS	NS	-8.30	-9.80	-5.20	-6.70
	117-181	NS	NS	NS	NS	-6.00	-7.50
	185	NS	NS	NS	NS	-6.10	-7.60
	189-225	NS	NS	-8.50	-10.00	-5.50	-7.00
	229	NS	NS	-8.20	-9.70	-5.20	-6.70
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	NS	NS	-5.30	-6.80
	67-75	NS	NS	-8.40	-9.90	-5.30	-6.80
	83	NS	NS	-8.50	-10.00	-5.10	-6.60
	91	NS	NS	-8.30	-9.80	-5.20	-6.70
	99-107	NS	NS	-8.30	-9.80	-5.20	-6.70
	115	NS	NS	-8.90	-10.40	-5.90	-7.40
	123-179	NS	NS	NS	NS	-6.00	-7.50
	187	NS	NS	NS	NS	-6.20	-7.70
	195-219	NS	NS	-8.60	-10.10	-5.50	-7.00
	227	NS	NS	-8.30	-9.80	-5.20	-6.70
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	-8.70	-10.20	-5.30	-6.80
6 GHz WiFi (80MHz BW) VLP	71	NS	NS	-8.40	-9.90	-5.30	-6.80
	87	NS	NS	-8.60	-10.10	-5.20	-6.70
	103	NS	NS	-8.30	-9.80	-5.20	-6.70
	119	NS	NS	-9.00	-10.50	-5.90	-7.40
	135-167	NS	NS	NS	NS	-6.00	-7.50
	183	NS	NS	NS	NS	-6.30	-7.80
	199	NS	NS	-8.30	-9.80	-5.50	-7.00
	215	NS	NS	-8.50	-10.00	-5.50	-7.00
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	-8.90	-10.40	-5.40	-6.90
6 GHz WiFi (160MHz BW) VLP	79	NS	NS	-8.50	-10.00	-5.30	-6.80
	111	NS	NS	-8.90	-10.40	-5.90	-7.40
	143	NS	NS	-9.00	-10.50	-6.00	-7.50
	175	NS	NS	NS	NS	-6.60	-8.10
	207	NS	NS	-9.00	-10.50	-5.50	-7.00

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3a					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-8.20	-9.70	-5.90	-7.40	-2.30	-3.80
	65-85	-8.20	-9.70	-5.60	-7.10	-2.40	-3.90
	89	-8.10	-9.60	-5.40	-6.90	-2.30	-3.80
	93	-8.20	-9.70	-5.30	-6.80	-2.30	-3.80
	97-113	-8.10	-9.60	-5.40	-6.90	-2.30	-3.80
	117-181	-8.90	-10.40	-6.50	-8.00	-3.10	-4.60
	185	NS	NS	-6.60	-8.10	-3.20	-4.70
	189-225	-8.50	-10.00	-5.80	-7.30	-2.80	-4.30
	229	-8.20	-9.70	-5.50	-7.00	-2.50	-4.00
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-8.40	-9.90	-6.20	-7.70	-2.30	-3.80
	67-75	-8.30	-9.80	-5.50	-7.00	-2.40	-3.90
	83	-8.30	-9.80	-5.60	-7.10	-2.20	-3.70
	91	-8.20	-9.70	-5.40	-6.90	-2.30	-3.80
	99-107	-8.20	-9.70	-5.40	-6.90	-2.30	-3.80
	115	-8.80	-10.30	-6.00	-7.50	-3.00	-4.50
	123-179	-8.90	-10.40	-6.50	-8.00	-3.10	-4.60
	187	NS	NS	-6.60	-8.10	-3.30	-4.80
	195-219	-8.70	-10.20	-5.90	-7.40	-2.80	-4.30
	227	-8.30	-9.80	-5.60	-7.10	-2.50	-4.00
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-8.20	-9.70	-5.70	-7.20	-2.30	-3.80
6 GHz WiFi (80MHz BW) VLP	71	-8.30	-9.80	-5.50	-7.00	-2.40	-3.90
	87	-8.20	-9.70	-5.70	-7.20	-2.30	-3.80
	103	-8.20	-9.70	-5.40	-6.90	-2.30	-3.80
	119	-8.70	-10.20	-6.10	-7.60	-3.00	-4.50
	135-167	-8.80	-10.30	-6.50	-8.00	-3.10	-4.60
	183	NS	NS	-6.60	-8.10	-3.40	-4.90
	199	-8.50	-10.00	-5.60	-7.10	-2.80	-4.30
	215	-8.60	-10.10	-5.80	-7.30	-2.80	-4.30
	15	NS	NS	NS	NS	NS	NS
	47	-8.20	-9.70	-5.90	-7.40	-2.40	-3.90
6 GHz WiFi (160MHz BW) VLP	79	-8.80	-10.30	-5.60	-7.10	-2.40	-3.90
	111	-9.00	-10.50	-6.00	-7.50	-3.00	-4.50
	143	-8.90	-10.40	-6.10	-7.60	-3.10	-4.60
	175	NS	NS	-7.00	-8.50	-3.70	-5.20
	207	-8.50	-10.00	-6.30	-7.80	-2.80	-4.30

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 21 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3a					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	8.00	6.50	11.00	9.50	12.00	10.50
	5	8.00	6.50	11.00	9.50	12.00	10.50
	9-29	8.00	6.50	11.00	9.50	12.00	10.50
	33-61	8.00	6.50	11.00	9.50	13.00	11.50
	65-85	8.00	6.50	11.00	9.50	12.50	11.00
	89	8.00	6.50	11.00	9.50	12.50	11.00
	93	8.00	6.50	11.00	9.50	12.50	11.00
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.00	6.50	11.00	9.50	12.75	11.25
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	8.00	6.50	11.00	9.50	12.00	10.50
6 GHz WiFi (40MHz BW) SP	11	8.00	6.50	11.00	9.50	12.00	10.50
	19-27	8.00	6.50	11.00	9.50	12.00	10.50
	35-59	8.00	6.50	11.00	9.50	13.00	11.50
	67-75	8.00	6.50	11.00	9.50	12.50	11.00
	83	8.00	6.50	11.00	9.50	12.50	11.00
	91	8.00	6.50	11.00	9.50	12.50	11.00
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.00	6.50	11.00	9.50	12.75	11.25
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	8.00	6.50	11.00	9.50	12.00	10.50
	23	8.00	6.50	11.00	9.50	12.00	10.50
	39-55	8.00	6.50	11.00	9.50	13.00	11.50
6 GHz WiFi (80MHz BW) SP	71	8.00	6.50	11.00	9.50	12.50	11.00
	87	8.00	6.50	11.00	9.50	12.50	11.00
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.00	6.50	11.00	9.50	12.75	11.25
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	8.00	6.50	11.00	9.50	12.00	10.50
	47	8.00	6.50	11.00	9.50	13.00	11.50
	79	8.00	6.50	11.00	9.50	12.50	11.00
	111	NS	NS	NS	NS	NS	NS
	143	8.00	6.50	11.00	9.50	12.75	11.25
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS
Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3a					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	8.00	6.50	11.00	9.50	12.00	10.50
	5	8.00	6.50	11.00	9.50	12.00	10.50
	9-29	8.00	6.50	11.00	9.50	12.00	10.50
	33-61	8.00	6.50	11.00	9.50	13.00	11.50
	65-85	8.00	6.50	11.00	9.50	12.50	11.00
	89	8.00	6.50	11.00	9.50	12.50	11.00
	93	8.00	6.50	11.00	9.50	12.50	11.00
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.00	6.50	11.00	9.50	12.75	11.25
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	8.00	6.50	11.00	9.50	12.00	10.50
6 GHz WiFi (40MHz BW) SP	11	8.00	6.50	11.00	9.50	12.00	10.50
	19-27	8.00	6.50	11.00	9.50	12.00	10.50
	35-59	8.00	6.50	11.00	9.50	13.00	11.50
	67-75	8.00	6.50	11.00	9.50	12.50	11.00
	83	8.00	6.50	11.00	9.50	12.50	11.00
	91	8.00	6.50	11.00	9.50	12.50	11.00
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.00	6.50	11.00	9.50	12.75	11.25
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	8.00	6.50	11.00	9.50	12.00	10.50
	23	8.00	6.50	11.00	9.50	12.00	10.50
	39-55	8.00	6.50	11.00	9.50	13.00	11.50
6 GHz WiFi (80MHz BW) SP	71	8.00	6.50	11.00	9.50	12.50	11.00
	87	8.00	6.50	11.00	9.50	12.50	11.00
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.00	6.50	11.00	9.50	12.75	11.25
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	8.00	6.50	11.00	9.50	12.00	10.50
	47	8.00	6.50	11.00	9.50	13.00	11.50
	79	8.00	6.50	11.00	9.50	12.50	11.00
	111	NS	NS	NS	NS	NS	NS
	143	8.00	6.50	11.00	9.50	12.75	11.25
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 22 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3a					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	8.00	6.50	11.00	9.50	12.00	10.50
	5	8.00	6.50	11.00	9.50	12.00	10.50
	9-29	8.00	6.50	11.00	9.50	12.00	10.50
	33-61	8.00	6.50	11.00	9.50	13.00	11.50
	65-85	8.00	6.50	11.00	9.50	12.50	11.00
	89	8.00	6.50	11.00	9.50	12.50	11.00
	93	8.00	6.50	11.00	9.50	12.50	11.00
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.00	6.50	11.00	9.50	12.75	11.25
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	8.00	6.50	11.00	9.50	12.00	10.50
	11	8.00	6.50	11.00	9.50	12.00	10.50
6 GHz WIFI (40MHz BW) SP	19-27	8.00	6.50	11.00	9.50	12.00	10.50
	35-59	8.00	6.50	11.00	9.50	13.00	11.50
	67-75	8.00	6.50	11.00	9.50	12.50	11.00
	83	8.00	6.50	11.00	9.50	12.50	11.00
	91	8.00	6.50	11.00	9.50	12.50	11.00
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.00	6.50	11.00	9.50	12.75	11.25
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	8.00	6.50	11.00	9.50	12.00	10.50
6 GHz WIFI (80MHz BW) SP	23	8.00	6.50	11.00	9.50	12.00	10.50
	39-55	8.00	6.50	11.00	9.50	13.00	11.50
	71	8.00	6.50	11.00	9.50	12.50	11.00
	87	8.00	6.50	11.00	9.50	12.50	11.00
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.00	6.50	11.00	9.50	12.75	11.25
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	8.00	6.50	11.00	9.50	12.00	10.50
	47	8.00	6.50	11.00	9.50	13.00	11.50
6 GHz WIFI (160MHz BW) SP	79	8.00	6.50	11.00	9.50	12.50	11.00
	111	NS	NS	NS	NS	NS	NS
	143	8.00	6.50	11.00	9.50	12.75	11.25
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 23 of 60

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-0.60	-1.60	1.90	0.90	4.80	3.80
	5	-0.30	-1.30	2.30	1.30	5.30	4.30
	9-29	-0.30	-1.30	2.40	1.40	5.40	4.40
	33-61	-0.40	-1.40	1.90	0.90	5.60	4.60
	65-85	0.60	-0.40	3.30	2.30	6.40	5.40
	89	0.60	-0.40	3.40	2.40	6.90	5.90
	93	0.50	-0.50	3.40	2.40	6.40	5.40
	97-113	0.90	-0.10	3.40	2.40	6.60	5.60
	117-181	-0.90	-1.90	1.40	0.40	5.00	4.00
	185	-0.70	-1.70	2.20	1.20	5.30	4.30
	189-225	2.00	1.00	4.60	3.60	7.50	6.50
	229	2.40	1.40	4.80	3.80	7.80	6.80
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-0.10	-1.10	1.90	0.90	4.70	3.70
	11	-0.40	-1.40	2.40	1.40	5.40	4.40
	19-27	-0.30	-1.30	2.30	1.30	5.30	4.30
	35-59	-0.60	-1.60	1.60	0.60	5.60	4.60
	67-75	0.60	-0.40	3.50	2.50	6.40	5.40
	83	0.70	-0.30	3.30	2.30	6.60	5.60
	91	0.50	-0.50	3.50	2.50	6.40	5.40
	99-107	0.80	-0.20	3.40	2.40	6.60	5.60
	115	-0.60	-1.60	1.90	0.90	4.90	3.90
	123-179	-1.00	-2.00	1.40	0.40	5.00	4.00
	187	-0.70	-1.70	2.00	1.00	5.20	4.20
	195-219	1.60	0.60	4.70	3.70	7.50	6.50
	227	2.40	1.40	4.80	3.80	7.80	6.80
	7	-0.50	-1.50	2.30	1.30	4.80	3.80
6 GHz WIFI (80MHz BW) LP	23	-0.70	-1.70	2.30	1.30	5.40	4.40
	39-55	-0.40	-1.40	2.10	1.10	5.60	4.60
	71	0.60	-0.40	3.40	2.40	6.40	5.40
	87	0.70	-0.30	3.00	2.00	6.40	5.40
	103	0.80	-0.20	3.40	2.40	6.60	5.60
	119	-0.80	-1.80	1.90	0.90	5.00	4.00
	135-167	-0.90	-1.90	1.40	0.40	5.10	4.10
	183	-0.70	-1.70	2.20	1.20	5.40	4.40
	199	1.80	0.80	4.70	3.70	7.50	6.50
	215	2.00	1.00	4.50	3.50	7.90	6.90
6 GHz WIFI (160MHz BW) LP	15	-1.00	-2.00	1.80	0.80	5.10	4.10
	47	-0.40	-1.40	1.90	0.90	5.40	4.40
	79	0.00	-1.00	3.30	2.30	6.40	5.40
	111	-0.80	-1.80	1.90	0.90	5.00	4.00
	143	-1.00	-2.00	2.10	1.10	5.20	4.20
	175	-0.80	-1.80	1.40	0.40	5.10	4.10
	207	2.00	1.00	4.70	3.70	7.50	6.50

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 24 of 60

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-7.50	-8.50	-5.00	-6.00	-2.30	-3.30
	5	-7.30	-8.30	-4.60	-5.60	-1.60	-2.60
	9-29	-7.30	-8.30	-4.80	-5.80	-1.60	-2.60
	33-61	-7.20	-8.20	-4.90	-5.90	-1.30	-2.30
	65-85	-7.10	-8.10	-4.50	-5.50	-1.30	-2.30
	89	-7.00	-8.00	-4.30	-5.30	-1.20	-2.20
	93	-7.10	-8.10	-4.20	-5.20	-1.20	-2.20
	97-113	-7.00	-8.00	-4.30	-5.30	-1.20	-2.20
	117-181	-7.80	-8.80	-5.40	-6.40	-2.00	-3.00
	185	-8.20	-9.20	-5.50	-6.50	-2.10	-3.10
	189-225	-7.20	-8.20	-4.50	-5.50	-1.50	-2.50
	229	-6.90	-7.90	-4.20	-5.20	-1.20	-2.20
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-7.40	-8.40	-5.00	-6.00	-2.40	-3.40
	11	-7.30	-8.30	-4.60	-5.60	-1.50	-2.50
	19-27	-7.50	-8.50	-4.80	-5.80	-1.60	-2.60
	35-59	-7.40	-8.40	-5.20	-6.20	-1.30	-2.30
	67-75	-7.20	-8.20	-4.40	-5.40	-1.30	-2.30
	83	-7.20	-8.20	-4.50	-5.50	-1.10	-2.10
	91	-7.10	-8.10	-4.30	-5.30	-1.20	-2.20
	99-107	-7.10	-8.10	-4.30	-5.30	-1.20	-2.20
	115	-7.70	-8.70	-4.90	-5.90	-1.90	-2.90
	123-179	-7.80	-8.80	-5.40	-6.40	-2.00	-3.00
	187	-8.20	-9.20	-5.50	-6.50	-2.20	-3.20
	195-219	-7.40	-8.40	-4.60	-5.60	-1.50	-2.50
	227	-7.00	-8.00	-4.30	-5.30	-1.20	-2.20
	7	-7.40	-8.40	-4.90	-5.90	-2.30	-3.30
6 GHz WIFI (80MHz BW) LP	23	-7.60	-8.60	-4.80	-5.80	-1.60	-2.60
	39-55	-7.20	-8.20	-4.70	-5.70	-1.30	-2.30
	71	-7.20	-8.20	-4.40	-5.40	-1.30	-2.30
	87	-7.10	-8.10	-4.60	-5.60	-1.20	-2.20
	103	-7.10	-8.10	-4.30	-5.30	-1.20	-2.20
	119	-7.60	-8.60	-5.00	-6.00	-1.90	-2.90
	135-167	-7.70	-8.70	-5.40	-6.40	-2.00	-3.00
	183	-8.30	-9.30	-5.50	-6.50	-2.30	-3.30
	199	-7.20	-8.20	-4.30	-5.30	-1.50	-2.50
	215	-7.30	-8.30	-4.50	-5.50	-1.50	-2.50
6 GHz WIFI (160MHz BW) LP	15	-7.90	-8.90	-5.10	-6.10	-1.90	-2.90
	47	-7.20	-8.20	-4.90	-5.90	-1.40	-2.40
	79	-7.70	-8.70	-4.50	-5.50	-1.30	-2.30
	111	-7.90	-8.90	-4.90	-5.90	-1.90	-2.90
	143	-7.80	-8.80	-5.00	-6.00	-2.00	-3.00
	175	-8.30	-9.30	-5.90	-6.90	-2.60	-3.60
	207	-7.20	-8.20	-5.00	-6.00	-1.50	-2.50

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 25 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-4.50	-5.50	-2.00	-3.00	0.70	-0.30
	5	-4.30	-5.30	-1.60	-2.60	1.40	0.40
	9-29	-4.30	-5.30	-1.80	-2.80	1.40	0.40
	33-61	-4.20	-5.20	-1.90	-2.90	1.70	0.70
	65-85	-4.20	-5.20	-1.60	-2.60	1.60	0.60
	89	-4.10	-5.10	-1.40	-2.40	1.70	0.70
	93	-4.20	-5.20	-1.30	-2.30	1.70	0.70
	97-113	-4.10	-5.10	-1.40	-2.40	1.70	0.70
	117-181	-4.90	-5.90	-2.50	-3.50	0.90	-0.10
	185	-5.30	-6.30	-2.60	-3.60	0.80	-0.20
	189-225	-4.50	-5.50	-1.80	-2.80	1.20	0.20
	229	-4.20	-5.20	-1.50	-2.50	1.50	0.50
	233	NS	NS	NS	NS	NS	NS
	237	-4.40	-5.40	-2.00	-3.00	0.60	-0.40
6 GHz WiFi (40MHz BW) LP	11	-4.30	-5.30	-1.60	-2.60	1.50	0.50
	19-27	-4.50	-5.50	-1.80	-2.80	1.40	0.40
	35-59	-4.40	-5.40	-2.20	-3.20	1.70	0.70
	67-75	-4.30	-5.30	-1.50	-2.50	1.60	0.60
	83	-4.30	-5.30	-1.60	-2.60	1.80	0.80
	91	-4.20	-5.20	-1.40	-2.40	1.70	0.70
	99-107	-4.20	-5.20	-1.40	-2.40	1.70	0.70
	115	-4.80	-5.80	-2.00	-3.00	1.00	0.00
	123-179	-4.90	-5.90	-2.50	-3.50	0.90	-0.10
	187	-5.30	-6.30	-2.60	-3.60	0.70	-0.30
	195-219	-4.70	-5.70	-1.90	-2.90	1.20	0.20
	227	-4.30	-5.30	-1.60	-2.60	1.50	0.50
	231	-4.40	-5.40	-1.90	-2.90	0.70	-0.30
	235	-4.60	-5.60	-1.80	-2.80	1.40	0.40
	239-55	-4.20	-5.20	-1.70	-2.70	1.70	0.70
6 GHz WiFi (80MHz BW) LP	71	-4.30	-5.30	-1.50	-2.50	1.60	0.60
	87	-4.20	-5.20	-1.70	-2.70	1.70	0.70
	103	-4.20	-5.20	-1.40	-2.40	1.70	0.70
	119	-4.70	-5.70	-2.10	-3.10	1.00	0.00
	135-167	-4.80	-5.80	-2.50	-3.50	0.90	-0.10
	183	-5.40	-6.40	-2.60	-3.60	0.60	-0.40
	199	-4.50	-5.50	-1.60	-2.60	1.20	0.20
	215	-4.60	-5.60	-1.80	-2.80	1.20	0.20
	219	-4.90	-5.90	-2.10	-3.10	1.10	0.10
	223	-4.20	-5.20	-1.90	-2.90	1.60	0.60
6 GHz WiFi (160MHz BW) LP	79	-4.80	-5.80	-1.60	-2.60	1.60	0.60
	111	-5.00	-6.00	-2.00	-3.00	1.00	0.00
	143	-4.90	-5.90	-2.10	-3.10	0.90	-0.10
	175	-5.40	-6.40	-3.00	-4.00	0.30	-0.70
	207	-4.50	-5.50	-2.30	-3.30	1.20	0.20
	211	-4.40	-5.40	-2.60	-3.60	0.70	-0.30

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-4.40	-5.40	-2.10	-3.10	1.60	0.60
	65-85	-3.40	-4.40	-0.70	-1.70	2.40	1.40
	89	-3.40	-4.40	-0.60	-1.60	2.90	1.90
	93	-3.50	-4.50	-0.60	-1.60	2.40	1.40
	97-113	-3.10	-4.10	-0.60	-1.60	2.60	1.60
	117-181	-4.90	-5.90	-2.60	-3.60	1.00	0.00
	185	-4.70	-5.70	-1.80	-2.80	1.30	0.30
	189-225	-2.00	-3.00	0.60	-0.40	3.50	2.50
	229	-1.60	-2.60	0.80	-0.20	3.80	2.80
	233	NS	NS	NS	NS	NS	NS
	237	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-4.60	-5.60	-2.40	-3.40	1.60	0.60
	67-75	-3.40	-4.40	-0.50	-1.50	2.40	1.40
	83	-3.30	-4.30	-0.70	-1.70	2.60	1.60
	91	-3.50	-4.50	-0.50	-1.50	2.40	1.40
	99-107	-3.20	-4.20	-0.60	-1.60	2.60	1.60
	115	-4.60	-5.60	-2.10	-3.10	0.90	-0.10
	123-179	-5.00	-6.00	-2.60	-3.60	1.00	0.00
	187	-4.70	-5.70	-2.00	-3.00	1.20	0.20
	195-219	-2.40	-3.40	0.70	-0.30	3.50	2.50
	227	-1.60	-2.60	0.80	-0.20	3.80	2.80
	231	NS	NS	NS	NS	NS	NS
	235	NS	NS	NS	NS	NS	NS
	239-55	-4.40	-5.40	-1.90	-2.90	1.60	0.60
6 GHz WiFi (80MHz BW) VLP	71	-3.40	-4.40	-0.60	-1.60	2.40	1.40
	87	-3.30	-4.30	-1.00	-2.00	2.40	1.40
	103	-3.20	-4.20	-0.60	-1.60	2.60	1.60
	119	-4.80	-5.80	-2.10	-3.10	1.00	0.00
	135-167	-4.90	-5.90	-2.60	-3.60	1.10	0.10
	183	-4.70	-5.70	-1.80	-2.80	1.40	0.40
	199	-2.20	-3.20	0.70	-0.30	3.50	2.50
	215	-2.00	-3.00	0.50	-0.50	3.90	2.90
	219	NS	NS	NS	NS	NS	NS
	223	-4.40	-5.40	-2.10	-3.10	1.40	0.40
6 GHz WiFi (160MHz BW) VLP	79	-4.00	-5.00	-0.70	-1.70	2.40	1.40
	111	-4.80	-5.80	-2.10	-3.10	1.00	0.00
	143	-5.00	-6.00	-1.90	-2.90	1.20	0.20
	175	-4.80	-5.80	-2.60	-3.60	1.10	0.10
	207	-2.00	-3.00	0.70	-0.30	3.50	2.50

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 26 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-8.90	-9.90	-5.30	-6.30
	65-85	NS	NS	-8.50	-9.50	-5.30	-6.30
	89	NS	NS	-8.30	-9.30	-5.20	-6.20
	93	NS	NS	-8.20	-9.20	-5.20	-6.20
	97-113	NS	NS	-8.30	-9.30	-5.20	-6.20
	117-181	NS	NS	NS	NS	-6.00	-7.00
	185	NS	NS	NS	NS	-6.10	-7.10
	189-225	NS	NS	-8.50	-9.50	-5.50	-6.50
	229	NS	NS	-8.20	-9.20	-5.20	-6.20
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	NS	NS	-5.30	-6.30
	67-75	NS	NS	-8.40	-9.40	-5.30	-6.30
	83	NS	NS	-8.50	-9.50	-5.10	-6.10
	91	NS	NS	-8.30	-9.30	-5.20	-6.20
	99-107	NS	NS	-8.30	-9.30	-5.20	-6.20
	115	NS	NS	-8.90	-9.90	-5.90	-6.90
	123-179	NS	NS	NS	NS	-6.00	-7.00
	187	NS	NS	NS	NS	-6.20	-7.20
	195-219	NS	NS	-8.60	-9.60	-5.50	-6.50
	227	NS	NS	-8.30	-9.30	-5.20	-6.20
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	-8.70	-9.70	-5.30	-6.30
6 GHz WiFi (80MHz BW) VLP	71	NS	NS	-8.40	-9.40	-5.30	-6.30
	87	NS	NS	-8.60	-9.60	-5.20	-6.20
	103	NS	NS	-8.30	-9.30	-5.20	-6.20
	119	NS	NS	-9.00	-10.00	-5.90	-6.90
	135-167	NS	NS	NS	NS	-6.00	-7.00
	183	NS	NS	NS	NS	-6.30	-7.30
	199	NS	NS	-8.30	-9.30	-5.50	-6.50
	215	NS	NS	-8.50	-9.50	-5.50	-6.50
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	-8.90	-9.90	-5.40	-6.40
6 GHz WiFi (160MHz BW) VLP	79	NS	NS	-8.50	-9.50	-5.30	-6.30
	111	NS	NS	-8.90	-9.90	-5.90	-6.90
	143	NS	NS	-9.00	-10.00	-6.00	-7.00
	175	NS	NS	NS	NS	-6.60	-7.60
	207	NS	NS	-9.00	-10.00	-5.50	-6.50

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-8.20	-9.20	-5.90	-6.90	-2.30	-3.30
	65-85	-8.20	-9.20	-5.60	-6.60	-2.40	-3.40
	89	-8.10	-9.10	-5.40	-6.40	-2.30	-3.30
	93	-8.20	-9.20	-5.30	-6.30	-2.30	-3.30
	97-113	-8.10	-9.10	-5.40	-6.40	-2.30	-3.30
	117-181	-8.90	-9.90	-6.50	-7.50	-3.10	-4.10
	185	NS	NS	-6.60	-7.60	-3.20	-4.20
	189-225	-8.50	-9.50	-5.80	-6.80	-2.80	-3.80
	229	-8.20	-9.20	-5.50	-6.50	-2.50	-3.50
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-8.40	-9.40	-6.20	-7.20	-2.30	-3.30
	67-75	-8.30	-9.30	-5.50	-6.50	-2.40	-3.40
	83	-8.30	-9.30	-5.60	-6.60	-2.20	-3.20
	91	-8.20	-9.20	-5.40	-6.40	-2.30	-3.30
	99-107	-8.20	-9.20	-5.40	-6.40	-2.30	-3.30
	115	-8.80	-9.80	-6.00	-7.00	-3.00	-4.00
	123-179	-8.90	-9.90	-6.50	-7.50	-3.10	-4.10
	187	NS	NS	-6.60	-7.60	-3.30	-4.30
	195-219	-8.70	-9.70	-5.90	-6.90	-2.80	-3.80
	227	-8.30	-9.30	-5.60	-6.60	-2.50	-3.50
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-8.20	-9.20	-5.70	-6.70	-2.30	-3.30
6 GHz WiFi (80MHz BW) VLP	71	-8.30	-9.30	-5.50	-6.50	-2.40	-3.40
	87	-8.20	-9.20	-5.70	-6.70	-2.30	-3.30
	103	-8.20	-9.20	-5.40	-6.40	-2.30	-3.30
	119	-8.70	-9.70	-6.10	-7.10	-3.00	-4.00
	135-167	-8.80	-9.80	-6.50	-7.50	-3.10	-4.10
	183	NS	NS	-6.60	-7.60	-3.40	-4.40
	199	-8.50	-9.50	-5.60	-6.60	-2.80	-3.80
	215	-8.60	-9.60	-5.80	-6.80	-2.80	-3.80
	15	NS	NS	NS	NS	NS	NS
	47	-8.20	-9.20	-5.90	-6.90	-2.40	-3.40
6 GHz WiFi (160MHz BW) VLP	79	-8.80	-9.80	-5.60	-6.60	-2.40	-3.40
	111	-9.00	-10.00	-6.00	-7.00	-3.00	-4.00
	143	-8.90	-9.90	-6.10	-7.10	-3.10	-4.10
	175	NS	NS	-7.00	-8.00	-3.70	-4.70
	207	-8.50	-9.50	-6.30	-7.30	-2.80	-3.80

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 27 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	8.00	7.00	11.00	10.00	13.50	12.50
	5	8.00	7.00	11.00	10.00	13.50	12.50
	9-29	8.00	7.00	11.00	10.00	13.50	12.50
	33-61	8.00	7.00	11.00	10.00	14.00	13.00
	65-85	8.00	7.00	11.00	10.00	14.00	13.00
	89	8.00	7.00	11.00	10.00	14.00	13.00
	93	8.00	7.00	11.00	10.00	14.00	13.00
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.00	7.00	11.00	10.00	14.00	13.00
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	8.00	7.00	11.00	10.00	13.50	12.50
6 GHz WiFi (40MHz BW) SP	11	8.00	7.00	11.00	10.00	13.50	12.50
	19-27	8.00	7.00	11.00	10.00	13.50	12.50
	35-59	8.00	7.00	11.00	10.00	14.00	13.00
	67-75	8.00	7.00	11.00	10.00	14.00	13.00
	83	8.00	7.00	11.00	10.00	14.00	13.00
	91	8.00	7.00	11.00	10.00	14.00	13.00
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.00	7.00	11.00	10.00	14.00	13.00
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	8.00	7.00	11.00	10.00	13.50	12.50
	23	8.00	7.00	11.00	10.00	13.50	12.50
	39-55	8.00	7.00	11.00	10.00	14.00	13.00
6 GHz WiFi (80MHz BW) SP	71	8.00	7.00	11.00	10.00	14.00	13.00
	87	8.00	7.00	11.00	10.00	14.00	13.00
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.00	7.00	11.00	10.00	14.00	13.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	8.00	7.00	11.00	10.00	13.50	12.50
	47	8.00	7.00	11.00	10.00	14.00	13.00
	79	8.00	7.00	11.00	10.00	14.00	13.00
	111	NS	NS	NS	NS	NS	NS
	143	8.00	7.00	11.00	10.00	14.00	13.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS
Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	8.00	7.00	11.00	10.00	13.50	12.50
	5	8.00	7.00	11.00	10.00	13.50	12.50
	9-29	8.00	7.00	11.00	10.00	13.50	12.50
	33-61	8.00	7.00	11.00	10.00	14.00	13.00
	65-85	8.00	7.00	11.00	10.00	14.00	13.00
	89	8.00	7.00	11.00	10.00	14.00	13.00
	93	8.00	7.00	11.00	10.00	14.00	13.00
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.00	7.00	11.00	10.00	14.00	13.00
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	8.00	7.00	11.00	10.00	13.50	12.50
6 GHz WiFi (40MHz BW) SP	11	8.00	7.00	11.00	10.00	13.50	12.50
	19-27	8.00	7.00	11.00	10.00	13.50	12.50
	35-59	8.00	7.00	11.00	10.00	14.00	13.00
	67-75	8.00	7.00	11.00	10.00	14.00	13.00
	83	8.00	7.00	11.00	10.00	14.00	13.00
	91	8.00	7.00	11.00	10.00	14.00	13.00
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.00	7.00	11.00	10.00	14.00	13.00
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	8.00	7.00	11.00	10.00	13.50	12.50
	23	8.00	7.00	11.00	10.00	13.50	12.50
	39-55	8.00	7.00	11.00	10.00	14.00	13.00
6 GHz WiFi (80MHz BW) SP	71	8.00	7.00	11.00	10.00	14.00	13.00
	87	8.00	7.00	11.00	10.00	14.00	13.00
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.00	7.00	11.00	10.00	14.00	13.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	8.00	7.00	11.00	10.00	13.50	12.50
	47	8.00	7.00	11.00	10.00	14.00	13.00
	79	8.00	7.00	11.00	10.00	14.00	13.00
	111	NS	NS	NS	NS	NS	NS
	143	8.00	7.00	11.00	10.00	14.00	13.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 28 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	8.00	7.00	11.00	10.00	13.50	12.50
	5	8.00	7.00	11.00	10.00	13.50	12.50
	9-29	8.00	7.00	11.00	10.00	13.50	12.50
	33-61	8.00	7.00	11.00	10.00	14.00	13.00
	65-85	8.00	7.00	11.00	10.00	14.00	13.00
	89	8.00	7.00	11.00	10.00	14.00	13.00
	93	8.00	7.00	11.00	10.00	14.00	13.00
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.00	7.00	11.00	10.00	14.00	13.00
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) SP	3	8.00	7.00	11.00	10.00	13.50	12.50
	11	8.00	7.00	11.00	10.00	13.50	12.50
	19-27	8.00	7.00	11.00	10.00	13.50	12.50
	35-59	8.00	7.00	11.00	10.00	14.00	13.00
	67-75	8.00	7.00	11.00	10.00	14.00	13.00
	83	8.00	7.00	11.00	10.00	14.00	13.00
	91	8.00	7.00	11.00	10.00	14.00	13.00
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.00	7.00	11.00	10.00	14.00	13.00
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) SP	7	8.00	7.00	11.00	10.00	13.50	12.50
	23	8.00	7.00	11.00	10.00	13.50	12.50
	39-55	8.00	7.00	11.00	10.00	14.00	13.00
	71	8.00	7.00	11.00	10.00	14.00	13.00
	87	8.00	7.00	11.00	10.00	14.00	13.00
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.00	7.00	11.00	10.00	14.00	13.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	15	8.00	7.00	11.00	10.00	13.50	12.50
	47	8.00	7.00	11.00	10.00	14.00	13.00
	79	8.00	7.00	11.00	10.00	14.00	13.00
	111	NS	NS	NS	NS	NS	NS
	143	8.00	7.00	11.00	10.00	14.00	13.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS


FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 29 of 60

J.2.2 Maximum 802.11be MRU WLAN Output Power

Mode	Channel	IEEE 802.11 (Maximum in dBm) Antenna Is											
		SISO				MISO				MIMO			
		802.11a (Maximum)	802.11b (Maximum)	802.11g (Maximum)	802.11n (Maximum)	802.11ac (Maximum)	802.11ad (Maximum)	802.11ah (Maximum)	802.11af (Maximum)	802.11ax (Maximum)	802.11ay (Maximum)	802.11az (Maximum)	802.11ba (Maximum)
2.4 GHz WRT 20 MHz Bandwidth	1	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	2	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	3	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	4	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	5	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	6	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	7	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	8	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	9	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	10	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00

Mode	Channel	IEEE 802.11 (Maximum in dBm) Antenna Is											
		SISO				MISO				MIMO			
		802.11a (Maximum)	802.11b (Maximum)	802.11g (Maximum)	802.11n (Maximum)	802.11ac (Maximum)	802.11ad (Maximum)	802.11ah (Maximum)	802.11af (Maximum)	802.11ax (Maximum)	802.11ay (Maximum)	802.11az (Maximum)	802.11ba (Maximum)
2.4 GHz WRT 20 MHz Bandwidth	1	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	2	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	3	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	4	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	5	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	6	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	7	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	8	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	9	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	10	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00


Mode	Channel	IEEE 802.11 (Maximum in dBm) Antenna Is											
		SISO				MISO				MIMO			
		802.11a (Maximum)	802.11b (Maximum)	802.11g (Maximum)	802.11n (Maximum)	802.11ac (Maximum)	802.11ad (Maximum)	802.11ah (Maximum)	802.11af (Maximum)	802.11ax (Maximum)	802.11ay (Maximum)	802.11az (Maximum)	802.11ba (Maximum)
2.4 GHz WRT 20 MHz Bandwidth	1	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	2	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	3	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	4	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	5	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	6	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	7	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	8	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	9	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00
	10	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00



Module	IEEE 802.11 (Standard) in dBm - Antenna 3a														
	Channel	MIMO 2Dm		MIMO 2Dm		MIMO 2Dm		MIMO 2Dm		MIMO 2Dm		MIMO 2Dm		MIMO 2Dm	
		12_20 (Maximum)	12_20 (Minimum)	16_24 (Maximum)	16_24 (Minimum)	40_44 (Maximum)	40_44 (Minimum)	44_48 (Maximum)	44_48 (Minimum)	52_56 (Maximum)	52_56 (Minimum)	56_60 (Maximum)	56_60 (Minimum)	60_64 (Maximum)	60_64 (Minimum)
S-GW WRT 20 MHz Bandwidth	40	12.50	12.00	16.50	16.00	40.50	40.00	44.50	44.00	52.50	52.00	56.50	56.00	60.50	60.00
	44	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	48	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	52	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	56	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	60	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	64	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	100	12.50	12.00	16.50	16.00	40.50	40.00	44.50	44.00	52.50	52.00	56.50	56.00	60.50	60.00
	104	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	108	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	112	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	116	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	120	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	124	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	128	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	132	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	136	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	140	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	144	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	S-GW WRT 40 MHz Bandwidth	40	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50
44		13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
48		13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
52		13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
56		13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
60		13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
64		13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
100		13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
104		13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
108		13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
S-GW WRT 80 MHz Bandwidth	40	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	44	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	48	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	52	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	56	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	60	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	64	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	100	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	104	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	108	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
S-GW WRT 160 MHz Bandwidth	32	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00
	144	13.50	13.00	17.50	17.00	41.50	41.00	45.50	45.00	53.50	53.00	57.50	57.00	61.50	61.00

[illegible]

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 32 of 60



[illegible]

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 34 of 60

File ID	Channel	IEEE 802.11 (Measurement) to dBm - Antenna 1a											
		S50		S52		S53		S54		S55		S56	
		12_247 (Measurement)	12_248 (Measurement)	12_249 (Measurement)	12_250 (Measurement)	12_251 (Measurement)	12_252 (Measurement)	12_253 (Measurement)	12_254 (Measurement)	12_255 (Measurement)	12_256 (Measurement)	12_257 (Measurement)	12_258 (Measurement)
S 501 W51 (200MHz W51) CP	5	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	6	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	7	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	8	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	9	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	10	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	11	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	12	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	13	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	14	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
S 501 W51 (200MHz W51) CP	15	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	16	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	17	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	18	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	19	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	20	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	21	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	22	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	23	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	24	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
S 501 W51 (200MHz W51) CP	25	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	26	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	27	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	28	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	29	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	30	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	31	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	32	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	33	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	34	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
S 501 W51 (200MHz W51) CP	35	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	36	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	37	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	38	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	39	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	40	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	41	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	42	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	43	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	44	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Model	Channel	IEEE 802.11 (Measurement) in dBm - Antenna 3a											
		MIMO CSD				Totals		MIMO CSD		MIMO CSD		MIMO CSD	
		S1_247 (Measurement)	S2_247 (Measurement)	S3_247 (Measurement)	S4_247 (Measurement)	M47_247 (Measurement)	M47_247 (Measurement)	M47_487 (Measurement)	M47_487 (Measurement)	M47_487_247 (Measurement)	M47_487_247 (Measurement)		
6 GHz WRT (Spectrum WRT) LP	1	0.00	0.00	0.00	0.00								
	2	-1.50	-1.50	-1.50	-1.50								
	3	-2.50	-2.50	-2.50	-2.50								
	4	-3.50	-3.50	-3.50	-3.50								
	5	-4.50	-4.50	-4.50	-4.50								
	6	-5.50	-5.50	-5.50	-5.50								
	7	-6.50	-6.50	-6.50	-6.50								
	8	-7.50	-7.50	-7.50	-7.50								
	9	-8.50	-8.50	-8.50	-8.50								
	10	-9.50	-9.50	-9.50	-9.50								
	11	-10.50	-10.50	-10.50	-10.50								
	12	-11.50	-11.50	-11.50	-11.50								
	13	-12.50	-12.50	-12.50	-12.50								
	14	-13.50	-13.50	-13.50	-13.50								
	15	-14.50	-14.50	-14.50	-14.50								
	16	-15.50	-15.50	-15.50	-15.50								
6 GHz WRT (Spectrum WRT) LP	17	-16.50	-16.50	-16.50	-16.50								
	18	-17.50	-17.50	-17.50	-17.50								
	19	-18.50	-18.50	-18.50	-18.50								
	20	-19.50	-19.50	-19.50	-19.50								
	21	-20.50	-20.50	-20.50	-20.50								
	22	-21.50	-21.50	-21.50	-21.50								
	23	-22.50	-22.50	-22.50	-22.50								
	24	-23.50	-23.50	-23.50	-23.50								
	25	-24.50	-24.50	-24.50	-24.50								
	26	-25.50	-25.50	-25.50	-25.50								
	27	-26.50	-26.50	-26.50	-26.50								
	28	-27.50	-27.50	-27.50	-27.50								
	29	-28.50	-28.50	-28.50	-28.50								
	30	-29.50	-29.50	-29.50	-29.50								
	31	-30.50	-30.50	-30.50	-30.50								
	6 GHz WRT (Spectrum WRT) LP	32	-31.50	-31.50	-31.50	-31.50							
33		-32.50	-32.50	-32.50	-32.50								
34		-33.50	-33.50	-33.50	-33.50								
35		-34.50	-34.50	-34.50	-34.50								
36		-35.50	-35.50	-35.50	-35.50								
37		-36.50	-36.50	-36.50	-36.50								
38		-37.50	-37.50	-37.50	-37.50								
39		-38.50	-38.50	-38.50	-38.50								
40		-39.50	-39.50	-39.50	-39.50								
41		-40.50	-40.50	-40.50	-40.50								
42		-41.50	-41.50	-41.50	-41.50								
43		-42.50	-42.50	-42.50	-42.50								
44		-43.50	-43.50	-43.50	-43.50								
45		-44.50	-44.50	-44.50	-44.50								
46		-45.50	-45.50	-45.50	-45.50								
47		-46.50	-46.50	-46.50	-46.50								
6 GHz WRT (Spectrum WRT) LP	48	-47.50	-47.50	-47.50	-47.50								
	49	-48.50	-48.50	-48.50	-48.50								
	50	-49.50	-49.50	-49.50	-49.50								
	51	-50.50	-50.50	-50.50	-50.50								
	52	-51.50	-51.50	-51.50	-51.50								
	53	-52.50	-52.50	-52.50	-52.50								
	54	-53.50	-53.50	-53.50	-53.50								
	55	-54.50	-54.50	-54.50	-54.50								
	56	-55.50	-55.50	-55.50	-55.50								
	57	-56.50	-56.50	-56.50	-56.50								
	58	-57.50	-57.50	-57.50	-57.50								
	59	-58.50	-58.50	-58.50	-58.50								
	60	-59.50	-59.50	-59.50	-59.50								
	61	-60.50	-60.50	-60.50	-60.50								
	62	-61.50	-61.50	-61.50	-61.50								
	63	-62.50	-62.50	-62.50	-62.50								
6 GHz WRT (Spectrum WRT) LP	64	-63.50	-63.50	-63.50	-63.50								
	65	-64.50	-64.50	-64.50	-64.50								
	66	-65.50	-65.50	-65.50	-65.50								
	67	-66.50	-66.50	-66.50	-66.50								
	68	-67.50	-67.50	-67.50	-67.50								
	69	-68.50	-68.50	-68.50	-68.50								
	70	-69.50	-69.50	-69.50	-69.50								
	71	-70.50	-70.50	-70.50	-70.50								
	72	-71.50	-71.50	-71.50	-71.50								
	73	-72.50	-72.50	-72.50	-72.50								
	74	-73.50	-73.50	-73.50	-73.50								
	75	-74.50	-74.50	-74.50	-74.50								
	76	-75.50	-75.50	-75.50	-75.50								
	77	-76.50	-76.50	-76.50	-76.50								
	78	-77.50	-77.50	-77.50	-77.50								
	79	-78.50	-78.50	-78.50	-78.50								
80	-79.50	-79.50	-79.50	-79.50									
81	-80.50	-80.50	-80.50	-80.50									
82	-81.50	-81.50	-81.50	-81.50									
83	-82.50	-82.50	-82.50	-82.50									
84	-83.50	-83.50	-83.50	-83.50									
85	-84.50	-84.50	-84.50	-84.50									
86	-85.50	-85.50	-85.50	-85.50									
87	-86.50	-86.50	-86.50	-86.50									
88	-87.50	-87.50	-87.50	-87.50									
89	-88.50	-88.50	-88.50	-88.50									
90	-89.50	-89.50	-89.50	-89.50									
91	-90.50	-90.50	-90.50	-90.50									
92	-91.50	-91.50	-91.50	-91.50									
93	-92.50	-92.50	-92.50	-92.50									
94	-93.50	-93.50	-93.50	-93.50									
95	-94.50	-94.50	-94.50	-94.50									
96	-95.50	-95.50	-95.50	-95.50									
97	-96.50	-96.50	-96.50	-96.50									
98	-97.50	-97.50	-97.50	-97.50									
99	-98.50	-98.50	-98.50	-98.50									
100	-99.50	-99.50	-99.50	-99.50									
101	-100.50	-100.50	-100.50	-100.50									
102	-101.50	-101.50	-101.50	-101.50									
103	-102.50	-102.50	-102.50	-102.50									
104	-103.50	-103.50	-103.50	-103.50									
105	-104.50	-104.50	-104.50	-104.50									
106	-105.50	-105.50	-105.50	-105.50									
107	-106.50	-106.50	-106.50	-106.50									
108	-107.50	-107.50	-107.50	-107.50									
109	-108.50	-108.50	-108.50	-108.50									
110	-109.50	-109.50	-109.50	-109.50									
111	-110.50	-110.50	-110.50	-110.50									
112	-111.50	-111.50	-111.50	-111.50									
113	-112.50	-112.50	-112.50	-112.50									
114	-113.50	-113.50	-113.50	-113.50									
115	-114.50	-114.50	-114.50	-114.50									
116	-115.50	-115.50	-115.50	-115.50									
117	-116.50	-116.50	-116.50	-116.50									
118	-117.50	-117.50	-117.50	-117.50									
119	-118.50	-118.50	-118.50	-118.50									
120	-119.50	-119.50	-119.50	-119.50									
121	-120.50	-120.50	-120.50	-120.50									
122	-121.50	-121.50	-121.50	-121.50									
123	-122.50	-122.50	-122.50	-122.50									
124	-123.50	-123.50	-123.50	-123.50									
125	-124.50	-124.50	-124.50	-124.50									
126	-125.50	-125.50	-125.50	-125.50									
127	-126.50	-126.50	-126.50	-126.50									
128	-127.50	-127.50	-127.50	-127.50									
129	-128.50	-128.50	-128.50	-128.50									
130	-129.50	-129.50	-129.50	-129.50									
131	-130.50	-130.50	-130.50	-130.50									
132	-131.50	-131.50	-131.50	-131.50									
133	-132.50	-132.50	-132.50	-132.50									
134	-133.50	-133.50	-133.50	-133.50									
135	-134.50	-134.50	-134.50	-134.50									
136	-135.50	-135.50	-135.50	-135.50									
137	-136.50	-136.50	-136.50	-136.50									
138	-137.50	-137.50	-137.50	-137.50									
139	-138.50	-138.50	-138.50	-138.50									
140	-139.50	-139.50	-139.50	-139.50									
141	-140.50	-140.50	-140.50	-140.50									
142	-141.50	-141.50	-141.50	-141.50									
143	-142.50	-142.50	-142.50	-142.50									
144	-143.50	-143.50	-143.50	-143.50									
145	-144.50	-144.50	-144.50	-144.50									
146	-145.5												

[illegible]

[illegible]

Module	Channel	IEEE 802.11 (Measurement) in dBm - Antenna 36											
		MNWD CSD				Totals		MNWD CSD		MNWD CSD		MNWD CSD	
		SA_207 (Measurement)	SA_207 (Measurement)	SA_207 (Measurement)	SA_207 (Measurement)	SAF_207 (Measurement)	SAF_207 (Measurement)	SAF_407 (Measurement)	SAF_407 (Measurement)	SAF_407_207 (Measurement)	SAF_407_207 (Measurement)		
6 GHz WRT1 (Spectrum Data) VLP	1	60	60	60	60								
	2	60	60	60	60								
	3	60	60	60	60								
	4	60	60	60	60								
	5	60	60	60	60								
	6	60	60	60	60								
	7	60	60	60	60								
	8	60	60	60	60								
	9	60	60	60	60								
	10	60	60	60	60								
	11	60	60	60	60								
	12	60	60	60	60								
	13	60	60	60	60								
	14	60	60	60	60								
6 GHz WRT1 (Spectrum Data) VLP	15	60	60	60	60								
	16	60	60	60	60								
	17	60	60	60	60								
	18	60	60	60	60								
	19	60	60	60	60								
	20	60	60	60	60								
	21	60	60	60	60								
	22	60	60	60	60								
	23	60	60	60	60								
	24	60	60	60	60								
	25	60	60	60	60								
	26	60	60	60	60								
	27	60	60	60	60								
	28	60	60	60	60								
6 GHz WRT1 (Spectrum Data) VLP	29	60	60	60	60								
	30	60	60	60	60								
	31	60	60	60	60								
	32	60	60	60	60								
	33	60	60	60	60								
	34	60	60	60	60								
	35	60	60	60	60								
	36	60	60	60	60								
	37	60	60	60	60								
	38	60	60	60	60								
	39	60	60	60	60								
	40	60	60	60	60								
	41	60	60	60	60								
	42	60	60	60	60								
6 GHz WRT1 (Spectrum Data) VLP	43	60	60	60	60								
	44	60	60	60	60								
	45	60	60	60	60								
	46	60	60	60	60								
	47	60	60	60	60								
	48	60	60	60	60								
	49	60	60	60	60								
	50	60	60	60	60								
	51	60	60	60	60								
	52	60	60	60	60								
	53	60	60	60	60								
	54	60	60	60	60								
	55	60	60	60	60								
	56	60	60	60	60								
6 GHz WRT1 (Spectrum Data) VLP	57	60	60	60	60								
	58	60	60	60	60								
	59	60	60	60	60								
	60	60	60	60	60								
	61	60	60	60	60								
	62	60	60	60	60								
	63	60	60	60	60								
	64	60	60	60	60								
	65	60	60	60	60								
	66	60	60	60	60								
	67	60	60	60	60								
	68	60	60	60	60								
	69	60	60	60	60								
	70	60	60	60	60								
6 GHz WRT1 (Spectrum Data) VLP	71	60	60	60	60								
	72	60	60	60	60								
	73	60	60	60	60								
	74	60	60	60	60								
	75	60	60	60	60								
	76	60	60	60	60								
	77	60	60	60	60								
	78	60	60	60	60								
	79	60	60	60	60								
	80	60	60	60	60								
	81	60	60	60	60								
	82	60	60	60	60								
	83	60	60	60	60								
	84	60	60	60	60								
6 GHz WRT1 (Spectrum Data) VLP	85	60	60	60	60								
	86	60	60	60	60								
	87	60	60	60	60								
	88	60	60	60	60								
	89	60	60	60	60								
	90	60	60	60	60								
	91	60	60	60	60								
	92	60	60	60	60								
	93	60	60	60	60								
	94	60	60	60	60								
	95	60	60	60	60								
	96	60	60	60	60								
	97	60	60	60	60								
	98	60	60	60	60								
6 GHz WRT1 (Spectrum Data) VLP	99	60	60	60	60								
	100	60	60	60	60								
	101	60	60	60	60								
	102	60	60	60	60								
	103	60	60	60	60								
	104	60	60	60	60								
	105	60	60	60	60								
	106	60	60	60	60								
	107	60	60	60	60								
	108	60	60	60	60								
	109	60	60	60	60								
	110	60	60	60	60								
	111	60	60	60	60								
	112	60	60	60	60								
6 GHz WRT1 (Spectrum Data) VLP	113	60	60	60	60								
	114	60	60	60	60								
	115	60	60	60	60								
	116	60	60	60	60								
	117	60	60	60	60								
	118	60	60	60	60								
	119	60	60	60	60								
	120	60	60	60	60								
	121	60	60	60	60								
	122	60	60	60	60								
	123	60	60	60	60								
	124	60	60	60	60								
	125	60	60	60	60								
	126	60	60	60	60								
6 GHz WRT1 (Spectrum Data) VLP	127	60	60	60	60								
	128	60	60	60	60								
	129	60	60	60	60								
	130	60	60	60	60								
	131	60	60	60	60								
	132	60	60	60	60								
	133	60	60	60	60								
	134	60	60	60	60								
	135	60	60	60	60								
	136	60	60	60	60								
	137	60	60	60	60								
	138	60	60	60	60								
	139	60	60	60	60								
	140	60	60	60	60								
6 GHz WRT1 (Spectrum Data) VLP	141	60	60	60	60								
	142	60	60	60	60								
	143	60	60	60	60								
	144	60	60	60	60								
	145	60	60	60	60								
	146	60	60	60	60								
	147	60	60	60	60								

Model	Channel	101.1 MHz (Measurement) in dBm - Reference 30									
		MW01 GSM	MW02 GSM	MW03 GSM	MW04 GSM	MW05 GSM	MW06 GSM	MW07 GSM	MW08 GSM	MW09 GSM	MW10 GSM
		12_257 (Measurement)	12_257 (Reference)	12_257 (Measurement)	12_257 (Reference)	12_257 (Measurement)	12_257 (Reference)	12_257 (Measurement)	12_257 (Reference)	12_257 (Measurement)	12_257 (Reference)
GSM W91 (Reference 30) SP	1	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	2	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	3	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	4	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	5	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	6	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	7	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	8	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	9	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	10	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
GSM W91 (Reference 30) SP	11	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	12	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	13	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	14	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	15	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	16	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	17	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	18	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	19	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	20	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
GSM W91 (Reference 30) SP	21	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	22	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	23	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	24	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	25	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	26	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	27	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	28	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	29	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	30	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
GSM W91 (Reference 30) SP	31	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	32	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	33	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	34	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	35	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	36	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	37	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	38	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	39	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257
	40	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257	12.257

J.3 IEEE 802.11ax RU Target Powers

Table J-1
Maximum 2.4 GHz 802.11ax RU Output Power – Ant 3a

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			0	4	8
2412	1	26T	11.92	11.38	11.34
2437	6	26T	11.99	11.31	10.73
2462	11	26T	10.90	11.17	11.35
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			37	38	40
2412	1	52T	13.10	13.41	13.09
2437	6	52T	14.97	14.65	13.87
2462	11	52T	14.35	14.32	14.80
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			53	54	x
2412	1	106T	13.31	12.76	
2437	6	106T	17.72	17.14	
2462	11	106T	14.80	14.27	

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 41 of 60

Table J-2
Maximum 2.4 GHz 802.11ax RU Output Power – Ant 1a

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			0	4	8
2412	1	26T	11.69	11.95	11.98
2437	6	26T	11.64	11.96	10.68
2462	11	26T	10.79	11.79	11.14
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			37	38	40
2412	1	52T	13.96	14.04	14.12
2437	6	52T	14.70	14.66	13.90
2462	11	52T	13.97	14.79	14.94
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			53	54	x
2412	1	106T	13.88	13.79	
2437	6	106T	17.62	17.24	
2462	11	106T	14.46	14.61	

Table J-3
Maximum 5 GHz 802.11ax RU Output Power – Ant 3c

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	1	5180	36	26T	10.82	10.32	9.66
		5200	40	26T	9.40	10.44	9.60
		5220	44	26T	9.43	10.50	9.72
		5240	48	26T	9.62	10.48	9.79
	3	5745	149	26T	9.56	10.40	9.45
		5785	157	26T	9.43	10.37	9.51
		5825	165	26T	9.46	10.23	9.33
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	12.50	13.16	12.75
		5200	40	52T	12.50	13.16	12.75
		5220	44	52T	12.55	13.19	12.89
		5240	48	52T	12.59	13.25	12.86
	2A	5260	52	52T	12.80	13.24	13.01
		5280	56	52T	12.79	13.27	12.89
		5300	60	52T	12.87	13.32	13.01
		5320	64	52T	12.93	13.40	12.95
	2C	5500	100	52T	13.08	13.50	13.19
		5600	120	52T	13.06	13.51	13.10
		5580	124	52T	13.03	13.46	13.05
		5720	144	52T	13.00	13.44	12.93
	3	5745	149	52T	12.70	13.10	12.69
		5785	157	52T	12.69	12.62	13.02
		5825	165	52T	13.10	13.03	12.59
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	14.97	15.25	
		5200	40	106T	15.81	16.05	
		5220	44	106T	15.78	16.06	
		5240	48	106T	15.97	16.13	
	2A	5260	52	106T	15.96	16.07	
		5280	56	106T	16.06	16.20	
		5300	60	106T	16.11	16.15	
		5320	64	106T	15.40	15.48	
	2C	5500	100	106T	13.86	13.94	
		5600	120	106T	16.15	16.11	
		5620	124	106T	16.08	16.03	
		5720	144	106T	15.76	15.76	
	3	5745	149	106T	15.76	15.67	
		5785	157	106T	15.66	15.67	
		5825	165	106T	15.78	15.60	

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 43 of 60

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	2C	5530	106	106T	12.54		
		5610	122	106T	14.34		
		5690	138	106T	14.43		
	3	5775	155	106T	14.42		

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 44 of 60

Table J-4
Maximum 5 GHz 802.11ax RU Output Power – Ant 3a

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	1	5180	36	26T	7.52	8.48	7.68
		5200	40	26T	7.28	8.41	7.47
		5220	44	26T	7.37	8.40	7.55
		5240	48	26T	7.32	8.42	7.52
	3	5745	149	26T	7.42	8.28	7.45
		5785	157	26T	7.28	8.18	7.35
		5825	165	26T	7.12	8.14	7.26
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	1	5210	42	26T	8.35		
	2A	5290	58	26T	NS		
	2C	5530	106	26T	NS		
		5610	122	26T	NS		
		5690	138	26T	NS		
	3	5775	155	26T	8.42		
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	10.72	11.18	10.90
		5200	40	52T	10.58	11.13	10.76
		5220	44	52T	10.58	11.08	10.78
		5240	48	52T	10.57	11.10	10.75
	2A	5260	52	52T	10.61	11.16	10.84
		5280	56	52T	10.55	11.10	10.78
		5300	60	52T	10.65	11.16	10.73
		5320	64	52T	10.68	11.31	10.84
	2C	5500	100	52T	11.05	11.49	11.10
		5600	120	52T	10.95	11.32	11.00
		5580	124	52T	11.03	11.40	11.06
		5720	144	52T	10.63	10.75	10.68
	3	5745	149	52T	10.65	10.97	10.61
		5785	157	52T	10.48	10.86	10.57
		5825	165	52T	10.38	10.91	10.52
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	1	5210	42	52T	11.45		
	2A	5290	58	52T	11.42		
	2C	5530	106	52T	11.51		
		5610	122	52T	11.36		
		5690	138	52T	11.47		
	3	5775	155	52T	11.40		

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 45 of 60

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
1		5180	36	106T	13.97	13.99	
		5200	40	106T	13.67	13.91	
		5220	44	106T	13.74	13.79	
		5240	48	106T	13.78	13.75	
2A		5260	52	106T	13.75	13.92	
		5280	56	106T	13.67	13.83	
		5300	60	106T	13.80	13.91	
		5320	64	106T	13.79	13.94	
2C		5500	100	106T	13.81	13.94	
		5600	120	106T	13.98	13.94	
		5620	124	106T	13.96	13.93	
		5720	144	106T	13.65	13.69	
3		5745	149	106T	13.70	13.67	
		5785	157	106T	13.58	13.61	
		5825	165	106T	13.52	13.84	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
1		5210	42	106T	NS		
2A		5290	58	106T	NS		
2C		5530	106	106T	12.25		
		5610	122	106T	14.32		
		5690	138	106T	14.43		
3		5775	155	106T	14.36		

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 46 of 60

Table J-5
Maximum 5 GHz 802.11ax RU Output Power – Ant 1b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	1	5180	36	26T	8.28	8.21	8.46
		5200	40	26T	8.33	8.26	8.41
		5220	44	26T	8.22	8.17	8.36
		5240	48	26T	8.27	8.26	8.49
	3	5745	149	26T	8.20	8.07	8.16
		5785	157	26T	8.11	8.96	8.07
		5825	165	26T	7.83	8.66	7.71
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	1	5210	42	26T	8.31		
	2A	5290	58	26T	8.43		
	2C	5530	106	26T	8.38		
		5610	122	26T	8.34		
		5690	138	26T	8.46		
	3	5775	155	26T	8.44		
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	11.48	11.81	11.51
		5200	40	52T	11.60	11.99	11.57
		5220	44	52T	11.42	11.90	11.54
		5240	48	52T	11.56	11.02	11.70
	2A	5260	52	52T	11.54	11.08	11.76
		5280	56	52T	11.52	11.08	11.88
		5300	60	52T	11.66	11.10	11.80
		5320	64	52T	11.55	11.96	11.73
	2C	5500	100	52T	11.43	11.80	11.33
		5600	120	52T	11.59	11.82	11.54
		5580	124	52T	11.42	11.84	11.43
		5720	144	52T	11.28	11.69	11.35
	3	5745	149	52T	11.37	11.77	11.28
		5785	157	52T	11.22	11.63	11.30
		5825	165	52T	10.98	11.35	10.99
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	1	5210	42	52T	11.45		
	2A	5290	58	52T	11.39		
	2C	5530	106	52T	11.28		
		5610	122	52T	11.36		
		5690	138	52T	11.44		
	3	5775	155	52T	11.42		

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 47 of 60

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	14.58	14.67	
		5200	40	106T	14.64	14.80	
		5220	44	106T	14.62	14.84	
		5240	48	106T	14.76	14.92	
	2A	5260	52	106T	14.83	14.92	
		5280	56	106T	14.72	14.97	
		5300	60	106T	14.83	14.00	
5320		64	106T	14.81	14.91		
2C	5500	100	106T	14.26	14.32		
	5600	120	106T	14.54	14.67		
	5620	124	106T	14.50	14.53		
	5720	144	106T	14.51	14.50		
3	5745	149	106T	14.50	14.53		
	5785	157	106T	14.38	14.35		
	5825	165	106T	14.08	14.06		

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	2C	5530	106	106T	12.49		
		5610	122	106T	14.35		
5690		138	106T	14.48			
3	5775	155	106T	14.56			

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 48 of 60

Table J-6
Maximum 6 GHz 802.11ax RU Output Power – Ant 3c

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	5	5955	1	26T	9.29	9.20	9.31
		6175	45	26T	9.37	9.35	9.43
		6195	49	26T	9.32	9.21	9.42
		6415	93	26T	9.55	9.47	9.56
	6	6435	97	26T	-3.10	-3.17	-3.00
		6475	105	26T	-2.83	-3.05	-2.86
		6515	113	26T	-3.30	-3.30	-2.99
7	6535	117	26T	9.93	9.77	9.89	
	6695	149	26T	9.23	9.04	9.07	
	6875	185	26T	-3.66	-3.87	-3.74	
8	6895	189	26T	-3.80	-3.95	-3.88	
	6995	209	26T	-3.97	-3.48	-4.02	
	7015	213	26T	-3.84	-4.05	-3.83	
	7115	233	26T	NS	NS	NS	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	5	5955	1	52T	11.57	11.91	11.58
		6195	49	52T	11.68	12.08	11.74
		6415	93	52T	12.88	12.11	12.73
	6	6435	97	52T	0.34	0.02	-0.39
		6475	105	52T	-0.13	-0.86	-0.19
		6515	113	52T	-0.10	-0.73	0.15
	7	6535	117	52T	11.06	11.38	11.04
		6695	149	52T	11.35	11.60	11.28
		6875	185	52T	-0.70	-0.94	-0.81
	8	6895	189	52T	-0.91	-0.63	-0.73
		6995	209	52T	-1.24	-1.90	-1.33
7015		213	52T	-1.12	-0.83	-1.20	
7115		233	52T	NS	NS	NS	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	5	5955	1	106T	11.73	11.75	
		6175	45	106T	11.83	11.91	
		6195	49	106T	10.79	11.85	
		6415	93	106T	13.14	13.05	
	6	6435	97	106T	3.15	3.17	
		6475	105	106T	3.09	3.07	
		6515	113	106T	3.16	3.01	
	7	6535	117	106T	11.56	11.34	
		6695	149	106T	11.66	11.62	
		6875	185	106T	2.41	2.46	
	8	6895	189	106T	1.88	1.92	
6995		209	106T	1.65	1.60		
7015		213	106T	1.67	1.64		
7115		233	106T	NS	NS		

Table J-7
Maximum 6 GHz 802.11ax RU Output Power – Ant 3a

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	5	5955	1	26T	6.47	7.40	6.48
		6175	45	26T	6.34	7.36	6.28
		6195	49	26T	6.50	7.44	6.35
		6415	93	26T	6.23	7.14	6.19
	6	6435	97	26T	0.32	0.73	0.33
		6475	105	26T	0.33	0.81	0.42
		6515	113	26T	0.31	0.75	0.35
	7	6535	117	26T	6.40	7.41	6.46
		6695	149	26T	6.51	7.39	6.42
		6875	185	26T	-1.53	-0.77	-1.74
	8	6895	189	26T	1.22	1.51	0.99
		6995	209	26T	1.40	1.77	1.23
20MHz BW	5	5955	1	52T	9.62	9.99	9.64
		6195	49	52T	9.60	9.92	9.56
		6415	93	52T	9.42	9.80	9.45
	6	6435	97	52T	2.22	2.61	2.16
		6475	105	52T	2.12	2.67	2.18
		6515	113	52T	2.15	2.48	2.13
	7	6535	117	52T	9.67	10.01	9.55
		6695	149	52T	9.65	10.11	9.70
		6875	185	52T	1.17	1.43	1.01
	8	6895	189	52T	3.30	3.52	3.00
		6995	209	52T	3.44	3.72	3.21
		7015	213	52T	3.65	3.78	3.38
20MHz BW	5	5955	1	106T	10.53	10.89	N/A
		6175	45	106T	10.69	10.70	N/A
		6195	49	106T	10.78	10.67	N/A
		6415	93	106T	11.16	11.17	N/A
	6	6435	97	106T	5.36	5.37	N/A
		6475	105	106T	5.41	5.34	N/A
		6515	113	106T	5.34	5.43	N/A
	7	6535	117	106T	11.48	11.49	N/A
		6695	149	106T	11.65	11.64	N/A
		6875	185	106T	4.29	4.20	N/A
	8	6895	189	106T	6.26	6.16	N/A
		6995	209	106T	6.49	6.42	N/A
		7015	213	106T	6.70	6.46	N/A
		7115	233	106T	NS	NS	N/A

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 50 of 60

Table J-8
Maximum 6 GHz 802.11ax RU Output Power – Ant 1b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	5	5955	1	26T	6.88	7.75	6.87
		6175	45	26T	7.17	7.98	7.04
		6195	49	26T	7.02	7.77	6.91
		6415	93	26T	6.81	7.59	6.75
	6	6435	97	26T	0.73	0.60	0.82
		6475	105	26T	0.87	0.72	0.87
		6515	113	26T	0.78	0.65	0.75
	7	6535	117	26T	6.73	7.63	6.70
		6695	149	26T	6.70	7.53	6.61
		6875	185	26T	-1.30	-1.58	-1.58
	8	6895	189	26T	1.56	1.37	1.35
		6995	209	26T	1.57	1.41	1.42
20MHz BW	5	5955	1	52T	10.07	10.42	10.06
		6195	49	52T	10.18	10.53	10.19
		6415	93	52T	10.09	10.37	10.01
	6	6435	97	52T	2.60	2.87	2.58
		6475	105	52T	2.53	2.87	2.58
		6515	113	52T	2.45	2.79	2.44
	7	6535	117	52T	9.87	10.15	9.88
		6695	149	52T	9.92	10.23	9.95
		6875	185	52T	1.92	2.12	1.77
	8	6895	189	52T	3.46	3.77	3.33
		6995	209	52T	3.66	3.83	3.40
		7015	213	52T	3.61	3.80	3.36
20MHz BW	5	5955	1	106T	12.76	12.77	
		6175	45	106T	13.01	13.01	
		6195	49	106T	12.90	12.83	
		6415	93	106T	13.12	13.13	
	6	6435	97	106T	5.62	5.65	
		6475	105	106T	5.67	5.69	
		6515	113	106T	5.53	5.49	
	7	6535	117	106T	12.91	12.90	
		6695	149	106T	12.90	12.84	
		6875	185	106T	4.30	4.19	
	8	6895	189	106T	6.57	6.24	
		6995	209	106T	6.71	6.56	
		7015	213	106T	6.58	6.44	
		7115	233	106T	NS	NS	

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 51 of 60

J.4 IEEE 802.11ax MRU Target Powers

Table J-9
Maximum 2.4 GHz 802.11ax MRU Output Power – Ant 3a

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			71	72	x
2412	1	52T + 26T	13.46	13.62	
2437	6	52T + 26T	15.99	15.92	
2462	11	52T + 26T	14.52	14.61	
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			82	x	x
2412	1	106T + 26T	13.42		
2437	6	106T + 26T	18.12		
2462	11	106T + 26T	14.04		

Table J-10
Maximum 2.4 GHz 802.11ax MRU Output Power – Ant 1a

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			71	72	x
2412	1	52T + 26T	14.11	13.65	
2437	6	52T + 26T	16.04	15.99	
2462	11	52T + 26T	14.15	14.81	
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			82	x	x
2412	1	106T + 26T	14.08		
2437	6	106T + 26T	18.09		
2462	11	106T + 26T	14.75		

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 52 of 60

Table J-11
Maximum 5 GHz 802.11ax MRU Output Power – Ant 3c

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
	1	5180	36	52T + 26T	14.56	14.61	
		5200	40	52T + 26T	14.66	14.61	
		5220	44	52T + 26T	14.69	14.75	
		5240	48	52T + 26T	14.79	14.76	
	2A	5260	52	52T + 26T	14.81	14.73	
		5280	56	52T + 26T	14.81	14.76	
		5300	60	52T + 26T	14.95	14.82	
		5320	64	52T + 26T	15.11	14.96	
	2C	5500	100	52T + 26T	14.27	14.05	
		5600	120	52T + 26T	15.00	14.96	
		5620	124	52T + 26T	14.96	14.72	
		5720	144	52T + 26T	14.62	14.50	
	3	5745	149	52T + 26T	14.62	14.49	
		5785	157	52T + 26T	14.63	14.35	
		5825	165	52T + 26T	14.57	14.44	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	1	5180	36	106T + 26T	15.00		
		5200	40	106T + 26T	16.42		
		5220	44	106T + 26T	16.48		
		5240	48	106T + 26T	16.53		
	2A	5260	52	106T + 26T	16.64		
		5280	56	106T + 26T	16.62		
		5300	60	106T + 26T	16.72		
		5320	64	106T + 26T	15.59		
	2C	5500	100	106T + 26T	13.90		
		5600	120	106T + 26T	16.81		
		5620	124	106T + 26T	16.66		
		5720	144	106T + 26T	16.36		
	3	5745	149	106T + 26T	16.31		
		5785	157	106T + 26T	16.37		
		5825	165	106T + 26T	16.33		

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	1	5210	42	484T + 242T	12.54	12.57	12.71	13.27
	2A	5290	58	484T + 242T	12.20	12.23	12.23	12.80
	2C	5530	106	484T + 242T	11.74	11.73	11.77	12.18
		5610	122	484T + 242T	15.33	15.46	15.45	16.36
		5690	138	484T + 242T	16.51	16.30	16.49	17.27
	3	5775	155	484T + 242T	15.41	15.44	15.52	16.29

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	1	5250	50	996T + 484T + 242T	11.25	11.22	11.53	11.83
	2C	5570	114	996T + 484T + 242T	10.70	10.51	10.79	11.01

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 53 of 60

Table J-12
Maximum 5 GHz 802.11ax MRU Output Power – Ant 3a

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					71	72	N/A	
	1	5180	36	52T + 26T	12.66	12.67		
		5200	40	52T + 26T	12.61	12.54		
		5220	44	52T + 26T	12.67	12.52		
		5240	48	52T + 26T	12.55	12.60		
	2A	5260	52	52T + 26T	12.68	12.58		
		5280	56	52T + 26T	12.70	12.55		
		5300	60	52T + 26T	12.64	12.59		
5320		64	52T + 26T	12.70	12.71			
2C	5500	100	52T + 26T	13.05	12.86			
	5600	120	52T + 26T	12.82	12.73			
	5620	124	52T + 26T	12.76	12.73			
	5720	144	52T + 26T	12.58	12.41			
3	5745	149	52T + 26T	12.55	12.33			
	5785	157	52T + 26T	12.42	12.29			
	5825	165	52T + 26T	12.47	12.28			
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					82	N/A	N/A	
	1	5180	36	106T + 26T	14.56			
		5200	40	106T + 26T	14.37			
		5220	44	106T + 26T	14.34			
		5240	48	106T + 26T	14.25			
	2A	5260	52	106T + 26T	14.40			
		5280	56	106T + 26T	14.35			
		5300	60	106T + 26T	14.43			
		5320	64	106T + 26T	14.56			
	2C	5500	100	106T + 26T	14.05			
		5600	120	106T + 26T	14.56			
		5620	124	106T + 26T	14.55			
		5720	144	106T + 26T	14.29			
	3	5745	149	106T + 26T	14.28			
		5785	157	106T + 26T	14.16			
		5825	165	106T + 26T	14.12			
80MHz BW		Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
	RU Index							
	90					91	92	93
	1	5210	42	52T + 26T	13.17	13.11	13.21	13.24
	2A	5290	58	52T + 26T	12.33	12.36	12.30	13.49
	2C	5530	106	52T + 26T	12.23	12.16	12.22	12.55
		5610	122	52T + 26T	15.44	15.34	15.55	15.64
		5690	138	52T + 26T	14.60	14.40	14.59	14.61
	3	5775	155	52T + 26T	14.23	14.39	14.32	14.43

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 54 of 60

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	2C	5530	106	106T + 26T	12.33	12.36	12.32	12.39
		5610	122	106T + 26T	16.01	16.11	15.96	16.14
		5690	138	106T + 26T	16.32	16.42	16.44	16.52
	3	5775	155	106T + 26T	16.11	16.14	16.21	16.24

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	1	5210	42	484T + 242T	12.38	12.44	12.45	13.13
	2A	5290	58	484T + 242T	11.82	11.76	11.90	12.46
	2C	5530	106	484T + 242T	12.15	12.06	12.20	12.61
		5610	122	484T + 242T	15.49	15.14	15.35	15.96
		5690	138	484T + 242T	16.38	15.86	16.01	16.57
	3	5775	155	484T + 242T	15.23	14.79	14.90	15.54

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	1	5250	50	996T + 484T + 242T	11.10	11.02	11.32	11.6
	2C	5570	114	996T + 484T + 242T	10.59	10.41	10.66	10.8

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 55 of 60

Table J-13
Maximum 5 GHz 802.11ax MRU Output Power – Ant 1b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
1		5180	36	52T + 26T	13.45	13.46	
		5200	40	52T + 26T	13.47	13.45	
		5220	44	52T + 26T	13.39	13.35	
		5240	48	52T + 26T	13.49	13.49	
2A		5260	52	52T + 26T	13.22	13.40	
		5280	56	52T + 26T	13.45	13.17	
		5300	60	52T + 26T	13.40	13.48	
		5320	64	52T + 26T	13.47	13.38	
2C		5500	100	52T + 26T	13.31	13.19	
		5600	120	52T + 26T	13.40	13.24	
		5620	124	52T + 26T	13.33	13.14	
		5720	144	52T + 26T	13.20	13.12	
3		5745	149	52T + 26T	13.39	13.21	
		5785	157	52T + 26T	13.14	13.02	
		5825	165	52T + 26T	12.90	12.79	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
1		5180	36	106T + 26T	15.21		
		5200	40	106T + 26T	15.30		
		5220	44	106T + 26T	15.20		
		5240	48	106T + 26T	15.37		
2A		5260	52	106T + 26T	15.39		
		5280	56	106T + 26T	15.30		
		5300	60	106T + 26T	15.36		
		5320	64	106T + 26T	15.27		
2C		5500	100	106T + 26T	14.34		
		5600	120	106T + 26T	15.22		
		5620	124	106T + 26T	15.17		
		5720	144	106T + 26T	15.06		
3		5745	149	106T + 26T	15.04		
		5785	157	106T + 26T	14.87		
		5825	165	106T + 26T	14.65		

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
1	1	5210	42	52T + 26T	13.21	13.26	13.25	13.29
2A	2A	5290	58	52T + 26T	12.40	12.23	12.42	12.43
2C	2C	5530	106	52T + 26T	12.24	12.29	12.25	12.30
		5610	122	52T + 26T	14.58	14.42	14.49	14.62
		5690	138	52T + 26T	14.23	14.33	14.21	14.39
3	3	5775	155	52T + 26T	14.46	14.38	14.43	14.49

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 56 of 60

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	1	5210	42	106T + 26T	13.31	13.36	13.35	13.39
	2A	5290	58	106T + 26T	12.50	12.33	12.52	12.53
	2C	5530	106	106T + 26T	12.34	12.39	12.35	12.40
		5610	122	106T + 26T	16.08	15.92	15.99	16.12
		5690	138	106T + 26T	15.73	15.83	15.71	15.89
	3	5775	155	106T + 26T	15.96	15.88	15.93	15.99
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	1	5210	42	484T + 242T	13.11	13.26	13.31	14.03
	2A	5290	58	484T + 242T	12.50	12.76	12.72	13.50
	2C	5530	106	484T + 242T	12.28	12.39	12.45	13.09
		5610	122	484T + 242T	15.88	15.66	15.80	16.55
		5690	138	484T + 242T	16.74	16.31	16.41	17.16
	3	5775	155	484T + 242T	15.82	15.52	15.64	16.43
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	1	5250	50	996T + 484T + 242T	11.88	11.83	12.25	12.7
	2C	5570	114	996T + 484T + 242T	11.12	10.88	11.19	11.5

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 57 of 60

Table J-14
Maximum 6 GHz 802.11ax MRU Output Power – Ant 3c

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
	5	5955	1	52T + 26T	12.04	12.24	
		6175	45	52T + 26T	12.14	12.25	
		6195	49	52T + 26T	12.69	12.55	
		6415	93	52T + 26T	12.95	13.09	
	6	6435	97	52T + 26T	1.66	1.81	
		6475	105	52T + 26T	1.87	1.10	
		6515	113	52T + 26T	1.57	1.79	
7	6535	117	52T + 26T	11.97	11.83		
	6695	149	52T + 26T	11.87	11.79		
	6875	185	52T + 26T	0.97	1.18		
8	6895	189	52T + 26T	1.05	1.33		
	6995	209	52T + 26T	1.45	0.68		
	7015	213	52T + 26T	1.35	0.62		
	7115	233	52T + 26T	NS	NS		

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	5	5955	1	106T + 26T	11.78		
		6175	45	106T + 26T	11.83		
		6195	49	106T + 26T	13.13		
		6415	93	106T + 26T	13.12		
	6	6435	97	106T + 26T	4.16		
		6475	105	106T + 26T	2.57		
		6515	113	106T + 26T	3.87		
7	6535	117	106T + 26T	11.78			
	6695	149	106T + 26T	11.54			
	6875	185	106T + 26T	2.31			
8	6895	189	106T + 26T	2.58			
	6995	209	106T + 26T	3.21			
	7015	213	106T + 26T	3.18			
	7115	233	106T + 26T	NS			

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	5	5985	7	484T + 242T	12.45	12.51	12.66	12.78
		6145	39	484T + 242T	13.30	13.40	13.36	13.45
		6225	55	484T + 242T	13.24	13.37	13.42	13.55
		6385	87	484T + 242T	13.42	13.33	13.23	13.62
	6	6465	103	484T + 242T	13.48	13.30	13.43	13.51
		6545	119	484T + 242T	11.98	11.93	12.03	12.13
	7	6705	151	484T + 242T	14.44	14.47	14.34	14.54
6865		183	484T + 242T	12.04	12.12	12.14	12.18	
6945		199	484T + 242T	13.96	14.16	14.33	14.57	
8	7025	215	484T + 242T	14.12	14.19	14.32	14.46	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	5	6025	15	996T + 484T + 242T	12.31	12.34	12.41	12.44
		6185	47	996T + 484T + 242T	13.71	13.65	13.81	13.85
		6345	79	996T + 484T + 242T	13.10	13.24	13.33	13.41
	6	6505	111	996T + 484T + 242T	13.21	13.26	13.42	13.51
	7	6665	143	996T + 484T + 242T	14.50	14.01	14.38	14.87
		6825	175	996T + 484T + 242T	14.72	14.09	14.58	14.91
8	6985	207	996T + 484T + 242T	14.09	14.11	14.17	14.17	

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 58 of 60

Table J-15
Maximum 6 GHz 802.11ax MRU Output Power – Ant 3a

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					71	72	N/A	
	5	5955	1	52T + 26T	11.13	11.05		
		6175	45	52T + 26T	11.00	10.84		
		6195	49	52T + 26T	11.06	10.81		
		6415	93	52T + 26T	11.43	11.31		
	6	6435	97	52T + 26T	4.67	4.51		
		6475	105	52T + 26T	4.70	4.53		
		6515	113	52T + 26T	4.67	4.48		
7	6535	117	52T + 26T	11.54	11.41			
	6695	149	52T + 26T	11.67	11.61			
	6875	185	52T + 26T	3.35	3.09			
8	6895	189	52T + 26T	5.87	5.67			
	6995	209	52T + 26T	6.06	5.77			
	7015	213	52T + 26T	6.24	5.91			
7115	233	52T + 26T	NS	NS				
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					82	N/A	N/A	
	5	5955	1	106T + 26T	10.89			
		6175	45	106T + 26T	10.83			
		6195	49	106T + 26T	10.84			
		6415	93	106T + 26T	11.19			
	6	6435	97	106T + 26T	6.23			
		6475	105	106T + 26T	6.24			
		6515	113	106T + 26T	6.14			
	7	6535	117	106T + 26T	11.65			
		6695	149	106T + 26T	11.80			
		6875	185	106T + 26T	5.00			
	8	6895	189	106T + 26T	7.71			
6995		209	106T + 26T	7.79				
7015		213	106T + 26T	7.91				
7115		233	106T + 26T	NS				
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	5	5985	7	484T + 242T	10.45	10.32	10.32	10.81
		6145	39	484T + 242T	11.39	11.27	11.52	11.93
		6225	55	484T + 242T	11.41	11.21	11.37	11.85
		6385	87	484T + 242T	10.69	10.62	10.78	11.31
	6	6465	103	484T + 242T	11.57	11.55	11.63	12.07
	7	6545	119	484T + 242T	11.23	11.10	11.29	11.90
		6705	151	484T + 242T	11.13	10.90	11.07	11.58
		6865	183	484T + 242T	11.00	10.88	11.14	11.65
	8	6945	199	484T + 242T	9.27	9.09	9.24	9.72
7025		215	484T + 242T	9.30	9.18	9.39	9.79	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	5	6025	15	996T + 484T + 242T	10.96	10.74	11.05	11.36
		6185	47	996T + 484T + 242T	11.80	11.51	11.98	12.11
		6345	79	996T + 484T + 242T	11.16	10.90	11.26	11.59
	6	6505	111	996T + 484T + 242T	11.59	11.45	11.87	12.22
	7	6665	143	996T + 484T + 242T	11.42	11.06	11.50	11.85
		6825	175	996T + 484T + 242T	11.52	11.20	11.61	11.92
8	6985	207	996T + 484T + 242T	9.68	9.30	9.66	9.90	

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 59 of 60

Table J-16
Maximum 6 GHz 802.11ax MRU Output Power – Ant 1b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
	5	5955	1	52T + 26T	11.89	11.76	
		6175	45	52T + 26T	12.31	12.10	
		6195	49	52T + 26T	12.11	12.02	
		6415	93	52T + 26T	11.80	11.72	
	6	6435	97	52T + 26T	4.87	4.77	
		6475	105	52T + 26T	4.94	4.79	
		6515	113	52T + 26T	4.74	4.61	
7	6535	117	52T + 26T	11.60	11.47		
	6695	149	52T + 26T	11.74	11.68		
	6875	185	52T + 26T	3.28	3.04		
8	6895	189	52T + 26T	6.08	5.87		
	6995	209	52T + 26T	6.20	6.00		
	7015	213	52T + 26T	6.22	5.99		
	7115	233	52T + 26T	NS	NS		

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	5	5955	1	106T + 26T	12.77		
		6175	45	106T + 26T	13.03		
		6195	49	106T + 26T	12.99		
		6415	93	106T + 26T	13.38		
	6	6435	97	106T + 26T	6.52		
		6475	105	106T + 26T	6.48		
		6515	113	106T + 26T	6.39		
7	6535	117	106T + 26T	13.52			
	6695	149	106T + 26T	13.41			
	6875	185	106T + 26T	5.09			
8	6895	189	106T + 26T	7.92			
	6995	209	106T + 26T	7.92			
	7015	213	106T + 26T	7.90			
	7115	233	106T + 26T	NS			

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	5	5985	7	484T + 242T	11.95	12.01	12.16	12.78
		6145	39	484T + 242T	13.30	13.30	13.45	14.22
		6225	55	484T + 242T	13.24	13.37	13.42	14.15
		6385	87	484T + 242T	12.57	12.78	12.78	13.62
	6	6465	103	484T + 242T	12.68	12.80	12.79	13.61
	7	6545	119	484T + 242T	11.10	11.19	11.37	12.13
		6705	151	484T + 242T	13.64	13.47	13.64	14.54
6865		183	484T + 242T	11.15	11.30	11.41	12.07	
8	6945	199	484T + 242T	13.96	13.68	13.78	14.57	
	7025	215	484T + 242T	13.62	13.49	13.73	14.00	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	5	6025	15	996T + 484T + 242T	12.68	12.34	12.78	13.17
		6185	47	996T + 484T + 242T	13.98	13.65	14.11	14.52
		6345	79	996T + 484T + 242T	13.10	12.87	13.51	13.60
	6	6505	111	996T + 484T + 242T	13.16	12.84	13.42	13.81
	7	6665	143	996T + 484T + 242T	14.50	14.01	14.38	14.87
		6825	175	996T + 484T + 242T	14.72	14.09	14.58	14.91
	8	6985	207	996T + 484T + 242T	14.09	14.11	14.17	14.17

FCC ID: BCGA3460	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 60 of 60