




ELEMENT MATERIALS TECHNOLOGY

(formerly PCTEST)
18855 Adams Court, Morgan Hill, CA 95037 USA
Tel. 408.538.5600
<http://www.element.com>



PART 27 MEASUREMENT REPORT

Applicant Name:

Apple Inc.
One Apple Park Way
Cupertino, CA 95014
United States

Date of Testing:

07/01/2025 - 10/23/2025

Test Report Issue Date:

1/16/2026

Test Site/Location:

Element Materials Technology Morgan Hill, CA, USA

Test Report Serial No.:

1C2509100080-09-R3.BCG

FCC ID:

BCGA3460

APPLICANT:

Apple Inc.

Application Type:

Certification

Model:

A3460, A3463

EUT Type:

Tablet Device

FCC Classification:

PCS Licensed Transmitter (PCB)

FCC Rule Part:

27

Test Procedure(s):

ANSI C63.26-2015, TIA-603-E-2016, KDB 971168 D01 v03r01

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

This revised Test Report (S/N: 1C2509100080-09-R3-.BCG) supersedes and replaces the previously issued test report on the same subject device for the same type of testing as indicated. Please discard or destroy the previously issued test report(s) and dispose accordingly

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.

RJ Ortanez
Executive Vice President



FCC ID: BCGA3460	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device
		Page 1 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Revision Summary

Revision	Date	Comments	Revised By
-	12/9/2025	Initial release	-
R1	12/9/2025	Addressed TCB Comments in section 5.0, 7.1, 7.4, 7.7 and 7.8	WKR0000007837
R2	12/12/2025	Addressed Client's Comments in section 2.6, 7.6 and 7.8	WKR0000007837
R3	12/23/2025	Addressed Client's Comments in Overview Table	WKR0000007837

FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device
		Page 2 of 360


V2.2 09/07/2023

TABLE OF CONTENTS


1.0	INTRODUCTION.....	8
1.1	Scope.....	8
1.2	Element Materials Technology Test Location.....	8
1.3	Test Facility / Accreditations.....	8
2.0	PRODUCT INFORMATION.....	9
2.1	Equipment Description.....	9
2.2	Device Capabilities.....	9
2.3	Antenna Description.....	10
2.4	Test Support Equipment.....	10
2.5	Test Configuration.....	11
2.6	Software and Firmware.....	11
2.7	EMI Suppression Device(s)/Modifications.....	11
3.0	DESCRIPTION OF TESTS.....	12
3.1	Evaluation Procedure.....	12
3.2	Radiated Spurious Emissions.....	12
4.0	MEASUREMENT UNCERTAINTY.....	13
5.0	TEST EQUIPMENT CALIBRATION DATA.....	14
6.0	SAMPLE CALCULATIONS.....	15
7.0	TEST RESULTS.....	16
7.1	Summary.....	16
7.2	Occupied Bandwidth.....	18
7.3	Spurious and Harmonic Emissions at Antenna Terminal.....	102
7.4	Band Edge Emissions at Antenna Terminal.....	148
7.5	Peak-Average Ratio.....	221
7.6	Radiated Power (ERP/EIRP).....	278
7.7	Radiated Spurious Emissions.....	312
7.8	Frequency Stability / Temperature Variation.....	350
8.0	CONCLUSION.....	360

FCC ID: BCGA3460		PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 3 of 360

V2.2 09/07/2023



PART 27 MEASUREMENT REPORT



Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	OBW [MHz]	ERP		Emission Designator
					Max. Power [W]	Max. Power [dBm]	
LTE Band 71	5 MHz	QPSK	665.5 - 695.5	4.5494	0.120	20.79	4M55G7W
		16QAM	665.5 - 695.5	4.5267	0.102	20.08	4M53D7W
		64QAM	665.5 - 695.5	4.5455	0.084	19.25	4M55D7W
		256QAM	665.5 - 695.5	4.5392	0.042	16.22	4M54D7W
	10 MHz	QPSK	668.0 - 693.0	9.0562	0.119	20.76	9M06G7W
		16QAM	668.0 - 693.0	9.0556	0.101	20.05	9M06D7W
		64QAM	668.0 - 693.0	9.0485	0.079	18.96	9M05D7W
		256QAM	668.0 - 693.0	9.0519	0.043	16.31	9M05D7W
	15 MHz	QPSK	670.5 - 690.5	13.5729	0.116	20.65	13M6G7W
		16QAM	670.5 - 690.5	13.5671	0.100	20.00	13M6D7W
		64QAM	670.5 - 690.5	13.5969	0.078	18.93	13M6D7W
		256QAM	670.5 - 690.5	13.6065	0.042	16.19	13M6D7W
	20 MHz	QPSK	673.0 - 688.0	18.0421	0.118	20.71	18M0G7W
		16QAM	673.0 - 688.0	18.0182	0.100	20.00	18M0D7W
		64QAM	673.0 - 688.0	18.0093	0.078	18.94	18M0D7W
		256QAM	673.0 - 688.0	18.0033	0.041	16.14	18M0D7W
LTE Band 12	1.4 MHz	QPSK	699.7 - 715.3	1.1141	0.148	21.69	1M11G7W
		16QAM	699.7 - 715.3	1.1182	0.121	20.84	1M12D7W
		64QAM	699.7 - 715.3	1.1107	0.096	19.81	1M11D7W
		256QAM	699.7 - 715.3	1.1140	0.053	17.22	1M11D7W
	3 MHz	QPSK	700.5 - 714.5	2.7283	0.144	21.57	2M73G7W
		16QAM	700.5 - 714.5	2.7260	0.123	20.90	2M73D7W
		64QAM	700.5 - 714.5	2.7270	0.094	19.74	2M73D7W
		256QAM	700.5 - 714.5	2.7239	0.051	17.05	2M72D7W
	5 MHz	QPSK	701.5 - 713.5	4.5473	0.151	21.79	4M55G7W
		16QAM	701.5 - 713.5	4.5437	0.130	21.13	4M54D7W
		64QAM	701.5 - 713.5	4.5522	0.103	20.11	4M55D7W
		256QAM	701.5 - 713.5	4.5337	0.050	17.03	4M53D7W
	10 MHz	QPSK	704.0 - 711.0	9.0444	0.145	21.62	9M04G7W
		16QAM	704.0 - 711.0	9.0476	0.127	21.05	9M05D7W
		64QAM	704.0 - 711.0	9.0625	0.098	19.92	9M06D7W
		256QAM	704.0 - 711.0	9.0503	0.052	17.20	9M05D7W
LTE Band 17	5 MHz	QPSK	706.5 - 713.5	4.5473	0.149	21.74	4M55G7W
		16QAM	706.5 - 713.5	4.5437	0.128	21.08	4M54D7W
		64QAM	706.5 - 713.5	4.5522	0.099	19.96	4M55D7W
		256QAM	706.5 - 713.5	4.5337	0.050	17.01	4M53D7W
	10 MHz	QPSK	709.0 - 711.0	9.0444	0.146	21.64	9M04G7W
		16QAM	709.0 - 711.0	9.0476	0.123	20.90	9M05D7W
		64QAM	709.0 - 711.0	9.0625	0.097	19.87	9M06D7W
		256QAM	709.0 - 711.0	9.0503	0.051	17.10	9M05D7W
LTE Band 13	5 MHz	QPSK	779.5 - 784.5	4.5541	0.168	22.26	4M55G7W
		16QAM	779.5 - 784.5	4.5379	0.146	21.64	4M54D7W
		64QAM	779.5 - 784.5	4.5440	0.112	20.51	4M54D7W
		256QAM	779.5 - 784.5	4.5354	0.057	17.58	4M54D7W
	10 MHz	QPSK	782.0	9.0176	0.163	22.12	9M02G7W
		16QAM	782.0	9.0433	0.140	21.45	9M04D7W
		64QAM	782.0	9.0267	0.112	20.50	9M03D7W
		256QAM	782.0	9.0247	0.059	17.69	9M02D7W

Overview Table (<1GHz Band)

FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 4 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	OBW [MHz]	ERP		Emission Designator
					Max. Power [W]	Max. Power [dBm]	
NR Band n71	5 MHz	$\pi/2$ BPSK	665.5 - 695.5	4.5031	0.120	20.78	4M50G7W
		QPSK	665.5 - 695.5	4.4687	0.118	20.71	4M47G7W
		16QAM	665.5 - 695.5	4.4847	0.091	19.61	4M48D7W
		64QAM	665.5 - 695.5	4.4985	0.077	18.86	4M50D7W
		256QAM	665.5 - 695.5	4.4738	0.047	16.74	4M47D7W
	10 MHz	$\pi/2$ BPSK	668.0 - 693.0	8.9263	0.121	20.81	8M93G7W
		QPSK	668.0 - 693.0	9.3436	0.121	20.83	9M34G7W
		16QAM	668.0 - 693.0	9.3348	0.092	19.64	9M33D7W
		64QAM	668.0 - 693.0	9.3168	0.076	18.79	9M32D7W
		256QAM	668.0 - 693.0	9.2599	0.048	16.84	9M26D7W
	15 MHz	$\pi/2$ BPSK	670.5 - 690.5	13.4643	0.120	20.80	13M5G7W
		QPSK	670.5 - 690.5	14.1827	0.116	20.66	14M2G7W
		16QAM	670.5 - 690.5	14.1718	0.089	19.51	14M2D7W
		64QAM	670.5 - 690.5	14.1176	0.074	18.67	14M1D7W
		256QAM	670.5 - 690.5	14.1119	0.047	16.70	14M1D7W
	20 MHz	$\pi/2$ BPSK	673.0 - 688.0	17.9566	0.119	20.76	18M0G7W
		QPSK	673.0 - 688.0	19.0121	0.119	20.77	19M0G7W
		16QAM	673.0 - 688.0	18.9094	0.090	19.53	18M9D7W
		64QAM	673.0 - 688.0	19.0066	0.075	18.75	19M0D7W
		256QAM	673.0 - 688.0	19.0450	0.048	16.79	19M0D7W
NR Band n12	5 MHz	$\pi/2$ BPSK	701.5 - 713.5	4.4841	0.153	21.86	4M48G7W
		QPSK	701.5 - 713.5	4.4865	0.150	21.77	4M49G7W
		16QAM	701.5 - 713.5	4.4579	0.121	20.82	4M46D7W
		64QAM	701.5 - 713.5	4.4693	0.097	19.86	4M47D7W
		256QAM	701.5 - 713.5	4.4799	0.061	17.83	4M48D7W
	10 MHz	$\pi/2$ BPSK	704.0 - 711.0	8.9445	0.151	21.78	8M94G7W
		QPSK	704.0 - 711.0	9.3080	0.151	21.80	9M31G7W
		16QAM	704.0 - 711.0	9.2499	0.120	20.78	9M25D7W
		64QAM	704.0 - 711.0	9.3294	0.095	19.76	9M33D7W
		256QAM	704.0 - 711.0	9.2639	0.061	17.85	9M26D7W
	15 MHz	$\pi/2$ BPSK	706.5 - 708.5	13.4405	0.148	21.70	13M4G7W
		QPSK	706.5 - 708.5	14.1211	0.153	21.85	14M1G7W
		16QAM	706.5 - 708.5	14.1606	0.114	20.58	14M2D7W
		64QAM	706.5 - 708.5	14.1639	0.095	19.78	14M2D7W
		256QAM	706.5 - 708.5	14.1366	0.059	17.68	14M1D7W

Overview Table (<1GHz Band)

FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 5 of 360

V2.2 09/07/2023

Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	OBW [MHz]	PAR at 0.1% [dB]	EIRP		Emission Designator
						Max. Power [W]	Max. Power [dBm]	
WCDMA1700	5 MHz	Spread Spectrum	1712.4 - 1752.6	4.0968	3.21	0.502	27.01	4M10F9W
LTE Band 4	1.4 MHz	QPSK	1710.7 - 1754.3	1.1139	5.03	0.485	26.86	1M11G7W
		16QAM	1710.7 - 1754.3	1.1194	5.72	0.399	26.01	1M12D7W
		64QAM	1710.7 - 1754.3	1.1165	6.72	0.317	25.01	1M12D7W
		256QAM	1710.7 - 1754.3	1.1196	6.57	0.171	22.32	1M12D7W
	3 MHz	QPSK	1711.5 - 1753.5	2.7221	4.82	0.469	26.71	2M72G7W
		16QAM	1711.5 - 1753.5	2.7272	5.75	0.414	26.17	2M73D7W
		64QAM	1711.5 - 1753.5	2.7284	6.57	0.316	25.00	2M73D7W
		256QAM	1711.5 - 1753.5	2.7303	6.74	0.172	22.36	2M73D7W
	5 MHz	QPSK	1712.5 - 1752.5	4.5432	5.02	0.495	26.95	4M54G7W
		16QAM	1712.5 - 1752.5	4.5522	5.64	0.426	26.29	4M55D7W
		64QAM	1712.5 - 1752.5	4.5499	6.55	0.327	25.15	4M55D7W
		256QAM	1712.5 - 1752.5	4.5390	6.90	0.170	22.30	4M54D7W
	10MHz	QPSK	1715.0 - 1750.0	9.0600	5.00	0.480	26.81	9M06G7W
		16QAM	1715.0 - 1750.0	9.0314	5.68	0.422	26.25	9M03D7W
		64QAM	1715.0 - 1750.0	9.0655	6.57	0.323	25.09	9M07D7W
		256QAM	1715.0 - 1750.0	9.0580	7.01	0.171	22.34	9M06D7W
	15 MHz	QPSK	1717.5 - 1747.5	13.5494	5.13	0.482	26.83	13M5G7W
		16QAM	1717.5 - 1747.5	13.5516	5.73	0.414	26.17	13M6D7W
		64QAM	1717.5 - 1747.5	13.5374	6.52	0.327	25.15	13M5D7W
		256QAM	1717.5 - 1747.5	13.5560	6.54	0.169	22.27	13M6D7W
	20 MHz	QPSK	1720.0 - 1745.0	18.0412	5.04	0.486	26.87	18M0G7W
		16QAM	1720.0 - 1745.0	18.0098	5.70	0.409	26.12	18M0D7W
		64QAM	1720.0 - 1745.0	18.0123	6.54	0.326	25.13	18M0D7W
		256QAM	1720.0 - 1745.0	17.9884	6.54	0.168	22.26	18M0D7W
LTE Band 66	1.4 MHz	QPSK	1710.7 - 1779.3	1.1139	5.05	0.463	26.66	1M11G7W
		16QAM	1710.7 - 1779.3	1.1194	5.72	0.380	25.80	1M12D7W
		64QAM	1710.7 - 1779.3	1.1165	6.74	0.299	24.76	1M12D7W
		256QAM	1710.7 - 1779.3	1.1196	6.72	0.161	22.08	1M12D7W
	3 MHz	QPSK	1711.5 - 1778.5	2.7221	4.84	0.444	26.47	2M72G7W
		16QAM	1711.5 - 1778.5	2.7272	5.72	0.389	25.90	2M73D7W
		64QAM	1711.5 - 1778.5	2.7284	6.64	0.295	24.70	2M73D7W
		256QAM	1711.5 - 1778.5	2.7303	6.82	0.162	22.09	2M73D7W
	5 MHz	QPSK	1712.5 - 1777.5	4.5432	5.02	0.470	26.72	4M54G7W
		16QAM	1712.5 - 1777.5	4.5522	5.67	0.401	26.03	4M55D7W
		64QAM	1712.5 - 1777.5	4.5499	6.60	0.311	24.93	4M55D7W
		256QAM	1712.5 - 1777.5	4.5390	6.89	0.161	22.06	4M54D7W
	10 MHz	QPSK	1715.0 - 1775.0	9.0600	4.99	0.449	26.52	9M06G7W
		16QAM	1715.0 - 1775.0	9.0314	5.67	0.386	25.87	9M03D7W
		64QAM	1715.0 - 1775.0	9.0655	6.57	0.295	24.70	9M07D7W
		256QAM	1715.0 - 1775.0	9.0580	7.08	0.161	22.07	9M06D7W
	15 MHz	QPSK	1717.5 - 1772.5	13.5494	5.21	0.449	26.52	13M5G7W
		16QAM	1717.5 - 1772.5	13.5516	5.78	0.381	25.81	13M6D7W
		64QAM	1717.5 - 1772.5	13.5374	6.61	0.304	24.83	13M5D7W
		256QAM	1717.5 - 1772.5	13.5560	6.57	0.158	22.00	13M6D7W
	20 MHz	QPSK	1720.0 - 1770.0	18.0412	5.10	0.449	26.52	18M0G7W
		16QAM	1720.0 - 1770.0	18.0098	5.74	0.385	25.86	18M0D7W
		64QAM	1720.0 - 1770.0	18.0123	6.60	0.303	24.81	18M0D7W
		256QAM	1720.0 - 1770.0	17.9884	6.55	0.157	21.95	18M0D7W

Overview Table (>1GHz Bands)

FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 6 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	OBW [MHz]	PAR at 0.1% [dB]	EIRP		Emission Designator
						Max. Power [W]	Max. Power [dBm]	
NR Band n66	5 MHz	$\pi/2$ BPSK	1712.5 - 1777.5	4.4639	4.03	0.451	26.54	4M46G7W
		QPSK	1712.5 - 1777.5	4.4614	4.75	0.451	26.54	4M46G7W
		16QAM	1712.5 - 1777.5	4.4817	5.79	0.340	25.31	4M48D7W
		64QAM	1712.5 - 1777.5	4.4623	6.38	0.288	24.59	4M46D7W
		256QAM	1712.5 - 1777.5	4.4938	6.43	0.182	22.59	4M49D7W
	10 MHz	$\pi/2$ BPSK	1715.0 - 1775.0	8.9472	4.00	0.455	26.58	8M95G7W
		QPSK	1715.0 - 1775.0	9.2640	4.81	0.450	26.53	9M26G7W
		16QAM	1715.0 - 1775.0	9.2681	5.87	0.347	25.40	9M27D7W
		64QAM	1715.0 - 1775.0	9.2946	6.34	0.287	24.58	9M29D7W
		256QAM	1715.0 - 1775.0	9.3172	6.50	0.183	22.63	9M32D7W
	15 MHz	$\pi/2$ BPSK	1717.5 - 1772.5	13.4152	4.02	0.443	26.46	13M4G7W
		QPSK	1717.5 - 1772.5	14.1481	4.92	0.443	26.46	14M1G7W
		16QAM	1717.5 - 1772.5	14.1592	5.74	0.340	25.32	14M2D7W
		64QAM	1717.5 - 1772.5	14.1941	6.35	0.284	24.53	14M2D7W
		256QAM	1717.5 - 1772.5	14.1106	6.41	0.178	22.51	14M1D7W
	20 MHz	$\pi/2$ BPSK	1720.0 - 1770.0	17.8526	4.03	0.447	26.50	17M9G7W
		QPSK	1720.0 - 1770.0	18.9868	4.80	0.451	26.54	19M0G7W
		16QAM	1720.0 - 1770.0	18.9659	5.68	0.342	25.34	19M0D7W
		64QAM	1720.0 - 1770.0	18.9778	6.36	0.288	24.59	19M0D7W
		256QAM	1720.0 - 1770.0	19.0231	6.37	0.181	22.57	19M0D7W
	25 MHz	$\pi/2$ BPSK	1722.5 - 1767.5	22.9497	4.31	0.455	26.58	22M9G7W
		QPSK	1722.5 - 1767.5	23.7975	4.96	0.448	26.51	23M8G7W
		16QAM	1722.5 - 1767.5	23.6985	5.75	0.343	25.35	23M7D7W
		64QAM	1722.5 - 1767.5	23.6803	6.38	0.292	24.65	23M7D7W
		256QAM	1722.5 - 1767.5	23.8264	6.37	0.183	22.62	23M8D7W
	30 MHz	$\pi/2$ BPSK	1725.0 - 1765.0	28.7355	3.99	0.452	26.55	28M7G7W
		QPSK	1725.0 - 1765.0	28.5792	4.89	0.465	26.67	28M6G7W
		16QAM	1725.0 - 1765.0	28.7183	5.66	0.347	25.40	28M7D7W
		64QAM	1725.0 - 1765.0	28.7008	6.28	0.286	24.57	28M7D7W
		256QAM	1725.0 - 1765.0	28.5987	6.35	0.179	22.54	28M6D7W
	35 MHz	$\pi/2$ BPSK	1727.5 - 1762.5	32.2054	4.20	0.451	26.54	32M2G7W
		QPSK	1727.5 - 1762.5	33.6816	4.91	0.436	26.39	33M7G7W
		16QAM	1727.5 - 1762.5	33.5939	5.74	0.338	25.29	33M6D7W
		64QAM	1727.5 - 1762.5	33.5634	6.27	0.284	24.54	33M6D7W
		256QAM	1727.5 - 1762.5	33.6169	6.46	0.179	22.54	33M6D7W
	40 MHz	$\pi/2$ BPSK	1730.0 - 1760.0	38.6116	4.82	0.460	26.63	38M6G7W
		QPSK	1730.0 - 1760.0	38.7029	5.27	0.469	26.71	38M7G7W
		16QAM	1730.0 - 1760.0	38.7516	5.79	0.345	25.38	38M8D7W
		64QAM	1730.0 - 1760.0	38.5984	6.36	0.284	24.54	38M6D7W
		256QAM	1730.0 - 1760.0	38.5846	6.47	0.181	22.57	38M6D7W
	45 MHz	$\pi/2$ BPSK	1732.5 - 1757.5	43.0837	4.47	0.456	26.59	43M1G7W
		QPSK	1732.5 - 1757.5	43.3188	5.14	0.454	26.57	43M3G7W
		16QAM	1732.5 - 1757.5	43.1853	5.87	0.348	25.42	43M2D7W
		64QAM	1732.5 - 1757.5	43.2594	6.51	0.282	24.51	43M3D7W
		256QAM	1732.5 - 1757.5	43.2841	6.61	0.181	22.57	43M3D7W
NR Band n70	5 MHz	$\pi/2$ BPSK	1697.5 - 1707.5	4.4827	4.09	0.391	25.92	4M48G7W
		QPSK	1697.5 - 1707.5	4.4629	4.76	0.389	25.90	4M46G7W
		16QAM	1697.5 - 1707.5	4.4775	5.78	0.300	24.77	4M48D7W
		64QAM	1697.5 - 1707.5	4.5049	6.41	0.248	23.94	4M50D7W
		256QAM	1697.5 - 1707.5	4.5018	6.44	0.158	21.98	4M50D7W
	10 MHz	$\pi/2$ BPSK	1700.0 - 1705.0	8.8975	4.04	0.400	26.02	8M90G7W
		QPSK	1700.0 - 1705.0	9.3056	4.78	0.391	25.92	9M31G7W
		16QAM	1700.0 - 1705.0	9.2597	5.84	0.308	24.89	9M26D7W
		64QAM	1700.0 - 1705.0	9.2271	6.33	0.255	24.06	9M23D7W
		256QAM	1700.0 - 1705.0	9.3291	6.51	0.163	22.12	9M33D7W
	15 MHz	$\pi/2$ BPSK	1702.5	13.4248	4.05	0.395	25.97	13M4G7W
		QPSK	1702.5	14.1212	4.89	0.394	25.95	14M1G7W
		16QAM	1702.5	14.1495	5.75	0.321	25.06	14M1D7W
		64QAM	1702.5	14.1871	6.35	0.274	24.38	14M2D7W
		256QAM	1702.5	14.1310	6.46	0.171	22.33	14M1D7W

Overview Table (>1GHz Bands)

FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 7 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

1.0 INTRODUCTION

1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.

1.2 Element Materials Technology Test Location

These measurement tests were conducted at the Element Materials Technology facility located at 18855 Adams Court, Morgan Hill, CA 95037. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014 and KDB 414788 D01 v01r01.

1.3 Test Facility / Accreditations

Measurements were performed at Element Materials Technology

- Element Materials Technology is an ISO 17025-2017 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.02 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- Element Washington DC LLC TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISED Standards (RSS).
- Element Materials Technology facility is a registered (22831) test laboratory with the site description on file with ISED.
- Element Washington DC LLC is a Recognized U.S. Certification Assessment Body (CAB # US0110) for ISED Canada as designated by NIST under the U.S. and Canada Mutual Recognition Agreements (MRAs).

FCC ID: BCGA3460		PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 8 of 360

V2.2 09/07/2023

2.0 PRODUCT INFORMATION

2.1 Equipment Description

The Equipment Under Test (EUT) is the **Apple Tablet Device FCC ID: BCGA3460**. The test data contained in this report pertains only to the emissions due to the EUT's licensed transmitters that operate under the provisions of Part 27.

Test Device Serial No.: DLXHK80008900013YP, DLXHK80008L00013YP, R926RLHV61, PGL4Y75C41, RQV54N773P

2.2 Device Capabilities

This device contains the following capabilities:

850/1700/1900 WCDMA/HSPA, Multi-band LTE, 5G NR (FR1), 802.11b/g/n/ax/be WLAN, 802.11a/n/ac/ax/be UNII (5GHz and 6GHz), 802.15.4, Bluetooth (1x, EDR, LE, HDR, HDT), Narrowband (NB) UNII (5GHz and 6GHz), WPT

This device supports BT Beamforming

This device supports channel puncturing and channel bandwidth reduction.

This device supports simultaneous transmission operations, which allows for multiple transmitters to transmit simultaneously on the same antenna. The table below shows all configurations possible.

Antenna	Simultaneous Tx Config	Bluetooth 2.4GHz	Thread	WLAN	NB UNII	WIFI 5GHz	WIFI 6GHz	LTE / FR1 NR		
		BDR, EDR, LE HDR, HDT	802.15.4	802.11 b/g/n/ax/be	BDR, EDR, LE HDR, HDT	802.11 a/n/ac/ax/be	802.11 a/ax/be	LB	MB/HB	UHB
Ant 1a	Config 1	✗	✗	✓	✗	✗	✗	✗	✓	✗
Ant 1a	Config 2	✗	✗	✓	✗	✗	✗	✗	✗	✓
Ant 1a	Config 3	✓	✗	✗	✗	✗	✗	✗	✓	✗
Ant 1a	Config 4	✓	✗	✗	✗	✗	✗	✗	✗	✓
Ant 1a	Config 5	✗	✓	✗	✗	✗	✗	✗	✓	✗
Ant 1a	Config 6	✗	✓	✗	✗	✗	✗	✗	✗	✓
Ant 1b	Config 7	✗	✗	✗	✗	✓	✗	✗	✓	✗
Ant 1b	Config 8	✗	✗	✗	✗	✗	✓	✗	✓	✗
Ant 1b	Config 9	✗	✗	✗	✓	✗	✗	✗	✓	✗
Ant 3a	Config 10	✗	✗	✓	✓	✗	✗	✗	✓	✗
Ant 3a	Config 11	✓	✗	✗	✗	✓	✗	✗	✓	✗
Ant 3a	Config 12	✗	✓	✗	✗	✓	✗	✗	✓	✗
Ant 3a	Config 13	✓	✗	✗	✗	✗	✓	✗	✓	✗
Ant 3a	Config 14	✗	✓	✗	✗	✗	✓	✗	✓	✗

Table 2-1. Simultaneous Transmission Configurations

✓ = Support; ✗ = Not Support

Note:

All the above simultaneous transmission configurations have been tested and the worst-case configuration was found to be Config 11 and reported in RF Part 27b, RF Bluetooth and RF UNII 5GHz OFDM test reports.

FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 9 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

2.3 Antenna Description

The following antenna gains provided by the manufacturer were used for testing.

Band	Antenna Gain [dBi]				
	Antenna 4	Antenna 2b	Antenna 3b	Antenna 3a	Antenna 1b
LTE Band 12/17	-1.4	✖	-2.3	✖	✖
NR Band 12					
LTE Band 13	-0.9	✖	-1.2	✖	✖
LTE Band 4/66	1.5	-1.1	✖	-0.9	-1.8
NR Band n66					
WCDMA1700					
LTE Band 71	-2.4	✖	-3.1	✖	✖
NR Band n71					
NR Band 70	0.6	-2.4	✖	-1.1	-1.6

Table 2-2. Highest Antenna Gains

✖ = Not Support

2.4 Test Support Equipment

1	Apple MacBook Pro	Model:	A2141	S/N:	C02H604EQ05D
	w/AC/DC Adapter	Model:	A2166	S/N:	C4H042705ZNPMOWA6
2	Apple USB-C Cable	Model:	Spartan	S/N:	GXK1336018XKTR024
3	USB-C Cable	Model:	A2795	S/N:	DWH80115BK826GV19
	w/ AC Adapter	Model:	A2305	S/N:	C4H95160004PF4F4V
4	Apple Pencil	Model:	A2538	S/N:	KJ26TCFXJW
5	DC Power Supply	Model:	KPS3010D	S/N:	N/A

Table 2-3. Test Support Equipment

FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 10 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

2.5 Test Configuration

The EUT was tested per the guidance of ANSI C63.26-2015, TIA-603-E-2016 and KDB 971168 D01 v03r01. See Section 7.0 of this test report for a description of the radiated and antenna port conducted emissions tests.

For emissions from 1GHz – 18GHz, low, mid, and high channels were tested with highest power and worst case configuration. The emissions below 1GHz and above 18GHz were tested with the highest transmitting power and the worst case channel were reported.

The EUT was manipulated through three orthogonal planes of X-orientation (flatbed), Y-orientation (landscape), and Z-orientation (portrait) during the testing. Only the worst case emissions were reported in this test report.

2.6 Software and Firmware

The test was conducted with firmware version 23D40 installed on the EUT.

2.7 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 11 of 360

V2.2 09/07/2023

3.0 DESCRIPTION OF TESTS

3.1 Evaluation Procedure

The measurement procedures described in the documents titled “American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services” (ANSI C63.26-2015 and TIA-603-E-2016) and “Procedures for Compliance Measurement of the Fundamental Emission Power of Licensed Wideband (> 1 MHz) Digital Transmission Systems” (KDB 971168 D01 v03r01) were used in the measurement of the EUT.

Deviation from Measurement Procedure.....None

3.2 Radiated Spurious Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

The equipment under test was transmitting while connected to its integral antenna and is placed on a turntable 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer.

For radiated spurious emissions measurements and calculations, conversion method is used per the formulas in KDB 971168 Section 5.8.4. Field Strength (EIRP) is calculated using the following formulas:

$$E_{[dB\mu V/m]} = \text{Measured amplitude level}_{[dBm]} + 107 + \text{Cable Loss}_{[dB]} + \text{Antenna Factor}_{[dB/m]}$$

And

$$\text{EIRP}_{[dBm]} = E_{[dB\mu V/m]} + 20\log D - 104.8; \text{ where } D \text{ is the measurement distance in meters.}$$

All radiated measurements are performed in a chamber that meets the site requirements per ANSI C63.4-2014.

Per KDB 414788 D01 v01r01, radiated emission test sites other than open-field test sites (e.g., shielded anechoic chambers), may be employed for emission measurements below 30MHz if characterized so that the measurements correspond to those obtained at an open-field test site. To determine test site equivalency, a reference sample transmitting at 149kHz was measured on an open field test site (asphalt with no ground plane) and then measured in the 3m semi-anechoic chamber. A calibrated 60cm loop antenna was used while the reference device was rotated through the X, Y and Z axis in order to capture the worst case level. A maximum deviation of 2.77dB at 149kHz was measured when comparing the 3 meter semi-anechoic chamber to the open field site.

Radiated spurious emission levels are investigated with the receive antenna horizontally and vertically polarized per ANSI C63.26-2015 and TIA-603-E-2016.

FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 12 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.23-2012. All measurement uncertainty values are shown with a coverage factor of $k = 2$ to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the U_{CISPR} measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty ($\pm$ dB)
Conducted Bench Top Measurements	2.00
Radiated Disturbance (<30MHz)	4.24
Radiated Disturbance (30MHz-1GHz)	4.96
Radiated Disturbance (1-18GHz)	5.18

FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device
		Page 13 of 360

V2.2 09/07/2023

5.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
Agilent	N9020A	MXA Signal Analyzer	7/7/2025	Biennial	7/7/2027	MY56470202
ATM	180-442-KF	20dB Nominal Gain Horn Antenna	3/24/2025	Annual	3/24/2026	T058601-02
ESPEC	SU-241	Tabletop Temperature Chamber	10/24/2024	Annual	10/24/2025	92009574
ETS-Lindgren	3117	Double Ridged Guide Horn (1-18 GHz)	4/16/2025	Annual	4/16/2026	218555
Fairview Microwave	FMCA1975-36	30MHz-40GHz Conducted RF Cable *	6/10/2025	Annual	6/10/2026	-
Fairview Microwave	M2CP1122-10	30MHz-40GHz Conducted Coupler *	6/10/2025	Annual	6/10/2026	1946
Fairview Microwave/MCL	FMCA1975-36/BW-K10-2W44+	30MHz-40GHz RF Cable/Attenuator *	6/10/2025	Annual	6/10/2026	-
Keysight Technology	N9040B	UXA Signal Analyzer	9/5/2024	Annual	9/5/2025	MY61320121
Keysight Technology	N9040B	UXA Signal Analyzer	1/31/2025	Annual	1/31/2026	MY60080210
Rohde & Schwarz	FSW43	Spectrum Analyzer 2Hz to 43GHz	8/5/2025	Annual	8/5/2026	104093
Rohde & Schwarz	TS-PR18	Pre-Amplifier (1GHz - 18GHz)	8/6/2025	Annual	8/6/2026	101639
Rohde & Schwarz	ESW44	EMI Test Receiver 2Hz to 44 GHz	5/13/2025	Annual	5/13/2026	101867
Rohde & Schwarz	TS-PR8	Pre-Amplifier (30MHz - 8GHz)	10/14/2025	Annual	10/14/2026	102328
Rohde & Schwarz	CMW500	Wideband Radio Communication Tester	10/3/2025	Annual	10/3/2026	171008
Rohde & Schwarz	CMW500	Wideband Radio Communication Tester	3/4/2025	Annual	3/4/2026	164715
Schwarzbeck	VULB 9162	Bilog Antenna (30MHz - 6GHz)	7/17/2025	Annual	7/17/2026	00302

Table 5-1. Test Equipment

Notes:

1. For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due date.
2. * denotes passive equipment that have been internally verified/calibrated.

FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 14 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

6.0 SAMPLE CALCULATIONS

Emission Designator

WCDMA Emission Designator

Emission Designator = 4M16F9W

WCDMA BW = 4.16 MHz

F = Frequency Modulation

9 = Composite Digital Info

W = Combination (Audio/Data)

$\pi/2$ BPSK / QPSK Modulation

Emission Designator = 8M62G7W

BW = 8.62 MHz

G = Phase Modulation

7 = Quantized/Digital Info

W = Combination of Any

QAM Modulation

Emission Designator = 8M45D7W

LTE BW = 8.45 MHz

D = Amplitude/Angle Modulated

7 = Quantized/Digital Info

W = Combination of Any

Spurious Radiated Emission

Example: Middle Channel LTE Mode 2nd Harmonic (1564 MHz)

The average spectrum analyzer reading at 3 meters with the EUT on the turntable was -81.0 dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of -81.0 dBm on the spectrum analyzer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 1564 MHz. So 6.1 dB is added to the signal generator reading of -30.9 dBm yielding -24.80 dBm. The fundamental EIRP was 25.501 dBm so this harmonic was 25.501 dBm - (-24.80).

FCC ID: BCGA3460		PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 15 of 360

V2.2 09/07/2023

7.0 TEST RESULTS

7.1 Summary

Company Name: Apple Inc.
 FCC ID: BCGA3460
 FCC Classification: PCS Licensed Transmitter (PCB)
 Mode(s): WCDMA/LTE/NR

Test Condition	Test Description	FCC Part Section(s)	Test Limit	Test Result	Reference
CONDUCTED	Occupied Bandwidth	2.1049	N/A	N/A	Section 7.2
	Conducted Band Edge / Spurious Emissions	2.1051, 27.53	-13 dBm at Band Edge and for all out-of-band emissions	PASS	Sections 7.3, 7.4
	Conducted Band Edge / Spurious Emissions (LTE Band 13)	2.1051, 27.53	-13 dBm at Band Edge and for all out-of-band emissions < -70 dBW/MHz (for wideband signals) < -80 dBW (for discrete emissions less than 700Hz BW) For all emissions in the band 1559 - 1610 MHz	PASS	Sections 7.3, 7.4
	Peak-Average Ratio	27.50(d)(5)	< 13 dB	PASS	Section 7.5
	Transmitter Conducted Output Power	2.1046	N/A	N/A	See RF Exposure Report
	Frequency Stability	2.1055, 27.54	Fundamental emissions stay within authorized frequency block over the temperature and voltage range as tested	PASS	Section 7.8
	Effective Radiated Power	27.50(b)(10)	< 3 Watts max. ERP	PASS	Section 7.6
	Effective Radiated Power (LTE Band 13)	27.50(c)(10)	< 3 Watts max. ERP	PASS	Section 7.6
	Equivalent Isotropic Radiated Power	27.50(d)(4)	< 1 Watts max. ERP	PASS	Section 7.6
RADIATED	Radiated Spurious Emissions (LTE Band 13)	2.1053, 27.53(f)	-13 dBm for all out-of-band emissions < -70 dBW/MHz (for wideband signals) < -80 dBW (for discrete emissions less than 700Hz BW) For all emissions in the band 1559 - 1610 MHz	PASS	Section 7.7
	Radiated Spurious Emissions	2.1053, 27.53	-13 dBm for all out-of-band emissions	PASS	Section 7.7

Table 7-1. Summary of Test Results

FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 16 of 360

V2.2 09/07/2023

Notes:

1. All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
2. The analyzer plots were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
3. All antenna ports conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
4. All conducted emissions measurements are performed with automated test software to capture the corresponding plots necessary to show compliance. The measurement software utilized is Element EMC Software Tool v1.1.
5. For radiated spurious emissions, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is Element "Chamber Automation," Version 3.6.1.

FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 17 of 360

V2.2 09/07/2023

7.2 Occupied Bandwidth

\$2.1049

Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst case configuration results are reported in this section. All ports were tested and only the worst case data were reported.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 4.2

Test Settings

1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 1 – 5% of the expected OBW
3. VBW $\geq 3 \times$ RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5% of the 99% occupied bandwidth observed in Step 7

FCC ID: BCGA3460		PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 18 of 360

V2.2 09/07/2023

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-1. LTE Test Instrument & Measurement Setup





Figure 7-2. FR1 Test Instrument & Measurement Setup

Test Notes


1. For NR operation, all subcarrier spacings (SCS) and transmission schemes (e.g. CP-OFDM and DFT-s-OFDM) were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device
		Page 19 of 360

V2.2 09/07/2023




Plot 7-1. Occupied Bandwidth Plot (LTE Band 66/4 - 1.4MHz QPSK - Full RB)




Plot 7-2. Occupied Bandwidth Plot (LTE Band 66/4 - 1.4MHz 16-QAM - Full RB)

FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device
		Page 20 of 360

V2.2 09/07/2023




Plot 7-3. Occupied Bandwidth Plot (LTE Band 66/4 - 1.4MHz 64-QAM - Full RB)




Plot 7-4. Occupied Bandwidth Plot (LTE Band 66/4 - 1.4MHz 256-QAM - Full RB)

FCC ID: BCGA3460		PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 21 of 360

V2.2 09/07/2023



Plot 7-5. Occupied Bandwidth Plot (LTE Band 66/4 - 3MHz QPSK - Full RB)




Plot 7-6. Occupied Bandwidth Plot (LTE Band 66/4 - 3MHz 16-QAM - Full RB)


FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 22 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-7. Occupied Bandwidth Plot (LTE Band 66/4 - 3MHz 64-QAM - Full RB)




32Plot 7-8. Occupied Bandwidth Plot (LTE Band 66/4 - 3MHz 256-QAM - Full RB)

FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 23 of 360

V2.2 09/07/2023




Plot 7-9. Occupied Bandwidth Plot (LTE Band 66/4 - 5MHz QPSK - Full RB)




Plot 7-10. Occupied Bandwidth Plot (LTE Band 66/4 - 5MHz 16-QAM - Full RB)

FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 24 of 360

V2.2 09/07/2023




Plot 7-11. Occupied Bandwidth Plot (LTE Band 66/4 - 5MHz 64-QAM - Full RB)




Plot 7-12. Occupied Bandwidth Plot (LTE Band 66/4 - 5MHz 256-QAM - Full RB)

FCC ID: BCGA3460		PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 25 of 360

V2.2 09/07/2023




Plot 7-13. Occupied Bandwidth Plot (LTE Band 66/4 - 10MHz QPSK - Full RB)




Plot 7-14. Occupied Bandwidth Plot (LTE Band 66/4 - 10MHz 16-QAM - Full RB)

FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device
		Page 26 of 360

V2.2 09/07/2023



Plot 7-15. Occupied Bandwidth Plot (LTE Band 66/4 - 10MHz 64-QAM - Full RB)




Plot 7-16. Occupied Bandwidth Plot (LTE Band 66/4 - 10MHz 256-QAM - Full RB)


FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 27 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-17. Occupied Bandwidth Plot (LTE Band 66/4 - 15MHz QPSK - Full RB)




Plot 7-18. Occupied Bandwidth Plot (LTE Band 66/4 - 15MHz 16-QAM - Full RB)


FCC ID: BCGA3460		PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 28 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-19. Occupied Bandwidth Plot (LTE Band 66/4 - 15MHz 64-QAM - Full RB)




Plot 7-20. Occupied Bandwidth Plot (LTE Band 66/4 - 15MHz 256-QAM - Full RB)


FCC ID: BCGA3460	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 29 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-21. Occupied Bandwidth Plot (LTE Band 66/4 - 20MHz QPSK - Full RB)




Plot 7-22. Occupied Bandwidth Plot (LTE Band 66/4 - 20MHz 16-QAM - Full RB)


FCC ID: BCGA3460		PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 30 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-23. Occupied Bandwidth Plot (LTE Band 66/4 - 20MHz 64-QAM - Full RB)




Plot 7-24. Occupied Bandwidth Plot (LTE Band 66/4 - 20MHz 256-QAM - Full RB)


FCC ID: BCGA3460	element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 31 of 360

V2.2 09/07/2023

LTE Band 71




Plot 7-25. Occupied Bandwidth Plot (LTE Band 71 - 5MHz QPSK - Full RB)




Plot 7-26. Occupied Bandwidth Plot (LTE Band 71 - 5MHz 16-QAM - Full RB)

FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 32 of 360

V2.2 09/07/2023




Plot 7-27. Occupied Bandwidth Plot (LTE Band 71 - 5MHz 64-QAM - Full RB)




Plot 7-28. Occupied Bandwidth Plot (LTE Band 71 - 5MHz 256-QAM - Full RB)

FCC ID: BCGA3460	element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 33 of 360

V2.2 09/07/2023




Plot 7-29. Occupied Bandwidth Plot (LTE Band 71 - 10MHz QPSK - Full RB)




Plot 7-30. Occupied Bandwidth Plot (LTE Band 71 - 10MHz 16-QAM - Full RB)

FCC ID: BCGA3460	element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 34 of 360

V2.2 09/07/2023



Plot 7-31. Occupied Bandwidth Plot (LTE Band 71 - 10MHz 64-QAM - Full RB)




Plot 7-32. Occupied Bandwidth Plot (LTE Band 71 - 10MHz 256-QAM - Full RB)


FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 35 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-33. Occupied Bandwidth Plot (LTE Band 71 - 15MHz QPSK - Full RB)




Plot 7-34. Occupied Bandwidth Plot (LTE Band 71 - 15MHz 16-QAM - Full RB)


FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 36 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-35. Occupied Bandwidth Plot (LTE Band 71 - 15MHz 64-QAM - Full RB)




Plot 7-36. Occupied Bandwidth Plot (LTE Band 71 - 15MHz 256-QAM - Full RB)


FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 37 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-37. Occupied Bandwidth Plot (LTE Band 71 - 20MHz QPSK - Full RB)




Plot 7-38. Occupied Bandwidth Plot (LTE Band 71 - 20MHz 16-QAM - Full RB)


FCC ID: BCGA3460	element PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 38 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-39. Occupied Bandwidth Plot (LTE Band 71 - 20MHz 64-QAM - Full RB)




Plot 7-40. Occupied Bandwidth Plot (LTE Band 71 - 20MHz 256-QAM - Full RB)

FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 39 of 360


V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

LTE Band 12/17




Plot 7-41. Occupied Bandwidth Plot (LTE Band 12 – 1.4MHz QPSK - Full RB)




Plot 7-42. Occupied Bandwidth Plot (LTE Band 12 – 1.4MHz 16-QAM - Full RB)

FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 40 of 360

V2.2 09/07/2023




Plot 7-43. Occupied Bandwidth Plot (LTE Band 12 – 1.4MHz 64-QAM - Full RB)



Plot 7-44. Occupied Bandwidth Plot (LTE Band 12 – 1.4MHz 256-QAM - Full RB)

FCC ID: BCGA3460	element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 41 of 360

V2.2 09/07/2023




Plot 7-45. Occupied Bandwidth Plot (LTE Band 12 - 3MHz QPSK - Full RB)




Plot 7-46. Occupied Bandwidth Plot (LTE Band 12 - 3MHz 16-QAM - Full RB)

FCC ID: BCGA3460		PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 42 of 360

V2.2 09/07/2023




Plot 7-47. Occupied Bandwidth Plot (LTE Band 12 - 3MHz 64-QAM - Full RB)




Plot 7-48. Occupied Bandwidth Plot (LTE Band 12 - 3MHz 256-QAM - Full RB)

FCC ID: BCGA3460	element PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 43 of 360

V2.2 09/07/2023



Plot 7-49. Occupied Bandwidth Plot (LTE Band 12/17 - 5MHz QPSK - Full RB)




Plot 7-50. Occupied Bandwidth Plot (LTE Band 12/17 - 5MHz 16-QAM - Full RB)


FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 44 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-51. Occupied Bandwidth Plot (LTE Band 12/17 - 5MHz 64-QAM - Full RB)




Plot 7-52. Occupied Bandwidth Plot (LTE Band 12/17 - 5MHz 256-QAM - Full RB)


FCC ID: BCGA3460		PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 45 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-53. Occupied Bandwidth Plot (LTE Band 12/17 - 10MHz QPSK - Full RB)




Plot 7-54. Occupied Bandwidth Plot (LTE Band 12/17 - 10MHz 16-QAM - Full RB)

FCC ID: BCGA3460	element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 46 of 360

V2.2 09/07/2023



Plot 7-55. Occupied Bandwidth Plot (LTE Band 12/17 - 10MHz 64-QAM - Full RB)




Plot 7-56. Occupied Bandwidth Plot (LTE Band 12/17 - 10MHz 256-QAM - Full RB)


FCC ID: BCGA3460	element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 47 of 360

V2.2 09/07/2023

LTE Band 13




Plot 7-57. Occupied Bandwidth Plot (LTE Band 13 - 5MHz QPSK - Full RB)



Plot 7-58. Occupied Bandwidth Plot (LTE Band 13 - 5MHz 16-QAM - Full RB)

FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 48 of 360

V2.2 09/07/2023




Plot 7-59. Occupied Bandwidth Plot (LTE Band 13 - 5MHz 64-QAM - Full RB)



Plot 7-60. Occupied Bandwidth Plot (LTE Band 13 - 5MHz 256-QAM - Full RB)

FCC ID: BCGA3460	element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 49 of 360

V2.2 09/07/2023



Plot 7-61. Occupied Bandwidth Plot (LTE Band 13 - 10MHz QPSK - Full RB)




Plot 7-62. Occupied Bandwidth Plot (LTE Band 13 - 10MHz 16-QAM - Full RB)


FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 50 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-63. Occupied Bandwidth Plot (LTE Band 13 - 10MHz 64-QAM - Full RB)




Plot 7-64. Occupied Bandwidth Plot (LTE Band 13 - 10MHz 256-QAM - Full RB)


FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 51 of 360

V2.2 09/07/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA3460	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 52 of 360



Plot 7-67. Occupied Bandwidth Plot (NR Band n66 - 5MHz CP-OFDM 16QAM - Full RB)




Plot 7-68. Occupied Bandwidth Plot (NR Band n66 - 5MHz CP-OFDM 64QAM - Full RB)


FCC ID: BCGA3460	element PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 53 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-69. Occupied Bandwidth Plot (NR Band n66 - 5MHz CP-OFDM 256QAM - Full RB)




Plot 7-70. Occupied Bandwidth Plot (NR Band n66 - 10MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)


FCC ID: BCGA3460	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 54 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-71. Occupied Bandwidth Plot (NR Band n66 - 10MHz CP-OFDM QPSK - Full RB)




Plot 7-72. Occupied Bandwidth Plot (NR Band n66 - 10MHz CP-OFDM 16QAM - Full RB)


FCC ID: BCGA3460	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 55 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-73. Occupied Bandwidth Plot (NR Band n66 - 10MHz CP-OFDM 64QAM - Full RB)




Plot 7-74. Occupied Bandwidth Plot (NR Band n66 - 10MHz CP-OFDM 256QAM - Full RB)


FCC ID: BCGA3460	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 56 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-75. Occupied Bandwidth Plot (NR Band n66 - 15MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)




Plot 7-76. Occupied Bandwidth Plot (NR Band n66 - 15MHz CP-OFDM QPSK - Full RB)


FCC ID: BCGA3460	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 57 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-77. Occupied Bandwidth Plot (NR Band n66 - 15MHz CP-OFDM 16QAM - Full RB)




Plot 7-78. Occupied Bandwidth Plot (NR Band n66 - 15MHz CP-OFDM 64QAM - Full RB)


FCC ID: BCGA3460	element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 58 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-79. Occupied Bandwidth Plot (NR Band n66 - 15MHz CP-OFDM 256QAM - Full RB)




Plot 7-80. Occupied Bandwidth Plot (NR Band n66 - 20MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)


FCC ID: BCGA3460	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 59 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-81. Occupied Bandwidth Plot (NR Band n66 - 20MHz CP-OFDM QPSK - Full RB)




Plot 7-82. Occupied Bandwidth Plot (NR Band n66 - 20MHz CP-OFDM 16QAM - Full RB)


FCC ID: BCGA3460	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 60 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-83. Occupied Bandwidth Plot (NR Band n66 - 20MHz CP-OFDM 64QAM - Full RB)




Plot 7-84. Occupied Bandwidth Plot (NR Band n66 - 20MHz CP-OFDM 256QAM - Full RB)


FCC ID: BCGA3460	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 61 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-85. Occupied Bandwidth Plot (NR Band n66 - 25MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)




Plot 7-86. Occupied Bandwidth Plot (NR Band n66 - 25MHz CP-OFDM QPSK - Full RB)


FCC ID: BCGA3460	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 62 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-87. Occupied Bandwidth Plot (NR Band n66 - 25MHz CP-OFDM 16QAM - Full RB)





Plot 7-88. Occupied Bandwidth Plot (NR Band n66 - 25MHz CP-OFDM 64QAM - Full RB)

FCC ID: BCGA3460	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 63 of 360

V2.2 09/07/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




FCC ID: BCGA3460	element PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 64 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-91. Occupied Bandwidth Plot (NR Band n66 - 30MHz CP-OFDM QPSK - Full RB)




Plot 7-92. Occupied Bandwidth Plot (NR Band n66 - 30MHz CP-OFDM 16QAM - Full RB)


FCC ID: BCGA3460	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 65 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-93. Occupied Bandwidth Plot (NR Band n66 - 30MHz CP-OFDM 64QAM - Full RB)




Plot 7-94. Occupied Bandwidth Plot (NR Band n66 - 30MHz CP-OFDM 256QAM - Full RB)


FCC ID: BCGA3460	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 66 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-95. Occupied Bandwidth Plot (NR Band n66 - 35MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)




Plot 7-96. Occupied Bandwidth Plot (NR Band n66 - 35MHz CP-OFDM QPSK - Full RB)


FCC ID: BCGA3460	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 67 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-97. Occupied Bandwidth Plot (NR Band n66 - 35MHz CP-OFDM 16QAM - Full RB)




Plot 7-98. Occupied Bandwidth Plot (NR Band n66 - 35MHz CP-OFDM 64QAM - Full RB)


FCC ID: BCGA3460	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 68 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-99. Occupied Bandwidth Plot (NR Band n66 - 35MHz CP-OFDM 256QAM - Full RB)




Plot 7-100. Occupied Bandwidth Plot (NR Band n66 - 40MHz DFT-s-OFDM $\pi/2$ BPSK - Full RB)


FCC ID: BCGA3460	element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 69 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-101. Occupied Bandwidth Plot (NR Band n66 - 40MHz CP-OFDM QPSK - Full RB)




Plot 7-102. Occupied Bandwidth Plot (NR Band n66 - 40MHz CP-OFDM 16QAM - Full RB)


FCC ID: BCGA3460	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 70 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-103. Occupied Bandwidth Plot (NR Band n66 - 40MHz CP-OFDM 64QAM - Full RB)



Plot 7-104. Occupied Bandwidth Plot (NR Band n66 - 40MHz CP-OFDM 256QAM - Full RB)

FCC ID: BCGA3460	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2509100080-09-R3.BCG	Test Dates: 07/01/2025 - 10/23/2025	EUT Type: Tablet Device	Page 71 of 360

V2.2 09/07/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.