




Plot 7-1393. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 97 – RU26)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6435MHz
Channel: 97


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12870.00	Average	V	-	-	-85.08	21.85	43.77	68.23	-24.46
12870.00	Peak	V	-	-	-73.67	21.85	55.18	88.23	-33.05

Table 7-231. Radiated Spurious Emission Measurements CDD Diversity – RU26


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 450 of 649

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-1394. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 105 – RU26)




Plot 7-1395. Radiated Spurious Emissions 18-40GHz CDD Diversity (802.11be – Ch. 105 – RU26)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6475MHz
Channel: 105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12950.00	Average	H	-	-	-85.17	21.81	0.00	43.64	68.23	-24.59
12950.00	Peak	H	-	-	-73.00	21.81	0.00	55.81	88.23	-32.42
* 19425.00	Average	H	-	-	-61.66	-7.74	-9.54	28.06	53.98	-25.92
* 19425.00	Peak	H	-	-	-50.15	-7.81	-9.54	39.50	73.98	-34.48
25900.00	Average	V	-	-	-61.23	-5.82	-9.54	30.40	68.23	-37.83
25900.00	Peak	V	-	-	-49.72	-5.82	-9.54	41.92	88.23	-46.31
32375.00	Average	V	-	-	-63.40	-3.56	-9.54	30.49	68.23	-37.74
32375.00	Peak	V	-	-	-51.86	-3.56	-9.54	42.04	88.23	-46.19

Table 7-232. Radiated Spurious Emission Measurements CDD Diversity – RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 451 of 649



Plot 7-1396. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 113 – RU26)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6515MHz
Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13030.00	Average	H	-	-	-85.16	22.04	43.89	68.23	-24.34
13030.00	Peak	H	-	-	-74.07	22.04	54.97	88.23	-33.26

Table 7-233. Radiated Spurious Emission Measurements CDD Diversity – RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 452 of 649

V 11.0 05/2025



Plot 7-1397. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 117 – RU26)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6535MHz
Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13070.00	Average	H	-	-	-85.67	22.04	43.38	68.23	-24.85
13070.00	Peak	H	-	-	-73.58	22.04	55.46	88.23	-32.77


Table 7-234. Radiated Spurious Emission Measurements CDD Diversity – RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 453 of 649

V 11.0 05/2025



Plot 7-1398. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 149 – RU26)



Plot 7-1399. Radiated Spurious Emissions 18-40GHz CDD Diversity (802.11be – Ch. 149 – RU26)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6695MHz
Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 13390.00	Average	V	-	-	-85.25	22.27	0.00	44.02	53.98	-9.96
* 13390.00	Peak	V	-	-	-73.74	22.27	0.00	55.53	73.98	-18.45
* 20085.00	Average	H	-	-	-60.11	-7.97	-9.54	29.38	53.98	-24.60
* 20085.00	Peak	H	-	-	-49.07	-7.97	-9.54	40.42	73.98	-33.56
26780.00	Average	H	-	-	-62.70	-5.23	-9.54	29.52	68.23	-38.71
26780.00	Peak	H	-	-	-50.64	-5.10	-9.54	41.72	88.23	-46.51
33475.00	Average	V	-	-	-61.63	-4.38	-9.54	31.45	68.23	-36.78
33475.00	Peak	V	-	-	-50.38	-4.38	-9.54	42.70	88.23	-45.53

Table 7-235. Radiated Spurious Emission Measurements CDD Diversity – RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 454 of 649

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-1400. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 185 – RU26)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6875MHz
Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13750.00	Average	H	-	-	-83.53	18.53	42.00	68.23	-26.23
13750.00	Peak	H	-	-	-71.41	18.53	54.12	88.23	-34.11

Table 7-236. Radiated Spurious Emission Measurements SDM Diversity – RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 455 of 649

V 11.0 05/2025



Plot 7-1401. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 189 – RU26)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6895MHz
Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13790.00	Average	V	-	-	-84.65	22.04	44.39	68.23	-23.84
13790.00	Peak	V	-	-	-73.12	22.04	55.92	88.23	-32.31


Table 7-237. Radiated Spurious Emission Measurements SDM Diversity – RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 456 of 649

V 11.0 05/2025



Plot 7-1402. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 209 – RU26)



Plot 7-1403. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11be – Ch. 209 – RU26)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6995MHz
Channel: 209


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13990.00	Average	H	-	-	-84.70	22.00	0.00	44.31	68.23	-23.92
13990.00	Peak	H	-	-	-73.28	22.00	0.00	55.73	88.23	-32.50
* 20985.00	Average	V	-	-	-61.47	-7.58	-9.54	28.41	53.98	-25.57
* 20985.00	Peak	V	-	-	-50.32	-7.55	-9.54	39.59	73.98	-34.39
27980.00	Average	V	-	-	-64.00	-4.26	-9.54	29.19	68.23	-39.04
27980.00	Peak	V	-	-	-52.16	-4.51	-9.54	40.78	88.23	-47.45
34975.00	Average	V	-	-	-61.60	-4.59	-9.54	31.27	68.23	-36.96
34975.00	Peak	V	-	-	-50.05	-4.59	-9.54	42.82	88.23	-45.41

Table 7-238. Radiated Spurious Emission Measurements SDM Diversity – RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 457 of 649

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-1404. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 229 – RU26)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
14190.00	Average	V	-	-	-85.34	22.84	44.50	68.23	-23.73
14190.00	Peak	V	-	-	-73.87	22.84	55.97	88.23	-32.26

Table 7-239. Radiated Spurious Emission Measurements SDM Diversity – RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 458 of 649

V 11.0 05/2025

RU242



Plot 7-1405. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 1 – RU242)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11910.00	Average	V	-	-	-83.65	16.99	40.33	53.98	-13.65
* 11910.00	Peak	V	-	-	-72.48	16.99	51.51	73.98	-22.47
* 17865.00	Average	H	-	-	-84.14	24.80	47.66	53.98	-6.32
* 17865.00	Peak	H	-	-	-73.11	24.80	58.69	73.98	-15.29

Table 7-240. Radiated Spurious Emission Measurements SDM Diversity – RU242


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 459 of 649

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-1406. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 45 – RU242)




Plot 7-1407. Radiated Spurious Emissions 18-40GHz CDD Diversity (802.11be – Ch. 45 – RU242)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6175MHz
Channel: 45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 12350.00	Average	H	-	-	-84.12	20.85	0.00	43.73	53.98	-10.25
* 12350.00	Peak	H	-	-	-72.41	20.85	0.00	55.44	73.98	-18.54
* 18525.00	Average	H	-	-	-61.51	-7.31	-9.54	28.64	53.98	-25.34
* 18525.00	Peak	H	-	-	-50.22	-7.31	-9.54	39.93	73.98	-34.05
24700.00	Average	V	-	-	-62.52	-6.65	-9.54	28.29	68.23	-39.94
24700.00	Peak	V	-	-	-50.76	-6.65	-9.54	40.05	88.23	-48.18
30875.00	Average	H	-	-	-63.53	-3.67	-9.54	30.26	68.23	-37.97
30875.00	Peak	H	-	-	-52.37	-3.67	-9.54	41.42	88.23	-46.81
37050.00	Average	H	-	-	-64.01	-2.11	-9.54	31.44	68.23	-36.79
37050.00	Peak	H	-	-	-62.57	-2.11	-9.54	43.07	88.23	-45.16

Table 7-241. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 460 of 649



Plot 7-1408. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 93 – RU242)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6415MHz
Channel: 93


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12830.00	Average	V	-	-	-84.27	22.10	44.83	68.23	-23.40
12830.00	Peak	V	-	-	-73.02	22.10	56.08	88.23	-32.15

Table 7-242. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 461 of 649

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-1409. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 97 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6435MHz
Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12870.00	Average	V	-	-	-84.73	21.85	44.12	68.23	-24.11
12870.00	Peak	V	-	-	-72.66	21.85	56.19	88.23	-32.04


Table 7-243. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 462 of 649

V 11.0 05/2025



Plot 7-1410. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 105 – RU242)




Plot 7-1411. Radiated Spurious Emissions 18-40GHz CDD Diversity (802.11be – Ch. 105 – RU242)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6475MHz
Channel: 105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12950.00	Average	H	-	-	-85.18	21.81	0.00	43.62	68.23	-24.61
12950.00	Peak	H	-	-	-73.18	21.81	0.00	55.63	88.23	-32.60
* 19425.00	Average	H	-	-	-61.62	-7.75	-9.54	28.09	53.98	-25.89
* 19425.00	Peak	H	-	-	-50.10	-7.75	-9.54	39.60	73.98	-34.38
25900.00	Average	V	-	-	-61.29	-5.83	-9.54	30.34	68.23	-37.89
25900.00	Peak	V	-	-	-49.67	-5.83	-9.54	41.95	88.23	-46.28
32375.00	Average	V	-	-	-63.30	-3.53	-9.54	30.62	68.23	-37.61
32375.00	Peak	V	-	-	-51.83	-3.53	-9.54	42.10	88.23	-46.13

Table 7-244. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 463 of 649



Plot 7-1412. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 113 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6515MHz
Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13030.00	Average	V	-	-	-85.09	22.02	43.93	68.23	-24.30
13030.00	Peak	V	-	-	-73.64	22.02	55.38	88.23	-32.85

Table 7-245. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 464 of 649

V 11.0 05/2025



Plot 7-1413. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 117 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6535MHz
Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13070.00	Average	H	-	-	-84.85	21.72	43.87	68.23	-24.36
13070.00	Peak	H	-	-	-73.33	21.72	55.40	88.23	-32.83


Table 7-246. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 465 of 649

V 11.0 05/2025



Plot 7-1414. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 149 – RU242)




Plot 7-1415. Radiated Spurious Emissions 18-40GHz CDD Diversity (802.11be – Ch. 149 – RU242)

Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6695MHz
Channel:	149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 13390.00	Average	H	-	-	-83.91	21.98	0.00	45.07	53.98	-8.91
* 13390.00	Peak	H	-	-	-72.79	21.98	0.00	56.19	73.98	-17.79
* 20085.00	Average	H	-	-	-60.13	-7.95	-9.54	29.38	53.98	-24.60
* 20085.00	Peak	H	-	-	-49.20	-7.95	-9.54	40.31	73.98	-33.67
26780.00	Average	H	-	-	-62.58	-5.26	-9.54	29.62	68.23	-38.61
26780.00	Peak	H	-	-	-50.56	-5.26	-9.54	41.64	88.23	-46.59
33475.00	Average	V	-	-	-61.70	-4.33	-9.54	31.43	68.23	-36.80
33475.00	Peak	V	-	-	-50.43	-4.33	-9.54	42.70	88.23	-45.53

Table 7-247. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 466 of 649



Plot 7-1416. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 185 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6875MHz
Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13750.00	Average	V	-	-	-83.37	21.68	45.31	68.23	-22.92
13750.00	Peak	V	-	-	-72.08	21.68	56.61	88.23	-31.62

Table 7-248. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 467 of 649

V 11.0 05/2025



Plot 7-1417. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 189 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6895MHz
Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13790.00	Average	H	-	-	-83.80	21.84	45.03	68.23	-23.20
13790.00	Peak	H	-	-	-71.89	21.84	56.94	88.23	-31.29


Table 7-249. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 468 of 649

V 11.0 05/2025



Plot 7-1418. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 209 – RU242)




Plot 7-1419. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11be – Ch. 209 – RU242)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6995MHz
Channel: 209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13990.00	Average	V	-	-	-83.90	22.00	0.00	45.10	68.23	-23.13
13990.00	Peak	V	-	-	-72.50	22.00	0.00	56.50	88.23	-31.73
* 20985.00	Average	V	-	-	-61.43	-7.58	-9.54	28.45	53.98	-25.53
* 20985.00	Peak	V	-	-	-50.39	-7.58	-9.54	39.50	73.98	-34.48
27980.00	Average	V	-	-	-64.12	-4.38	-9.54	28.96	68.23	-39.27
27980.00	Peak	V	-	-	-52.22	-4.38	-9.54	40.86	88.23	-47.37
34975.00	Average	V	-	-	-61.53	-4.60	-9.54	31.33	68.23	-36.90
34975.00	Peak	V	-	-	-50.10	-4.60	-9.54	42.76	88.23	-45.47

Table 7-250. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 469 of 649



Plot 7-1420. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 233 – RU242)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 7115MHz
Channel: 233

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
14230.00	Average	H	-	-	-85.30	22.67	44.37	68.23	-23.86
14230.00	Peak	H	-	-	-73.43	22.67	56.24	88.23	-31.99

Table 7-251. Radiated Spurious Emission Measurements SDM Diversity – RU242


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 470 of 649

V 11.0 05/2025

7.7.3 Antenna 3c Radiated Band Edge Measurements (20MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1



Plot 7-1421 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1




Plot 7-1422 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 471 of 649


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229



Plot 7-1423 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-1424 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 472 of 649


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1



Plot 7-1425 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1




Plot 7-1426 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 473 of 649


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229



Plot 7-1427 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU52+26


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-1428 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU52+26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 474 of 649

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 7115MHz
Channel: 233



Plot 7-1431 Antenna 3c Radiated Upper Band Edge (Peak – UNII Band 8)



Plot 7-1432 Antenna 3c Radiated Upper Band Edge (Average – UNII Band 8)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 476 of 649

V 11.0 05/2025

7.7.4 Antenna 3c Radiated Band Edge Measurements (40MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 5965MHz
Channel: 3



Plot 7-1433 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 17
Distance of Measurements: 3 Meters
Operating Frequency: 5965MHz
Channel: 3




Plot 7-1434 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 477 of 649


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227



Plot 7-1435 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 17
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227




Plot 7-1436 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 478 of 649

7.7.5 Antenna 3c Radiated Band Edge Measurements (80MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 5985MHz
Channel: 7



Plot 7-1439 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 5985MHz
Channel: 7




Plot 7-1440 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 480 of 649


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-1441 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-1442 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 481 of 649


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 5985MHz
Channel: 7



Plot 7-1445 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 5985MHz
Channel: 7



Plot 7-1446 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 483 of 649

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-1447 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-1448 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 484 of 649

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-1449 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-1450 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG			Page 485 of 649

7.7.6 Antenna 3c Radiated Band Edge Measurements (160MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1453 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15




Plot 7-1454 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26 (H)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 487 of 649


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1455 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-1456 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26 (H)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 488 of 649

V 11.0 05/2025


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1457 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15




Plot 7-1458 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (H)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 489 of 649


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1459 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1460 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (H)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG			Page 490 of 649

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1461 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1462 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (H)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 491 of 649

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1463 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-1464 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (H)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 492 of 649


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1465 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15




Plot 7-1466 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG			Page 493 of 649


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1467 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15




Plot 7-1468 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device		Page 494 of 649


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1469 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1470 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device		Page 495 of 649

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1471 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15




Plot 7-1472 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 496 of 649


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1473 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1474 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 497 of 649

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1475 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-1476 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 498 of 649


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1477 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-1478 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 499 of 649

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 500 of 649


RU996x2

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 68
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1481 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996X2

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 68
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1482 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996X2


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 501 of 649

V 11.0 05/2025

7.7.7 Antenna 3a Radiated Band Edge Measurements (20MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1



Plot 7-1483 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1




Plot 7-1484 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 502 of 649


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229



Plot 7-1485 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-1486 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 503 of 649

V 11.0 05/2025


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1



Plot 7-1487 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1




Plot 7-1488 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 504 of 649

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 7115MHz
Channel: 233



Plot 7-1493 Antenna 3a Radiated Upper Band Edge (Peak – UNII Band 8)



Plot 7-1494 Antenna 3a Radiated Upper Band Edge (Average – UNII Band 8)


FCC ID: BCGA3460 IC: 579C-A3460			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device		Page 507 of 649

V 11.0 05/2025

7.7.8 Antenna 3a Radiated Band Edge Measurements (40MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 5965MHz
Channel: 3



Plot 7-1495 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 17
Distance of Measurements: 3 Meters
Operating Frequency: 5965MHz
Channel: 3




Plot 7-1496 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 508 of 649


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227



Plot 7-1497 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 17
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227




Plot 7-1498 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3460 IC: 579C-A3460			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 509 of 649	

V 11.0 05/2025


RU484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 5965MHz
Channel: 3



Plot 7-1499 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227



Plot 7-1500 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 510 of 649

V 11.0 05/2025


7.7.9 Antenna 3a Radiated Band Edge Measurements (80MHz BW)

RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 5985MHz
Channel: 7




Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 5985MHz
Channel: 7




FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 511 of 649

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-1503 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-1504 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 512 of 649

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 5985MHz
Channel: 7



Plot 7-1507 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 5985MHz
Channel: 7




Plot 7-1508 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 514 of 649


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-1509 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-1510 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 515 of 649

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-1511 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-1512 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 516 of 649

