







FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 49 of 649




Plot 7-89 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11be(RU) RU26 Index0 - Ch.113)



Plot 7-91 26dB BW & 99% OBW Antenna 3a (80MHz BW 802.11be(RU) RU26 Index0 - Ch.103)



Plot 7-90 26dB BW & 99% OBW Antenna 3a (40MHz BW 802.11be(RU) RU26 Index8 - Ch.99)






Plot 7-92 26dB BW & 99% OBW Antenna 3a (160MHz BW 802.11be(RU) RU26 Index36 - Ch.111)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 50 of 649

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 51 of 649




Plot 7-96 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11be(RU) RU242 Index61 - Ch.97)



Plot 7-98 26dB BW & 99% OBW Antenna 3a (80MHz BW 802.11be(RU) RU996 Index67 - Ch.103)




Plot 7-97 26dB BW & 99% OBW Antenna 3a (40MHz BW 802.11be(RU) RU484 Index65 - Ch.115)




Plot 7-99 26dB BW & 99% OBW Antenna 3a (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.111)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 52 of 649




Plot 7-100 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11be(RU) RU26 Index8 - Ch.149)



Plot 7-102 26dB BW & 99% OBW Antenna 3a (80MHz BW 802.11be(RU) RU26 Index0 - Ch.151)






Plot 7-101 26dB BW & 99% OBW Antenna 3a (40MHz BW 802.11be(RU) RU26 Index8 - Ch.123)



Plot 7-103 26dB BW & 99% OBW Antenna 3a (160MHz BW 802.11be(RU) RU26 Index0 - Ch.143)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG			Page 53 of 649



FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 54 of 649

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.2.4 Antenna 3a 26dB & 99% Bandwidth Measurements – LPI

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured 99% Occupied Bandwidth [MHz]	Measured 26dB Bandwidth [MHz]	Maximum Bandwidth Limit [MHz]	Pass / Fail
Band 5	5955	1	be (20MHz)	26	8	MCS5	18.35	20.43	320	Pass
	6175	45	be (20MHz)	26	8	MCS5	18.36	20.13	320	Pass
	6415	93	be (20MHz)	26	8	MCS5	18.33	20.28	320	Pass
	5965	3	be (40MHz)	26	8	MCS5	18.73	20.52	320	Pass
	6165	43	be (40MHz)	26	8	MCS5	18.68	20.49	320	Pass
	6405	91	be (40MHz)	26	8	MCS5	18.73	20.28	320	Pass
	5985	7	be (80MHz)	26	36	MCS5	18.31	20.61	320	Pass
	6145	39	be (80MHz)	26	36	MCS5	18.32	20.32	320	Pass
	6385	87	be (80MHz)	26	0	MCS5	18.32	20.14	320	Pass
	6025	15	be (160MHz)	26	0-L	MCS5	18.62	20.76	320	Pass
Band 6	6185	47	be (160MHz)	26	36-L	MCS5	18.20	20.51	320	Pass
	6345	79	be (160MHz)	26	36-H	MCS5	18.42	20.66	320	Pass
	6435	97	be (20MHz)	26	8	MCS5	18.35	20.19	320	Pass
	6475	105	be (20MHz)	26	0	MCS5	18.49	20.25	320	Pass
	6515	113	be (20MHz)	26	8	MCS5	18.37	20.69	320	Pass
	6445	99	be (40MHz)	26	8	MCS5	18.78	20.92	320	Pass
	6485	107	be (40MHz)	26	8	MCS5	18.68	20.44	320	Pass
	6525	115	be (40MHz)	26	8	MCS5	18.74	20.61	320	Pass
	6465	103	be (80MHz)	26	17	MCS5	18.44	20.36	320	Pass
	6505	111	be (160MHz)	26	0-L	MCS5	18.45	20.81	320	Pass
Band 7	6535	117	be (20MHz)	26	0	MCS5	18.49	20.44	320	Pass
	6695	149	be (20MHz)	26	8	MCS5	18.35	20.25	320	Pass
	6875	185	be (20MHz)	26	0	MCS5	18.50	20.66	320	Pass
	6565	123	be (40MHz)	26	8	MCS5	18.69	20.33	320	Pass
	6725	155	be (40MHz)	26	8	MCS5	18.79	20.68	320	Pass
	6845	179	be (40MHz)	26	8	MCS5	18.76	20.56	320	Pass
	6545	119	be (80MHz)	26	17	MCS5	18.26	20.30	320	Pass
	6705	151	be (80MHz)	26	0	MCS5	18.35	20.51	320	Pass
	6865	183	be (80MHz)	26	0	MCS5	18.36	20.43	320	Pass
	6665	143	be (160MHz)	26	0-L	MCS5	18.17	21.10	320	Pass
Band 8	6825	175	be (160MHz)	26	36-H	MCS5	18.69	20.58	320	Pass
	6895	189	be (20MHz)	26	0	MCS5	18.46	20.41	320	Pass
	6995	209	be (20MHz)	26	0	MCS5	18.52	20.37	320	Pass
	7095	229	be (20MHz)	26	0	MCS5	18.48	20.18	320	Pass
	6885	187	be (40MHz)	26	8	MCS5	18.69	20.36	320	Pass
	7005	211	be (40MHz)	26	8	MCS5	18.81	20.55	320	Pass
	7085	227	be (40MHz)	26	8	MCS5	18.83	20.68	320	Pass
	6945	199	be (80MHz)	26	0	MCS5	18.37	20.63	320	Pass
	7025	215	be (80MHz)	26	17	MCS5	18.36	20.44	320	Pass
	6985	207	be (160MHz)	26	36-L	MCS5	18.33	20.62	320	Pass

Table 7-11. Conducted Bandwidth Measurements Antenna 3a (RU26)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 56 of 649

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured 99% Occupied Bandwidth [MHz]	Measured 26dB Bandwidth [MHz]	Maximum Bandwidth Limit [MHz]	Pass / Fail
Band 5	5935	1	be (20MHz)	106+26	82	MCS5	18.17	21.22	320	Pass
	6175	45	be (20MHz)	106+26	82	MCS5	18.24	21.42	320	Pass
	6415	93	be (20MHz)	106+26	82	MCS5	18.20	21.36	320	Pass
	5985	7	be (80MHz)	484+242	92	MCS5	77.80	82.53	320	Pass
	6145	39	be (80MHz)	484+242	92	MCS5	77.92	82.96	320	Pass
	6385	87	be (80MHz)	484+242	91	MCS5	77.79	82.65	320	Pass
	6025	15	be (160MHz)	996+484+242	97-L	MCS5	157.22	237.82	320	Pass
	6185	47	be (160MHz)	996+484+242	96-L	MCS5	138.09	284.26	320	Pass
Band 6	6345	79	be (160MHz)	996+484+242	99-L	MCS5	157.39	225.37	320	Pass
	6345	97	be (20MHz)	106+26	82	MCS5	18.16	21.26	320	Pass
	6475	105	be (20MHz)	106+26	82	MCS5	18.21	21.34	320	Pass
	6515	113	be (20MHz)	106+26	82	MCS5	18.10	21.29	320	Pass
	6465	103	be (80MHz)	484+242	92	MCS5	77.98	82.68	320	Pass
	6505	111	be (160MHz)	996+484+242	98-L	MCS5	156.99	167.75	320	Pass
	6535	117	be (20MHz)	106+26	82	MCS5	18.19	21.16	320	Pass
	6695	149	be (20MHz)	106+26	82	MCS5	18.18	21.13	320	Pass
Band 7	6875	185	be (20MHz)	106+26	82	MCS5	18.28	21.44	320	Pass
	6545	119	be (80MHz)	484+242	92	MCS5	77.89	82.46	320	Pass
	6705	151	be (80MHz)	484+242	91	MCS5	77.96	82.61	320	Pass
	6865	183	be (80MHz)	484+242	92	MCS5	78.01	82.52	320	Pass
	6665	143	be (160MHz)	996+484+242	96-L	MCS5	138.16	284.35	320	Pass
	6825	175	be (160MHz)	996+484+242	96-L	MCS5	138.11	286.77	320	Pass
	6895	189	be (20MHz)	106+26	82	MCS5	18.19	21.62	320	Pass
	6995	209	be (20MHz)	106+26	82	MCS5	18.16	21.01	320	Pass
Band 8	7115	229	be (20MHz)	106+26	82	MCS5	18.15	21.38	320	Pass
	6945	199	be (80MHz)	484+242	92	MCS5	78.12	93.09	320	Pass
	7025	215	be (80MHz)	484+242	91	MCS5	78.12	108.56	320	Pass
	6985	207	be (160MHz)	996+484+242	96-L	MCS5	138.50	288.57	320	Pass

Table 7-12. Conducted Bandwidth Measurements Antenna 3a (MRU)


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured 99% Occupied Bandwidth [MHz]	Measured 26dB Bandwidth [MHz]	Maximum Bandwidth Limit [MHz]	Pass / Fail
Band 5	5955	1	be (20MHz)	242	61	MCS5	19.66	31.57	320	Pass
	6175	45	be (20MHz)	242	61	MCS5	19.33	31.55	320	Pass
	6415	93	be (20MHz)	242	61	MCS5	19.36	31.66	320	Pass
	5965	3	be (40MHz)	484	65	MCS5	38.51	64.02	320	Pass
	6165	43	be (40MHz)	484	65	MCS5	38.61	60.48	320	Pass
	6405	91	be (40MHz)	484	65	MCS5	38.62	62.78	320	Pass
	5985	7	be (80MHz)	996	67	MCS5	77.90	107.75	320	Pass
	6145	39	be (80MHz)	996	67	MCS5	77.81	111.08	320	Pass
	6385	87	be (80MHz)	996	67	MCS5	77.91	107.31	320	Pass
	6025	15	be (160MHz)	996x2	68	MCS5	156.56	172.93	320	Pass
	6185	47	be (160MHz)	996x2	68	MCS5	156.54	175.20	320	Pass
	6345	79	be (160MHz)	996x2	68	MCS5	156.58	177.09	320	Pass
Band 6	6435	97	be (20MHz)	242	61	MCS5	19.33	31.50	320	Pass
	6475	105	be (20MHz)	242	61	MCS5	19.34	31.59	320	Pass
	6515	113	be (20MHz)	242	61	MCS5	19.41	31.57	320	Pass
	6445	99	be (40MHz)	484	65	MCS5	38.50	61.96	320	Pass
	6485	107	be (40MHz)	484	65	MCS5	38.75	62.49	320	Pass
	6525	115	be (40MHz)	484	65	MCS5	38.64	61.74	320	Pass
	6465	103	be (80MHz)	996	67	MCS5	77.88	106.45	320	Pass
	6505	111	be (160MHz)	996x2	68	MCS5	156.68	176.81	320	Pass
	6535	117	be (20MHz)	242	61	MCS5	19.32	31.54	320	Pass
	6695	149	be (20MHz)	242	61	MCS5	19.31	31.57	320	Pass
	6875	185	be (20MHz)	242	61	MCS5	19.30	31.56	320	Pass
	6565	123	be (40MHz)	484	65	MCS5	38.68	64.88	320	Pass
Band 7	6725	155	be (40MHz)	484	65	MCS5	38.68	61.78	320	Pass
	6845	179	be (40MHz)	484	65	MCS5	38.66	61.43	320	Pass
	6545	119	be (80MHz)	996	67	MCS5	77.82	109.53	320	Pass
	6705	151	be (80MHz)	996	67	MCS5	77.79	107.17	320	Pass
	6865	183	be (80MHz)	996	67	MCS5	77.84	119.62	320	Pass
	6665	143	be (160MHz)	996x2	68	MCS5	156.48	171.78	320	Pass
	6825	175	be (160MHz)	996x2	68	MCS5	156.55	176.45	320	Pass
	6895	189	be (20MHz)	242	61	MCS5	19.34	30.42	320	Pass
	6995	209	be (20MHz)	242	61	MCS5	19.33	31.96	320	Pass
	7115	233	be (20MHz)	242	61	MCS5	19.34	31.94	320	Pass
	6885	187	be (40MHz)	484	65	MCS5	38.73	61.38	320	Pass
	7005	211	be (40MHz)	484	65	MCS5	38.53	62.73	320	Pass
Band 8	7085	227	be (40MHz)	484	65	MCS5	38.57	62.85	320	Pass
	6945	199	be (80MHz)	996	67	MCS5	77.84	112.43	320	Pass
	7025	215	be (80MHz)	996	67	MCS5	77.93	110.51	320	Pass
	6985	207	be (160MHz)	996x2	68	MCS5	156.71	179.19	320	Pass

Table 7-13. Conducted Bandwidth Measurements Antenna 3a (Fully – Loaded RU)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 57 of 649




Plot 7-111 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11be(RU) RU26 Index8 - Ch.1)



Plot 7-113 26dB BW & 99% OBW Antenna 3a (80MHz BW 802.11be(RU) RU26 Index36 - Ch.7)



Plot 7-112 26dB BW & 99% OBW Antenna 3a (40MHz BW 802.11be(RU) RU26 Index8 - Ch.3)




Plot 7-114 26dB BW & 99% OBW Antenna 3a (160MHz BW 802.11be(RU) RU26 Index0 - Ch.15)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 58 of 649



Plot 7-115 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.45)



Plot 7-117 26dB BW & 99% OBW Antenna 3a (160MHz BW 802.11be(RU) RU996+484+242 Index96 - Ch.47)





Plot 7-116 26dB BW & 99% OBW Antenna 3a (80MHz BW 802.11be(RU) RU484+242 Index92 - Ch.39)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 59 of 649

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 60 of 649




Plot 7-122 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11be(RU) RU26 Index8 - Ch.113)



Plot 7-124 26dB BW & 99% OBW Antenna 3a (80MHz BW 802.11be(RU) RU26 Index17 - Ch.103)



Plot 7-123 26dB BW & 99% OBW Antenna 3a (40MHz BW 802.11be(RU) RU26 Index8 - Ch.99)



Plot 7-125 26dB BW & 99% OBW Antenna 3a (160MHz BW 802.11be(RU) RU26 Index0 - Ch.111)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG			Page 61 of 649
	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	



Plot 7-126 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.105)



Plot 7-128 26dB BW & 99% OBW Antenna 3a (160MHz BW 802.11be(RU) RU996+484+242 Index98 - Ch.111)




Plot 7-127 26dB BW & 99% OBW Antenna 3a (80MHz BW 802.11be(RU) RU484+242 Index92 - Ch.103)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG			Page 62 of 649
Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device		

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-129 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11be(RU) RU242 Index61 - Ch.105)



Plot 7-131 26dB BW & 99% OBW Antenna 3a (80MHz BW 802.11be(RU) RU996 Index67 - Ch.103)




Plot 7-130 26dB BW & 99% OBW Antenna 3a (40MHz BW 802.11be(RU) RU484 Index65 - Ch.107)




Plot 7-132 26dB BW & 99% OBW Antenna 3a (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.111)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 63 of 649




Plot 7-133 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11be(RU) RU26 Index0 - Ch.185)



Plot 7-135 26dB BW & 99% OBW Antenna 3a (80MHz BW 802.11be(RU) RU26 Index0 - Ch.151)




Plot 7-134 26dB BW & 99% OBW Antenna 3a (40MHz BW 802.11be(RU) RU26 Index8 - Ch.155)




Plot 7-136 26dB BW & 99% OBW Antenna 3a (160MHz BW 802.11be(RU) RU26 Index0 - Ch.143)


FCC ID: BCGA3460 IC: 579C-A3460			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device		Page 64 of 649



Plot 7-137 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.185)



Plot 7-139 26dB BW & 99% OBW Antenna 3a (160MHz BW 802.11be(RU) RU996+484+242 Index96 - Ch.175)




Plot 7-138 26dB BW & 99% OBW Antenna 3a (80MHz BW 802.11be(RU) RU484+242 Index91 - Ch.151)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG			Page 65 of 649
	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 66 of 649




Plot 7-144 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11be(RU) RU26 Index0 - Ch.189)



Plot 7-146 26dB BW & 99% OBW Antenna 3a (80MHz BW 802.11be(RU) RU26 Index0 - Ch.199)




Plot 7-145 26dB BW & 99% OBW Antenna 3a (40MHz BW 802.11be(RU) RU26 Index8 - Ch.227)




Plot 7-147 26dB BW & 99% OBW Antenna 3a (160MHz BW 802.11be(RU) RU26 Index17 - Ch.207)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 67 of 649



Plot 7-148 26dB BW & 99% OBW Antenna 3a (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.189)




Plot 7-150 26dB BW & 99% OBW Antenna 3a (160MHz BW 802.11be(RU) RU996+484+242 Index96 - Ch.207)



Plot 7-149 26dB BW & 99% OBW Antenna 3a (80MHz BW 802.11be(RU) RU484+242 Index91 - Ch.215)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 68 of 649



7.2.5 Antenna 1b 26dB & 99% Bandwidth Measurements – SP

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured 99% Occupied Bandwidth [MHz]	Measured 26dB Bandwidth [MHz]	Maximum Bandwidth Limit [MHz]	Pass / Fail
Band 5	5955	1	be (20MHz)	26	0	MCS5	18.42	20.31	320	Pass
	6175	45	be (20MHz)	26	0	MCS5	18.45	20.57	320	Pass
	6415	93	be (20MHz)	26	0	MCS5	18.44	20.31	320	Pass
	5965	3	be (40MHz)	26	8	MCS5	18.75	20.30	320	Pass
	6165	43	be (40MHz)	26	8	MCS5	18.69	20.32	320	Pass
	6405	91	be (40MHz)	26	8	MCS5	18.71	20.32	320	Pass
	5985	7	be (80MHz)	26	36	MCS5	18.44	20.46	320	Pass
	6145	39	be (80MHz)	26	0	MCS5	18.33	20.22	320	Pass
	6385	87	be (80MHz)	26	0	MCS5	18.27	20.62	320	Pass
	6025	15	be (160MHz)	26	36-L	MCS5	18.29	20.82	320	Pass
Band 6	6185	47	be (160MHz)	26	36-H	MCS5	18.41	20.55	320	Pass
	6345	79	be (160MHz)	26	0-L	MCS5	18.63	20.83	320	Pass
	6435	97	be (20MHz)	26	0	MCS5	18.56	20.22	320	Pass
	6475	105	be (20MHz)	26	0	MCS5	18.45	20.12	320	Pass
	6515	113	be (20MHz)	26	0	MCS5	18.49	20.27	320	Pass
	6445	99	be (40MHz)	26	8	MCS5	18.72	20.51	320	Pass
	6485	107	be (40MHz)	26	8	MCS5	18.73	20.67	320	Pass
	6525	115	be (40MHz)	26	0	MCS5	18.21	20.55	320	Pass
	6465	103	be (80MHz)	26	0	MCS5	18.38	20.34	320	Pass
	6505	111	be (160MHz)	26	0-L	MCS5	18.47	21.09	320	Pass
Band 7	6535	117	be (20MHz)	26	0	MCS5	18.45	20.48	320	Pass
	6695	149	be (20MHz)	26	8	MCS5	18.34	20.12	320	Pass
	6855	181	be (20MHz)	26	0	MCS5	18.46	20.60	320	Pass
	6565	123	be (40MHz)	26	8	MCS5	18.81	20.58	320	Pass
	6725	155	be (40MHz)	26	8	MCS5	18.76	20.33	320	Pass
	6845	179	be (40MHz)	26	8	MCS5	18.76	20.40	320	Pass
	6545	119	be (80MHz)	26	17	MCS5	18.28	20.35	320	Pass
	6705	151	be (80MHz)	26	0	MCS5	18.33	20.46	320	Pass
	6785	167	be (80MHz)	26	36	MCS5	18.33	20.35	320	Pass
	6665	143	be (160MHz)	26	36-H	MCS5	18.52	20.90	320	Pass

Table 7-14. Conducted Bandwidth Measurements Antenna 1b (RU26)

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured 99% Occupied Bandwidth [MHz]	Measured 26dB Bandwidth [MHz]	Maximum Bandwidth Limit [MHz]	Pass / Fail
Band 5	5935	1	be (20MHz)	106+26	82	MCS5	18.16	21.71	320	Pass
	6175	45	be (20MHz)	106+26	82	MCS5	18.19	21.32	320	Pass
	6415	93	be (20MHz)	106+26	82	MCS5	18.20	21.44	320	Pass
	5985	7	be (80MHz)	484+242	92	MCS5	78.11	96.07	320	Pass
	6145	39	be (80MHz)	484+242	90	MCS5	58.68	83.40	320	Pass
	6385	87	be (80MHz)	484+242	92	MCS5	78.06	82.68	320	Pass
	6025	15	be (160MHz)	996+484+242	96-L	MCS5	138.22	287.98	320	Pass
	6185	47	be (160MHz)	996+484+242	96-L	MCS5	138.16	284.58	320	Pass
	6345	79	be (160MHz)	996+484+242	96-L	MCS5	138.21	285.15	320	Pass
	6345	97	be (20MHz)	106+26	82	MCS5	18.22	21.41	320	Pass
Band 6	6475	105	be (20MHz)	106+26	82	MCS5	18.19	21.28	320	Pass
	6515	113	be (20MHz)	106+26	82	MCS5	18.18	21.44	320	Pass
	6465	103	be (80MHz)	484+242	91	MCS5	77.90	82.51	320	Pass
	6505	111	be (160MHz)	996+484+242	98-L	MCS5	157.25	282.74	320	Pass
	6535	117	be (20MHz)	106+26	82	MCS5	18.22	21.35	320	Pass
Band 7	6695	149	be (20MHz)	106+26	82	MCS5	18.17	20.90	320	Pass
	6875	181	be (20MHz)	106+26	82	MCS5	18.20	21.51	320	Pass
	6545	119	be (80MHz)	484+242	92	MCS5	78.06	93.00	320	Pass
	6705	151	be (80MHz)	484+242	91	MCS5	78.34	109.67	320	Pass
	6865	167	be (80MHz)	484+242	91	MCS5	78.33	109.12	320	Pass
	6665	143	be (160MHz)	996+484+242	98-L	MCS5	157.66	287.60	320	Pass


Table 7-15. Conducted Bandwidth Measurements Antenna 1b (MRU)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 70 of 649


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured 99% Occupied Bandwidth [MHz]	Measured 26dB Bandwidth [MHz]	Maximum Bandwidth Limit [MHz]	Pass / Fail
Band 5	5955	1	be (20MHz)	242	61	MCS5	19.76	31.48	320	Pass
	6175	45	be (20MHz)	242	61	MCS5	19.31	31.80	320	Pass
	6415	93	be (20MHz)	242	61	MCS5	19.36	31.45	320	Pass
	5965	3	be (40MHz)	484	65	MCS5	38.64	64.63	320	Pass
	6165	43	be (40MHz)	484	65	MCS5	38.65	63.25	320	Pass
	6405	91	be (40MHz)	484	65	MCS5	38.67	62.54	320	Pass
	5985	7	be (80MHz)	996	67	MCS5	77.80	109.56	320	Pass
	6145	39	be (80MHz)	996	67	MCS5	77.90	97.40	320	Pass
	6385	87	be (80MHz)	996	67	MCS5	77.83	113.86	320	Pass
	6025	15	be (160MHz)	996x2	68	MCS5	156.42	173.83	320	Pass
Band 6	6185	47	be (160MHz)	996x2	68	MCS5	156.69	173.40	320	Pass
	6345	79	be (160MHz)	996x2	68	MCS5	156.61	174.39	320	Pass
	6435	97	be (20MHz)	242	61	MCS5	19.32	31.53	320	Pass
	6475	105	be (20MHz)	242	61	MCS5	19.33	31.35	320	Pass
	6515	113	be (20MHz)	242	61	MCS5	19.36	31.65	320	Pass
	6445	99	be (40MHz)	484	65	MCS5	38.67	62.69	320	Pass
	6485	107	be (40MHz)	484	65	MCS5	38.52	61.29	320	Pass
	6525	115	be (40MHz)	484	65	MCS5	38.70	62.06	320	Pass
	6465	103	be (80MHz)	996	67	MCS5	77.80	96.13	320	Pass
	6505	111	be (160MHz)	996x2	68	MCS5	156.43	169.72	320	Pass
Band 7	6535	117	be (20MHz)	242	61	MCS5	19.34	31.59	320	Pass
	6695	149	be (20MHz)	242	61	MCS5	19.39	31.46	320	Pass
	6855	181	be (20MHz)	242	61	MCS5	19.32	32.23	320	Pass
	6565	123	be (40MHz)	484	65	MCS5	38.55	62.69	320	Pass
	6725	155	be (40MHz)	484	65	MCS5	38.76	61.74	320	Pass
	6845	179	be (40MHz)	484	65	MCS5	38.63	64.23	320	Pass
	6545	119	be (80MHz)	996	67	MCS5	77.85	116.06	320	Pass
	6705	151	be (80MHz)	996	67	MCS5	77.90	108.86	320	Pass
	6785	167	be (80MHz)	996	67	MCS5	77.90	110.48	320	Pass
	6665	143	be (160MHz)	996x2	68	MCS5	156.43	177.00	320	Pass

Table 7-16. Conducted Bandwidth Measurements Antenna 1b (Fully – Loaded RU)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 71 of 649




Plot 7-155 26dB BW & 99% OBW Antenna 1b (20MHz BW 802.11be(RU) RU26 Index0 - Ch.45)



Plot 7-157 26dB BW & 99% OBW Antenna 1b (80MHz BW 802.11be(RU) RU26 Index0 - Ch.87)




Plot 7-156 26dB BW & 99% OBW Antenna 1b (40MHz BW 802.11be(RU) RU26 Index8 - Ch.43)




Plot 7-158 26dB BW & 99% OBW Antenna 1b (160MHz BW 802.11be(RU) RU26 Index0 - Ch.79)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 72 of 649



Plot 7-159 26dB BW & 99% OBW Antenna 1b (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.1)




Plot 7-161 26dB BW & 99% OBW Antenna 1b (160MHz BW 802.11be(RU) RU996+484+242 Index96 - Ch.15)




Plot 7-160 26dB BW & 99% OBW Antenna 1b (80MHz BW 802.11be(RU) RU484+242 Index92 - Ch.7)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 73 of 649




Plot 7-162 26dB BW & 99% OBW Antenna 1b (20MHz BW 802.11be(RU) RU242 Index61 - Ch.45)



Plot 7-164 26dB BW & 99% OBW Antenna 1b (80MHz BW 802.11be(RU) RU996 Index67 - Ch.87)




Plot 7-163 26dB BW & 99% OBW Antenna 1b (40MHz BW 802.11be(RU) RU484 Index65 - Ch.3)




Plot 7-165 26dB BW & 99% OBW Antenna 1b (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.79)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 74 of 649




Plot 7-166 26dB BW & 99% OBW Antenna 1b (20MHz BW 802.11be(RU) RU26 Index0 - Ch.113)



Plot 7-168 26dB BW & 99% OBW Antenna 1b (80MHz BW 802.11be(RU) RU26 Index0 - Ch.103)




Plot 7-167 26dB BW & 99% OBW Antenna 1b (40MHz BW 802.11be(RU) RU26 Index8 - Ch.107)




Plot 7-169 26dB BW & 99% OBW Antenna 1b (160MHz BW 802.11be(RU) RU26 Index0 - Ch.111)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 75 of 649



Plot 7-170 26dB BW & 99% OBW Antenna 1b (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.113)




Plot 7-172 26dB BW & 99% OBW Antenna 1b (160MHz BW 802.11be(RU) RU996+484+242 Index98 - Ch.111)



Plot 7-171 26dB BW & 99% OBW Antenna 1b (80MHz BW 802.11be(RU) RU484+242 Index91 - Ch.103)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 76 of 649




Plot 7-173 26dB BW & 99% OBW Antenna 1b (20MHz BW 802.11be(RU) RU242 Index61 - Ch.113)



Plot 7-175 26dB BW & 99% OBW Antenna 1b (80MHz BW 802.11be(RU) RU996 Index67 - Ch.103)








Plot 7-174 26dB BW & 99% OBW Antenna 1b (40MHz BW 802.11be(RU) RU484 Index65 - Ch.99)




Plot 7-176 26dB BW & 99% OBW Antenna 1b (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.111)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 77 of 649






Plot 7-181 26dB BW & 99% OBW Antenna 1b (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.181)



Plot 7-183 26dB BW & 99% OBW Antenna 1b (160MHz BW 802.11be(RU) RU996+484+242 Index98 - Ch.143)



Plot 7-182 26dB BW & 99% OBW Antenna 1b (80MHz BW 802.11be(RU) RU484+242 Index91 - Ch.151)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-25-R2.BCG	Test Dates: 09/18/2025 - 12/4/2025	EUT Type: Tablet Device	Page 79 of 649