







Plot 7-411 PSD SDM Diversity Antenna 3c (20MHz BW 802.11be(RU) RU242 Index61 - Ch.117)




Plot 7-415 PSD SDM Diversity Antenna 1b (20MHz BW 802.11be(RU) RU242 Index61 - Ch.117)




Plot 7-412 PSD SDM Diversity Antenna 3c (40MHz BW 802.11be(RU) RU484 Index65 - Ch.155)



Plot 7-416 PSD SDM Diversity Antenna 1b (40MHz BW 802.11be(RU) RU484 Index65 - Ch.155)




Plot 7-413 PSD SDM Diversity Antenna 3c (80MHz BW 802.11be(RU) RU996 Index67 - Ch.151)



Plot 7-417 PSD SDM Diversity Antenna 1b (80MHz BW 802.11be(RU) RU996 Index67 - Ch.151)




Plot 7-414 PSD SDM Diversity Antenna 3c (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.143)



Plot 7-418 PSD SDM Diversity Antenna 1b (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.143)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 164 of 478




Plot 7-419 PSD SDM Diversity Antenna 3c (20MHz BW 802.11be(RU) RU26 Index0 - Ch.229)




Plot 7-423 PSD SDM Diversity Antenna 1b (20MHz BW 802.11be(RU) RU26 Index0 - Ch.229)




Plot 7-420 PSD SDM Diversity Antenna 3c (40MHz BW 802.11be(RU) RU26 Index8 - Ch.195)




Plot 7-424 PSD SDM Diversity Antenna 1b (40MHz BW 802.11be(RU) RU26 Index8 - Ch.195)




Plot 7-421 PSD SDM Diversity Antenna 3c (80MHz BW 802.11be(RU) RU26 Index36 - Ch.215)



Plot 7-425 PSD SDM Diversity Antenna 1b (80MHz BW 802.11be(RU) RU26 Index36 - Ch.215)




Plot 7-422 PSD SDM Diversity Antenna 3c (160MHz BW 802.11be(RU) RU26 Index36 - Ch.207)




Plot 7-426 PSD SDM Diversity Antenna 1b (160MHz BW 802.11be(RU) RU26 Index36 - Ch.207)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG			Page 165 of 478
Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device		




Plot 7-427 PSD SDM Diversity Antenna 3c (20MHz BW 802.11be(RU) RU106+26 Index83 - Ch.189)




Plot 7-430 PSD SDM Diversity Antenna 1b (20MHz BW 802.11be(RU) RU106+26 Index83 - Ch.189)




Plot 7-428 PSD SDM Diversity Antenna 3c (80MHz BW 802.11be(RU) RU484+242 Index90 - Ch.199)



Plot 7-431 PSD SDM Diversity Antenna 1b (80MHz BW 802.11be(RU) RU484+242 Index90 - Ch.199)




Plot 7-429 PSD SDM Diversity Antenna 3c (160MHz BW 802.11be(RU) RU996+484+242 Index97 - Ch.207)




Plot 7-432 PSD SDM Diversity Antenna 1b (160MHz BW 802.11be(RU) RU996+484+242 Index97 - Ch.207)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG			Page 166 of 478
Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device		




Plot 7-433 PSD SDM Diversity Antenna 3c (20MHz BW 802.11be(RU) RU242 Index61 - Ch.189)




Plot 7-437 PSD SDM Diversity Antenna 1b (20MHz BW 802.11be(RU) RU242 Index61 - Ch.189)




Plot 7-434 PSD SDM Diversity Antenna 3c (40MHz BW 802.11be(RU) RU484 Index65 - Ch.227)




Plot 7-438 PSD SDM Diversity Antenna 1b (40MHz BW 802.11be(RU) RU484 Index65 - Ch.227)




Plot 7-435 PSD SDM Diversity Antenna 3c (80MHz BW 802.11be(RU) RU996 Index67 - Ch.199)



Plot 7-439 PSD SDM Diversity Antenna 1b (80MHz BW 802.11be(RU) RU996 Index67 - Ch.199)



Plot 7-436 PSD SDM Diversity Antenna 3c (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.207)



Plot 7-440 PSD SDM Diversity Antenna 1b (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.207)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025		Page 167 of 478

Note:

Per ANSI C63.10-2020 Section 14.5.2.2 and KDB 662911 v02r01 Section E)2), the power spectral density at Antenna 3c and Antenna 3a were first measured separately as shown in the section above. The measured values were then summed in linear power units then converted back to dBm.

Sample Directional Gain Calculation:

For correlated signals, assuming the antenna gain is 1.90 dBi for Antenna 3c and 0.50 dBi for Antenna 3a.

$$\begin{aligned}\text{Directional gain} &= 10 \log[(10^{G_1/20} + 10^{G_2/20} + \dots + 10^{G_N/20})^2 / N_{\text{ANT}}] \text{ dBi} \\ &= 10 \log[(10^{1.90/20} + 10^{0.50/20} / 2] \text{ dBi} \\ &= 1.90 \text{ dBi}\end{aligned}$$

For uncorrelated signals, assuming the antenna gain is 1.90 dBi for Antenna 3c and 0.50 dBi for Antenna 3a.

$$\begin{aligned}\text{Directional gain} &= 10 \log[(10^{G_1/10} + 10^{G_2/10} + \dots + 10^{G_N/10}) / N_{\text{ANT}}] \text{ dBi} \\ &= 10 \log[(10^{1.90/10} + 10^{0.50/10} / 2] \text{ dBi} \\ &= 1.26 \text{ dBi}\end{aligned}$$

Sample SDM Calculation:

At 6115MHz in 802.11be (20MHz BW) mode, the average conducted power spectral density was measured to be -11.57 dBm for Antenna 3c and -10.98 dBm for Antenna 3a.

$$\text{Antenna 3c} + \text{Antenna 3a} = \text{SDM/SDM}$$

$$(-11.57 \text{ dBm} + -10.98 \text{ dBm}) = (0.07 \text{ mW} + 0.079 \text{ mW}) = 0.149 \text{ mW} = -8.26 \text{ dBm}$$

Sample e.i.r.p Power Spectral Density Calculation:

At 6115MHz in 802.11be (20MHz BW) mode, the average SDM power density was calculated to be -8.26 dBm with directional gain of 1.26 dBi.

$$\text{e.i.r.p. Power Spectral Density(dBm)} = \text{Power Spectral Density (dBm)} + \text{Ant gain (dBi)}$$

$$-8.26 \text{ dBm} + 1.26 \text{ dBi} = -7.00 \text{ dBm}$$

FCC ID: BCGA3460 IC: 579C-A3460			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 168 of 478	

V 11.0 05/2025

7.5 In-Band Emissions

§15.407(b)(7); RSS-248[4.6.2]

Test Overview and Limit

The spectrum analyzer was connected to the antenna terminal while the EUT was operating at its maximum duty cycle, at its maximum power control level, as defined in ANSI C63.10:2020 + COR. 1:2023 + C63.10A:2024 + ERRATA TO C63.10A:2024 and KDB 789033 D02 v02r01, and at the appropriate frequencies.

For transmitters operating solely in the 5.925-7.125 GHz bands: For transmitters operating within the 5.925-7.125 GHz bands: Power spectral density must be suppressed by 20 dB at 1 MHz outside of channel edge, by 28 dB at one channel bandwidth from the channel center, and by 40 dB at one- and one-half times the channel bandwidth away from channel center. At frequencies between one megahertz outside an unlicensed device's channel edge and one channel bandwidth from the center of the channel, the limits must be linearly interpolated between 20 dB and 28 dB suppression, and at frequencies between one and one- and one-half times an unlicensed device's channel bandwidth, the limits must be linearly interpolated between 28 dB and 40 dB suppression. Emissions removed from the channel center by more than one- and one-half times the channel bandwidth must be suppressed by at least 40 dB.

Test Procedure Used

ANSI C63.10:2020 + COR. 1:2023 + C63.10A:2024 + ERRATA TO C63.10A:2024 – Section 12.4.2.2
KDB 987594 D02 v03 – Section J

Test Settings

1. Connect output of the antenna port to a spectrum analyzer or EMI receiver, with appropriate attenuation, as to not damage the instrumentation.
2. Set the reference level of the measuring equipment in accordance with procedure 4.1.6.2 of ANSI C63.10-2020.
3. Measure the 26 dB EBW using the test procedure 12.5.2 of ANSI C63.10-2020. (This will be used to determine the channel edge.)
4. Measure the power spectral density (which will be used for emissions mask reference) using the following procedure:
 - a) Set the span to encompass the entire 26 dB EBW of the signal.
 - b) Set RBW = same RBW used for 26 dB EBW measurement.
 - c) Set VBW $\geq 3 \times$ RBW
 - d) Number of points in sweep $\geq [2 \times \text{span} / \text{RBW}]$.
 - e) Sweep time = auto.
 - f) Detector = RMS (i.e., power averaging)
 - g) Trace average at least 100 traces in power averaging (rms) mode.
 - h) Use the peak search function on the instrument to find the peak of the spectrum.
5. For the purposes of developing the emission mask, the channel bandwidth is defined as the 26 dB EBW.
6. Using the measuring equipment limit line function, develop the emissions mask based on the following requirements. The emissions power spectral density must be reduced below the peak power spectral density (in dB) as follows:
 - i) Suppressed by 20 dB at 1 MHz outside of the channel edge. (The channel edge is defined as the 26-dB point on either side of the carrier center frequency.)
 - j) Suppressed by 28 dB at one channel bandwidth from the channel center.
 - k) Suppressed by 40 dB at one- and one-half times the channel bandwidth from the channel center.
7. Adjust the span to encompass the entire mask as necessary.
8. Clear trace.
9. Trace average at least 100 traces in power averaging (rms) mode.
10. Adjust the reference level as necessary so that the crest of the channel touches the top of the emission mask.

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 169 of 478

V 11.0 05/2025

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-4. Test Instrument & Measurement Setup

Test Notes

1. All RU's were investigated and only worst case partially loaded and fully loaded RU's were reported.
2. Low, mid, and high channels were tested and only worst case channel In-band plots have been reported.

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 170 of 478

7.5.1 Antenna 3c In-Band Emissions Measurements – VLP

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	In-Band Emission
Band 5	6115	33	be (20MHz)	26	0	MCS5	Pass
	6255	61	be (20MHz)	26	8	MCS5	Pass
	6415	93	be (20MHz)	26	8	MCS5	Pass
	6125	35	be (40MHz)	26	0	MCS5	Pass
	6245	59	be (40MHz)	26	8	MCS5	Pass
	6405	91	be (40MHz)	26	17	MCS5	Pass
	6145	39	be (80MHz)	26	0	MCS5	Pass
	6225	55	be (80MHz)	26	0	MCS5	Pass
	6385	87	be (80MHz)	26	36	MCS5	Pass
	6185	47	be (160MHz)	26	0	MCS5	Pass
	6345	79	be (160MHz)	26	36	MCS5	Pass
Band 6	6435	97	be (20MHz)	26	0	MCS5	Pass
	6475	105	be (20MHz)	26	0	MCS5	Pass
	6515	113	be (20MHz)	26	0	MCS5	Pass
	6445	99	be (40MHz)	26	8	MCS5	Pass
	6485	107	be (40MHz)	26	0	MCS5	Pass
	6525	115	be (40MHz)	26	0	MCS5	Pass
	6465	103	be (80MHz)	26	17	MCS5	Pass
	6505	111	be (160MHz)	26	17	MCS5	Pass
	6535	117	be (20MHz)	26	8	MCS5	Pass
	6695	149	be (20MHz)	26	0	MCS5	Pass
Band 7	6875	185	be (20MHz)	26	0	MCS5	Pass
	6565	123	be (40MHz)	26	0	MCS5	Pass
	6725	155	be (40MHz)	26	8	MCS5	Pass
	6845	179	be (40MHz)	26	17	MCS5	Pass
	6545	119	be (80MHz)	26	36	MCS5	Pass
	6705	151	be (80MHz)	26	17	MCS5	Pass
	6865	183	be (80MHz)	26	36	MCS5	Pass
	6665	143	be (160MHz)	26	0	MCS5	Pass
	6825	175	be (160MHz)	26	36	MCS5	Pass
	6895	189	be (20MHz)	26	0	MCS5	Pass
Band 8	6995	209	be (20MHz)	26	0	MCS5	Pass
	7095	229	be (20MHz)	26	8	MCS5	Pass
	6885	187	be (40MHz)	26	8	MCS5	Pass
	7005	211	be (40MHz)	26	0	MCS5	Pass
	7085	227	be (40MHz)	26	8	MCS5	Pass
	6945	199	be (80MHz)	26	36	MCS5	Pass
	7025	215	be (80MHz)	26	17	MCS5	Pass
	6985	207	be (160MHz)	26	17	MCS5	Pass

Table 7-86. In-Band Emission Measurements Antenna 3c (RU26)

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 171 of 478

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	In-Band Emission
Band 5	6115	33	be (20MHz)	106+26	83	MCS5	Pass
	6255	61	be (20MHz)	106+26	83	MCS5	Pass
	6415	93	be (20MHz)	106+26	82	MCS5	Pass
	6145	39	be (80MHz)	484+242	92	MCS5	Pass
	6225	55	be (80MHz)	484+242	91	MCS5	Pass
	6385	87	be (80MHz)	484+242	91	MCS5	Pass
	6185	47	be (160MHz)	996+484+242	97-L	MCS5	Pass
Band 6	6345	79	be (160MHz)	996+484+242	97-L	MCS5	Pass
	6435	97	be (20MHz)	106+26	83	MCS5	Pass
	6475	105	be (20MHz)	106+26	82	MCS5	Pass
	6515	113	be (20MHz)	106+26	82	MCS5	Pass
	6465	103	be (80MHz)	484+242	92	MCS5	Pass
Band 7	6505	111	be (160MHz)	996+484+242	97-L	MCS5	Pass
	6535	117	be (20MHz)	106+26	82	MCS5	Pass
	6695	149	be (20MHz)	106+26	82	MCS5	Pass
	6875	185	be (20MHz)	106+26	82	MCS5	Pass
	6545	119	be (80MHz)	484+242	92	MCS5	Pass
	6705	151	be (80MHz)	484+242	92	MCS5	Pass
	6865	183	be (80MHz)	484+242	91	MCS5	Pass
	6665	143	be (160MHz)	996+484+242	97-L	MCS5	Pass
Band 8	6825	175	be (160MHz)	996+484+242	97-L	MCS5	Pass
	6895	189	be (20MHz)	106+26	82	MCS5	Pass
	6995	209	be (20MHz)	106+26	82	MCS5	Pass
	7095	229	be (20MHz)	106+26	82	MCS5	Pass
	6945	199	be (80MHz)	484+242	92	MCS5	Pass
	7025	215	be (80MHz)	484+242	91	MCS5	Pass
	6985	207	be (160MHz)	996+484+242	99-L	MCS5	Pass

Table 7-87. In-Band Emission Measurements Antenna 3c (MRU)

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 172 of 478

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	In-Band Emission
Band 5	6115	33	be (20MHz)	242	61	MCS5	Pass
	6255	61	be (20MHz)	242	61	MCS5	Pass
	6415	93	be (20MHz)	242	61	MCS5	Pass
	6125	35	be (40MHz)	484	65	MCS5	Pass
	6245	59	be (40MHz)	484	65	MCS5	Pass
	6405	91	be (40MHz)	484	65	MCS5	Pass
	6145	39	be (80MHz)	996	67	MCS5	Pass
	6225	55	be (80MHz)	996	67	MCS5	Pass
	6385	87	be (80MHz)	996	67	MCS5	Pass
	6185	47	be (160MHz)	996	68	MCS5	Pass
	6345	79	be (160MHz)	996	68	MCS5	Pass
Band 6	6435	97	be (20MHz)	242	61	MCS5	Pass
	6475	105	be (20MHz)	242	61	MCS5	Pass
	6515	113	be (20MHz)	242	61	MCS5	Pass
	6445	99	be (40MHz)	484	65	MCS5	Pass
	6485	107	be (40MHz)	484	65	MCS5	Pass
	6525	115	be (40MHz)	484	65	MCS5	Pass
	6465	103	be (80MHz)	996	67	MCS5	Pass
	6505	111	be (160MHz)	996	68	MCS5	Pass
Band 7	6535	117	be (20MHz)	242	61	MCS5	Pass
	6695	149	be (20MHz)	242	61	MCS5	Pass
	6875	185	be (20MHz)	242	61	MCS5	Pass
	6565	123	be (40MHz)	484	65	MCS5	Pass
	6725	155	be (40MHz)	484	65	MCS5	Pass
	6845	179	be (40MHz)	484	65	MCS5	Pass
	6545	119	be (80MHz)	996	67	MCS5	Pass
	6705	151	be (80MHz)	996	67	MCS5	Pass
	6865	183	be (80MHz)	996	67	MCS5	Pass
	6665	143	be (160MHz)	996	68	MCS5	Pass
	6825	175	be (160MHz)	996	68	MCS5	Pass
Band 8	6895	189	be (20MHz)	242	61	MCS5	Pass
	6995	209	be (20MHz)	242	61	MCS5	Pass
	7115	233	be (20MHz)	242	61	MCS5	Pass
	6885	187	be (40MHz)	484	65	MCS5	Pass
	7005	211	be (40MHz)	484	65	MCS5	Pass
	7085	227	be (40MHz)	484	65	MCS5	Pass
	6945	199	be (80MHz)	996	67	MCS5	Pass
	7025	215	be (80MHz)	996	67	MCS5	Pass
	6985	207	be (160MHz)	996	68	MCS5	Pass


Table 7-88. In-Band Emission Measurements Antenna 3c (Fully – Loaded RU)

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 173 of 478


V 11.0 05/2025




Plot 7-441 In-Band Emission Plot Antenna 3c (20MHz BW 802.11be(RU) RU26 Index8 (UNII Band 5) - Ch.93)




Plot 7-445 In-Band Emission Plot Antenna 3c (20MHz BW 802.11be(RU) RU26 Index0 (UNII Band 6) - Ch.105)




Plot 7-442 In-Band Emission Plot Antenna 3c (40MHz BW 802.11be(RU) RU26 Index17 (UNII Band 5) - Ch.91)




Plot 7-446 In-Band Emission Plot Antenna 3c (40MHz BW 802.11be(RU) RU26 Index0 (UNII Band 6) - Ch.107)




Plot 7-443 In-Band Emission Plot Antenna 3c (80MHz BW 802.11be(RU) RU26 Index36 (UNII Band 5) - Ch.87)



Plot 7-447 In-Band Emission Plot Antenna 3c (80MHz BW 802.11be(RU) RU26 Index17 (UNII Band 6) - Ch.103)



Plot 7-444 In-Band Emission Plot Antenna 3c (160MHz BW 802.11be(RU) RU26 Index0 (UNII Band 5) - Ch.47)




Plot 7-448 In-Band Emission Plot Antenna 3c (160MHz BW 802.11be(RU) RU26 Index17 (UNII Band 6) - Ch.111)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 174 of 478

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-449 In-Band Emission Plot Antenna 3c (20MHz BW 802.11be(RU) RU26 Index0 (UNII Band 7) - Ch.149)




Plot 7-453 In-Band Emission Plot Antenna 3c (20MHz BW 802.11be(RU) RU26 Index0 (UNII Band 8) - Ch.189)




Plot 7-450 In-Band Emission Plot Antenna 3c (40MHz BW 802.11be(RU) RU26 Index17 (UNII Band 7) - Ch.179)




Plot 7-454 In-Band Emission Plot Antenna 3c (40MHz BW 802.11be(RU) RU26 Index8 (UNII Band 8) - Ch.187)




Plot 7-451 In-Band Emission Plot Antenna 3c (80MHz BW 802.11be(RU) RU26 Index36 (UNII Band 7) - Ch.119)



Plot 7-455 In-Band Emission Plot Antenna 3c (80MHz BW 802.11be(RU) RU26 Index17 (UNII Band 8) - Ch.215)



Plot 7-452 In-Band Emission Plot Antenna 3c (160MHz BW 802.11be(RU) RU26 Index0 (UNII Band 7) - Ch.143)




Plot 7-456 In-Band Emission Plot Antenna 3c (160MHz BW 802.11be(RU) RU26 Index17 (UNII Band 8) - Ch.207)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 175 of 478

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-457 In-Band Emission Plot Antenna 3c (20MHz BW 802.11be(RU) RU106+26 Index83 (UNII Band 5) - Ch.93)




Plot 7-461 In-Band Emission Plot Antenna 3c (80MHz BW 802.11be(RU) RU484+242 Index92 (UNII Band 6) - Ch.103)




Plot 7-458 In-Band Emission Plot Antenna 3c (80MHz BW 802.11be(RU) RU484+242 Index92 (UNII Band 5) - Ch.39)




Plot 7-462 In-Band Emission Plot Antenna 3c (160MHz BW 802.11be(RU) RU996+484+242 Index97 (UNII Band 6) - Ch.111)




Plot 7-459 In-Band Emission Plot Antenna 3c (160MHz BW 802.11be(RU) RU996+484+242 Index97 (UNII Band 5) - Ch.47)



Plot 7-463 In-Band Emission Plot Antenna 3c (20MHz BW 802.11be(RU) RU106+26 Index82 (UNII Band 7) - Ch.149)



Plot 7-460 In-Band Emission Plot Antenna 3c (20MHz BW 802.11be(RU) RU106+26 Index82 (UNII Band 6) - Ch.105)




Plot 7-464 In-Band Emission Plot Antenna 3c (80MHz BW 802.11be(RU) RU484+242 Index92 (UNII Band 7) - Ch.119)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 176 of 478

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-465 In-Band Emission Plot Antenna 3c (160MHz BW 802.11be(RU) RU996+484+242 Index97 (UNII Band 7) - Ch.143)



Plot 7-467 In-Band Emission Plot Antenna 3c (80MHz BW 802.11be(RU) RU484+242 Index91 (UNII Band 8) - Ch.215)



Plot 7-466 In-Band Emission Plot Antenna 3c (20MHz BW 802.11be(RU) RU106+26 Index82 (UNII Band 8) - Ch.189)




Plot 7-468 In-Band Emission Plot Antenna 3c (160MHz BW 802.11be(RU) RU996+484+242 Index99 (UNII Band 8) - Ch.207)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 177 of 478

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-469 In-Band Emission Plot Antenna 3c (20MHz BW 802.11be(RU) RU242 Index61 (UNII Band 5) - Ch.93)




Plot 7-473 In-Band Emission Plot Antenna 3c (20MHz BW 802.11be(RU) RU242 Index61 (UNII Band 6) - Ch.97)




Plot 7-470 In-Band Emission Plot Antenna 3c (40MHz BW 802.11be(RU) RU484 Index65 (UNII Band 5) - Ch.35)




Plot 7-474 In-Band Emission Plot Antenna 3c (40MHz BW 802.11be(RU) RU484 Index65 (UNII Band 6) - Ch.107)




Plot 7-471 In-Band Emission Plot Antenna 3c (80MHz BW 802.11be(RU) RU996 Index67 (UNII Band 5) - Ch.87)



Plot 7-475 In-Band Emission Plot Antenna 3c (80MHz BW 802.11be(RU) RU996 Index67 (UNII Band 6) - Ch.103)



Plot 7-472 In-Band Emission Plot Antenna 3c (160MHz BW 802.11be(RU) RU996X2 Index68 (UNII Band 5) - Ch.79)




Plot 7-476 In-Band Emission Plot Antenna 3c (160MHz BW 802.11be(RU) RU996X2 Index68 (UNII Band 6) - Ch.111)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 178 of 478

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-477 In-Band Emission Plot Antenna 3c (20MHz BW 802.11be(RU) RU242 Index61 (UNII Band 7) - Ch.149)




Plot 7-481 In-Band Emission Plot Antenna 3c (20MHz BW 802.11be(RU) RU242 Index61 (UNII Band 8) - Ch.209)




Plot 7-478 In-Band Emission Plot Antenna 3c (40MHz BW 802.11be(RU) RU484 Index65 (UNII Band 7) - Ch.123)




Plot 7-482 In-Band Emission Plot Antenna 3c (40MHz BW 802.11be(RU) RU484 Index65 (UNII Band 8) - Ch.187)




Plot 7-479 In-Band Emission Plot Antenna 3c (80MHz BW 802.11be(RU) RU996 Index67 (UNII Band 7) - Ch.119)



Plot 7-483 In-Band Emission Plot Antenna 3c (80MHz BW 802.11be(RU) RU996 Index67 (UNII Band 8) - Ch.199)



Plot 7-480 In-Band Emission Plot Antenna 3c (160MHz BW 802.11be(RU) RU996X2 Index68 (UNII Band 7) - Ch.143)



Plot 7-484 In-Band Emission Plot Antenna 3c (160MHz BW 802.11be(RU) RU996X2 Index68 (UNII Band 8) - Ch.207)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 179 of 478

7.5.2 Antenna 3a In-Band Emissions Measurements – VLP

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	In-Band Emission
Band 5	6115	33	be (20MHz)	26	8	MCS5	Pass
	6255	61	be (20MHz)	26	0	MCS5	Pass
	6415	93	be (20MHz)	26	8	MCS5	Pass
	6125	35	be (40MHz)	26	8	MCS5	Pass
	6245	59	be (40MHz)	26	17	MCS5	Pass
	6405	91	be (40MHz)	26	17	MCS5	Pass
	6145	39	be (80MHz)	26	36	MCS5	Pass
	6225	55	be (80MHz)	26	36	MCS5	Pass
	6385	87	be (80MHz)	26	17	MCS5	Pass
	6185	47	be (160MHz)	26	0	MCS5	Pass
Band 6	6345	79	be (160MHz)	26	17	MCS5	Pass
	6435	97	be (20MHz)	26	0	MCS5	Pass
	6475	105	be (20MHz)	26	0	MCS5	Pass
	6515	113	be (20MHz)	26	8	MCS5	Pass
	6445	99	be (40MHz)	26	0	MCS5	Pass
	6485	107	be (40MHz)	26	17	MCS5	Pass
	6525	115	be (40MHz)	26	17	MCS5	Pass
	6465	103	be (80MHz)	26	0	MCS5	Pass
Band 7	6505	111	be (160MHz)	26	0	MCS5	Pass
	6535	117	be (20MHz)	26	0	MCS5	Pass
	6695	149	be (20MHz)	26	8	MCS5	Pass
	6875	185	be (20MHz)	26	8	MCS5	Pass
	6565	123	be (40MHz)	26	17	MCS5	Pass
	6725	155	be (40MHz)	26	17	MCS5	Pass
	6845	179	be (40MHz)	26	0	MCS5	Pass
	6545	119	be (80MHz)	26	36	MCS5	Pass
	6705	151	be (80MHz)	26	36	MCS5	Pass
	6865	183	be (80MHz)	26	0	MCS5	Pass
	6665	143	be (160MHz)	26	36	MCS5	Pass
	6825	175	be (160MHz)	26	36	MCS5	Pass
Band 8	6895	189	be (20MHz)	26	8	MCS5	Pass
	6995	209	be (20MHz)	26	8	MCS5	Pass
	7095	229	be (20MHz)	26	8	MCS5	Pass
	6885	187	be (40MHz)	26	17	MCS5	Pass
	7005	211	be (40MHz)	26	8	MCS5	Pass
	7085	227	be (40MHz)	26	17	MCS5	Pass
	6945	199	be (80MHz)	26	36	MCS5	Pass
	7025	215	be (80MHz)	26	17	MCS5	Pass
	6985	207	be (160MHz)	26	36	MCS5	Pass

Table 7-89. In-Band Emission Measurements Antenna 3a (RU26)

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 180 of 478

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	In-Band Emission
Band 5	6115	33	be (20MHz)	106+26	83	MCS5	Pass
	6255	61	be (20MHz)	106+26	82	MCS5	Pass
	6415	93	be (20MHz)	106+26	82	MCS5	Pass
	6145	39	be (80MHz)	484+242	90	MCS5	Pass
	6225	55	be (80MHz)	484+242	92	MCS5	Pass
	6385	87	be (80MHz)	484+242	92	MCS5	Pass
	6185	47	be (160MHz)	996+484+242	99-L	MCS5	Pass
Band 6	6345	79	be (160MHz)	996+484+242	99-L	MCS5	Pass
	6435	97	be (20MHz)	106+26	82	MCS5	Pass
	6475	105	be (20MHz)	106+26	82	MCS5	Pass
	6515	113	be (20MHz)	106+26	83	MCS5	Pass
	6465	103	be (80MHz)	484+242	92	MCS5	Pass
Band 7	6505	111	be (160MHz)	996+484+242	96-L	MCS5	Pass
	6535	117	be (20MHz)	106+26	82	MCS5	Pass
	6695	149	be (20MHz)	106+26	82	MCS5	Pass
	6875	185	be (20MHz)	106+26	82	MCS5	Pass
	6545	119	be (80MHz)	484+242	92	MCS5	Pass
	6705	151	be (80MHz)	484+242	92	MCS5	Pass
	6865	183	be (80MHz)	484+242	91	MCS5	Pass
	6665	143	be (160MHz)	996+484+242	96-L	MCS5	Pass
Band 8	6825	175	be (160MHz)	996+484+242	97-L	MCS5	Pass
	6895	189	be (20MHz)	106+26	83	MCS5	Pass
	6995	209	be (20MHz)	106+26	83	MCS5	Pass
	7095	229	be (20MHz)	106+26	83	MCS5	Pass
	6945	199	be (80MHz)	484+242	92	MCS5	Pass
	7025	215	be (80MHz)	484+242	90	MCS5	Pass
	6985	207	be (160MHz)	996+484+242	97-L	MCS5	Pass

Table 7-90. In-Band Emission Measurements Antenna 3a (MRU)

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 181 of 478

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	In-Band Emission
Band 5	6115	33	be (20MHz)	242	61	MCS5	Pass
	6255	61	be (20MHz)	242	61	MCS5	Pass
	6415	93	be (20MHz)	242	61	MCS5	Pass
	6125	35	be (40MHz)	484	65	MCS5	Pass
	6245	59	be (40MHz)	484	65	MCS5	Pass
	6405	91	be (40MHz)	484	65	MCS5	Pass
	6145	39	be (80MHz)	996	67	MCS5	Pass
	6225	55	be (80MHz)	996	67	MCS5	Pass
	6385	87	be (80MHz)	996	67	MCS5	Pass
	6185	47	be (160MHz)	996	68	MCS5	Pass
	6345	79	be (160MHz)	996	68	MCS5	Pass
Band 6	6435	97	be (20MHz)	242	61	MCS5	Pass
	6475	105	be (20MHz)	242	61	MCS5	Pass
	6515	113	be (20MHz)	242	61	MCS5	Pass
	6445	99	be (40MHz)	484	65	MCS5	Pass
	6485	107	be (40MHz)	484	65	MCS5	Pass
	6525	115	be (40MHz)	484	65	MCS5	Pass
	6465	103	be (80MHz)	996	67	MCS5	Pass
	6505	111	be (160MHz)	996	68	MCS5	Pass
Band 7	6535	117	be (20MHz)	242	61	MCS5	Pass
	6695	149	be (20MHz)	242	61	MCS5	Pass
	6875	185	be (20MHz)	242	61	MCS5	Pass
	6565	123	be (40MHz)	484	65	MCS5	Pass
	6725	155	be (40MHz)	484	65	MCS5	Pass
	6845	179	be (40MHz)	484	65	MCS5	Pass
	6545	119	be (80MHz)	996	67	MCS5	Pass
	6705	151	be (80MHz)	996	67	MCS5	Pass
	6865	183	be (80MHz)	996	67	MCS5	Pass
	6665	143	be (160MHz)	996	68	MCS5	Pass
	6825	175	be (160MHz)	996	68	MCS5	Pass
Band 8	6895	189	be (20MHz)	242	61	MCS5	Pass
	6995	209	be (20MHz)	242	61	MCS5	Pass
	7115	233	be (20MHz)	242	61	MCS5	Pass
	6885	187	be (40MHz)	484	65	MCS5	Pass
	7005	211	be (40MHz)	484	65	MCS5	Pass
	7085	227	be (40MHz)	484	65	MCS5	Pass
	6945	199	be (80MHz)	996	67	MCS5	Pass
	7025	215	be (80MHz)	996	67	MCS5	Pass
	6985	207	be (160MHz)	996	68	MCS5	Pass

Table 7-91. In-Band Emission Measurements Antenna 3a (Fully – Loaded RU)


FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 182 of 478

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-485 In-Band Emission Plot Antenna 3a (20MHz BW 802.11be(RU) RU26 Index8 (UNII Band 5) - Ch.33)




Plot 7-489 In-Band Emission Plot Antenna 3a (20MHz BW 802.11be(RU) RU26 Index0 (UNII Band 6) - Ch.97)




Plot 7-486 In-Band Emission Plot Antenna 3a (40MHz BW 802.11be(RU) RU26 Index17 (UNII Band 5) - Ch.59)




Plot 7-490 In-Band Emission Plot Antenna 3a (40MHz BW 802.11be(RU) RU26 Index0 (UNII Band 6) - Ch.99)




Plot 7-487 In-Band Emission Plot Antenna 3a (80MHz BW 802.11be(RU) RU26 Index36 (UNII Band 5) - Ch.39)



Plot 7-491 In-Band Emission Plot Antenna 3a (80MHz BW 802.11be(RU) RU26 Index0 (UNII Band 6) - Ch.103)




Plot 7-488 In-Band Emission Plot Antenna 3a (160MHz BW 802.11be(RU) RU26 Index0 (UNII Band 5) - Ch.47)




Plot 7-492 In-Band Emission Plot Antenna 3a (160MHz BW 802.11be(RU) RU26 Index0 (UNII Band 6) - Ch.111)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG			Page 183 of 478
Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device		




Plot 7-493 In-Band Emission Plot Antenna 3a (20MHz BW 802.11be(RU) RU26 Index0 (UNII Band 7) - Ch.117)




Plot 7-497 In-Band Emission Plot Antenna 3a (20MHz BW 802.11be(RU) RU26 Index8 (UNII Band 8) - Ch.229)




Plot 7-494 In-Band Emission Plot Antenna 3a (40MHz BW 802.11be(RU) RU26 Index17 (UNII Band 7) - Ch.155)




Plot 7-498 In-Band Emission Plot Antenna 3a (40MHz BW 802.11be(RU) RU26 Index17 (UNII Band 8) - Ch.227)




Plot 7-495 In-Band Emission Plot Antenna 3a (80MHz BW 802.11be(RU) RU26 Index36 (UNII Band 7) - Ch.151)



Plot 7-499 In-Band Emission Plot Antenna 3a (80MHz BW 802.11be(RU) RU26 Index17 (UNII Band 8) - Ch.215)




Plot 7-496 In-Band Emission Plot Antenna 3a (160MHz BW 802.11be(RU) RU26 Index36 (UNII Band 7) - Ch.175)




Plot 7-500 In-Band Emission Plot Antenna 3a (160MHz BW 802.11be(RU) RU26 Index36 (UNII Band 8) - Ch.207)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 184 of 478




Plot 7-501 In-Band Emission Plot Antenna 3a (20MHz BW 802.11be(RU) RU106+26 Index82 (UNII Band 5) - Ch.93)




Plot 7-505 In-Band Emission Plot Antenna 3a (80MHz BW 802.11be(RU) RU484+242 Index92 (UNII Band 6) - Ch.103)




Plot 7-502 In-Band Emission Plot Antenna 3a (80MHz BW 802.11be(RU) RU484+242 Index90 (UNII Band 5) - Ch.39)




Plot 7-506 In-Band Emission Plot Antenna 3a (160MHz BW 802.11be(RU) RU996+484+242 Index96 (UNII Band 6) - Ch.111)




Plot 7-503 In-Band Emission Plot Antenna 3a (160MHz BW 802.11be(RU) RU996+484+242 Index99 (UNII Band 5) - Ch.47)



Plot 7-507 In-Band Emission Plot Antenna 3a (20MHz BW 802.11be(RU) RU106+26 Index82 (UNII Band 7) - Ch.149)




Plot 7-504 In-Band Emission Plot Antenna 3a (20MHz BW 802.11be(RU) RU106+26 Index83 (UNII Band 6) - Ch.113)




Plot 7-508 In-Band Emission Plot Antenna 3a (80MHz BW 802.11be(RU) RU484+242 Index92 (UNII Band 7) - Ch.119)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 185 of 478




Plot 7-509 In-Band Emission Plot Antenna 3a (160MHz BW 802.11be(RU) RU996+484+242 Index96 (UNII Band 7) - Ch.143)



Plot 7-511 In-Band Emission Plot Antenna 3a (80MHz BW 802.11be(RU) RU484+242 Index92 (UNII Band 8) - Ch.199)



Plot 7-510 In-Band Emission Plot Antenna 3a (20MHz BW 802.11be(RU) RU106+26 Index83 (UNII Band 8) - Ch.229)




Plot 7-512 In-Band Emission Plot Antenna 3a (160MHz BW 802.11be(RU) RU996+484+242 Index97 (UNII Band 8) - Ch.207)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 186 of 478

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-513 In-Band Emission Plot Antenna 3a (20MHz BW 802.11be(RU) RU242 Index61 (UNII Band 5) - Ch.33)




Plot 7-517 In-Band Emission Plot Antenna 3a (20MHz BW 802.11be(RU) RU242 Index61 (UNII Band 6) - Ch.97)




Plot 7-514 In-Band Emission Plot Antenna 3a (40MHz BW 802.11be(RU) RU484 Index65 (UNII Band 5) - Ch.35)




Plot 7-518 In-Band Emission Plot Antenna 3a (40MHz BW 802.11be(RU) RU484 Index65 (UNII Band 6) - Ch.107)




Plot 7-515 In-Band Emission Plot Antenna 3a (80MHz BW 802.11be(RU) RU996 Index67 (UNII Band 5) - Ch.39)



Plot 7-519 In-Band Emission Plot Antenna 3a (80MHz BW 802.11be(RU) RU996 Index67 (UNII Band 6) - Ch.103)




Plot 7-516 In-Band Emission Plot Antenna 3a (160MHz BW 802.11be(RU) RU996X2 Index68 (UNII Band 5) - Ch.47)




Plot 7-520 In-Band Emission Plot Antenna 3a (160MHz BW 802.11be(RU) RU996X2 Index68 (UNII Band 6) - Ch.111)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 187 of 478




Plot 7-521 In-Band Emission Plot Antenna 3a (20MHz BW 802.11be(RU) RU242 Index61 (UNII Band 7) - Ch.117)




Plot 7-525 In-Band Emission Plot Antenna 3a (20MHz BW 802.11be(RU) RU242 Index61 (UNII Band 8) - Ch.229)




Plot 7-522 In-Band Emission Plot Antenna 3a (40MHz BW 802.11be(RU) RU484 Index65 (UNII Band 7) - Ch.155)




Plot 7-526 In-Band Emission Plot Antenna 3a (40MHz BW 802.11be(RU) RU484 Index65 (UNII Band 8) - Ch.211)




Plot 7-523 In-Band Emission Plot Antenna 3a (80MHz BW 802.11be(RU) RU996 Index67 (UNII Band 7) - Ch.151)



Plot 7-527 In-Band Emission Plot Antenna 3a (80MHz BW 802.11be(RU) RU996 Index67 (UNII Band 8) - Ch.199)



Plot 7-524 In-Band Emission Plot Antenna 3a (160MHz BW 802.11be(RU) RU996X2 Index68 (UNII Band 7) - Ch.143)



Plot 7-528 In-Band Emission Plot Antenna 3a (160MHz BW 802.11be(RU) RU996X2 Index68 (UNII Band 8) - Ch.207)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 188 of 478

7.5.3 Antenna 1b In-Band Emissions Measurements – VLP

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	In-Band Emission
Band 5	6115	33	be (20MHz)	26	0	MCS5	Pass
	6255	61	be (20MHz)	26	8	MCS5	Pass
	6415	93	be (20MHz)	26	0	MCS5	Pass
	6125	35	be (40MHz)	26	8	MCS5	Pass
	6245	59	be (40MHz)	26	17	MCS5	Pass
	6405	91	be (40MHz)	26	0	MCS5	Pass
	6145	39	be (80MHz)	26	0	MCS5	Pass
	6225	55	be (80MHz)	26	0	MCS5	Pass
	6385	87	be (80MHz)	26	36	MCS5	Pass
	6185	47	be (160MHz)	26	17	MCS5	Pass
Band 6	6345	79	be (160MHz)	26	36	MCS5	Pass
	6435	97	be (20MHz)	26	0	MCS5	Pass
	6475	105	be (20MHz)	26	0	MCS5	Pass
	6515	113	be (20MHz)	26	0	MCS5	Pass
	6445	99	be (40MHz)	26	17	MCS5	Pass
	6485	107	be (40MHz)	26	0	MCS5	Pass
	6525	115	be (40MHz)	26	8	MCS5	Pass
	6465	103	be (80MHz)	26	17	MCS5	Pass
Band 7	6505	111	be (160MHz)	26	17	MCS5	Pass
	6535	117	be (20MHz)	26	0	MCS5	Pass
	6695	149	be (20MHz)	26	8	MCS5	Pass
	6875	185	be (20MHz)	26	8	MCS5	Pass
	6565	123	be (40MHz)	26	17	MCS5	Pass
	6725	155	be (40MHz)	26	0	MCS5	Pass
	6845	179	be (40MHz)	26	17	MCS5	Pass
	6545	119	be (80MHz)	26	0	MCS5	Pass
	6705	151	be (80MHz)	26	17	MCS5	Pass
	6865	183	be (80MHz)	26	36	MCS5	Pass
	6665	143	be (160MHz)	26	36	MCS5	Pass
	6825	175	be (160MHz)	26	36	MCS5	Pass
Band 8	6895	189	be (20MHz)	26	0	MCS5	Pass
	6995	209	be (20MHz)	26	0	MCS5	Pass
	7095	229	be (20MHz)	26	8	MCS5	Pass
	6885	187	be (40MHz)	26	17	MCS5	Pass
	7005	211	be (40MHz)	26	17	MCS5	Pass
	7085	227	be (40MHz)	26	17	MCS5	Pass
	6945	199	be (80MHz)	26	36	MCS5	Pass
	7025	215	be (80MHz)	26	36	MCS5	Pass
	6985	207	be (160MHz)	26	36	MCS5	Pass

Table 7-92. In-Band Emission Measurements Antenna 1b (RU26)

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 189 of 478

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	In-Band Emission
Band 5	6115	33	be (20MHz)	106+26	83	MCS5	Pass
	6255	61	be (20MHz)	106+26	82	MCS5	Pass
	6415	93	be (20MHz)	106+26	82	MCS5	Pass
	6145	39	be (80MHz)	484+242	92	MCS5	Pass
	6225	55	be (80MHz)	484+242	91	MCS5	Pass
	6385	87	be (80MHz)	484+242	92	MCS5	Pass
	6185	47	be (160MHz)	996+484+242	99-L	MCS5	Pass
Band 6	6345	79	be (160MHz)	996+484+242	96-L	MCS5	Pass
	6435	97	be (20MHz)	106+26	83	MCS5	Pass
	6475	105	be (20MHz)	106+26	82	MCS5	Pass
	6515	113	be (20MHz)	106+26	82	MCS5	Pass
	6465	103	be (80MHz)	484+242	92	MCS5	Pass
Band 7	6505	111	be (160MHz)	996+484+242	99-L	MCS5	Pass
	6535	117	be (20MHz)	106+26	82	MCS5	Pass
	6695	149	be (20MHz)	106+26	83	MCS5	Pass
	6875	185	be (20MHz)	106+26	82	MCS5	Pass
	6545	119	be (80MHz)	484+242	92	MCS5	Pass
	6705	151	be (80MHz)	484+242	92	MCS5	Pass
	6865	183	be (80MHz)	484+242	92	MCS5	Pass
	6665	143	be (160MHz)	996+484+242	96-L	MCS5	Pass
Band 8	6825	175	be (160MHz)	996+484+242	99-L	MCS5	Pass
	6895	189	be (20MHz)	106+26	82	MCS5	Pass
	6995	209	be (20MHz)	106+26	83	MCS5	Pass
	7095	229	be (20MHz)	106+26	82	MCS5	Pass
	6945	199	be (80MHz)	484+242	92	MCS5	Pass
	7025	215	be (80MHz)	484+242	90	MCS5	Pass
	6985	207	be (160MHz)	996+484+242	96-L	MCS5	Pass

Table 7-93. In-Band Emission Measurements Antenna 1b (MRU)

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 190 of 478

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	In-Band Emission
Band 5	6115	33	be (20MHz)	242	61	MCS5	Pass
	6255	61	be (20MHz)	242	61	MCS5	Pass
	6415	93	be (20MHz)	242	61	MCS5	Pass
	6125	35	be (40MHz)	484	65	MCS5	Pass
	6245	59	be (40MHz)	484	65	MCS5	Pass
	6405	91	be (40MHz)	484	65	MCS5	Pass
	6145	39	be (80MHz)	996	67	MCS5	Pass
	6225	55	be (80MHz)	996	67	MCS5	Pass
	6385	87	be (80MHz)	996	67	MCS5	Pass
	6185	47	be (160MHz)	996	68	MCS5	Pass
	6345	79	be (160MHz)	996	68	MCS5	Pass
Band 6	6435	97	be (20MHz)	242	61	MCS5	Pass
	6475	105	be (20MHz)	242	61	MCS5	Pass
	6515	113	be (20MHz)	242	61	MCS5	Pass
	6445	99	be (40MHz)	484	65	MCS5	Pass
	6485	107	be (40MHz)	484	65	MCS5	Pass
	6525	115	be (40MHz)	484	65	MCS5	Pass
	6465	103	be (80MHz)	996	67	MCS5	Pass
	6505	111	be (160MHz)	996	68	MCS5	Pass
Band 7	6535	117	be (20MHz)	242	61	MCS5	Pass
	6695	149	be (20MHz)	242	61	MCS5	Pass
	6875	185	be (20MHz)	242	61	MCS5	Pass
	6565	123	be (40MHz)	484	65	MCS5	Pass
	6725	155	be (40MHz)	484	65	MCS5	Pass
	6845	179	be (40MHz)	484	65	MCS5	Pass
	6545	119	be (80MHz)	996	67	MCS5	Pass
	6705	151	be (80MHz)	996	67	MCS5	Pass
	6865	183	be (80MHz)	996	67	MCS5	Pass
	6665	143	be (160MHz)	996	68	MCS5	Pass
	6825	175	be (160MHz)	996	68	MCS5	Pass
Band 8	6895	189	be (20MHz)	242	61	MCS5	Pass
	6995	209	be (20MHz)	242	61	MCS5	Pass
	7115	233	be (20MHz)	242	61	MCS5	Pass
	6885	187	be (40MHz)	484	65	MCS5	Pass
	7005	211	be (40MHz)	484	65	MCS5	Pass
	7085	227	be (40MHz)	484	65	MCS5	Pass
	6945	199	be (80MHz)	996	67	MCS5	Pass
	7025	215	be (80MHz)	996	67	MCS5	Pass
	6985	207	be (160MHz)	996	68	MCS5	Pass

Table 7-94. In-Band Emission Measurements Antenna 1b (Fully – Loaded RU)


FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 191 of 478

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-529 In-Band Emission Plot Antenna 1b (20MHz BW 802.11be(RU) RU26 Index0 (UNII Band 5) - Ch.93)




Plot 7-533 In-Band Emission Plot Antenna 1b (20MHz BW 802.11be(RU) RU26 Index0 (UNII Band 6) - Ch.113)




Plot 7-530 In-Band Emission Plot Antenna 1b (40MHz BW 802.11be(RU) RU26 Index0 (UNII Band 5) - Ch.91)




Plot 7-534 In-Band Emission Plot Antenna 1b (40MHz BW 802.11be(RU) RU26 Index17 (UNII Band 6) - Ch.99)




Plot 7-531 In-Band Emission Plot Antenna 1b (80MHz BW 802.11be(RU) RU26 Index36 (UNII Band 5) - Ch.87)



Plot 7-535 In-Band Emission Plot Antenna 1b (80MHz BW 802.11be(RU) RU26 Index17 (UNII Band 6) - Ch.103)




Plot 7-532 In-Band Emission Plot Antenna 1b (160MHz BW 802.11be(RU) RU26 Index17 (UNII Band 5) - Ch.47)




Plot 7-536 In-Band Emission Plot Antenna 1b (160MHz BW 802.11be(RU) RU26 Index17 (UNII Band 6) - Ch.111)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 192 of 478




Plot 7-537 In-Band Emission Plot Antenna 1b (20MHz BW 802.11be(RU) RU26 Index8 (UNII Band 7) - Ch.185)




Plot 7-541 In-Band Emission Plot Antenna 1b (20MHz BW 802.11be(RU) RU26 Index0 (UNII Band 8) - Ch.189)




Plot 7-538 In-Band Emission Plot Antenna 1b (40MHz BW 802.11be(RU) RU26 Index0 (UNII Band 7) - Ch.155)




Plot 7-542 In-Band Emission Plot Antenna 1b (40MHz BW 802.11be(RU) RU26 Index17 (UNII Band 8) - Ch.227)




Plot 7-539 In-Band Emission Plot Antenna 1b (80MHz BW 802.11be(RU) RU26 Index36 (UNII Band 7) - Ch.183)



Plot 7-543 In-Band Emission Plot Antenna 1b (80MHz BW 802.11be(RU) RU26 Index36 (UNII Band 8) - Ch.215)




Plot 7-540 In-Band Emission Plot Antenna 1b (160MHz BW 802.11be(RU) RU26 Index36 (UNII Band 7) - Ch.175)




Plot 7-544 In-Band Emission Plot Antenna 1b (160MHz BW 802.11be(RU) RU26 Index36 (UNII Band 8) - Ch.207)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 193 of 478




Plot 7-545 In-Band Emission Plot Antenna 1b (20MHz BW 802.11be(RU) RU106+26 Index82 (UNII Band 5) - Ch.93)




Plot 7-549 In-Band Emission Plot Antenna 1b (80MHz BW 802.11be(RU) RU484+242 Index92 (UNII Band 6) - Ch.103)




Plot 7-546 In-Band Emission Plot Antenna 1b (80MHz BW 802.11be(RU) RU484+242 Index92 (UNII Band 5) - Ch.87)




Plot 7-550 In-Band Emission Plot Antenna 1b (160MHz BW 802.11be(RU) RU996+484+242 Index99 (UNII Band 6) - Ch.111)




Plot 7-547 In-Band Emission Plot Antenna 1b (160MHz BW 802.11be(RU) RU996+484+242 Index96 (UNII Band 5) - Ch.79)



Plot 7-551 In-Band Emission Plot Antenna 1b (20MHz BW 802.11be(RU) RU106+26 Index83 (UNII Band 7) - Ch.149)



Plot 7-548 In-Band Emission Plot Antenna 1b (20MHz BW 802.11be(RU) RU106+26 Index82 (UNII Band 6) - Ch.105)



Plot 7-552 In-Band Emission Plot Antenna 1b (80MHz BW 802.11be(RU) RU484+242 Index92 (UNII Band 7) - Ch.151)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 194 of 478