





Plot 7-837. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 105 – RU26)



Plot 7-838. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11be – Ch. 105 – RU26)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6475MHz
Channel: 105


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12950.00	Average	H	-	-	-84.35	21.81	0.00	44.45	68.23	-23.78
12950.00	Peak	H	-	-	-72.18	21.81	0.00	56.63	88.23	-31.60
* 19425.00	Average	H	-	-	-49.74	-7.81	-9.54	39.91	53.98	-14.07
* 19425.00	Peak	H	-	-	-61.47	-7.81	-9.54	28.18	73.98	-45.80
25900.00	Average	V	-	-	-49.56	-5.82	-9.54	42.07	68.23	-26.16
25900.00	Peak	V	-	-	-60.42	-5.82	-9.54	31.22	88.23	-57.01
32375.00	Average	V	-	-	-51.33	-3.56	-9.54	42.56	68.23	-25.67
32375.00	Peak	V	-	-	-62.52	-3.56	-9.54	31.38	88.23	-56.85

Table 7-133. Radiated Spurious Emission Measurements SDM Diversity – RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 286 of 478

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-839. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 113 – RU26)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6515MHz
Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13030.00	Average	H	-	-	-84.33	22.04	44.71	68.23	-23.52
13030.00	Peak	H	-	-	-73.86	22.04	55.18	88.23	-33.05

Table 7-134. Radiated Spurious Emission Measurements SDM Diversity – RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 287 of 478

V 11.0 05/2025



Plot 7-840. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 117 – RU26)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6535MHz
Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13070.00	Average	H	-	-	-85.02	22.04	44.02	68.23	-24.21
13070.00	Peak	H	-	-	-73.21	22.04	55.84	88.23	-32.39


Table 7-135. Radiated Spurious Emission Measurements SDM Diversity – RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 288 of 478

V 11.0 05/2025



Plot 7-841. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 149 – RU26)



Plot 7-842. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11be – Ch. 149 – RU26)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6695MHz
Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 13390.00	Average	V	-	-	-84.74	22.27	0.00	44.54	68.23	-23.69
* 13390.00	Peak	V	-	-	-73.56	22.27	0.00	55.72	88.23	-32.51
* 20085.00	Average	H	-	-	-59.94	-7.97	-9.54	29.54	53.98	-24.44
* 20085.00	Peak	H	-	-	-48.81	-7.97	-9.54	40.68	73.98	-33.30
26780.00	Average	H	-	-	-62.38	-5.10	-9.54	29.98	68.23	-38.25
26780.00	Peak	H	-	-	-49.98	-5.10	-9.54	42.38	88.23	-45.85
33475.00	Average	V	-	-	-60.97	-4.38	-9.54	32.11	68.23	-36.12
33475.00	Peak	V	-	-	-49.98	-4.38	-9.54	43.10	88.23	-45.13

Table 7-136. Radiated Spurious Emission Measurements SDM Diversity – RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 289 of 478

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-843. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 185 – RU26)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6875MHz
Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13710.00	Average	H	-	-	-82.63	18.53	42.90	68.23	-25.33
13710.00	Peak	H	-	-	-71.17	18.53	54.35	88.23	-33.88

Table 7-137. Radiated Spurious Emission Measurements SDM Diversity – RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 290 of 478

V 11.0 05/2025



Plot 7-844. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 189 – RU26)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6895MHz
Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13790.00	Average	V	-	-	-83.94	22.04	45.10	68.23	-23.13
13790.00	Peak	V	-	-	-72.15	22.04	56.89	88.23	-31.34


Table 7-138. Radiated Spurious Emission Measurements SDM Diversity – RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 291 of 478

V 11.0 05/2025



Plot 7-845. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 209 – RU26)




Plot 7-846. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11be – Ch. 209 – RU26)

Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6995MHz
Channel:	209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13990.00	Average	H	-	-	-84.36	22.00	0.00	44.64	68.23	-23.59
13990.00	Peak	H	-	-	-72.94	22.00	0.00	56.06	88.23	-32.17
* 20985.00	Average	V	-	-	-61.24	-7.55	-9.54	28.67	53.98	-25.31
* 20985.00	Peak	V	-	-	-49.68	-7.55	-9.54	40.22	73.98	-33.76
27980.00	Average	V	-	-	-63.99	-4.51	-9.54	28.96	68.23	-39.27
27980.00	Peak	V	-	-	-51.56	-4.51	-9.54	41.38	88.23	-46.85
34975.00	Average	V	-	-	-61.14	-4.59	-9.54	31.73	68.23	-36.50
34975.00	Peak	V	-	-	-49.90	-4.59	-9.54	42.96	88.23	-45.27

Table 7-139. Radiated Spurious Emission Measurements SDM Diversity – RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 292 of 478



Plot 7-847. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 229 – RU26)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
14190.00	Average	V	-	-	-84.66	22.84	45.18	68.23	-23.05
14190.00	Peak	V	-	-	-73.66	22.84	56.18	88.23	-32.05

Table 7-140. Radiated Spurious Emission Measurements SDM Diversity – RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 293 of 478

V 11.0 05/2025

RU242



Plot 7-848. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 33 – RU242)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6115MHz
Channel:	33

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 12230.00	Average	H	-	-	-84.60	17.53	39.94	53.98	-14.04
* 12230.00	Peak	H	-	-	-73.56	17.53	50.98	73.98	-23.00


Table 7-141. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 294 of 478

V 11.0 05/2025



Plot 7-849. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 61 – RU242)



Plot 7-850. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11be – Ch. 61 – RU242)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6255MHz
Channel:	61

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	12510.00	Average	V	-	-	-84.15	18.21	0.00	41.06	53.98	-12.92
*	12510.00	Peak	V	-	-	-72.35	18.21	0.00	52.86	73.98	-21.12
*	18765.00	Average	V	-	-	-64.41	-5.84	-9.54	27.21	53.98	-26.77
*	18765.00	Peak	V	-	-	-53.19	-5.84	-9.54	38.43	73.98	-35.55
	25020.00	Average	V	-	-	-67.67	-5.52	-9.54	24.26	68.23	-43.97
	25020.00	Peak	V	-	-	-56.17	-5.52	-9.54	35.76	88.23	-52.47
*	31275.00	Average	V	-	-	-69.94	-3.26	-9.54	24.26	53.98	-29.72
*	31275.00	Peak	V	-	-	-58.12	-3.26	-9.54	36.09	73.98	-37.89

Table 7-142. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 295 of 478

V 11.0 05/2025



Plot 7-851. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 93 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6415MHz
Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12830.00	Average	V	-	-	-84.75	22.10	44.36	68.23	-23.87
12830.00	Peak	V	-	-	-73.14	22.10	55.96	88.23	-32.27

Table 7-143. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 296 of 478

V 11.0 05/2025



Plot 7-852. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 97 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6435MHz
Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12870.00	Average	V	-	-	-84.17	21.85	44.68	68.23	-23.55
12870.00	Peak	V	-	-	-72.25	21.85	56.60	88.23	-31.63


Table 7-144. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 297 of 478

V 11.0 05/2025



Plot 7-853. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 105 – RU242)




Plot 7-854. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11be – Ch. 105 – RU242)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6475MHz
Channel: 105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12950.00	Average	H	-	-	-84.75	21.81	0.00	44.06	68.23	-24.17
12950.00	Peak	H	-	-	-73.54	21.81	0.00	55.27	88.23	-32.96
* 19425.00	Average	H	-	-	-61.67	-7.74	-9.54	28.04	53.98	-25.94
* 19425.00	Peak	H	-	-	-49.53	-7.74	-9.54	40.18	73.98	-33.80
25900.00	Average	H	-	-	-60.32	-5.82	-9.54	31.32	68.23	-36.91
25900.00	Peak	H	-	-	-49.75	-5.82	-9.54	41.89	88.23	-46.34
32375.00	Average	H	-	-	-63.48	-3.56	-9.54	30.42	68.23	-37.81
32375.00	Peak	H	-	-	-51.17	-3.56	-9.54	42.73	88.23	-45.50

Table 7-145. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 298 of 478



Plot 7-855. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 113 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6515MHz
Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13030.00	Average	V	-	-	-84.89	22.02	44.13	68.23	-24.10
13030.00	Peak	V	-	-	-73.80	22.02	55.22	88.23	-33.01

Table 7-146. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 299 of 478

V 11.0 05/2025



Plot 7-856. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 117 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6535MHz
Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13070.00	Average	H	-	-	-84.58	21.72	44.15	68.23	-24.08
13070.00	Peak	H	-	-	-73.53	21.72	55.19	88.23	-33.04


Table 7-147. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 300 of 478

V 11.0 05/2025



Plot 7-857. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 149 – RU242)




Plot 7-858. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11be – Ch. 149 – RU242)

Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6695MHz
Channel:	149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	13390.00	Average	H	-	-	-84.15	21.98	0.00	44.84	68.23	-23.39
*	13390.00	Peak	H	-	-	-73.16	21.98	0.00	55.82	88.23	-32.41
*	20085.00	Average	H	-	-	-60.11	-8.03	-9.54	29.32	53.98	-24.66
*	20085.00	Peak	H	-	-	-47.72	-8.03	-9.54	41.70	73.98	-32.28
	26780.00	Average	H	-	-	-62.03	-5.05	-9.54	30.38	68.23	-37.85
	26780.00	Peak	H	-	-	-50.50	-5.05	-9.54	41.91	88.23	-46.32
	33475.00	Average	H	-	-	-60.90	-4.38	-9.54	32.18	68.23	-36.05
	33475.00	Peak	H	-	-	-49.37	-4.38	-9.54	43.71	88.23	-44.52

Table 7-148. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 301 of 478



Plot 7-859. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 185 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6875MHz
Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13750.00	Average	V	-	-	-83.29	21.68	45.39	68.23	-22.84
13750.00	Peak	V	-	-	-71.68	21.68	57.00	88.23	-31.23

Table 7-149. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 302 of 478

V 11.0 05/2025



Plot 7-860. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 189 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6895MHz
Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13790.00	Average	H	-	-	-83.60	21.84	45.23	68.23	-23.00
13790.00	Peak	H	-	-	-71.92	21.84	56.92	88.23	-31.31


Table 7-150. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 303 of 478

V 11.0 05/2025



Plot 7-861. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 209 – RU242)




Plot 7-862. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11be – Ch. 209 – RU242)

Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6995MHz
Channel:	209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13990.00	Average	V	-	-	-84.45	22.00	0.00	44.55	68.23	-23.68
13990.00	Peak	V	-	-	-72.38	22.00	0.00	56.63	88.23	-31.60
* 20985.00	Average	V	-	-	-61.03	-7.45	-9.54	28.98	53.98	-25.00
* 20985.00	Peak	V	-	-	-49.56	-7.45	-9.54	40.44	73.98	-33.54
27980.00	Average	V	-	-	-63.77	-4.51	-9.54	29.17	68.23	-39.06
27980.00	Peak	V	-	-	-51.92	-4.51	-9.54	41.03	88.23	-47.20
34975.00	Average	V	-	-	-61.58	-4.53	-9.54	31.35	68.23	-36.88
34975.00	Peak	V	-	-	-49.32	-4.53	-9.54	43.60	88.23	-44.63

Table 7-151. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 304 of 478



Plot 7-863. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 233 – RU242)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 7115MHz
Channel: 233

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
14230.00	Average	H	-	-	-85.10	22.67	44.57	68.23	-23.66
14230.00	Peak	H	-	-	-73.37	22.67	56.30	88.23	-31.93

Table 7-152. Radiated Spurious Emission Measurements SDM Diversity – RU242


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 305 of 478

V 11.0 05/2025

7.7.3 Antenna 3c Radiated Band Edge Measurements (20MHz BW)


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6115MHz
 Channel: 33



Plot 7-864 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229




Plot 7-865 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 306 of 478

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-866 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 307 of 478

V 11.0 05/2025


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33



Plot 7-867 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33




Plot 7-868 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 308 of 478

V 11.0 05/2025


RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33



Plot 7-871 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-872 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU242


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 310 of 478

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 7115MHz
Channel: 233



Plot 7-873 Antenna 3c Radiated Upper Band Edge (Peak – UNII Band 8) – RU242




Plot 7-874 Antenna 3c Radiated Upper Band Edge (Average – UNII Band 8) – RU242

FCC ID: BCGA3460 IC: 579C-A3460			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 311 of 478	

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 17
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227




Plot 7-877 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 313 of 478

V 11.0 05/2025


RU484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 6125MHz
Channel: 35



Plot 7-878 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227




Plot 7-879 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 314 of 478

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-882 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 316 of 478

V 11.0 05/2025


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-883 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39




Plot 7-884 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 317 of 478

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-885 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39




Plot 7-886 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 318 of 478


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-887 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-888 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 319 of 478


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-889 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-890 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 320 of 478

V 11.0 05/2025


RU996

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 67
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-891 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 67
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-892 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 321 of 478


V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.7.6 Antenna 3c Radiated Band Edge Measurements (160MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-893 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-894 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26 (L)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 322 of 478

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-895 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26 (H)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 323 of 478


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-896 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-897 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (H)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 324 of 478


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-898 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-899 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (H)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 325 of 478

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-900 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-901 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (H)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 326 of 478

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-902 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-903 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (H)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 327 of 478

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-904 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-905 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 328 of 478

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-906 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-907 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 329 of 478

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-908 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-909 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 330 of 478

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-910 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-911 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 331 of 478

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-912 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-913 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 332 of 478

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-914 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-915 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 333 of 478

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-916 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-917 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 334 of 478

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU996x2

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 68
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-920 Antenna 3c Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996X2

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 68
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-921 Antenna 3c Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996X2

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 336 of 478

7.7.7 Antenna 3a Radiated Band Edge Measurements (20MHz BW)


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6115MHz
 Channel: 33



Plot 7-922 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229




Plot 7-923 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 337 of 478

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-924 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 338 of 478


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33



Plot 7-925 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33



Plot 7-926 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 339 of 478

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33



Plot 7-929 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-930 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 341 of 478


V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 7115MHz
Channel: 233



Plot 7-931 Antenna 3a Radiated Upper Band Edge (Peak – UNII Band 8) – RU242



Plot 7-932 Antenna 3a Radiated Upper Band Edge (Average – UNII Band 8) – RU242


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 342 of 478

V 11.0 05/2025

7.7.8 Antenna 3a Radiated Band Edge Measurements (40MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6125MHz
Channel: 35



Plot 7-933 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227




Plot 7-934 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 343 of 478

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 17
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227




Plot 7-935 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 344 of 478

V 11.0 05/2025


RU484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 6125MHz
Channel: 35



Plot 7-936 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227



Plot 7-937 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 345 of 478

V 11.0 05/2025

7.7.9 Antenna 3a Radiated Band Edge Measurements (80MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-938 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-939 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3460 IC: 579C-A3460			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 346 of 478	

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-940 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 347 of 478


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-945 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-946 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 350 of 478


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-947 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-948 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 351 of 478

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU996

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 67
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-949 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 67
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-950 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 352 of 478

V 11.0 05/2025

7.7.10 Antenna 3a Radiated Band Edge Measurements (160MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-951 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-952 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26 (L)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 353 of 478

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-953 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26 (H)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 354 of 478


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-954 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-955 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (H)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 355 of 478

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-956 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-957 Antenna 3a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (H)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 356 of 478


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-958 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-959 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (H)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 357 of 478


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-960 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-961 Antenna 3a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (H)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-27-R2.BCG	Test Dates: 09/18/2025 - 12/29/2025	EUT Type: Tablet Device	Page 358 of 478

V 11.0 05/2025