





Plot 7-124. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be(SU) – Ch. 116)




Plot 7-125. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11be(SU) – Ch.116)

Mode: 802.11be(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11160.00	Average	H	-	-	-84.18	18.36	0.00	41.18	53.98	-12.80
* 11160.00	Peak	H	-	-	-73.05	18.36	0.00	52.30	73.98	-21.68
16740.00	Peak	V	-	-	-73.44	28.26	0.00	61.82	68.23	-6.41
* 22320.00	Average	V	-	-	-56.84	-7.54	-9.54	33.08	53.98	-20.90
* 22320.00	Peak	V	-	-	-45.13	-7.54	-9.54	44.79	73.98	-29.19
27900.00	Peak	V	-	-	-52.71	-4.48	-9.54	40.27	68.23	-27.96
33480.00	Peak	V	-	-	-50.27	-4.28	-9.54	42.91	68.23	-25.32
* 39060.00	Average	V	-	-	-62.66	-3.67	-9.54	31.13	53.98	-22.85
* 39060.00	Peak	V	-	-	-51.21	-3.67	-9.54	42.58	73.98	-31.40

Table 7-136. Radiated Measurements CDD Primary

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 152 of 267



Plot 7-126. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be(SU) – Ch. 144)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11440.00	Average	H	-	-	-84.86	18.93	41.07	53.98	-12.91
* 11440.00	Peak	H	-	-	-73.43	18.93	52.50	73.98	-21.48
17160.00	Peak	V	-	-	-73.20	28.13	61.94	68.23	-6.29

Table 7-137. Radiated Measurements CDD Primary

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 153 of 267

V 11.0 05/2025




Plot 7-127. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be(SU) – Ch. 149)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11490.00	Average	H	-	-	-84.73	19.09	41.36	53.98	-12.62
* 11490.00	Peak	H	-	-	-73.59	19.09	52.51	73.98	-21.47
17235.00	Peak	H	-	-	-73.24	27.85	61.61	68.23	-6.62

Table 7-138. Radiated Measurements CDD Primary

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 154 of 267



Plot 7-128. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be(SU) – Ch. 157)




Plot 7-129. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11be(SU) – Ch.157)

Mode: 802.11be(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11570.00	Average	H	-	-	-84.46	19.04	0.00	41.58	53.98	-12.40
*	11570.00	Peak	H	-	-	-71.90	19.04	0.00	54.13	73.98	-19.85
	17355.00	Peak	H	-	-	-73.89	27.88	0.00	60.99	68.23	-7.24
	23140.00	Peak	V	-	-	-56.13	-7.12	-9.54	34.21	68.23	-34.02
	28925.00	Peak	V	-	-	-51.78	-3.95	-9.54	41.73	68.23	-26.50
	34710.00	Peak	V	-	-	-50.88	-4.81	-9.54	41.77	68.23	-26.46

Table 7-139. Radiated Measurements CDD Primary

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 155 of 267



Plot 7-130. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be(SU) – Ch. 165)

Mode:	802.11be(SU)
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5825MHz
Channel:	165


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11650.00	Average	V	-	-	-84.41	19.48	42.07	53.98	-11.91
*	11650.00	Peak	V	-	-	-72.97	19.48	53.51	73.98	-20.47
	17475.00	Peak	V	-	-	-73.78	28.77	61.99	68.23	-6.24

Table 7-140. Radiated Measurements CDD Primary

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 156 of 267

V 11.0 05/2025

7.6.2 CDD Diversity Radiated Spurious Emission



Plot 7-131. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 36)


Mode: 802.11n
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5180MHz
Channel: 36

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10360.00	Peak	H	-	-	-73.07	17.36	51.29	68.23	-16.94
* 15540.00	Average	V	-	-	-85.16	24.73	46.57	53.98	-7.41
* 15540.00	Peak	V	-	-	-73.41	24.73	58.32	73.98	-15.66


Table 7-141. Radiated Measurements CDD Diversity

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 157 of 267

V 11.0 05/2025



Plot 7-132. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 40)




Plot 7-133. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n – Ch.40)

Mode: 802.11n
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5200MHz
Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10400.00	Peak	V	-	-	-72.55	17.27	0.00	51.72	68.23	-16.51
* 15600.00	Average	H	-	-	-85.47	24.91	0.00	46.44	53.98	-7.54
* 15600.00	Peak	H	-	-	-74.33	24.91	0.00	57.58	73.98	-16.40
* 20800.00	Average	V	-	-	-56.58	-7.67	-9.54	33.21	53.98	-20.77
* 20800.00	Peak	V	-	-	-45.08	-7.67	-9.54	44.71	73.98	-29.27
26000.00	Peak	H	-	-	-50.15	-5.88	-9.54	41.43	68.23	-26.80
* 31200.00	Average	H	-	-	-64.01	-3.74	-9.54	29.71	53.98	-24.27
* 31200.00	Peak	H	-	-	-52.09	-3.74	-9.54	41.63	73.98	-32.35
36400.00	Peak	H	-	-	-47.98	-7.21	-9.54	42.27	68.23	-25.96

Table 7-142. Radiated Measurements CDD Diversity

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 158 of 267



Plot 7-134. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 48)


Mode: 802.11n
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5240MHz
Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10480.00	Peak	V	-	-	-72.76	17.66	51.90	68.23	-16.33
* 15720.00	Average	V	-	-	-85.59	25.65	47.06	53.98	-6.92
* 15720.00	Peak	V	-	-	-74.33	25.65	58.32	73.98	-15.66

Table 7-143. Radiated Measurements CDD Diversity

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 159 of 267

V 11.0 05/2025



Plot 7-135. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 52)


Mode: 802.11n
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5260MHz
Channel: 52

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	Peak	H	-	-	-72.62	17.53	51.92	68.23	-16.31
* 15780.00	Average	V	-	-	-85.79	25.64	46.85	53.98	-7.13
* 15780.00	Peak	V	-	-	-74.60	25.64	58.04	73.98	-15.94


Table 7-144. Radiated Measurements CDD Diversity

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 160 of 267

V 11.0 05/2025



Plot 7-136. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 56)




Plot 7-137. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n – Ch.56)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	V	-	-	-72.97	17.68	0.00	51.72	68.23	-16.51
* 15840.00	Average	V	-	-	-85.54	25.78	0.00	47.24	53.98	-6.74
* 15840.00	Peak	V	-	-	-74.48	25.78	0.00	58.30	73.98	-15.68
* 21120.00	Average	H	-	-	-57.89	-7.55	-9.54	32.02	53.98	-21.96
* 21120.00	Peak	H	-	-	-45.89	-7.55	-9.54	44.02	73.98	-29.96
26400.00	Peak	V	-	-	-50.08	-5.30	-9.54	42.08	68.23	-26.15
* 31680.00	Average	V	-	-	-63.25	-4.05	-9.54	30.16	53.98	-23.82
* 31680.00	Peak	V	-	-	-51.57	-4.05	-9.54	41.84	73.98	-32.14
36960.00	Peak	V	-	-	-48.67	-7.02	-9.54	41.77	68.23	-26.46

Table 7-145. Radiated Measurements CDD Diversity

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 161 of 267



Plot 7-138. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 64)


Mode: 802.11n
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5320MHz
Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 10640.00	Average	V	-	-	-84.66	17.96	40.30	53.98	-13.68
* 10640.00	Peak	V	-	-	-72.96	17.96	52.00	73.98	-21.98
* 15960.00	Average	H	-	-	-85.45	25.95	47.51	53.98	-6.47
* 15960.00	Peak	H	-	-	-74.11	25.95	58.85	73.98	-15.13

Table 7-146. Radiated Measurements CDD Diversity

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 162 of 267

V 11.0 05/2025



Plot 7-139. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 100)


Mode: 802.11n
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11000.00	Average	H	-	-	-84.24	18.09	40.85	53.98	-13.13
* 11000.00	Peak	H	-	-	-73.16	18.09	51.93	73.98	-22.05
16500.00	Peak	V	-	-	-73.62	27.58	60.96	68.23	-7.27


Table 7-147. Radiated Measurements CDD Diversity

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 163 of 267

V 11.0 05/2025



Plot 7-140. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 116)




Plot 7-141. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n – Ch.116)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11160.00	Average	V	-	-	-84.27	18.42	0.00	41.15	53.98	-12.83
* 11160.00	Peak	V	-	-	-73.22	18.42	0.00	52.20	73.98	-21.78
16740.00	Peak	H	-	-	-73.68	28.09	0.00	61.41	68.23	-6.82
* 22320.00	Average	V	-	-	-56.46	-7.57	-9.54	33.44	53.98	-20.54
* 22320.00	Peak	V	-	-	-45.06	-7.57	-9.54	44.84	73.98	-29.14
27900.00	Peak	V	-	-	-5.57	-4.75	-9.54	87.14	68.23	18.91
33480.00	Peak	V	-	-	-50.38	-4.38	-9.54	42.70	68.23	-25.53
* 39060.00	Average	V	-	-	-62.07	-3.67	-9.54	31.72	53.98	-22.26
* 39060.00	Peak	V	-	-	-51.04	-3.67	-9.54	42.75	73.98	-31.23

Table 7-148. Radiated Measurements CDD Diversity

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 164 of 267



Plot 7-142. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 144)


Mode: 802.11n
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11440.00	Average	H	-	-	-84.68	18.86	41.18	53.98	-12.80
* 11440.00	Peak	H	-	-	-73.47	18.86	52.39	73.98	-21.59
17160.00	Peak	H	-	-	-73.29	28.11	61.82	68.23	-6.41

Table 7-149. Radiated Measurements CDD Diversity

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 165 of 267

V 11.0 05/2025



Plot 7-143. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 149)


Mode: 802.11n
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	V	-	-	-84.80	19.09	41.30	53.98	-12.68
* 11490.00	Peak	V	-	-	-73.00	19.09	53.09	73.98	-20.89
17235.00	Peak	H	-	-	-73.04	27.89	61.86	68.23	-6.37


Table 7-150. Radiated Measurements CDD Diversity

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 166 of 267

V 11.0 05/2025



Plot 7-144. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch.157)



Plot 7-145. Radiated Spurious Emissions 18GHz – 40GHz CDD Diversity (802.11n – Ch.157)

Mode: 802.11n
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11570.00	Average	V	-	-	-84.37	19.25	0.00	41.88	53.98	-12.10
* 11570.00	Peak	V	-	-	-72.98	19.25	0.00	53.28	73.98	-20.70
17355.00	Peak	H	-	-	-73.53	27.54	0.00	61.01	68.23	-7.22
23140.00	Peak	H	-	-	-55.55	-7.12	-9.54	34.79	68.23	-33.44
28925.00	Peak	V	-	-	-51.23	-3.99	-9.54	42.24	68.23	-25.99
34710.00	Peak	V	-	-	-51.24	-4.65	-9.54	41.57	68.23	-26.66

Table 7-151. Radiated Measurements CDD Diversity

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 167 of 267

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-146. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 165)


Mode: 802.11n
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11650.00	Average	H	-	-	-84.36	19.39	42.03	53.98	-11.95
* 11650.00	Peak	H	-	-	-72.79	19.39	53.60	73.98	-20.38
17475.00	Peak	H	-	-	-73.26	28.82	62.57	68.23	-5.66

Table 7-152. Radiated Measurements CDD Diversity

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 168 of 267

V 11.0 05/2025



Plot 7-147. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 36)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5180MHz
Channel: 36

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10360.00	Peak	H	-	-	-72.76	17.24	51.48	68.23	-16.75
* 15540.00	Average	V	-	-	-85.01	24.73	46.72	53.98	-7.26
* 15540.00	Peak	V	-	-	-73.12	24.73	58.61	73.98	-15.37


Table 7-153. Radiated Measurements CDD Diversity

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 169 of 267

V 11.0 05/2025



Plot 7-148. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 40)



Plot 7-149. Radiated Spurious Emissions 18GHz – 40GHz CDD Diversity (802.11be(SU) – Ch.40)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5200MHz
Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10400.00	Peak	H	-	-	-72.69	17.63	0.00	51.93	68.23	-16.30
* 15600.00	Average	H	-	-	-85.28	25.02	0.00	46.73	53.98	-7.25
* 15600.00	Peak	H	-	-	-73.78	25.02	0.00	58.24	73.98	-15.74
* 20800.00	Average	H	-	-	-56.96	-7.67	-9.54	32.83	53.98	-21.15
* 20800.00	Peak	H	-	-	-45.45	-7.67	-9.54	44.33	73.98	-29.65
26000.00	Peak	V	-	-	-51.03	-5.94	-9.54	40.49	68.23	-27.74
* 31200.00	Average	H	-	-	-62.57	-3.75	-9.54	31.14	53.98	-22.84
* 31200.00	Peak	H	-	-	-52.20	-3.75	-9.54	41.51	73.98	-32.47
36400.00	Peak	H	-	-	-48.05	-7.23	-9.54	42.18	68.23	-26.05

Table 7-154. Radiated Measurements CDD Diversity

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 170 of 267

V 11.0 05/2025



Plot 7-150. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 48)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5240MHz
Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10480.00	Peak	V	-	-	-73.29	17.55	51.26	68.23	-16.97
* 15720.00	Average	V	-	-	-85.55	25.65	47.10	53.98	-6.88
* 15720.00	Peak	V	-	-	-74.09	25.65	58.56	73.98	-15.42

Table 7-155. Radiated Measurements CDD Diversity

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 171 of 267

V 11.0 05/2025



Plot 7-151. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 52)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5260MHz
Channel: 52

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10520.00	Peak	V	-	-	-72.39	17.56	52.17	68.23	-16.06
* 15780.00	Average	V	-	-	-85.67	25.78	47.11	53.98	-6.87
* 15780.00	Peak	V	-	-	-74.40	25.78	58.38	73.98	-15.60


Table 7-156. Radiated Measurements CDD Diversity

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 172 of 267

V 11.0 05/2025



Plot 7-152. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 56)



Plot 7-153. Radiated Spurious Emissions 18GHz – 40GHz CDD Diversity (802.11be(SU) – Ch.56)

Mode: 802.11be(SU)

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5280MHz

Channel: 56


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10560.00	Peak	H	-	-	-72.68	17.98	0.00	52.29	68.23	-15.94
* 15840.00	Average	H	-	-	-85.49	25.74	0.00	47.25	53.98	-6.73
* 15840.00	Peak	H	-	-	-74.67	25.74	0.00	58.07	73.98	-15.91
* 21120.00	Average	V	-	-	-57.91	-7.64	-9.54	31.91	53.98	-22.07
* 21120.00	Peak	V	-	-	-46.32	-7.64	-9.54	43.50	73.98	-30.48
26400.00	Peak	V	-	-	-50.81	-5.42	-9.54	41.23	68.23	-27.00
* 31680.00	Average	H	-	-	-62.98	-4.05	-9.54	30.43	53.98	-23.55
* 31680.00	Peak	H	-	-	-51.02	-4.05	-9.54	42.39	73.98	-31.59
36960.00	Peak	V	-	-	-48.07	-7.02	-9.54	42.37	68.23	-25.86

Table 7-157. Radiated Measurements CDD Diversity

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 173 of 267

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-154. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 64)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5320MHz
Channel: 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	10640.00	Average	H	-	-	-84.45	18.13	40.68	53.98	-13.30
*	10640.00	Peak	H	-	-	-73.24	18.13	51.89	73.98	-22.09
*	15960.00	Average	V	-	-	-85.44	25.95	47.52	53.98	-6.46
*	15960.00	Peak	V	-	-	-74.14	25.95	58.81	73.98	-15.17

Table 7-158. Radiated Measurements CDD Diversity

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 174 of 267

V 11.0 05/2025




Plot 7-155. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 100)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11000.00	Average	V	-	-	-84.19	18.09	40.90	53.98	-13.08
* 11000.00	Peak	V	-	-	-73.12	18.09	51.97	73.98	-22.01
16500.00	Peak	V	-	-	-73.27	27.53	61.26	68.23	-6.97

Table 7-159. Radiated Measurements CDD Diversity

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 175 of 267



7-156. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 116)




Plot 7-157. Radiated Spurious Emissions 18GHz – 40GHz CDD Diversity (802.11be(SU) – Ch.116)

Mode: 802.11be(SU)
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11160.00	Average	V	-	-	-84.27	18.49	0.00	41.22	53.98	-12.76
* 11160.00	Peak	V	-	-	-72.98	18.49	0.00	52.51	73.98	-21.47
16740.00	Peak	V	-	-	-73.36	27.86	0.00	61.50	68.23	-6.73
* 22320.00	Average	V	-	-	-57.07	-7.64	-9.54	32.75	53.98	-21.23
* 22320.00	Peak	V	-	-	-45.34	-7.64	-9.54	44.48	73.98	-29.50
27900.00	Peak	V	-	-	-5.59	-4.48	-9.54	87.39	68.23	19.16
33480.00	Peak	H	-	-	-50.12	-4.28	-9.54	43.06	68.23	-25.17
* 39060.00	Average	V	-	-	-62.89	-3.67	-9.54	30.90	53.98	-23.08
* 39060.00	Peak	V	-	-	-50.78	-3.67	-9.54	43.01	73.98	-30.97

Table 7-160. Radiated Measurements CDD Diversity

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 176 of 267



Plot 7-158. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 144)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11440.00	Average	H	-	-	-84.86	18.83	40.97	53.98	-13.01
*	11440.00	Peak	H	-	-	-73.64	18.83	52.19	73.98	-21.79
	17160.00	Peak	H	-	-	-73.80	28.16	61.36	68.23	-6.87

Table 7-161. Radiated Measurements CDD Diversity

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 177 of 267

V 11.0 05/2025



Plot 7-159. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 149)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	H	-	-	-84.66	19.09	41.43	53.98	-12.55
* 11490.00	Peak	H	-	-	-72.84	19.09	53.26	73.98	-20.72
17235.00	Peak	V	-	-	-73.66	28.01	61.36	68.23	-6.87


Table 7-162. Radiated Measurements CDD Diversity

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 178 of 267

V 11.0 05/2025



Plot 7-160. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 157)



Plot 7-161. Radiated Spurious Emissions 18GHz – 40GHz CDD Diversity (802.11be(SU) – Ch.157)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5785MHz
Channel: 157


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11570.00	Average	H	-	-	-84.30	19.25	0.00	41.95	53.98	-12.03
* 11570.00	Peak	H	-	-	-73.08	19.25	0.00	53.17	73.98	-20.81
17355.00	Peak	H	-	-	-73.59	27.61	0.00	61.02	68.23	-7.21
23140.00	Peak	V	-	-	-56.04	-7.13	-9.54	34.28	68.23	-33.95
28925.00	Peak	H	-	-	-51.78	-3.95	-9.54	41.73	68.23	-26.50
34710.00	Peak	V	-	-	-51.08	-4.81	-9.54	41.57	68.23	-26.66

Table 7-163. Radiated Measurements CDD Diversity

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 179 of 267

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-162. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 165)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11650.00	Average	V	-	-	-84.38	19.48	42.10	53.98	-11.88
* 11650.00	Peak	V	-	-	-72.79	19.48	53.69	73.98	-20.29
17475.00	Peak	V	-	-	-74.28	28.82	61.54	68.23	-6.69

Table 7-164. Radiated Measurements CDD Diversity


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 180 of 267

V 11.0 05/2025


7.6.3 Simultaneous Tx Radiated Spurious Emission (1 – 18GHz)

Description	Bluetooth	UNII	LTE (Band 41)
Antenna	Antenna 3a	Antenna 3a	Antenna 3a
Channel	78	36	40640
Operating Frequency (MHz)	2480	5180	2595
Mode/Modulation	GFSK ePA	802.11n	QPSK/1RB/20MHz

Table 7-165. Worst Case Simultaneous Transmission Configuration



Plot 7-163. Radiated Spurious Emissions above 1GHz – Simultaneous Transmission



Plot 7-164. Radiated Spurious Emissions above 18GHz – Simultaneous Transmission

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 181 of 267

V 11.0 05/2025

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4960.00	Peak	-	-	-	-68.06	6.62	45.56	73.98	-28.42
7440.00	Peak	-	-	-	-70.20	10.32	47.12	73.98	-26.86
12400.00	Peak	-	-	-	-73.33	18.65	52.32	73.98	-21.66

Table 7-166. Bluetooth Emissions Measurement – Simultaneous Transmission

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10360.00	Peak	-	-	-	-70.81	14.98	51.17	68.23	-17.06
15540.00	Avg	-	-	-	-85.33	22.41	44.08	53.98	-9.90
15540.00	Peak	-	-	-	-73.88	22.41	55.53	73.98	-18.45

Table 7-167. UNII Emissions Measurement – Simultaneous Transmission


Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dBm]	Field Strength [dBμV/m]	Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
5170.00	-	-	-	-79.80	7.40	34.6	-60.63	-25.0	-35.6
7755.00	-	-	-	-80.70	10.51	36.8	-58.41	-25.0	-33.4
10340.00	-	-	-	-81.82	14.36	39.5	-55.69	-25.0	-30.7
12925.00	-	-	-	-83.79	19.78	43.0	-52.24	-25.0	-27.2
15510.00	-	-	-	-84.66	22.12	44.5	-50.77	-25.0	-25.8
2690.00	H	104	214	-68.17	21.60	60.4	-34.80	-25.0	-9.8

Table 7-168. LTE Emissions Measurement – Simultaneous Transmission


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 182 of 267

V 11.0 05/2025


7.6.4 Antenna 3c Radiated Band Edge Measurements (20MHz BW)




Plot 7-165. Antenna 3c (Peak & Average, Ch.36, 802.11n, MCS7)




Plot 7-168. Antenna 3c (Peak & Average, Ch.64, 802.11n, MCS7)




Plot 7-166. Antenna 3c (Peak & Average, Ch.40, 802.11n, MCS7)



Plot 7-169. Antenna 3c (Peak & Average, Ch.100, 802.11n, MCS7)



Plot 7-167. Antenna 3c (Peak & Average, Ch.60, 802.11n, MCS7)




Plot 7-170. Antenna 3c (Peak & Average, Ch.104, 802.11n, MCS7)


FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 183 of 267

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-171. Antenna 3c (Peak & Average, Ch.108, 802.11n, MCS7)




Plot 7-174. Antenna 3c (Peak, Ch.149, 802.11n, MCS7)




Plot 7-172. Antenna 3c (Peak, Ch.136, 802.11n, MCS7)



Plot 7-175. Antenna 3c (Peak, Ch.161, 802.11n, MCS7)



Plot 7-173. Antenna 3c (Peak, Ch.140, 802.11n, MCS7)




Plot 7-176. Antenna 3c (Peak, Ch.165, 802.11n, MCS7)


FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 184 of 267

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-177. Antenna 3c (Peak & Average, Ch.36, 802.11be(SU), MCS11)




Plot 7-180. Antenna 3c (Peak & Average, Ch.64, 802.11be(SU), MCS11)




Plot 7-178. Antenna 3c (Peak & Average, Ch.40, 802.11be(SU), MCS11)



Plot 7-181. Antenna 3c (Peak & Average, Ch.100, 802.11be(SU), MCS11)




Plot 7-179. Antenna 3c (Peak & Average, Ch.60, 802.11be(SU), MCS11)




Plot 7-182. Antenna 3c (Peak & Average, Ch.104, 802.11be(SU), MCS11)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device		Page 185 of 267




Plot 7-183. Antenna 3c (Peak & Average, Ch.108, 802.11be(SU), MCS11)




Plot 7-186. Antenna 3c (Peak, Ch.136, 802.11be(SU), MCS11)




Plot 7-184. Antenna 3c (Peak & Average, Ch.112, 802.11be(SU), MCS11)



Plot 7-187. Antenna 3c (Peak, Ch.140, 802.11be(SU), MCS11)



Plot 7-185. Antenna 3c (Peak, Ch.132, 802.11be(SU), MCS11)




Plot 7-188. Antenna 3c (Peak, Ch.149, 802.11be(SU), MCS11)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 186 of 267

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-189. Antenna 3c (Peak, Ch.153, 802.11be(SU), MCS11)



Plot 7-191. Antenna 3c (Peak, Ch.165, 802.11be(SU), MCS11)




Plot 7-190. Antenna 3c (Peak, Ch.161, 802.11be(SU), MCS11)

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 187 of 267


V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


7.6.5 Antenna 3c Radiated Band Edge Measurements (40MHz BW)




Plot 7-192. Antenna 3c (Peak & Average, Ch.38, 802.11n, MCS7)




Plot 7-195. Antenna 3c (Peak & Average, Ch.62, 802.11n, MCS7)




Plot 7-193. Antenna 3c (Peak & Average, Ch.46, 802.11n, MCS7)



Plot 7-196. Antenna 3c (Peak & Average, Ch.102, 802.11n, MCS7)



Plot 7-194. Antenna 3c (Peak & Average, Ch.54, 802.11n, MCS7)




Plot 7-197. Antenna 3c (Peak & Average, Ch.110, 802.11n, MCS7)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device		Page 188 of 267

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-198. Antenna 3c (Peak & Average, Ch.118, 802.11n, MCS7)




Plot 7-201. Antenna 3c (Peak, Ch.151, 802.11n, MCS7)




Plot 7-199. Antenna 3c (Peak, Ch.126, 802.11n, MCS7)



Plot 7-202. Antenna 3c (Peak, Ch.159, 802.11n, MCS7)




Plot 7-200. Antenna 3c (Peak, Ch.134, 802.11n, MCS7)




Plot 7-203. Antenna 3c (Peak & Average, Ch.38, 802.11be(SU), MCS11)


FCC ID: BCGA3460 IC: 579C-A3460			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 189 of 267	




Plot 7-204. Antenna 3c (Peak & Average, Ch.46, 802.11be(SU), MCS11)




Plot 7-207. Antenna 3c (Peak & Average, Ch.102, 802.11be(SU), MCS11)




Plot 7-205. Antenna 3c (Peak & Average, Ch.54, 802.11be(SU), MCS11)



Plot 7-208. Antenna 3c (Peak & Average, Ch.110, 802.11be(SU), MCS11)




Plot 7-206. Antenna 3c (Peak & Average, Ch.62, 802.11be(SU), MCS11)




Plot 7-209. Antenna 3c (Peak & Average, Ch.118, 802.11be(SU), MCS11)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 190 of 267




Plot 7-210. Antenna 3c (Peak, Ch.126, 802.11be(SU), MCS11)



Plot 7-213. Antenna 3c (Peak, Ch.159, 802.11be(SU), MCS11)



Plot 7-211. Antenna 3c (Peak, Ch.134, 802.11be(SU), MCS11)



Plot 7-212. Antenna 3c (Peak, Ch.151, 802.11be(SU), MCS11)

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-22-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 191 of 267

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.