




Plot 7-315. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.165 – RU26)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11650.00	Average	V	-	-	-84.23	19.40	42.16	53.98	-11.82
* 11650.00	Peak	V	-	-	-73.10	19.40	53.30	73.98	-20.68
17475.00	Peak	H	-	-	-73.74	28.43	61.69	68.23	-6.54

Table 7-230. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 186 of 398

V 10.6 10/27/2023

RU242



Plot 7-316. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.36 – RU242)


Mode: 11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5180MHz
Channel: 36

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10360.00	Peak	H	-	-	-72.74	17.24	51.50	68.23	-16.73
* 15540.00	Average	V	-	-	-85.12	24.73	46.61	53.98	-7.37
* 15540.00	Peak	V	-	-	-73.02	24.73	58.71	73.98	-15.27


Table 7-231. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 187 of 398

V 10.6 10/27/2023



Plot 7-317. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.40 – RU242)



Plot 7-318. Radiated Spurious Emissions 18 GHz - 40GHz CDD Diversity (11be Ch.40 — RU242)


Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5200MHz
Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10400.00	Peak	H	-	-	-72.50	17.63	0.00	52.13	68.23	-16.10
* 15600.00	Average	H	-	-	-85.49	25.02	0.00	46.53	53.98	-7.45
* 15600.00	Peak	H	-	-	-73.61	25.02	0.00	58.41	73.98	-15.57
* 20800.00	Average	H	-	-	-56.86	-7.67	-9.54	32.93	53.98	-21.05
* 20800.00	Peak	H	-	-	-45.61	-7.67	-9.54	44.18	73.98	-29.80
* 26000.00	Peak	H	-	-	-50.23	-5.88	-9.54	41.35	68.23	-26.88
* 31200.00	Average	H	-	-	-63.71	-3.75	-9.54	30.00	53.98	-23.98
* 31200.00	Peak	H	-	-	-52.83	-3.74	-9.54	40.89	73.98	-33.09

Table 7-232. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 188 of 398

V 10.6 10/27/2023



Plot 7-319. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.48 – RU242)


Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5240MHz
Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10480.00	Peak	V	-	-	-73.31	17.55	51.24	68.23	-16.99
* 15720.00	Average	V	-	-	-85.63	25.65	47.02	53.98	-6.96
* 15720.00	Peak	V	-	-	-74.09	25.65	58.56	73.98	-15.42

Table 7-233. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 189 of 398

V 10.6 10/27/2023



Plot 7-320. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.52 – RU242)


Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5260MHz
Channel: 52

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10520.00	Peak	V	-	-	-72.47	17.56	52.09	68.23	-16.14
* 15780.00	Average	V	-	-	-85.58	25.78	47.20	53.98	-6.78
* 15780.00	Peak	V	-	-	-74.32	25.78	58.46	73.98	-15.52


Table 7-234. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 190 of 398

V 10.6 10/27/2023



Plot 7-321. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.56 – RU242)




Plot 7-322. Radiated Spurious Emissions 18 GHz - 40GHz CDD Diversity (11be Ch.56 — RU242)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5280MHz
Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	H	-	-	-72.70	17.98	0.00	52.28	68.23	-15.95
* 15840.00	Average	H	-	-	-85.67	25.74	0.00	47.06	53.98	-6.92
* 15840.00	Peak	H	-	-	-74.80	25.74	0.00	57.94	73.98	-16.04
* 21120.00	Average	V	-	-	-57.91	-7.64	-9.54	31.90	53.98	-22.08
* 21120.00	Peak	V	-	-	-46.29	-7.64	-9.54	43.53	73.98	-30.45
26400.00	Peak	V	-	-	-50.63	-5.30	-9.54	41.53	68.23	-26.70
* 31680.00	Average	V	-	-	-63.44	-3.93	-9.54	30.10	53.98	-23.88
* 31680.00	Peak	V	-	-	-51.73	-3.93	-9.54	41.80	73.98	-32.18

Table 7-235. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 191 of 398



Plot 7-323. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.64 – RU242)


Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5320MHz
Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 10640.00	Average	H	-	-	-84.58	18.13	40.55	53.98	-13.43
* 10640.00	Peak	H	-	-	-73.48	18.13	51.65	73.98	-22.33
* 15960.00	Average	V	-	-	-85.60	25.95	47.35	53.98	-6.63
* 15960.00	Peak	V	-	-	-74.20	25.95	58.75	73.98	-15.23

Table 7-236. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 192 of 398

V 10.6 10/27/2023



Plot 7-324. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.100 – RU242)


Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11000.00	Average	V	-	-	-84.00	18.09	41.08	53.98	-12.90
* 11000.00	Peak	V	-	-	-72.97	18.09	52.11	73.98	-21.87
16500.00	Peak	V	-	-	-73.07	27.53	61.46	68.23	-6.77


Table 7-237. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 193 of 398

V 10.6 10/27/2023



Plot 7-325. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.116 – RU242)



Plot 7-326. Radiated Spurious Emissions 18 GHz - 40GHz CDD Diversity (11be Ch.116 — RU242)

Mode: 802.11be (20MHz BW)

Data Rate: MCS0

RU Index: 61

Distance of Measurements: 3 Meters


Operating Frequency: 5580MHz

Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11160.00	Average	V	-	-	-84.24	18.49	0.00	41.25	53.98	-12.73
* 11160.00	Peak	V	-	-	-72.89	18.49	0.00	52.60	73.98	-21.38
16740.00	Peak	V	-	-	-73.36	27.86	0.00	61.49	68.23	-6.74
* 22320.00	Average	V	-	-	-57.02	-7.64	-9.54	32.79	53.98	-21.19
* 22320.00	Peak	V	-	-	-45.24	-7.64	-9.54	44.57	73.98	-29.40
27900.00	Peak	V	-	-	-51.97	-4.75	-9.54	40.74	68.23	-27.49
33480.00	Peak	V	-	-	-50.33	-4.38	-9.54	42.75	68.23	-25.48

Table 7-238. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 194 of 398



Plot 7-327. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.144 – RU242)


Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11440.00	Average	H	-	-	-84.88	18.83	40.94	53.98	-13.04
* 11440.00	Peak	H	-	-	-73.78	18.83	52.05	73.98	-21.93
17160.00	Peak	H	-	-	-74.03	28.16	61.13	68.23	-7.10

Table 7-239. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 195 of 398

V 10.6 10/27/2023



Plot 7-328. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.149 – RU242)


Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	H	-	-	-84.85	19.09	41.24	53.98	-12.74
* 11490.00	Peak	H	-	-	-73.09	19.09	53.01	73.98	-20.97
17235.00	Peak	V	-	-	-73.81	28.01	61.20	68.23	-7.03


Table 7-240. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 196 of 398

V 10.6 10/27/2023



Plot 7-329. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.157 – RU242)



Plot 7-330. Radiated Spurious Emissions 18 GHz - 40GHz CDD Diversity (11be Ch.157 — RU242)

Mode: 802.11be (20MHz BW)

Data Rate: MCS0

RU Index: 61

Distance of Measurements: 3 Meters


Operating Frequency: 5785MHz

Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
11570.00	Average	H	-	-	-84.37	19.25	0.00	41.88	53.98	-12.10
11570.00	Peak	H	-	-	-73.33	19.25	0.00	52.93	73.98	-21.05
17355.00	Peak	H	-	-	-73.67	27.61	0.00	60.95	68.23	-7.28
23140.00	Peak	V	-	-	-56.24	-7.13	-9.54	34.08	68.23	-34.15
28925.00	Peak	V	-	-	-51.93	-3.95	-9.54	41.58	68.23	-26.65
34710.00	Peak	V	-	-	-51.16	-4.70	-9.54	41.60	68.23	-26.63

Table 7-241. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 197 of 398



Plot 7-331. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.165 – RU242)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11650.00	Average	V	-	-	-84.41	19.48	42.08	53.98	-11.90
*	11650.00	Peak	V	-	-	-72.76	19.48	53.72	73.98	-20.26
	17475.00	Peak	V	-	-	-74.18	28.82	61.64	68.23	-6.59


Table 7-242. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 198 of 398


V 10.6 10/27/2023

7.6.3 Antenna 3c Radiated Band Edge Measurements (20MHz BW)


RU26




Plot 7-332. Antenna 3c (Peak & Average, RU26, Index 0, Ch.36, MCS11)




Plot 7-335. Antenna 3c (Peak, RU26, Index 8, Ch.149, MCS11)




Plot 7-333. Antenna 3c (Peak & Average, RU26, Index 8, Ch.36, MCS11)



Plot 7-336. Antenna 3c (Peak, RU26, Index 0, Ch.165, MCS11)



Plot 7-334. Antenna 3c (Peak, RU26, Index 0, Ch.149, MCS11)




Plot 7-337. Antenna 3c (Peak, RU26, Index 8, Ch.165, MCS11)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 199 of 398


V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU52




Plot 7-338. Antenna 3c (Peak & Average, RU52, Index 37, Ch.64, MCS11)




Plot 7-339. Antenna 3c (Peak & Average, RU52, Index 40, Ch.64, MCS11)




Plot 7-340. Antenna 3c (Peak & Average, RU52, Index 37, Ch.100, MCS11)



Plot 7-341. Antenna 3c (Peak & Average, RU52, Index 40, Ch.100, MCS11)



Plot 7-342. Antenna 3c (Peak, RU52, Index 37, Ch.136, MCS11)




Plot 7-343. Antenna 3c (Peak, RU52, Index 40, Ch.136, MCS11)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 200 of 398

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-344. Antenna 3c (Peak, RU52, Index 37, Ch.140, MCS11)




Plot 7-345. Antenna 3c (Peak, RU52, Index 40, Ch.140, MCS11)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 201 of 398

V 10.6 10/27/2023


MRU




Plot 7-346. Antenna 3c (Peak & Average, RU52+26, Index 70, Ch.36, MCS11)




Plot 7-349. Antenna 3c (Peak & Average, RU52+26, Index 72, Ch.64, MCS11)




Plot 7-347. Antenna 3c (Peak & Average, RU52+26, Index 72, Ch.36, MCS11)



Plot 7-350. Antenna 3c (Peak & Average, RU52+26, Index 70, Ch.100, MCS11)



Plot 7-348. Antenna 3c (Peak & Average, RU52+26, Index 70, Ch.64, MCS11)




Plot 7-351. Antenna 3c (Peak & Average, RU52+26, Index 72, Ch.100, MCS11)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 202 of 398

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-352. Antenna 3c (Peak & Average, RU52+26, Index 70, Ch.104, MCS11)




Plot 7-355. Antenna 3c (Peak, RU52+26, Index 72, Ch.136, MCS11)




Plot 7-353. Antenna 3c (Peak & Average, RU52+26, Index 72, Ch.104, MCS11)



Plot 7-356. Antenna 3c (Peak, RU52+26, Index 70, Ch.140, MCS11)




Plot 7-354. Antenna 3c (Peak, RU52+26, Index 70, Ch.136, MCS11)




Plot 7-357. Antenna 3c (Peak, RU52+26, Index 72, Ch.140, MCS11)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 203 of 398




Plot 7-358. Antenna 3c (Peak, RU52+26, Index 70, Ch.149, MCS11)



Plot 7-361. Antenna 3c (Peak, RU52+26, Index 72, Ch.165, MCS11)




Plot 7-359. Antenna 3c (Peak, RU52+26, Index 72, Ch.149, MCS11)




Plot 7-360. Antenna 3c (Peak, RU52+26, Index 70, Ch.165, MCS11)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 204 of 398




Plot 7-368. Antenna 3c (Peak & Average, RU242, Index 61, Ch.108, MCS11)




Plot 7-371. Antenna 3c (Peak, RU242, Index 61, Ch.136, MCS11)




Plot 7-369. Antenna 3c (Peak & Average, RU242, Index 61, Ch.112, MCS11)



Plot 7-372. Antenna 3c (Peak, RU242, Index 61, Ch.140, MCS11)




Plot 7-370. Antenna 3c (Peak, RU242, Index 61, Ch.132, MCS11)




Plot 7-373. Antenna 3c (Peak, RU242, Index 61, Ch.149, MCS11)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 206 of 398



Plot 7-374. Antenna 3c (Peak, RU242, Index 61, Ch.153, MCS11)



Plot 7-375. Antenna 3c (Peak, RU242, Index 61, Ch.161, MCS11)




Plot 7-376. Antenna 3c (Peak, RU242, Index 61, Ch.165, MCS11)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 207 of 398


V 10.6 10/27/2023

7.6.4 Antenna 3c Radiated Band Edge Measurements (40MHz BW)


RU26




Plot 7-377. Antenna 3c (Peak & Average, RU26, Index 0, Ch.38, MCS11)




Plot 7-378. Antenna 3c (Peak & Average, RU26, Index 17, Ch.38, MCS11)




Plot 7-379. Antenna 3c (Peak, RU26, Index 0, Ch.151, MCS11)



Plot 7-380. Antenna 3c (Peak, RU26, Index 17, Ch.151, MCS11)



Plot 7-381. Antenna 3c (Peak, RU26, Index 0, Ch.159, MCS11)




Plot 7-382. Antenna 3c (Peak, RU26, Index 17, Ch.159, MCS11)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 208 of 398


V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU52




Plot 7-383. Antenna 3c (Peak & Average, RU52, Index 37, Ch.62, MCS11)




Plot 7-384. Antenna 3c (Peak & Average, RU52, Index 44, Ch.62, MCS11)




Plot 7-385. Antenna 3c (Peak & Average, RU52, Index 37, Ch.102, MCS11)



Plot 7-386. Antenna 3c (Peak & Average, RU52, Index 44, Ch.102, MCS11)



Plot 7-387. Antenna 3c (Peak & Average, RU52, Index 37, Ch.110, MCS11)




Plot 7-388. Antenna 3c (Peak & Average, RU52, Index 44, Ch.110, MCS11)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 209 of 398

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-389. Antenna 3c (Peak, RU52, Index 37, Ch.134, MCS11)




Plot 7-390. Antenna 3c (Peak, RU52, Index 44, Ch.134, MCS11)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 210 of 398

V 10.6 10/27/2023


RU484




Plot 7-391. Antenna 3c (Peak & Average, RU484, Index 65, Ch.38, MCS11)




Plot 7-394. Antenna 3c (Peak & Average, RU484, Index 65, Ch.62, MCS11)




Plot 7-392. Antenna 3c (Peak & Average, RU484, Index 65, Ch.46, MCS11)



Plot 7-395. Antenna 3c (Peak & Average, RU484, Index 65, Ch.102, MCS11)



Plot 7-393. Antenna 3c (Peak & Average, RU484, Index 65, Ch.54, MCS11)




Plot 7-396. Antenna 3c (Peak & Average, RU484, Index 65, Ch.110, MCS11)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 211 of 398

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-397. Antenna 3c (Peak & Average, RU484, Index 65, Ch.118, MCS11)




Plot 7-400. Antenna 3c (Peak, RU484, Index 65, Ch.151, MCS11)



Plot 7-398. Antenna 3c (Peak, RU484, Index 65, Ch.126, MCS11)



Plot 7-401. Antenna 3c (Peak, RU484, Index 65, Ch.159, MCS11)



Plot 7-399. Antenna 3c (Peak, RU484, Index 65, Ch.134, MCS11)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 212 of 398

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.6.5 Antenna 3c Radiated Band Edge Measurements (80MHz BW)


RU26




Plot 7-402. Antenna 3c (Peak & Average, RU26, Index 0, Ch.42, MCS11)




Plot 7-405. Antenna 3c (Peak, RU26, Index 36, Ch.155, MCS11)




Plot 7-403. Antenna 3c (Peak & Average, RU26, Index 36, Ch.42, MCS11)



Plot 7-406. Antenna 3c (Peak, RU26, Index 0, Ch.155, MCS11)




Plot 7-404. Antenna 3c (Peak, RU26, Index 0, Ch.155, MCS11)




Plot 7-407. Antenna 3c (Peak, RU26, Index 36, Ch.155, MCS11)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 213 of 398


RU52




Plot 7-408. Antenna 3c (Peak & Average, RU52, Index 37, Ch.58, MCS11)




Plot 7-411. Antenna 3c (Peak & Average, RU52, Index 52, Ch.106, MCS11)




Plot 7-409. Antenna 3c (Peak & Average, RU52, Index 52, Ch.58, MCS11)



Plot 7-412. Antenna 3c (Peak, RU52, Index 37, Ch.122, MCS11)



Plot 7-410. Antenna 3c (Peak & Average, RU52, Index 37, Ch.106, MCS11)




Plot 7-413. Antenna 3c (Peak, RU52, Index 52, Ch.122, MCS11)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 214 of 398


V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


MRU




Plot 7-414. Antenna 3c (Peak & Average, RU484+242, Index 90, Ch.42, MCS11)




Plot 7-417. Antenna 3c (Peak & Average, RU484+242, Index 93, Ch.42, MCS11)




Plot 7-415. Antenna 3c (Peak & Average, RU484+242, Index 91, Ch.42, MCS11)



Plot 7-418. Antenna 3c (Peak & Average, RU484+242, Index 90, Ch.58, MCS11)



Plot 7-416. Antenna 3c (Peak & Average, RU484+242, Index 92, Ch.42, MCS11)




Plot 7-419. Antenna 3c (Peak & Average, RU484+242, Index 91, Ch.58, MCS11)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 215 of 398

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-420. Antenna 3c (Peak & Average, RU484+242, Index 92, Ch.58, MCS11)




Plot 7-423. Antenna 3c (Peak & Average, RU484+242, Index 91, Ch.106, MCS11)




Plot 7-421. Antenna 3c (Peak & Average, RU484+242, Index 93, Ch.58, MCS11)



Plot 7-424. Antenna 3c (Peak & Average, RU484+242, Index 92, Ch.106, MCS11)




Plot 7-422. Antenna 3c (Peak & Average, RU484+242, Index 90, Ch.106, MCS11)




Plot 7-425. Antenna 3c (Peak & Average, RU484+242, Index 93, Ch.106, MCS11)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 216 of 398




Plot 7-426. Antenna 3c (Peak & Average, RU484+242, Index 90, Ch.122, MCS11)




Plot 7-429. Antenna 3c (Peak & Average, RU484+242, Index 93, Ch.122, MCS11)




Plot 7-427. Antenna 3c (Peak & Average, RU484+242, Index 91, Ch.122, MCS11)



Plot 7-430. Antenna 3c (Peak, RU484+242, Index 90, Ch.122, MCS11)




Plot 7-428. Antenna 3c (Peak & Average, RU484+242, Index 92, Ch.122, MCS11)




Plot 7-431. Antenna 3c (Peak, RU484+242, Index 91, Ch.122, MCS11)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 217 of 398




Plot 7-432. Antenna 3c (Peak, RU484+242, Index 92, Ch.122, MCS11)




Plot 7-435. Antenna 3c (Peak, RU484+242, Index 91, Ch.155, MCS11)




Plot 7-433. Antenna 3c (Peak, RU484+242, Index 93, Ch.122, MCS11)



Plot 7-436. Antenna 3c (Peak, RU484+242, Index 92, Ch.155, MCS11)




Plot 7-434. Antenna 3c (Peak, RU484+242, Index 90, Ch.155, MCS11)




Plot 7-437. Antenna 3c (Peak, RU484+242, Index 93, Ch.155, MCS11)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device		Page 218 of 398




Plot 7-438. Antenna 3c (Peak, RU484+242, Index 90, Ch.155, MCS11)



Plot 7-441. Antenna 3c (Peak, RU484+242, Index 93, Ch.155, MCS11)




Plot 7-439. Antenna 3c (Peak, RU484+242, Index 91, Ch.155, MCS11)




Plot 7-440. Antenna 3c (Peak, RU484+242, Index 92, Ch.155, MCS11)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device		Page 219 of 398


RU996




Plot 7-442. Antenna 3c (Peak & Average, RU996, Index 67, Ch.42, MCS11)




Plot 7-445. Antenna 3c (Peak & Average, RU996, Index 67, Ch.122, MCS11)




Plot 7-443. Antenna 3c (Peak & Average, RU996, Index 67, Ch.58, MCS11)



Plot 7-446. Antenna 3c (Peak, RU996, Index 67, Ch.122, MCS11)



Plot 7-444. Antenna 3c (Peak & Average, RU996, Index 67, Ch.106, MCS11)




Plot 7-447. Antenna 3c (Peak, RU996, Index 67, Ch.155, MCS11)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 220 of 398

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-448. Antenna 3c (Peak, RU996, Index 67, Ch.155, MCS11)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 221 of 398

V 10.6 10/27/2023



Plot 7-455. Antenna 3c (Peak, RU52, Index 37 (L), Ch.114, MCS11)




Plot 7-456. Antenna 3c (Peak, RU52, Index 52 (H), Ch.114, MCS11)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 223 of 398

V 10.6 10/27/2023


MRU




Plot 7-457. Antenna 3c (Peak & Average, RU996+484, Index 94 (L), Ch.50, MCS11)




Plot 7-460. Antenna 3c (Peak & Average, RU996+484, Index 95 (H), Ch.50, MCS11)




Plot 7-458. Antenna 3c (Peak & Average, RU996+484, Index 94 (H), Ch.50, MCS11)



Plot 7-461. Antenna 3c (Peak & Average, RU996+484, Index 94 (L), Ch.50, MCS11)



Plot 7-459. Antenna 3c (Peak & Average, RU996+484, Index 95 (L), Ch.50, MCS11)



Plot 7-462. Antenna 3c (Peak & Average, RU996+484, Index 94 (H), Ch.50, MCS11)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-23-R3.BCG	Test Dates: 09/15/2025 - 1/5/2025	EUT Type: Tablet Device	Page 224 of 398

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.