






Plot 7-114. Band Edge Plot Antenna 1a (802.11be (SU - 2.4GHz) – Ch. 11)



Plot 7-115. Band Edge Plot Antenna 1a (802.11be (SU - 2.4GHz) – Ch. 12)

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 95 of 174



FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 96 of 174

7.7 Conducted Spurious Emissions

§15.247(d); RSS-247 [6.6]

Test Overview and Limit

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. For the following out of band conducted spurious emissions plots, the EUT was investigated in all available data rates for “b”, “g”, “n”, “ax-SU”, “be-SU” modes. The worst case spurious emissions for the 2.4GHz band were found while transmitting in “b” mode at 11 Mbps and are shown in the plots below.

The limit for out-of-band spurious emissions at the band edge is 20dB below the fundamental emission level, as determined from the in-band power measurement of the DTS channel performed in a 100kHz bandwidth per the procedure in Section 11.11 of ANSI C63.10:2020 + COR. 1:2023 + C63.10A:2024 + ERRATA TO C63.10A:2024 and KDB 558074 D01 v05r02.

Test Procedure Used

ANSI C63.10:2020 + COR. 1:2023 + C63.10A:2024 + ERRATA TO C63.10A:2024 – Subclause 11.11.3
KDB 558074 D01 v05r02 – Section 8.5

ANSI C63.10:2020 + COR. 1:2023 + C63.10A:2024 + ERRATA TO C63.10A:2024 – Subclause 14.3.3
KDB 662911 D01 v02r01 – Section E)3)b)

Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to 25GHz (separated into two plots per channel)
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = Peak
5. Trace mode = max hold
6. Sweep time = auto couple
7. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-6. Test Instrument & Measurement Setup

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 97 of 174

V 11.0 5/2025


Test Notes

1. RBW was set to 1MHz rather than 100kHz in order to increase the measurement speed.
2. The display line shown in the following plots denotes the limit at 20dB below the fundamental emission level measured in a 100kHz bandwidth. However, since the traces in the following plots are measured with a 1MHz RBW, the display line may not necessarily appear to be 20dB below the level of the fundamental in a 1MHz bandwidth.
3. For plots showing conducted spurious emissions near the limit, the frequencies were investigated with a reduced RBW to ensure that no emissions were present.
4. The conducted spurious emissions were measured to relative limits. Therefore, in accordance with ANSI C63.10:2020 + COR. 1:2023 + C63.10A:2024 + ERRATA TO C63.10A:2024 and KDB 662911 D01 v02r01 Section E3)b), it was unnecessary to show compliance through the summation of test results of the individual outputs.
5. All modes, data rates, and antenna configurations were investigated and only the worse case is reported.


FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 98 of 174

V 11.0 5/2025

7.7.1 Antenna 3a Conducted Spurious Emission



Plot 7-117. Conducted Spurious Plot Antenna 3a (802.11b – Ch. 1)




Plot 7-118. Conducted Spurious Plot Antenna 3a (802.11b – Ch. 1)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 99 of 174

V 11.0 5/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-119. Conducted Spurious Plot Antenna 3a (802.11b – Ch. 6)




Plot 7-120. Conducted Spurious Plot Antenna 3a (802.11b – Ch. 6)


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 100 of 174

V 11.0 5/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-121. Conducted Spurious Plot Antenna 3a (802.11b – Ch. 11)




Plot 7-122. Conducted Spurious Plot Antenna 3a (802.11b – Ch. 11)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 101 of 174

7.7.2 Antenna 1a Conducted Spurious Emission




Plot 7-123. Conducted Spurious Plot Antenna 1a (802.11b – Ch. 1)




Plot 7-124. Conducted Spurious Plot Antenna 1a (802.11b – Ch. 1)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 102 of 174





Plot 7-125. Conducted Spurious Plot Antenna 1a (802.11b – Ch. 6)



Plot 7-126. Conducted Spurious Plot Antenna 1a (802.11b – Ch. 6)

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 103 of 174



FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 104 of 174

7.8 Radiated Spurious Emissions – Above 1 GHz

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]

Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for radiated spurious emissions. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR and Table 7 of RSS-Gen (8.10) must not exceed the limits shown in Table 7-21 per Section 15.209 and RSS-Gen (8.9).

Frequency	Field Strength [μV/m]	Measured Distance [Meters]
Above 960.0 MHz	500	3

Table 7-21. Radiated Limits

Test Procedures Used

ANSI C63.10:2020 + COR. 1:2023 + C63.10A:2024 + ERRATA TO C63.10A:2024 – Subclause 6.6.4.3
KDB 558074 D01 v05r02 – Sections 8.6, 8.7

Test Settings

Average Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = power average (RMS)
5. Number of measurement points = 1001 (Number of points must be $\geq 2 \times \text{span/RBW}$)
6. Sweep time = auto
7. Trace (RMS) averaging was performed over at least 100 traces

Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 105 of 174

V 11.0 5/2025

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-7. Radiated Measurement Setup

Test Notes

1. The optional test procedures for antenna port conducted measurements of unwanted emissions per the guidance of KDB 558074 D01 v05r02 were not used to evaluate this device for compliance to radiated limits. All Radiated Spurious Emissions levels were measured in a radiated test setup.
2. All emissions lying in restricted bands specified in Section 15.205 and Section 8.10 of RSS-Gen are below the limit shown in Table 7-21.
3. The antenna is manipulated through typical positions, polarity and length during the tests. The EUT is manipulated through three orthogonal planes.
4. This unit was tested with its standard battery.
5. The spectrum is measured from 9kHz to the 10th harmonic of the fundamental frequency of the transmitter using CISPR quasi peak detector below 1GHz. Above 1 GHz, average and peak measurements were taken using linearly polarized horn antennas.
6. D is the measurement test distance and emissions 1-18GHz were measured at a 3 meters test distance while emissions above 18GHz were measured at a 1 meter test distance with the application of a distance correction factor.
7. The wide spectrum spurious emissions plots shown on the following pages are used only for the purpose of emission identification. Any emissions found to be within 20dB of the limit are fully investigated and the results are shown in this section.
8. The "-" shown in the following RSE tables are used to denote a noise floor measurement.
9. All data rates and antenna configurations were investigated and only the worst case is reported.
10. The unit was tested at its highest output power.
11. The unit was tested with all possible modes and only the highest emission is reported.

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 106 of 174

V 11.0 5/2025

Sample Calculations

Determining Spurious Emissions Levels

- Field Strength Level $[\text{dB}\mu\text{V/m}] = \text{Analyzer Level} [\text{dBm}] + 107 + \text{AFCL} [\text{dB/m}]$
- $\text{AFCL} [\text{dB/m}] = \text{Antenna Factor} [\text{dB/m}] + \text{Cable Loss} [\text{dB}] - \text{Preamplifier Gain} [\text{dB}]$
- $\text{Margin} [\text{dB}] = \text{Field Strength Level} [\text{dB}\mu\text{V/m}] - \text{Limit} [\text{dB}\mu\text{V/m}]$

Radiated Band Edge Measurement Offset


- The amplitude offset shown in the radiated restricted band edge plots in Section 7.8.2 to 7.8.4 was calculated using the formula:
Offset (dB) = (Antenna Factor + Cable Loss + Attenuator) – Preamplifier Gain

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 107 of 174

V 11.0 5/2025

7.8.1 CDD Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]



Plot 7-129. Radiated Spurious Emissions Above 1GHz CDD (802.11b – Ch. 1)


Mode:	802.11b
Data Rate:	11Mbps
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4824.00	Average	V	-	-	-80.88	7.67	33.79	53.98	-20.19
4824.00	Peak	V	-	-	-69.52	7.67	45.15	73.98	-28.83
12060.00	Average	V	-	-	-78.66	18.05	46.39	53.98	-7.59
12060.00	Peak	V	-	-	-67.31	18.05	57.74	73.98	-16.24


Table 7-22. Radiated Measurements CDD

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 108 of 174

V 11.0 5/2025



Plot 7-130. Radiated Spurious Emissions Above 1GHz CDD (802.11b – Ch. 6)




Plot 7-131. Radiated Spurious Emissions Above 18GHz CDD (802.11b – Ch.6)

Mode: 802.11b
Data Rate: 11Mbps
Distance of Measurements: 3 Meters
Operating Frequency: 2437MHz
Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4874.00	Average	V	-	-	-80.86	7.80	0.00	33.94	53.98	-20.04
4874.00	Peak	V	-	-	-69.36	7.80	0.00	45.44	73.98	-28.54
7311.00	Average	V	-	-	-81.15	11.04	0.00	36.89	53.98	-17.09
7311.00	Peak	V	-	-	-70.26	11.04	0.00	47.78	73.98	-26.20
12185.00	Average	H	-	-	-78.37	17.22	0.00	45.85	53.98	-8.13
12185.00	Peak	H	-	-	-67.38	17.22	0.00	56.84	73.98	-17.14
19496.00	Average	V	-	-	-61.21	-7.92	-9.54	28.33	73.98	-45.65
19496.00	Peak	V	-	-	-49.13	-7.92	-9.54	40.41	73.98	-33.57

Table 7-23. Radiated Measurements CDD

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 109 of 174



Plot 7-132. Radiated Spurious Emissions Above 1GHz CDD (802.11b – Ch. 11)

Mode: 802.11b

Data Rate: 11Mbps

Distance of Measurements: 3 Meters

Operating Frequency: 2462MHz


Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4924.00	Average	V	-	-	-77.05	7.52	37.47	53.98	-16.51
4924.00	Peak	V	-	-	-68.09	7.52	46.43	73.98	-27.55
7386.00	Average	V	-	-	-81.55	11.26	36.71	53.98	-17.27
7386.00	Peak	V	-	-	-69.69	11.26	48.57	73.98	-25.41
12310.00	Average	H	-	-	-78.99	17.98	45.99	53.98	-7.99
12310.00	Peak	H	-	-	-67.09	17.98	57.89	73.98	-16.09

Table 7-24. Radiated Measurements CDD

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 110 of 174

V 11.0 5/2025



Plot 7-133. Radiated Spurious Emissions Above 1GHz CDD (802.11n – Ch. 1)


Mode: 802.11n
Data Rate: MCS15
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Average	V	-	-	-81.14	7.97	33.82	53.98	-20.16
4824.00	Peak	V	-	-	-68.89	7.97	46.08	73.98	-27.90
12060.00	Average	V	-	-	-78.39	18.05	46.65	53.98	-7.33
12060.00	Peak	V	-	-	-66.50	18.05	58.55	73.98	-15.43


Table 7-25. Radiated Measurements CDD

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 111 of 174

V 11.0 5/2025



Plot 7-134. Radiated Spurious Emissions Above 1GHz CDD (802.11n – Ch. 6)



Plot 7-135. Radiated Spurious Emissions Above 18GHz CDD (802.11n – Ch.6)

Mode: 802.11n

Data Rate: MCS15

Distance of Measurements: 3 Meters

Operating Frequency: 2437MHz


Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4874.00	Average	V	-	-	-81.10	8.04	0.00	33.95	53.98	-20.03
4874.00	Peak	V	-	-	-68.73	8.04	0.00	46.32	73.98	-27.66
7311.00	Average	H	-	-	-81.98	11.08	0.00	36.10	53.98	-17.88
7311.00	Peak	H	-	-	-70.81	11.08	0.00	47.27	73.98	-26.71
12185.00	Average	H	-	-	-78.35	17.34	0.00	45.99	53.98	-7.99
12185.00	Peak	H	-	-	-66.92	17.34	0.00	57.42	73.98	-16.56
19496.00	Average	H	-	-	-61.09	-7.83	-9.54	28.53	53.98	-25.45
19496.00	Peak	H	-	-	-49.94	-7.83	-9.54	39.69	73.98	-34.29

Table 7-26. Radiated Measurements CDD

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 112 of 174

V 11.0 5/2025



Plot 7-136. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 11)


Mode: 802.11n
Data Rate: MCS15
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4924.00	Average	H	-	-	-80.02	6.66	33.64	53.98	-20.34
4924.00	Peak	H	-	-	-69.10	6.66	44.56	73.98	-29.42
7386.00	Average	V	-	-	-80.86	10.21	36.35	53.98	-17.63
7386.00	Peak	V	-	-	-69.65	10.21	47.56	73.98	-26.42
12310.00	Average	V	-	-	-84.51	18.26	40.74	53.98	-13.24
12310.00	Peak	V	-	-	-72.91	18.26	52.35	73.98	-21.63

Table 7-27. Radiated Measurements CDD

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 113 of 174

V 11.0 5/2025



Plot 7-137. Radiated Spurious Emissions above 1GHz CDD (802.11be (SU) – Ch. 1)


Mode: 802.11be (SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Average	V	-	-	-80.29	6.77	33.47	53.98	-20.51
4824.00	Peak	V	-	-	-68.97	6.77	44.79	73.98	-29.19
12060.00	Average	V	-	-	-85.00	18.41	40.41	53.98	-13.57
12060.00	Peak	V	-	-	-73.29	18.41	52.13	73.98	-21.85


Table 7-28. Radiated Measurements CDD

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device		Page 114 of 174

V 11.0 5/2025



Plot 7-138. Radiated Spurious Emissions above 1GHz CDD (802.11be (SU) – Ch. 6)



Plot 7-139. Radiated Spurious Emissions above 18GHz CDD (802.11be (SU) – Ch. 6)

Mode: 802.11be (SU)

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 2437MHz


Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4874.00	Average	V	-	-	-80.30	6.94	0.00	33.65	53.98	-20.33
4874.00	Peak	V	-	-	-68.84	6.94	0.00	45.10	73.98	-28.88
7311.00	Average	V	-	-	-81.33	10.35	0.00	36.02	53.98	-17.96
7311.00	Peak	V	-	-	-70.19	10.35	0.00	47.16	73.98	-26.82
12185.00	Average	V	-	-	-84.78	18.37	0.00	40.59	53.98	-13.39
12185.00	Peak	V	-	-	-73.31	18.37	0.00	52.06	73.98	-21.92
19496.00	Average	V	-	-	-61.02	-7.92	-9.54	28.52	53.98	-25.46
19496.00	Peak	V	-	-	-49.52	-7.92	-9.54	40.02	73.98	-33.96

Table 7-29. Radiated Measurements CDD

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 115 of 174

V 11.0 5/2025



Plot 7-140. Radiated Spurious Emissions above 1GHz CDD (802.11be (SU) – Ch. 11)

Mode: 802.11be (SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4924.00	Average	H	-	-	-80.20	6.66	33.46	53.98	-20.52
4924.00	Peak	H	-	-	-68.59	6.66	45.07	73.98	-28.91
7386.00	Average	V	-	-	-81.01	10.21	36.20	53.98	-17.78
7386.00	Peak	V	-	-	-69.56	10.21	47.64	73.98	-26.34
12310.00	Average	H	-	-	-84.90	18.26	40.36	53.98	-13.62
12310.00	Peak	H	-	-	-74.11	18.26	51.14	73.98	-22.84

Table 7-30. Radiated Measurements CDD


FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 116 of 174

V 11.0 5/2025

7.8.2 Antenna 3a Radiated Restricted Band Edge Measurements


§15.205 §15.209; RSS-Gen [8.9]

Mode	802.11b
Data Rate	11Mbps
Distance of Measurement	3 Meters
Operating Frequency	2412MHz
Channel	1



Plot 7-141 Radiated Restricted Lower Band Edge Measurement Antenna 3a

Mode	802.11b
Data Rate	11Mbps
Distance of Measurement	3 Meters
Operating Frequency	2417MHz
Channel	2




Plot 7-142 Radiated Restricted Lower Band Edge Measurement Antenna 3a

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 117 of 174

V 11.0 5/2025

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11b
 11Mbps
 3 Meters
 2457MHz
 10



Plot 7-143 Radiated Restricted Upper Band Edge Measurement Antenna 3a

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel

802.11b
 11Mbps
 3 Meters
 2462MHz
 11




Plot 7-144 Radiated Restricted Upper Band Edge Measurement Antenna 3a

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 118 of 174

V 11.0 5/2025

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11b
 11Mbps
 3 Meters
 2467MHz
 12



Plot 7-145 Radiated Restricted Upper Band Edge Measurement Antenna 3a

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel

802.11b
 11Mbps
 3 Meters
 2472MHz
 13




Plot 7-146 Radiated Restricted Upper Band Edge Measurement Antenna 3a

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 119 of 174

V 11.0 5/2025

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11n
 MCS7
 3 Meters
 2412MHz
 1



Plot 7-147 Radiated Restricted Lower Band Edge Measurement Antenna 3a

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel

802.11n
 MCS7
 3 Meters
 2417MHz
 2




Plot 7-148 Radiated Restricted Lower Band Edge Measurement Antenna 3a

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 120 of 174

V 11.0 5/2025

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11n
 MCS7
 3 Meters
 2422MHz
 3



Plot 7-149 Radiated Restricted Lower Band Edge Measurement Antenna 3a

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel

802.11n
 MCS7
 3 Meters
 2427MHz
 4




Plot 7-150 Radiated Restricted Lower Band Edge Measurement Antenna 3a

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 121 of 174


V 11.0 5/2025

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2432MHz
Channel	5



Plot 7-151 Radiated Restricted Lower Band Edge Measurement Antenna 3a

Mode	802.11n
Data Rate	MCS7
Distance of Measurement	3 Meters
Operating Frequency	2442MHz
Channel	7




Plot 7-152 Radiated Restricted Upper Band Edge Measurement Antenna 3a

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 122 of 174

V 11.0 5/2025

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11n
 MCS7
 3 Meters
 2447MHz
 8



Plot 7-153 Radiated Restricted Upper Band Edge Measurement Antenna 3a

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11n
 MCS7
 3 Meters
 2452MHz
 9



Plot 7-154 Radiated Restricted Upper Band Edge Measurement Antenna 3a

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 123 of 174


V 11.0 5/2025



Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11n
 MCS7
 3 Meters
 2467MHz
 12



Plot 7-157 Radiated Restricted Upper Band Edge Measurement Antenna 3a

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel

802.11n
 MCS7
 3 Meters
 2472MHz
 13




Plot 7-158 Radiated Restricted Upper Band Edge Measurement Antenna 3a

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 125 of 174

V 11.0 5/2025

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11be-SU
 MCS9
 3 Meters
 2412MHz
 1



Plot 7-159 Radiated Restricted Lower Band Edge Measurement Antenna 3a

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel

802.11be-SU
 MCS9
 3 Meters
 2417MHz
 2




Plot 7-160 Radiated Restricted Lower Band Edge Measurement Antenna 3a

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 126 of 174

V 11.0 5/2025

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11be-SU
 MCS9
 3 Meters
 2422MHz
 3



Plot 7-161 Radiated Restricted Lower Band Edge Measurement Antenna 3a

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel

802.11be-SU
 MCS9
 3 Meters
 2427MHz
 4




Plot 7-162 Radiated Restricted Lower Band Edge Measurement Antenna 3a

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 127 of 174

V 11.0 5/2025

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11be-SU
MCS9
3 Meters
2432MHz
5



Plot 7-163 Radiated Restricted Lower Band Edge Measurement Antenna 3a

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel

802.11be-SU
MCS9
3 Meters
2437MHz
6




Plot 7-164 Radiated Restricted Upper Band Edge Measurement Antenna 3a

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 128 of 174

V 11.0 5/2025

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11be-SU
 MCS9
 3 Meters
 2442MHz
 7



Plot 7-165 Radiated Restricted Upper Band Edge Measurement Antenna 3a

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel

802.11be-SU
 MCS9
 3 Meters
 2447MHz
 8




Plot 7-166 Radiated Restricted Upper Band Edge Measurement Antenna 3a

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 129 of 174

V 11.0 5/2025

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11be-SU
 MCS9
 3 Meters
 2452MHz
 9



Plot 7-167 Radiated Restricted Upper Band Edge Measurement Antenna 3a

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel

802.11be-SU
 MCS9
 3 Meters
 2457MHz
 10




Plot 7-168 Radiated Restricted Upper Band Edge Measurement Antenna 3a

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 130 of 174

V 11.0 5/2025

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11be-SU
 MCS9
 3 Meters
 2462MHz
 11



Plot 7-169 Radiated Restricted Upper Band Edge Measurement Antenna 3a

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel

802.11be-SU
 MCS9
 3 Meters
 2467MHz
 12



Plot 7-170 Radiated Restricted Upper Band Edge Measurement Antenna 3a

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 131 of 174

V 11.0 5/2025

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11be-SU

MCS9

3 Meters

2472MHz

13



Plot 7-171 Radiated Restricted Upper Band Edge Measurement Antenna 3a


FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 132 of 174

V 11.0 5/2025

7.8.3 Antenna 1a Radiated Restricted Band Edge Measurements


§15.205 §15.209; RSS-Gen [8.9]

Mode	802.11b
Data Rate	11Mbps
Distance of Measurement	3 Meters
Operating Frequency	2412MHz
Channel	1



Plot 7-172 Radiated Restricted Lower Band Edge Measurement Antenna 1a

Mode	802.11b
Data Rate	11Mbps
Distance of Measurement	3 Meters
Operating Frequency	2417MHz
Channel	2




Plot 7-173 Radiated Restricted Lower Band Edge Measurement Antenna 1a

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 133 of 174

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11b
 11Mbps
 3 Meters
 2457MHz
 10



Plot 7-174 Radiated Restricted Upper Band Edge Measurement Antenna 1a

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel

802.11b
 11Mbps
 3 Meters
 2462MHz
 11




Plot 7-175 Radiated Restricted Upper Band Edge Measurement Antenna 1a

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 134 of 174

V 11.0 5/2025

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11b
11Mbps
3 Meters
2467MHz
12



Plot 7-176 Radiated Restricted Upper Band Edge Measurement Antenna 1a

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel

802.11b
11Mbps
3 Meters
2472MHz
13




Plot 7-177 Radiated Restricted Upper Band Edge Measurement Antenna 1a

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 135 of 174

V 11.0 5/2025

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11n
 MCS7
 3 Meters
 2412MHz
 1



Plot 7-178 Radiated Restricted Lower Band Edge Measurement Antenna 1a

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel

802.11n
 MCS7
 3 Meters
 2417MHz
 2




Plot 7-179 Radiated Restricted Lower Band Edge Measurement Antenna 1a

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 136 of 174

V 11.0 5/2025

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11n
 MCS7
 3 Meters
 2422MHz
 3



Plot 7-180 Radiated Restricted Lower Band Edge Measurement Antenna 1a

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel

802.11n
 MCS7
 3 Meters
 2427MHz
 4




Plot 7-181 Radiated Restricted Lower Band Edge Measurement Antenna 1a

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 137 of 174

V 11.0 5/2025

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11n
 MCS7
 3 Meters
 2442MHz
 7



Plot 7-182 Radiated Restricted Upper Band Edge Measurement Antenna 1a

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel

802.11n
 MCS7
 3 Meters
 2447MHz
 8




Plot 7-183 Radiated Restricted Upper Band Edge Measurement Antenna 1a

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 138 of 174

V 11.0 5/2025

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11n
MCS7
3 Meters
2452MHz
9



Plot 7-184 Radiated Restricted Upper Band Edge Measurement Antenna 1a

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel

802.11n
MCS7
3 Meters
2457MHz
10




Plot 7-185 Radiated Restricted Upper Band Edge Measurement Antenna 1a

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 139 of 174

V 11.0 5/2025

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11n
MCS7
3 Meters
2462MHz
11



Plot 7-186 Radiated Restricted Upper Band Edge Measurement Antenna 1a

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel

802.11n
MCS7
3 Meters
2467MHz
12




Plot 7-187 Radiated Restricted Upper Band Edge Measurement Antenna 1a

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 140 of 174

V 11.0 5/2025

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11n
 MCS7
 3 Meters
 2472MHz
 13



Plot 7-188 Radiated Restricted Upper Band Edge Measurement Antenna 1a

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel

802.11be-SU
 MCS9
 3 Meters
 2412MHz
 1




Plot 7-189 Radiated Restricted Lower Band Edge Measurement Antenna 1a

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 141 of 174

V 11.0 5/2025

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11be-SU
 MCS9
 3 Meters
 2417MHz
 2



Plot 7-190 Radiated Restricted Lower Band Edge Measurement Antenna 1a

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel

802.11be-SU
 MCS9
 3 Meters
 2422MHz
 3




Plot 7-191 Radiated Restricted Lower Band Edge Measurement Antenna 1a

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 142 of 174

V 11.0 5/2025

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11be-SU
MCS9
3 Meters
2427MHz
4



Plot 7-192 Radiated Restricted Lower Band Edge Measurement Antenna 1a

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel

802.11be-SU
MCS9
3 Meters
2442MHz
7




Plot 7-193 Radiated Restricted Upper Band Edge Measurement Antenna 1a

FCC ID: BCGA3460 IC: 579C-A3460	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 143 of 174


V 11.0 5/2025

Mode	802.11be-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2447MHz
Channel	8



Plot 7-194 Radiated Restricted Upper Band Edge Measurement Antenna 1a


Mode	802.11be-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2452MHz
Channel	9



Plot 7-195 Radiated Restricted Upper Band Edge Measurement Antenna 1a


FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 144 of 174

Mode	802.11be-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2457MHz
Channel	10



Plot 7-196 Radiated Restricted Upper Band Edge Measurement Antenna 1a

Mode	802.11be-SU
Data Rate	MCS9
Distance of Measurement	3 Meters
Operating Frequency	2462MHz
Channel	11




Plot 7-197 Radiated Restricted Upper Band Edge Measurement Antenna 1a

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 145 of 174

7.8.4 CDD Radiated Restricted Band Edge Measurements


§15.205 §15.209; RSS-Gen [8.9]

Mode	802.11b
Data Rate	11Mbps
Distance of Measurement	3 Meters
Operating Frequency	2412MHz
Channel	1



Plot 7-200 Radiated Restricted Lower Band Edge Measurement CDD

Mode	802.11b
Data Rate	11Mbps
Distance of Measurement	3 Meters
Operating Frequency	2417MHz
Channel	2



Plot 7-201 Radiated Restricted Lower Band Edge Measurement CDD

FCC ID: BCGA3460 IC: 579C-A3460		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100080-14-R2.BCG	Test Dates: 09/15/2025 - 11/17/2025	EUT Type: Tablet Device	Page 147 of 174

V 11.0 5/2025