

APPENDIX G: 802.11BE RU & MRU SAR EXCLUSION

G.1 IEEE 802.11ax/be RU SAR Exclusion

To make the most efficient use of the additional available subcarriers (data tones), IEEE 802.11ax/be can utilize Orthogonal Frequency-Division Multiple Access (OFDMA) which divides the existing 802.11 channels into smaller subchannels called Resource Units (RUs). Possible RU sizes are: 26T, 52T, 52T+26T, 106T, 106T+26T, 484T+242T, 996T+484T, 996T+484T+242T.

Per FCC Guidance, 802.11ax/be was considered a higher order 802.11 mode when compared to a/b/g/n/ac to apply KDB Publication 248227 D01v02r02 for OFDM mode selection. Therefore, SAR tests were not required for 802.11ax/be based on the maximum allowed output powers of OFDM modes and the reported SAR values. Per FCC Guidance, maximum conducted powers were performed for each RU size to demonstrate that the output powers would not be higher than the other OFDM 802.11 modes.

G.2 IEEE 802.11ax RU Target Powers

G.2.1 Maximum 802.11ax RU WLAN Output Power

Mode		Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7b					
			SISO	SISO	SISO	SISO	SISO	SISO
			Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	
2.4 GHz WIFI 20 MHz Bandwidth		1	13.50	12.50	14.50	13.50	14.50	13.50
		2	13.50	12.50	16.50	15.50	17.20	16.20
		3	13.50	12.50	16.50	15.50	18.50	17.50
		4	13.50	12.50	16.50	15.50	19.50	18.50
		5	13.50	12.50	16.50	15.50	19.50	18.50
		6	13.50	12.50	16.50	15.50	19.50	18.50
		7	13.50	12.50	16.50	15.50	19.50	18.50
		8	13.50	12.50	16.50	15.50	19.50	18.50
		9	13.50	12.50	16.50	15.50	19.20	18.20
		10	13.50	12.50	16.50	15.50	17.20	16.20
		11	13.50	12.50	14.50	13.50	14.50	13.50
		12	13.50	12.50	14.00	13.00	14.00	13.00
		13	-5.30	-6.30	-5.30	-6.30	-5.30	-6.30

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7b											
		MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
2.4 GHz WIFI 20 MHz Bandwidth	1	13.00	12.00	14.00	13.00	14.00	13.00	13.00	12.00	14.00	13.00	14.00	13.00
	2	13.00	12.00	16.00	15.00	16.50	15.50	13.00	12.00	16.00	15.00	16.50	15.50
	3	13.00	12.00	16.00	15.00	17.70	16.70	13.00	12.00	16.00	15.00	17.70	16.70
	4	13.00	12.00	16.00	15.00	18.70	17.70	13.00	12.00	16.00	15.00	18.70	17.70
	5	13.00	12.00	16.00	15.00	19.00	18.00	13.00	12.00	16.00	15.00	19.00	18.00
	6	13.00	12.00	16.00	15.00	19.00	18.00	13.00	12.00	16.00	15.00	19.00	18.00
	7	13.00	12.00	16.00	15.00	19.00	18.00	13.00	12.00	16.00	15.00	19.00	18.00
	8	13.00	12.00	16.00	15.00	19.00	18.00	13.00	12.00	16.00	15.00	19.00	18.00
	9	13.00	12.00	16.00	15.00	18.50	17.50	13.00	12.00	16.00	15.00	18.50	17.50
	10	13.00	12.00	16.00	15.00	17.20	16.20	13.00	12.00	16.00	15.00	17.20	16.20
	11	13.00	12.00	14.50	13.50	14.50	13.50	13.00	12.00	14.50	13.50	14.50	13.50
	12	13.00	12.00	13.70	12.70	13.70	12.70	13.00	12.00	13.70	12.70	13.70	12.70
	13	-8.30	-9.30	-8.30	-9.30	-8.30	-9.30	-8.30	-9.30	-8.30	-9.30	-8.30	-9.30

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF2b						
		SISO	SISO	SISO	SISO	SISO	SISO	
		Tones						
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	
2.4 GHz WIFI 20 MHz Bandwidth		1	13.00	12.00	14.70	13.70	14.70	13.70
		2	13.00	12.00	16.00	15.00	17.20	16.20
		3	13.00	12.00	16.00	15.00	18.50	17.50
		4	13.00	12.00	16.00	15.00	19.00	18.00
		5	13.00	12.00	16.00	15.00	19.00	18.00
		6	13.00	12.00	16.00	15.00	19.00	18.00
		7	13.00	12.00	16.00	15.00	19.00	18.00
		8	13.00	12.00	16.00	15.00	19.00	18.00
		9	13.00	12.00	16.00	15.00	19.00	18.00
		10	13.00	12.00	16.00	15.00	17.20	16.20
		11	13.00	12.00	15.50	14.50	15.50	14.50
		12	13.70	12.70	13.70	12.70	13.70	12.70
		13	-5.00	-6.00	-5.00	-6.00	-5.00	-6.00

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 1 of 57



Mode	IEEE 802.11 (Maximum) in dBm - Antenna W72b													
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	Range		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		2d7 (Nominal)	2d7 (Nominal)	527 (Maximum)	527 (Nominal)	10d7 (Maximum)	10d7 (Nominal)	2d7 (Maximum)	2d7 (Nominal)	527 (Maximum)	527 (Nominal)	10d7 (Maximum)	10d7 (Nominal)	
2.4 GHz W72b 20 MHz Bandwidth	1	13.00	12.00	14.00	13.00	14.00	13.00	13.00	12.00	14.00	13.00	14.00	13.00	
	2	13.00	12.00	16.00	15.00	15.50	15.00	13.00	12.00	16.00	15.00	16.00	15.50	
	3	13.00	12.00	16.00	15.00	17.70	16.70	13.00	12.00	16.00	15.00	17.70	16.70	
	4	13.00	12.00	16.00	15.00	18.70	17.70	13.00	12.00	16.00	15.00	18.70	17.70	
	5	13.00	12.00	16.00	15.00	19.00	18.00	13.00	12.00	16.00	15.00	19.00	18.00	
	6	13.00	12.00	16.00	15.00	19.00	18.00	13.00	12.00	16.00	15.00	19.00	18.00	
	7	13.00	12.00	16.00	15.00	19.00	18.00	13.00	12.00	16.00	15.00	19.00	18.00	
	8	13.00	12.00	16.00	15.00	19.00	18.00	13.00	12.00	16.00	15.00	19.00	18.00	
	9	13.00	12.00	16.00	15.00	19.50	17.50	13.00	12.00	16.00	15.00	19.50	17.50	
	10	13.00	12.00	16.00	15.00	17.20	16.20	13.00	12.00	16.00	15.00	17.20	16.20	
	11	13.00	12.00	14.50	13.50	14.50	13.50	13.00	12.00	14.50	13.50	14.50	13.50	
	12	13.00	12.00	13.70	12.70	13.70	12.70	13.00	12.00	13.70	12.70	13.70	12.70	
	13	-8.50	-9.50	-9.50	-9.50	-9.50	-9.50	-9.50	-8.50	-9.50	-9.50	-9.50	-9.50	

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 2 of 57

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7a					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	11.00	10.00	14.00	13.00	16.50	15.50
	40	11.00	10.00	14.00	13.00	17.00	16.00
	44	11.00	10.00	14.00	13.00	17.00	16.00
	48	11.00	10.00	14.00	13.00	17.00	16.00
	52	NS	NS	14.00	13.00	17.00	16.00
	56	NS	NS	14.00	13.00	17.00	16.00
	60	NS	NS	14.00	13.00	17.00	16.00
	64	NS	NS	14.00	13.00	16.50	15.50
	100	NS	NS	14.00	13.00	14.70	13.70
	104	NS	NS	14.00	13.00	17.00	16.00
	108	NS	NS	14.00	13.00	17.00	16.00
	112	NS	NS	14.00	13.00	17.00	16.00
	116	NS	NS	14.00	13.00	17.00	16.00
	120	NS	NS	14.00	13.00	17.00	16.00
	124	NS	NS	14.00	13.00	17.00	16.00
	128	NS	NS	14.00	13.00	17.00	16.00
	132	NS	NS	14.00	13.00	17.00	16.00
	136	NS	NS	14.00	13.00	17.00	16.00
	140	NS	NS	13.50	12.50	13.50	12.50
	144	NS	NS	14.00	13.00	17.00	16.00
	149	11.00	10.00	14.00	13.00	17.00	16.00
	153	11.00	10.00	14.00	13.00	17.00	16.00
	157	11.00	10.00	14.00	13.00	17.00	16.00
	161	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 40 MHz Bandwidth	165	11.00	10.00	14.00	13.00	17.00	16.00
	38	11.00	10.00	14.00	13.00	14.20	13.20
	46	11.00	10.00	14.00	13.00	17.00	16.00
	54	NS	NS	14.00	13.00	17.00	16.00
	62	NS	NS	14.00	13.00	15.00	14.00
	102	NS	NS	13.20	12.20	13.20	12.20
	110	NS	NS	14.00	13.00	17.00	16.00
	118	NS	NS	14.00	13.00	17.00	16.00
	126	NS	NS	14.00	13.00	17.00	16.00
	134	NS	NS	14.00	13.00	15.20	14.20
	142	NS	NS	14.00	13.00	17.00	16.00
	151	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 80 MHz Bandwidth	159	11.00	10.00	14.00	13.00	17.00	16.00
	42	11.00	10.00	13.70	12.70	13.70	12.70
	58	NS	NS	13.50	12.50	13.50	12.50
	106	NS	NS	12.00	11.00	12.00	11.00
	122	NS	NS	14.00	13.00	15.70	14.70
5GHz WIFI 160 MHz Bandwidth	138	NS	NS	14.00	13.00	17.00	16.00
	155	11.00	10.00	14.00	13.00	16.00	15.00
	50	NS	NS	13.00	12.00	13.00	12.00
	114	NS	NS	12.00	11.00	12.00	11.00

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 3 of 57

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7a					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.10	8.10	11.20	10.20	14.10	13.10
	40	8.90	7.90	11.80	10.80	15.00	14.00
	44	9.10	8.10	11.70	10.70	15.00	14.00
	48	9.10	8.10	11.70	10.70	15.00	14.00
	52	NS	NS	11.80	10.80	15.10	14.10
	56	NS	NS	11.60	10.60	15.10	14.10
	60	NS	NS	11.80	10.80	14.90	13.90
	64	NS	NS	11.40	10.40	14.10	13.10
	100	NS	NS	11.40	10.40	13.90	12.90
	104	NS	NS	11.80	10.80	15.00	14.00
	108	NS	NS	11.70	10.70	14.80	13.80
	112	NS	NS	11.90	10.90	14.70	13.70
	116	NS	NS	11.70	10.70	15.00	14.00
	120	NS	NS	12.00	11.00	14.90	13.90
	124	NS	NS	11.60	10.60	14.90	13.90
	128	NS	NS	11.80	10.80	15.00	14.00
	132	NS	NS	11.60	10.60	14.70	13.70
	136	NS	NS	11.40	10.40	13.80	12.80
	140	NS	NS	11.30	10.30	12.70	11.70
	144	NS	NS	11.70	10.70	15.00	14.00
	149	11.00	10.00	14.00	13.00	17.00	16.00
	153	11.00	10.00	14.00	13.00	17.00	16.00
	157	11.00	10.00	14.00	13.00	17.00	16.00
	161	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 40 MHz Bandwidth	38	9.10	8.10	11.20	10.20	13.70	12.70
	46	8.80	7.80	11.90	10.90	15.00	14.00
	54	NS	NS	11.80	10.80	14.90	13.90
	62	NS	NS	11.40	10.40	14.10	13.10
	102	NS	NS	11.40	10.40	13.20	12.20
	110	NS	NS	11.80	10.80	14.70	13.70
	118	NS	NS	11.70	10.70	14.90	13.90
	126	NS	NS	11.60	10.60	14.90	13.90
	134	NS	NS	11.40	10.40	13.80	12.80
	142	NS	NS	11.70	10.70	15.00	14.00
	151	11.00	10.00	14.00	13.00	17.00	16.00
	159	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 80 MHz Bandwidth	42	9.00	8.00	11.20	10.20	12.70	11.70
	58	NS	NS	11.40	10.40	13.50	12.50
	106	NS	NS	11.40	10.40	12.00	11.00
	122	NS	NS	11.60	10.60	14.90	13.90
	138	NS	NS	11.70	10.70	14.80	13.80
5GHz WIFI 160 MHz Bandwidth	155	11.00	10.00	14.00	13.00	16.00	15.00
	50	NS	NS	11.50	10.50	11.70	10.70
	114	NS	NS	11.40	10.40	11.50	10.50

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 4 of 57

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7a					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.10	8.10	11.20	10.20	14.10	13.10
	40	8.90	7.90	11.80	10.80	15.00	14.00
	44	9.10	8.10	11.70	10.70	15.00	14.00
	48	9.10	8.10	11.70	10.70	15.00	14.00
	52	NS	NS	11.80	10.80	15.10	14.10
	56	NS	NS	11.60	10.60	15.10	14.10
	60	NS	NS	11.80	10.80	14.90	13.90
	64	NS	NS	11.40	10.40	14.10	13.10
	100	NS	NS	11.40	10.40	13.90	12.90
	104	NS	NS	11.80	10.80	15.00	14.00
	108	NS	NS	11.70	10.70	14.80	13.80
	112	NS	NS	11.90	10.90	14.70	13.70
	116	NS	NS	11.70	10.70	15.00	14.00
	120	NS	NS	12.00	11.00	14.90	13.90
	124	NS	NS	11.60	10.60	14.90	13.90
	128	NS	NS	11.80	10.80	15.00	14.00
	132	NS	NS	11.60	10.60	14.70	13.70
	136	NS	NS	11.40	10.40	13.80	12.80
	140	NS	NS	11.30	10.30	12.70	11.70
	144	NS	NS	11.70	10.70	15.00	14.00
	149	11.00	10.00	14.00	13.00	17.00	16.00
	153	11.00	10.00	14.00	13.00	17.00	16.00
	157	11.00	10.00	14.00	13.00	17.00	16.00
	161	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 40 MHz Bandwidth	38	9.10	8.10	11.20	10.20	13.70	12.70
	46	8.80	7.80	11.90	10.90	15.00	14.00
	54	NS	NS	11.80	10.80	14.90	13.90
	62	NS	NS	11.40	10.40	14.10	13.10
	102	NS	NS	11.40	10.40	13.20	12.20
	110	NS	NS	11.80	10.80	14.70	13.70
	118	NS	NS	11.70	10.70	14.90	13.90
	126	NS	NS	11.60	10.60	14.90	13.90
	134	NS	NS	11.40	10.40	13.80	12.80
	142	NS	NS	11.70	10.70	15.00	14.00
	151	11.00	10.00	14.00	13.00	17.00	16.00
	159	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 80 MHz Bandwidth	42	9.00	8.00	11.20	10.20	12.70	11.70
	58	NS	NS	11.40	10.40	13.50	12.50
	106	NS	NS	11.40	10.40	12.00	11.00
	122	NS	NS	11.60	10.60	14.90	13.90
	138	NS	NS	11.70	10.70	14.80	13.80
5GHz WIFI 160 MHz Bandwidth	155	11.00	10.00	14.00	13.00	16.00	15.00
	50	NS	NS	11.50	10.50	11.70	10.70
	114	NS	NS	11.40	10.40	11.50	10.50

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 5 of 57

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF2a					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	12.00	11.00	14.40	13.40	17.20	16.20
	40	12.00	11.00	14.80	13.80	18.00	17.00
	44	12.00	11.00	14.80	13.80	18.00	17.00
	48	12.00	11.00	14.70	13.70	18.00	17.00
	52	NS	NS	14.80	13.80	18.00	17.00
	56	NS	NS	14.90	13.90	18.00	17.00
	60	NS	NS	14.80	13.80	17.90	16.90
	64	NS	NS	14.40	13.40	16.50	15.50
	100	NS	NS	14.40	13.40	15.00	14.00
	104	NS	NS	14.80	13.80	18.00	17.00
	108	NS	NS	14.70	13.70	17.90	16.90
	112	NS	NS	14.90	13.90	17.70	16.70
	116	NS	NS	14.70	13.70	18.00	17.00
	120	NS	NS	15.00	14.00	18.00	17.00
	124	NS	NS	15.00	14.00	17.90	16.90
	128	NS	NS	14.90	13.90	18.00	17.00
	132	NS	NS	15.00	14.00	17.80	16.80
	136	NS	NS	14.40	13.40	16.80	15.80
	140	NS	NS	14.30	13.30	14.50	13.50
	144	NS	NS	14.70	13.70	18.00	17.00
	149	12.00	11.00	15.00	14.00	18.00	17.00
	153	12.00	11.00	15.00	14.00	18.00	17.00
	157	12.00	11.00	15.00	14.00	18.00	17.00
	161	12.00	11.00	15.00	14.00	18.00	17.00
	165	12.00	11.00	15.00	14.00	18.00	17.00
5 GHz WIFI 40 MHz Bandwidth	38	12.00	11.00	14.40	13.40	15.00	14.00
	46	12.00	11.00	14.90	13.90	18.00	17.00
	54	NS	NS	14.80	13.80	17.90	16.90
	62	NS	NS	14.40	13.40	14.70	13.70
	102	NS	NS	13.70	12.70	13.70	12.70
	110	NS	NS	14.80	13.80	17.90	16.90
	118	NS	NS	14.70	13.70	17.90	16.90
	126	NS	NS	14.80	13.80	17.90	16.90
	134	NS	NS	14.40	13.40	15.50	14.50
	142	NS	NS	14.70	13.70	18.00	17.00
	151	12.00	11.00	15.00	14.00	18.00	17.00
	159	12.00	11.00	15.00	14.00	18.00	17.00
5 GHz WIFI 80 MHz Bandwidth	42	12.00	11.00	14.20	13.20	14.20	13.20
	58	NS	NS	14.00	13.00	14.00	13.00
	106	NS	NS	13.50	12.50	13.50	12.50
	122	NS	NS	14.70	13.70	17.90	16.90
	138	NS	NS	14.80	13.80	17.80	16.80
5GHz WIFI 160 MHz Bandwidth	155	12.00	11.00	15.00	14.00	17.50	16.50
	50	NS	NS	13.00	12.00	13.00	12.00
	114	NS	NS	12.00	11.00	12.00	11.00

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 6 of 57

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF2a					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.10	8.10	11.20	10.20	14.10	13.10
	40	8.90	7.90	11.80	10.80	15.00	14.00
	44	9.10	8.10	11.70	10.70	15.00	14.00
	48	9.10	8.10	11.70	10.70	15.00	14.00
	52	NS	NS	11.80	10.80	15.10	14.10
	56	NS	NS	11.60	10.60	15.10	14.10
	60	NS	NS	11.80	10.80	14.90	13.90
	64	NS	NS	11.40	10.40	14.10	13.10
	100	NS	NS	11.40	10.40	13.90	12.90
	104	NS	NS	11.80	10.80	15.00	14.00
	108	NS	NS	11.70	10.70	14.80	13.80
	112	NS	NS	11.90	10.90	14.70	13.70
	116	NS	NS	11.70	10.70	15.00	14.00
	120	NS	NS	12.00	11.00	14.90	13.90
	124	NS	NS	11.60	10.60	14.90	13.90
	128	NS	NS	11.80	10.80	15.00	14.00
	132	NS	NS	11.60	10.60	14.70	13.70
	136	NS	NS	11.40	10.40	13.80	12.80
	140	NS	NS	11.30	10.30	12.70	11.70
	144	NS	NS	11.70	10.70	15.00	14.00
	149	11.00	10.00	14.00	13.00	17.00	16.00
	153	11.00	10.00	14.00	13.00	17.00	16.00
	157	11.00	10.00	14.00	13.00	17.00	16.00
	161	11.00	10.00	14.00	13.00	17.00	16.00
	165	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 40 MHz Bandwidth	38	9.10	8.10	11.20	10.20	13.70	12.70
	46	8.80	7.80	11.90	10.90	15.00	14.00
	54	NS	NS	11.80	10.80	14.90	13.90
	62	NS	NS	11.40	10.40	14.10	13.10
	102	NS	NS	11.40	10.40	13.20	12.20
	110	NS	NS	11.80	10.80	14.70	13.70
	118	NS	NS	11.70	10.70	14.90	13.90
	126	NS	NS	11.60	10.60	14.90	13.90
	134	NS	NS	11.40	10.40	13.80	12.80
	142	NS	NS	11.70	10.70	15.00	14.00
	151	11.00	10.00	14.00	13.00	17.00	16.00
	159	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 80 MHz Bandwidth	42	9.00	8.00	11.20	10.20	12.70	11.70
	58	NS	NS	11.40	10.40	13.50	12.50
	106	NS	NS	11.40	10.40	12.00	11.00
	122	NS	NS	11.60	10.60	14.90	13.90
	138	NS	NS	11.70	10.70	14.80	13.80
5GHz WIFI 160 MHz Bandwidth	155	11.00	10.00	14.00	13.00	16.00	15.00
	50	NS	NS	11.50	10.50	11.70	10.70
	114	NS	NS	11.40	10.40	11.50	10.50

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 7 of 57

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF2a					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.10	8.10	11.20	10.20	14.10	13.10
	40	8.90	7.90	11.80	10.80	15.00	14.00
	44	9.10	8.10	11.70	10.70	15.00	14.00
	48	9.10	8.10	11.70	10.70	15.00	14.00
	52	NS	NS	11.80	10.80	15.10	14.10
	56	NS	NS	11.60	10.60	15.10	14.10
	60	NS	NS	11.80	10.80	14.90	13.90
	64	NS	NS	11.40	10.40	14.10	13.10
	100	NS	NS	11.40	10.40	13.90	12.90
	104	NS	NS	11.80	10.80	15.00	14.00
	108	NS	NS	11.70	10.70	14.80	13.80
	112	NS	NS	11.90	10.90	14.70	13.70
	116	NS	NS	11.70	10.70	15.00	14.00
	120	NS	NS	12.00	11.00	14.90	13.90
	124	NS	NS	11.60	10.60	14.90	13.90
	128	NS	NS	11.80	10.80	15.00	14.00
	132	NS	NS	11.60	10.60	14.70	13.70
	136	NS	NS	11.40	10.40	13.80	12.80
	140	NS	NS	11.30	10.30	12.70	11.70
	144	NS	NS	11.70	10.70	15.00	14.00
	149	11.00	10.00	14.00	13.00	17.00	16.00
	153	11.00	10.00	14.00	13.00	17.00	16.00
	157	11.00	10.00	14.00	13.00	17.00	16.00
	161	11.00	10.00	14.00	13.00	17.00	16.00
	165	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 40 MHz Bandwidth	38	9.10	8.10	11.20	10.20	13.70	12.70
	46	8.80	7.80	11.90	10.90	15.00	14.00
	54	NS	NS	11.80	10.80	14.90	13.90
	62	NS	NS	11.40	10.40	14.10	13.10
	102	NS	NS	11.40	10.40	13.20	12.20
	110	NS	NS	11.80	10.80	14.70	13.70
	118	NS	NS	11.70	10.70	14.90	13.90
	126	NS	NS	11.60	10.60	14.90	13.90
	134	NS	NS	11.40	10.40	13.80	12.80
	142	NS	NS	11.70	10.70	15.00	14.00
	151	11.00	10.00	14.00	13.00	17.00	16.00
	159	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 80 MHz Bandwidth	42	9.00	8.00	11.20	10.20	12.70	11.70
	58	NS	NS	11.40	10.40	13.50	12.50
	106	NS	NS	11.40	10.40	12.00	11.00
	122	NS	NS	11.60	10.60	14.90	13.90
	138	NS	NS	11.70	10.70	14.80	13.80
5GHz WIFI 160 MHz Bandwidth	155	11.00	10.00	14.00	13.00	16.00	15.00
	50	NS	NS	11.50	10.50	11.70	10.70
	114	NS	NS	11.40	10.40	11.50	10.50

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 8 of 57

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7b					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	11.00	10.00	14.00	13.00	16.50	15.50
	40	11.00	10.00	14.00	13.00	17.00	16.00
	44	11.00	10.00	14.00	13.00	17.00	16.00
	48	11.00	10.00	14.00	13.00	17.00	16.00
	52	NS	NS	14.00	13.00	17.00	16.00
	56	NS	NS	14.00	13.00	17.00	16.00
	60	NS	NS	14.00	13.00	17.00	16.00
	64	NS	NS	14.00	13.00	16.50	15.50
	100	NS	NS	14.00	13.00	14.70	13.70
	104	NS	NS	14.00	13.00	17.00	16.00
	108	NS	NS	14.00	13.00	17.00	16.00
	112	NS	NS	14.00	13.00	17.00	16.00
	116	NS	NS	14.00	13.00	17.00	16.00
	120	NS	NS	14.00	13.00	17.00	16.00
	124	NS	NS	14.00	13.00	17.00	16.00
	128	NS	NS	14.00	13.00	17.00	16.00
	132	NS	NS	14.00	13.00	17.00	16.00
	136	NS	NS	14.00	13.00	17.00	16.00
	140	NS	NS	13.50	12.50	13.50	12.50
	144	NS	NS	14.00	13.00	17.00	16.00
	149	11.00	10.00	14.00	13.00	17.00	16.00
	153	11.00	10.00	14.00	13.00	17.00	16.00
	157	11.00	10.00	14.00	13.00	17.00	16.00
	161	11.00	10.00	14.00	13.00	17.00	16.00
	165	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 40 MHz Bandwidth	38	11.00	10.00	14.00	13.00	14.20	13.20
	46	11.00	10.00	14.00	13.00	17.00	16.00
	54	NS	NS	14.00	13.00	17.00	16.00
	62	NS	NS	14.00	13.00	15.00	14.00
	102	NS	NS	13.20	12.20	13.20	12.20
	110	NS	NS	14.00	13.00	17.00	16.00
	118	NS	NS	14.00	13.00	17.00	16.00
	126	NS	NS	14.00	13.00	17.00	16.00
	134	NS	NS	14.00	13.00	15.20	14.20
	142	NS	NS	14.00	13.00	17.00	16.00
	151	11.00	10.00	14.00	13.00	17.00	16.00
	159	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 80 MHz Bandwidth	42	11.00	10.00	13.70	12.70	13.70	12.70
	58	NS	NS	13.50	12.50	13.50	12.50
	106	NS	NS	12.00	11.00	12.00	11.00
	122	NS	NS	14.00	13.00	15.70	14.70
	138	NS	NS	14.00	13.00	17.00	16.00
5GHz WIFI 160 MHz Bandwidth	155	11.00	10.00	14.00	13.00	16.00	15.00
	50	NS	NS	13.00	12.00	13.00	12.00
	114	NS	NS	12.00	11.00	12.00	11.00

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 9 of 57

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7b					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.10	8.10	11.20	10.20	14.10	13.10
	40	8.90	7.90	11.80	10.80	15.00	14.00
	44	9.10	8.10	11.70	10.70	15.00	14.00
	48	9.10	8.10	11.70	10.70	15.00	14.00
	52	NS	NS	11.80	10.80	15.10	14.10
	56	NS	NS	11.60	10.60	15.10	14.10
	60	NS	NS	11.80	10.80	14.90	13.90
	64	NS	NS	11.40	10.40	14.10	13.10
	100	NS	NS	11.40	10.40	13.90	12.90
	104	NS	NS	11.80	10.80	15.00	14.00
	108	NS	NS	11.70	10.70	14.80	13.80
	112	NS	NS	11.90	10.90	14.70	13.70
	116	NS	NS	11.70	10.70	15.00	14.00
	120	NS	NS	12.00	11.00	14.90	13.90
	124	NS	NS	11.60	10.60	14.90	13.90
	128	NS	NS	11.80	10.80	15.00	14.00
	132	NS	NS	11.60	10.60	14.70	13.70
	136	NS	NS	11.40	10.40	13.80	12.80
	140	NS	NS	11.30	10.30	12.70	11.70
	144	NS	NS	11.70	10.70	15.00	14.00
	149	11.00	10.00	14.00	13.00	17.00	16.00
	153	11.00	10.00	14.00	13.00	17.00	16.00
	157	11.00	10.00	14.00	13.00	17.00	16.00
	161	11.00	10.00	14.00	13.00	17.00	16.00
	165	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 40 MHz Bandwidth	38	9.10	8.10	11.20	10.20	13.70	12.70
	46	8.80	7.80	11.90	10.90	15.00	14.00
	54	NS	NS	11.80	10.80	14.90	13.90
	62	NS	NS	11.40	10.40	14.10	13.10
	102	NS	NS	11.40	10.40	13.20	12.20
	110	NS	NS	11.80	10.80	14.70	13.70
	118	NS	NS	11.70	10.70	14.90	13.90
	126	NS	NS	11.60	10.60	14.90	13.90
	134	NS	NS	11.40	10.40	13.80	12.80
	142	NS	NS	11.70	10.70	15.00	14.00
	151	11.00	10.00	14.00	13.00	17.00	16.00
	159	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 80 MHz Bandwidth	42	9.00	8.00	11.20	10.20	12.70	11.70
	58	NS	NS	11.40	10.40	13.50	12.50
	106	NS	NS	11.40	10.40	12.00	11.00
	122	NS	NS	11.60	10.60	14.90	13.90
	138	NS	NS	11.70	10.70	14.80	13.80
5GHz WIFI 160 MHz Bandwidth	155	11.00	10.00	14.00	13.00	16.00	15.00
	50	NS	NS	11.50	10.50	11.70	10.70
	114	NS	NS	11.40	10.40	11.50	10.50

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 10 of 57

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7b					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.10	8.10	11.20	10.20	14.10	13.10
	40	8.90	7.90	11.80	10.80	15.00	14.00
	44	9.10	8.10	11.70	10.70	15.00	14.00
	48	9.10	8.10	11.70	10.70	15.00	14.00
	52	NS	NS	11.80	10.80	15.10	14.10
	56	NS	NS	11.60	10.60	15.10	14.10
	60	NS	NS	11.80	10.80	14.90	13.90
	64	NS	NS	11.40	10.40	14.10	13.10
	100	NS	NS	11.40	10.40	13.90	12.90
	104	NS	NS	11.80	10.80	15.00	14.00
	108	NS	NS	11.70	10.70	14.80	13.80
	112	NS	NS	11.90	10.90	14.70	13.70
	116	NS	NS	11.70	10.70	15.00	14.00
	120	NS	NS	12.00	11.00	14.90	13.90
	124	NS	NS	11.60	10.60	14.90	13.90
	128	NS	NS	11.80	10.80	15.00	14.00
	132	NS	NS	11.60	10.60	14.70	13.70
	136	NS	NS	11.40	10.40	13.80	12.80
	140	NS	NS	11.30	10.30	12.70	11.70
	144	NS	NS	11.70	10.70	15.00	14.00
	149	11.00	10.00	14.00	13.00	17.00	16.00
	153	11.00	10.00	14.00	13.00	17.00	16.00
	157	11.00	10.00	14.00	13.00	17.00	16.00
	161	11.00	10.00	14.00	13.00	17.00	16.00
	165	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 40 MHz Bandwidth	38	9.10	8.10	11.20	10.20	13.70	12.70
	46	8.80	7.80	11.90	10.90	15.00	14.00
	54	NS	NS	11.80	10.80	14.90	13.90
	62	NS	NS	11.40	10.40	14.10	13.10
	102	NS	NS	11.40	10.40	13.20	12.20
	110	NS	NS	11.80	10.80	14.70	13.70
	118	NS	NS	11.70	10.70	14.90	13.90
	126	NS	NS	11.60	10.60	14.90	13.90
	134	NS	NS	11.40	10.40	13.80	12.80
	142	NS	NS	11.70	10.70	15.00	14.00
	151	11.00	10.00	14.00	13.00	17.00	16.00
	159	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 80 MHz Bandwidth	42	9.00	8.00	11.20	10.20	12.70	11.70
	58	NS	NS	11.40	10.40	13.50	12.50
	106	NS	NS	11.40	10.40	12.00	11.00
	122	NS	NS	11.60	10.60	14.90	13.90
	138	NS	NS	11.70	10.70	14.80	13.80
5GHz WIFI 160 MHz Bandwidth	155	11.00	10.00	14.00	13.00	16.00	15.00
	50	NS	NS	11.50	10.50	11.70	10.70
	114	NS	NS	11.40	10.40	11.50	10.50

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 11 of 57

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7a						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-0.90	-1.90	1.20	0.20	4.00	3.00
	5	-0.80	-1.80	1.90	0.90	4.80	3.80
	9-29	-1.10	-2.10	1.80	0.80	4.80	3.80
	33-61	-1.20	-2.20	1.50	0.50	4.70	3.70
	65-85	-0.40	-1.40	2.50	1.50	5.60	4.60
	89	0.00	-1.00	2.60	1.60	5.90	4.90
	93	-0.20	-1.20	2.70	1.70	5.70	4.70
	97-113	-0.30	-1.30	2.20	1.20	5.40	4.40
	117-181	-2.30	-3.30	0.30	-0.70	3.60	2.60
	185	-2.40	-3.40	0.50	-0.50	3.60	2.60
	189-225	-2.30	-3.30	0.70	-0.30	3.60	2.60
	229	-2.00	-3.00	0.80	-0.20	3.90	2.90
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-0.90	-1.90	1.20	0.20	4.00	3.00
	11	-1.20	-2.20	1.90	0.90	4.80	3.80
	19-27	-1.10	-2.10	1.80	0.80	5.00	4.00
	35-59	-1.20	-2.20	1.50	0.50	4.70	3.70
	67-75	-0.20	-1.20	2.50	1.50	5.60	4.60
	83	-0.40	-1.40	2.50	1.50	5.70	4.70
	91	-0.30	-1.30	2.60	1.60	5.70	4.70
	99-107	-0.40	-1.40	2.20	1.20	5.40	4.40
	115	-2.00	-3.00	0.60	-0.40	3.70	2.70
	123-179	-2.40	-3.40	0.30	-0.70	3.60	2.60
	187	-2.40	-3.40	0.50	-0.50	3.50	2.50
	195-219	-2.30	-3.30	0.60	-0.40	3.80	2.80
	227	-2.00	-3.00	0.70	-0.30	3.90	2.90
	7	-0.90	-1.90	2.10	1.10	4.00	3.00
	23	-1.10	-2.10	1.80	0.80	5.10	4.10
6 GHz WIFI (80MHz BW) LP	39-55	-1.40	-2.40	1.60	0.60	4.70	3.70
	71	-0.20	-1.20	2.50	1.50	5.60	4.60
	87	-0.40	-1.40	2.50	1.50	5.70	4.70
	103	-0.50	-1.50	2.40	1.40	5.60	4.60
	119	-2.20	-3.20	0.50	-0.50	3.80	2.80
	135-167	-2.30	-3.30	0.80	-0.20	3.70	2.70
	183	-2.50	-3.50	0.80	-0.20	3.90	2.90
	199	-2.10	-3.10	0.70	-0.30	3.90	2.90
	215	-2.30	-3.30	0.50	-0.50	4.00	3.00
	15	-1.20	-2.20	2.00	1.00	4.00	3.00
6 GHz WIFI (160MHz BW) LP	47	-1.30	-2.30	1.80	0.80	4.20	3.20
	79	-0.50	-1.50	2.40	1.40	5.40	4.40
	111	-2.50	-3.50	0.70	-0.30	3.40	2.40
	143	-2.50	-3.50	0.40	-0.60	3.70	2.70
	175	-2.30	-3.30	0.20	-0.80	3.00	2.00
	207	-2.30	-3.30	1.00	0.00	3.70	2.70

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 12 of 57

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7a						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-7.10	-8.10	-4.90	-5.90	-2.10	-3.10
	5	-6.90	-7.90	-4.20	-5.20	-1.30	-2.30
	9-29	-7.20	-8.20	-4.30	-5.30	-1.30	-2.30
	33-61	-7.10	-8.10	-4.40	-5.40	-1.30	-2.30
	65-85	-6.20	-7.20	-3.30	-4.30	-0.20	-1.20
	89	-5.90	-6.90	-3.20	-4.20	0.10	-0.90
	93	-6.00	-7.00	-3.10	-4.10	-0.10	-1.10
	97-113	-6.00	-7.00	-3.40	-4.40	-0.20	-1.20
	117-181	-7.70	-8.70	-5.10	-6.10	-1.80	-2.80
	185	-7.90	-8.90	-5.00	-6.00	-1.90	-2.90
	189-225	-7.90	-8.90	-5.10	-6.10	-2.00	-3.00
	229	-7.60	-8.60	-4.80	-5.80	-1.70	-2.70
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-7.10	-8.10	-4.90	-5.90	-2.10	-3.10
	11	-7.30	-8.30	-4.50	-5.50	-1.30	-2.30
	19-27	-7.20	-8.20	-4.30	-5.30	-1.20	-2.20
	35-59	-7.10	-8.10	-4.40	-5.40	-1.30	-2.30
	67-75	-6.10	-7.10	-3.40	-4.40	-0.20	-1.20
	83	-6.40	-7.40	-3.30	-4.30	-0.10	-1.10
	91	-6.10	-7.10	-3.30	-4.30	-0.10	-1.10
	99-107	-6.00	-7.00	-3.40	-4.40	-0.20	-1.20
	115	-7.60	-8.60	-4.90	-5.90	-1.70	-2.70
	123-179	-7.80	-8.80	-5.10	-6.10	-1.80	-2.80
	187	-7.90	-8.90	-5.00	-6.00	-2.00	-3.00
	195-219	-7.90	-8.90	-5.10	-6.10	-1.90	-2.90
	227	-7.60	-8.60	-5.00	-6.00	-1.80	-2.80
	7	-7.00	-8.00	-4.50	-5.50	-2.10	-3.10
6 GHz WIFI (80MHz BW) LP	23	-7.20	-8.20	-4.30	-5.30	-1.20	-2.20
	39-55	-7.30	-8.30	-4.30	-5.30	-1.20	-2.20
	71	-6.00	-7.00	-3.30	-4.30	-0.20	-1.20
	87	-6.20	-7.20	-3.30	-4.30	-0.10	-1.10
	103	-6.10	-7.10	-3.30	-4.30	0.00	-1.00
	119	-7.90	-8.90	-4.90	-5.90	-1.70	-2.70
	135-167	-7.70	-8.70	-4.90	-5.90	-1.70	-2.70
	183	-8.00	-9.00	-5.00	-6.00	-1.70	-2.70
	199	-8.00	-9.00	-5.10	-6.10	-1.70	-2.70
	215	-7.90	-8.90	-5.10	-6.10	-1.60	-2.60
6 GHz WIFI (160MHz BW) LP	15	-7.30	-8.30	-4.20	-5.20	-2.10	-3.10
	47	-7.20	-8.20	-4.50	-5.50	-1.70	-2.70
	79	-6.30	-7.30	-3.80	-4.80	-0.40	-1.40
	111	-7.90	-8.90	-5.30	-6.30	-2.00	-3.00
	143	-7.90	-8.90	-5.10	-6.10	-1.80	-2.80
	175	-7.80	-8.80	-5.30	-6.30	-2.50	-3.50
	207	-7.90	-8.90	-5.40	-6.40	-1.90	-2.90

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 13 of 57

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7a					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-4.10	-5.10	-1.90	-2.90	0.90	-0.10
	5	-3.90	-4.90	-1.20	-2.20	1.70	0.70
	9-29	-4.20	-5.20	-1.30	-2.30	1.70	0.70
	33-61	-4.10	-5.10	-1.40	-2.40	1.70	0.70
	65-85	-3.20	-4.20	-0.30	-1.30	2.80	1.80
	89	-2.90	-3.90	-0.20	-1.20	3.10	2.10
	93	-3.00	-4.00	-0.10	-1.10	2.90	1.90
	97-113	-3.00	-4.00	-0.40	-1.40	2.80	1.80
	117-181	-4.70	-5.70	-2.10	-3.10	1.20	0.20
	185	-4.90	-5.90	-2.00	-3.00	1.10	0.10
	189-225	-4.90	-5.90	-2.10	-3.10	1.00	0.00
	229	-4.60	-5.60	-1.80	-2.80	1.30	0.30
	233	NS	NS	NS	NS	NS	NS
	3	-4.10	-5.10	-1.90	-2.90	0.90	-0.10
6 GHz WIFI (40MHz BW) LP	11	-4.30	-5.30	-1.50	-2.50	1.70	0.70
	19-27	-4.20	-5.20	-1.30	-2.30	1.80	0.80
	35-59	-4.10	-5.10	-1.40	-2.40	1.70	0.70
	67-75	-3.10	-4.10	-0.40	-1.40	2.80	1.80
	83	-3.40	-4.40	-0.30	-1.30	2.90	1.90
	91	-3.10	-4.10	-0.30	-1.30	2.90	1.90
	99-107	-3.00	-4.00	-0.40	-1.40	2.80	1.80
	115	-4.60	-5.60	-1.90	-2.90	1.30	0.30
	123-179	-4.80	-5.80	-2.10	-3.10	1.20	0.20
	187	-4.90	-5.90	-2.00	-3.00	1.00	0.00
	195-219	-4.90	-5.90	-2.10	-3.10	1.10	0.10
	227	-4.60	-5.60	-2.00	-3.00	1.20	0.20
	7	-4.00	-5.00	-1.50	-2.50	0.90	-0.10
	23	-4.20	-5.20	-1.30	-2.30	1.80	0.80
	39-55	-4.30	-5.30	-1.30	-2.30	1.80	0.80
6 GHz WIFI (80MHz BW) LP	71	-3.00	-4.00	-0.30	-1.30	2.80	1.80
	87	-3.20	-4.20	-0.30	-1.30	2.90	1.90
	103	-3.10	-4.10	-0.30	-1.30	3.00	2.00
	119	-4.90	-5.90	-1.90	-2.90	1.30	0.30
	135-167	-4.70	-5.70	-1.90	-2.90	1.30	0.30
	183	-5.00	-6.00	-2.00	-3.00	1.30	0.30
	199	-5.00	-6.00	-2.10	-3.10	1.30	0.30
	215	-4.90	-5.90	-2.10	-3.10	1.40	0.40
	15	-4.30	-5.30	-1.20	-2.20	0.90	-0.10
	47	-4.20	-5.20	-1.50	-2.50	1.30	0.30
6 GHz WIFI (160MHz BW) LP	79	-3.30	-4.30	-0.80	-1.80	2.60	1.60
	111	-4.90	-5.90	-2.30	-3.30	1.00	0.00
	143	-4.90	-5.90	-2.10	-3.10	1.20	0.20
	175	-4.80	-5.80	-2.30	-3.30	0.50	-0.50
	207	-4.90	-5.90	-2.40	-3.40	1.10	0.10

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7a					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-5.20	-6.20	-2.50	-3.50	0.70	-0.30
	65-85	-4.40	-5.40	-1.50	-2.50	1.60	0.60
	89	-4.00	-5.00	-1.40	-2.40	1.90	0.90
	93	-4.20	-5.20	-1.30	-2.30	1.70	0.70
	97-113	-4.30	-5.30	-1.80	-2.80	1.40	0.40
	117-181	-6.30	-7.30	-3.70	-4.70	-0.40	-1.40
	185	-6.40	-7.40	-3.50	-4.50	-0.40	-1.40
	189-225	-6.30	-7.30	-3.30	-4.30	-0.40	-1.40
	229	-6.00	-7.00	-3.20	-4.20	-0.10	-1.10
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-5.20	-6.20	-2.50	-3.50	0.70	-0.30
	67-75	-4.20	-5.20	-1.50	-2.50	1.60	0.60
	83	-4.40	-5.40	-1.50	-2.50	1.70	0.70
	91	-4.30	-5.30	-1.40	-2.40	1.70	0.70
	99-107	-4.40	-5.40	-1.80	-2.80	1.40	0.40
	115	-6.00	-7.00	-3.40	-4.40	-0.30	-1.30
	123-179	-6.40	-7.40	-3.70	-4.70	-0.40	-1.40
	187	-6.40	-7.40	-3.50	-4.50	-0.50	-1.50
	195-219	-6.30	-7.30	-3.40	-4.40	-0.20	-1.20
	227	-6.00	-7.00	-3.30	-4.30	-0.10	-1.10
6 GHz WIFI (80MHz BW) VLP	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-5.40	-6.40	-2.40	-3.40	0.70	-0.30
	71	-4.20	-5.20	-1.50	-2.50	1.60	0.60
	87	-4.40	-5.40	-1.50	-2.50	1.70	0.70
	103	-4.50	-5.50	-1.60	-2.60	1.60	0.60
	119	-6.20	-7.20	-3.50	-4.50	-0.20	-1.20
	135-167	-6.30	-7.30	-3.20	-4.20	-0.30	-1.30
	183	-6.50	-7.50	-3.20	-4.20	-0.10	-1.10
	199	-6.10	-7.10	-3.30	-4.30	-0.10	-1.10
6 GHz WIFI (160MHz BW) VLP	215	-6.30	-7.30	-3.50	-4.50	0.00	-1.00
	15	NS	NS	NS	NS	NS	NS
	47	-5.30	-6.30	-2.20	-3.20	0.20	-0.80
	79	-4.50	-5.50	-1.60	-2.60	1.40	0.40
	111	-6.50	-7.50	-3.30	-4.30	-0.60	-1.60
	143	-6.50	-7.50	-3.60	-4.60	-1.30	-2.30
	175	-6.30	-7.30	-3.80	-4.80	-1.00	-2.00
	207	-6.30	-7.30	-3.00	-4.00	-0.30	-1.30

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 14 of 57

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7a					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-8.40	-9.40	-5.30	-6.30
	65-85	NS	NS	-7.30	-8.30	-4.20	-5.20
	89	NS	NS	-7.20	-8.20	-3.90	-4.90
	93	NS	NS	-7.10	-8.10	-4.10	-5.10
	97-113	NS	NS	-7.40	-8.40	-4.20	-5.20
	117-181	NS	NS	NS	NS	-5.80	-6.80
	185	NS	NS	-9.00	-10.00	-5.90	-6.90
	189-225	NS	NS	NS	NS	-6.00	-7.00
	229	NS	NS	-8.80	-9.80	-5.70	-6.70
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	-8.40	-9.40	-5.30	-6.30
	67-75	NS	NS	-7.40	-8.40	-4.20	-5.20
	83	NS	NS	-7.30	-8.30	-4.10	-5.10
	91	NS	NS	-7.30	-8.30	-4.10	-5.10
	99-107	NS	NS	-7.40	-8.40	-4.20	-5.20
	115	NS	NS	-8.90	-9.90	-5.70	-6.70
	123-179	NS	NS	NS	NS	-5.80	-6.80
	187	NS	NS	-9.00	-10.00	-6.00	-7.00
	195-219	NS	NS	NS	NS	-5.90	-6.90
	227	NS	NS	-9.00	-10.00	-5.80	-6.80
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	-8.30	-9.30	-5.20	-6.20
6 GHz WiFi (80MHz BW) VLP	71	NS	NS	-7.30	-8.30	-4.20	-5.20
	87	NS	NS	-7.30	-8.30	-4.10	-5.10
	103	NS	NS	-7.30	-8.30	-4.00	-5.00
	119	NS	NS	-8.90	-9.90	-5.70	-6.70
	135-167	NS	NS	-8.90	-9.90	-5.70	-6.70
	183	NS	NS	-9.00	-10.00	-5.70	-6.70
	199	NS	NS	NS	NS	-5.70	-6.70
	215	NS	NS	NS	NS	-5.60	-6.60
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	-8.50	-9.50	-5.70	-6.70
6 GHz WiFi (160MHz BW) VLP	79	NS	NS	-7.80	-8.80	-4.40	-5.40
	111	NS	NS	NS	NS	-6.00	-7.00
	143	NS	NS	NS	NS	-5.80	-6.80
	175	NS	NS	NS	NS	-6.50	-7.50
	207	NS	NS	NS	NS	-5.90	-6.90

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7a					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-8.10	-9.10	-5.40	-6.40	-2.30	-3.30
	65-85	-7.20	-8.20	-4.30	-5.30	-1.20	-2.20
	89	-6.90	-7.90	-4.20	-5.20	-0.90	-1.90
	93	-7.00	-8.00	-4.10	-5.10	-1.10	-2.10
	97-113	-7.00	-8.00	-4.40	-5.40	-1.20	-2.20
	117-181	-8.70	-9.70	-6.10	-7.10	-2.80	-3.80
	185	-8.90	-9.90	-6.00	-7.00	-2.90	-3.90
	189-225	-8.90	-9.90	-6.10	-7.10	-3.00	-4.00
	229	-8.60	-9.60	-5.80	-6.80	-2.70	-3.70
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-8.10	-9.10	-5.40	-6.40	-2.30	-3.30
	67-75	-7.10	-8.10	-4.40	-5.40	-1.20	-2.20
	83	-7.40	-8.40	-4.30	-5.30	-1.10	-2.10
	91	-7.10	-8.10	-4.30	-5.30	-1.10	-2.10
	99-107	-7.00	-8.00	-4.40	-5.40	-1.20	-2.20
	115	-8.60	-9.60	-5.90	-6.90	-2.70	-3.70
	123-179	-8.80	-9.80	-6.10	-7.10	-2.80	-3.80
	187	-8.90	-9.90	-6.00	-7.00	-3.00	-4.00
	195-219	-8.90	-9.90	-6.10	-7.10	-2.90	-3.90
	227	-8.60	-9.60	-6.00	-7.00	-2.80	-3.80
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-8.30	-9.30	-5.30	-6.30	-2.20	-3.20
6 GHz WiFi (80MHz BW) VLP	71	-7.00	-8.00	-4.30	-5.30	-1.20	-2.20
	87	-7.20	-8.20	-4.30	-5.30	-1.10	-2.10
	103	-7.10	-8.10	-4.30	-5.30	-1.00	-2.00
	119	-8.90	-9.90	-5.90	-6.90	-2.70	-3.70
	135-167	-8.70	-9.70	-5.90	-6.90	-2.70	-3.70
	183	-9.00	-10.00	-6.00	-7.00	-2.70	-3.70
	199	-9.00	-10.00	-6.10	-7.10	-2.70	-3.70
	215	-8.90	-9.90	-6.10	-7.10	-2.60	-3.60
	15	NS	NS	NS	NS	NS	NS
	47	-8.20	-9.20	-5.50	-6.50	-2.70	-3.70
6 GHz WiFi (160MHz BW) VLP	79	-7.30	-8.30	-4.80	-5.80	-1.40	-2.40
	111	-8.90	-9.90	-6.30	-7.30	-3.00	-4.00
	143	-8.90	-9.90	-6.10	-7.10	-2.80	-3.80
	175	-8.80	-9.80	-6.30	-7.30	-3.50	-4.50
	207	-8.90	-9.90	-6.40	-7.40	-2.90	-3.90

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 15 of 57

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7a					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	13.00	12.00	13.00	12.00
	5	10.00	9.00	13.00	12.00	13.00	12.00
	9-29	10.00	9.00	13.00	12.00	13.00	12.00
	33-61	10.00	9.00	12.50	11.50	12.50	11.50
	65-85	10.00	9.00	13.00	12.00	13.75	12.75
	89	10.00	9.00	13.00	12.00	13.75	12.75
	93	10.00	9.00	13.00	12.00	13.75	12.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.00	8.00	12.00	11.00	12.75	11.75
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.00	9.00	13.00	12.00	13.00	12.00
	11	10.00	9.00	13.00	12.00	13.00	12.00
6 GHz WiFi (40MHz BW) SP	19-27	10.00	9.00	13.00	12.00	13.00	12.00
	35-59	10.00	9.00	12.50	11.50	12.50	11.50
	67-75	10.00	9.00	13.00	12.00	13.75	12.75
	83	10.00	9.00	13.00	12.00	13.75	12.75
	91	10.00	9.00	13.00	12.00	13.75	12.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.00	8.00	12.00	11.00	12.75	11.75
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.00	9.00	13.00	12.00	13.00	12.00
	23	10.00	9.00	13.00	12.00	13.00	12.00
	39-55	10.00	9.00	12.50	11.50	12.50	11.50
	71	10.00	9.00	13.00	12.00	13.75	12.75
	87	10.00	9.00	13.00	12.00	13.75	12.75
6 GHz WiFi (80MHz BW) SP	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	9.00	8.00	12.00	11.00	13.00	12.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.00	9.00	13.00	12.00	13.00	12.00
	47	10.00	9.00	12.50	11.50	12.50	11.50
	79	10.00	9.00	13.00	12.00	13.75	12.75
	111	NS	NS	NS	NS	NS	NS
6 GHz WiFi (160MHz BW) SP	143	9.00	8.00	12.00	11.00	13.00	12.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7a					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	13.00	12.00	13.00	12.00
	5	10.00	9.00	13.00	12.00	13.00	12.00
	9-29	10.00	9.00	13.00	12.00	13.00	12.00
	33-61	10.00	9.00	12.50	11.50	12.50	11.50
	65-85	10.00	9.00	13.00	12.00	13.75	12.75
	89	10.00	9.00	13.00	12.00	13.75	12.75
	93	10.00	9.00	13.00	12.00	13.75	12.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.00	8.00	12.00	11.00	12.75	11.75
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.00	9.00	13.00	12.00	13.00	12.00
	11	10.00	9.00	13.00	12.00	13.00	12.00
	19-27	10.00	9.00	13.00	12.00	13.00	12.00
6 GHz WiFi (40MHz BW) SP	35-59	10.00	9.00	12.50	11.50	12.50	11.50
	67-75	10.00	9.00	13.00	12.00	13.75	12.75
	83	10.00	9.00	13.00	12.00	13.75	12.75
	91	10.00	9.00	13.00	12.00	13.75	12.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.00	8.00	12.00	11.00	12.75	11.75
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.00	9.00	13.00	12.00	13.00	12.00
	23	10.00	9.00	13.00	12.00	13.00	12.00
	39-55	10.00	9.00	12.50	11.50	12.50	11.50
	71	10.00	9.00	13.00	12.00	13.75	12.75
	87	10.00	9.00	13.00	12.00	13.75	12.75
	103	NS	NS	NS	NS	NS	NS
6 GHz WiFi (80MHz BW) SP	119	NS	NS	NS	NS	NS	NS
	135-167	9.00	8.00	12.00	11.00	13.00	12.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.00	9.00	13.00	12.00	13.00	12.00
	47	10.00	9.00	12.50	11.50	12.50	11.50
	79	10.00	9.00	13.00	12.00	13.75	12.75
	111	NS	NS	NS	NS	NS	NS
	143	9.00	8.00	12.00	11.00	13.00	12.00
6 GHz WiFi (160MHz BW) SP	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 16 of 57

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7a					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	13.00	12.00	13.00	12.00
	5	10.00	9.00	13.00	12.00	13.00	12.00
	9-29	10.00	9.00	13.00	12.00	13.00	12.00
	33-61	10.00	9.00	12.50	11.50	12.50	11.50
	65-85	10.00	9.00	13.00	12.00	13.75	12.75
	89	10.00	9.00	13.00	12.00	13.75	12.75
	93	10.00	9.00	13.00	12.00	13.75	12.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.00	8.00	12.00	11.00	12.75	11.75
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.00	9.00	13.00	12.00	13.00	12.00
	11	10.00	9.00	13.00	12.00	13.00	12.00
6 GHz WIFI (40MHz BW) SP	19-27	10.00	9.00	13.00	12.00	13.00	12.00
	35-59	10.00	9.00	12.50	11.50	12.50	11.50
	67-75	10.00	9.00	13.00	12.00	13.75	12.75
	83	10.00	9.00	13.00	12.00	13.75	12.75
	91	10.00	9.00	13.00	12.00	13.75	12.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.00	8.00	12.00	11.00	12.75	11.75
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.00	9.00	13.00	12.00	13.00	12.00
	23	10.00	9.00	13.00	12.00	13.00	12.00
	39-55	10.00	9.00	12.50	11.50	12.50	11.50
	71	10.00	9.00	13.00	12.00	13.75	12.75
	87	10.00	9.00	13.00	12.00	13.75	12.75
6 GHz WIFI (80MHz BW) SP	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	9.00	8.00	12.00	11.00	13.00	12.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.00	9.00	13.00	12.00	13.00	12.00
	47	10.00	9.00	12.50	11.50	12.50	11.50
	79	10.00	9.00	13.00	12.00	13.75	12.75
	111	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	143	9.00	8.00	12.00	11.00	13.00	12.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 17 of 57

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF2a						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-1.10	-2.10	1.30	0.30	4.00	3.00
	5	-0.90	-1.90	1.80	0.80	5.00	4.00
	9-29	-1.00	-2.00	1.70	0.70	4.80	3.80
	33-61	-0.80	-1.80	2.10	1.10	5.00	4.00
	65-85	0.40	-0.60	3.10	2.10	6.30	5.30
	89	0.50	-0.50	3.40	2.40	6.50	5.50
	93	0.70	-0.30	3.30	2.30	6.40	5.40
	97-113	0.50	-0.50	3.20	2.20	6.40	5.40
	117-181	-0.90	-1.90	1.80	0.80	5.00	4.00
	185	-1.20	-2.20	1.60	0.60	5.00	4.00
	189-225	-1.30	-2.30	1.50	0.50	4.70	3.70
	229	-1.00	-2.00	1.80	0.80	5.00	4.00
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-1.10	-2.10	1.30	0.30	3.90	2.90
	11	-1.00	-2.00	1.50	0.50	4.90	3.90
	19-27	-1.20	-2.20	1.70	0.70	4.80	3.80
	35-59	-0.80	-1.80	1.90	0.90	5.00	4.00
	67-75	0.30	-0.70	3.00	2.00	6.30	5.30
	83	0.00	-1.00	3.20	2.20	6.30	5.30
	91	0.50	-0.50	3.10	2.10	6.40	5.40
	99-107	0.50	-0.50	3.10	2.10	6.40	5.40
	115	-0.80	-1.80	1.90	0.90	5.20	4.20
	123-179	-0.90	-1.90	1.80	0.80	5.00	4.00
	187	-1.20	-2.20	1.60	0.60	4.70	3.70
	195-219	-1.30	-2.30	1.50	0.50	4.70	3.70
	227	-1.00	-2.00	1.60	0.60	4.80	3.80
	7	-1.00	-2.00	1.50	0.50	3.90	2.90
	23	-1.00	-2.00	1.70	0.70	4.80	3.80
6 GHz WIFI (80MHz BW) LP	39-55	-0.70	-1.70	2.00	1.00	5.20	4.20
	71	0.40	-0.60	3.10	2.10	6.30	5.30
	87	0.50	-0.50	3.20	2.20	6.30	5.30
	103	0.40	-0.60	3.20	2.20	6.50	5.50
	119	-1.10	-2.10	2.10	1.10	5.10	4.10
	135-167	-0.90	-1.90	1.90	0.90	5.10	4.10
	183	-1.00	-2.00	1.60	0.60	4.90	3.90
	199	-1.40	-2.40	1.50	0.50	5.40	4.40
	215	-1.00	-2.00	1.70	0.70	5.00	4.00
	15	-1.30	-2.30	1.80	0.80	3.90	2.90
6 GHz WIFI (160MHz BW) LP	47	-0.90	-1.90	1.80	0.80	5.10	4.10
	79	0.10	-0.90	2.60	1.60	6.10	5.10
	111	-1.10	-2.10	1.50	0.50	5.10	4.10
	143	-1.10	-2.10	1.70	0.70	5.00	4.00
	175	-1.20	-2.20	1.70	0.70	4.50	3.50
	207	-1.30	-2.30	1.20	0.20	4.70	3.70

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 18 of 57

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF2a						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-7.10	-8.10	-4.90	-5.90	-2.10	-3.10
	5	-6.90	-7.90	-4.20	-5.20	-1.30	-2.30
	9-29	-7.20	-8.20	-4.30	-5.30	-1.30	-2.30
	33-61	-7.10	-8.10	-4.40	-5.40	-1.30	-2.30
	65-85	-6.20	-7.20	-3.30	-4.30	-0.20	-1.20
	89	-5.90	-6.90	-3.20	-4.20	0.10	-0.90
	93	-6.00	-7.00	-3.10	-4.10	-0.10	-1.10
	97-113	-6.00	-7.00	-3.40	-4.40	-0.20	-1.20
	117-181	-7.70	-8.70	-5.10	-6.10	-1.80	-2.80
	185	-7.90	-8.90	-5.00	-6.00	-1.90	-2.90
	189-225	-7.90	-8.90	-5.10	-6.10	-2.00	-3.00
	229	-7.60	-8.60	-4.80	-5.80	-1.70	-2.70
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-7.10	-8.10	-4.90	-5.90	-2.10	-3.10
	11	-7.30	-8.30	-4.50	-5.50	-1.30	-2.30
	19-27	-7.20	-8.20	-4.30	-5.30	-1.20	-2.20
	35-59	-7.10	-8.10	-4.40	-5.40	-1.30	-2.30
	67-75	-6.10	-7.10	-3.40	-4.40	-0.20	-1.20
	83	-6.40	-7.40	-3.30	-4.30	-0.10	-1.10
	91	-6.10	-7.10	-3.30	-4.30	-0.10	-1.10
	99-107	-6.00	-7.00	-3.40	-4.40	-0.20	-1.20
	115	-7.60	-8.60	-4.90	-5.90	-1.70	-2.70
	123-179	-7.80	-8.80	-5.10	-6.10	-1.80	-2.80
	187	-7.90	-8.90	-5.00	-6.00	-2.00	-3.00
	195-219	-7.90	-8.90	-5.10	-6.10	-1.90	-2.90
	227	-7.60	-8.60	-5.00	-6.00	-1.80	-2.80
	7	-7.00	-8.00	-4.50	-5.50	-2.10	-3.10
6 GHz WIFI (80MHz BW) LP	23	-7.20	-8.20	-4.30	-5.30	-1.20	-2.20
	39-55	-7.30	-8.30	-4.30	-5.30	-1.20	-2.20
	71	-6.00	-7.00	-3.30	-4.30	-0.20	-1.20
	87	-6.20	-7.20	-3.30	-4.30	-0.10	-1.10
	103	-6.10	-7.10	-3.30	-4.30	0.00	-1.00
	119	-7.90	-8.90	-4.90	-5.90	-1.70	-2.70
	135-167	-7.70	-8.70	-4.90	-5.90	-1.70	-2.70
	183	-8.00	-9.00	-5.00	-6.00	-1.70	-2.70
	199	-8.00	-9.00	-5.10	-6.10	-1.70	-2.70
	215	-7.90	-8.90	-5.10	-6.10	-1.60	-2.60
6 GHz WIFI (160MHz BW) LP	15	-7.30	-8.30	-4.20	-5.20	-2.10	-3.10
	47	-7.20	-8.20	-4.50	-5.50	-1.70	-2.70
	79	-6.30	-7.30	-3.80	-4.80	-0.40	-1.40
	111	-7.90	-8.90	-5.30	-6.30	-2.00	-3.00
	143	-7.90	-8.90	-5.10	-6.10	-1.80	-2.80
	175	-7.80	-8.80	-5.30	-6.30	-2.50	-3.50
	207	-7.90	-8.90	-5.40	-6.40	-1.90	-2.90

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 19 of 57

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF2a					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-4.10	-5.10	-1.90	-2.90	0.90	-0.10
	5	-3.90	-4.90	-1.20	-2.20	1.70	0.70
	9-29	-4.20	-5.20	-1.30	-2.30	1.70	0.70
	33-61	-4.10	-5.10	-1.40	-2.40	1.70	0.70
	65-85	-3.20	-4.20	-0.30	-1.30	2.80	1.80
	89	-2.90	-3.90	-0.20	-1.20	3.10	2.10
	93	-3.00	-4.00	-0.10	-1.10	2.90	1.90
	97-113	-3.00	-4.00	-0.40	-1.40	2.80	1.80
	117-181	-4.70	-5.70	-2.10	-3.10	1.20	0.20
	185	-4.90	-5.90	-2.00	-3.00	1.10	0.10
	189-225	-4.90	-5.90	-2.10	-3.10	1.00	0.00
	229	-4.60	-5.60	-1.80	-2.80	1.30	0.30
	233	NS	NS	NS	NS	NS	NS
	3	-4.10	-5.10	-1.90	-2.90	0.90	-0.10
6 GHz WiFi (40MHz BW) LP	11	-4.30	-5.30	-1.50	-2.50	1.70	0.70
	19-27	-4.20	-5.20	-1.30	-2.30	1.80	0.80
	35-59	-4.10	-5.10	-1.40	-2.40	1.70	0.70
	67-75	-3.10	-4.10	-0.40	-1.40	2.80	1.80
	83	-3.40	-4.40	-0.30	-1.30	2.90	1.90
	91	-3.10	-4.10	-0.30	-1.30	2.90	1.90
	99-107	-3.00	-4.00	-0.40	-1.40	2.80	1.80
	115	-4.60	-5.60	-1.90	-2.90	1.30	0.30
	123-179	-4.80	-5.80	-2.10	-3.10	1.20	0.20
	187	-4.90	-5.90	-2.00	-3.00	1.00	0.00
	195-219	-4.90	-5.90	-2.10	-3.10	1.10	0.10
	227	-4.60	-5.60	-2.00	-3.00	1.20	0.20
	7	-4.00	-5.00	-1.50	-2.50	0.90	-0.10
	23	-4.20	-5.20	-1.30	-2.30	1.80	0.80
	39-55	-4.30	-5.30	-1.30	-2.30	1.80	0.80
6 GHz WiFi (80MHz BW) LP	71	-3.00	-4.00	-0.30	-1.30	2.80	1.80
	87	-3.20	-4.20	-0.30	-1.30	2.90	1.90
	103	-3.10	-4.10	-0.30	-1.30	3.00	2.00
	119	-4.90	-5.90	-1.90	-2.90	1.30	0.30
	135-167	-4.70	-5.70	-1.90	-2.90	1.30	0.30
	183	-5.00	-6.00	-2.00	-3.00	1.30	0.30
	199	-5.00	-6.00	-2.10	-3.10	1.30	0.30
	215	-4.90	-5.90	-2.10	-3.10	1.40	0.40
	15	-4.30	-5.30	-1.20	-2.20	0.90	-0.10
	47	-4.20	-5.20	-1.50	-2.50	1.30	0.30
6 GHz WiFi (160MHz BW) LP	79	-3.30	-4.30	-0.80	-1.80	2.60	1.60
	111	-4.90	-5.90	-2.30	-3.30	1.00	0.00
	143	-4.90	-5.90	-2.10	-3.10	1.20	0.20
	175	-4.80	-5.80	-2.30	-3.30	0.50	-0.50
	207	-4.90	-5.90	-2.40	-3.40	1.10	0.10

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF2a					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-4.80	-5.80	-1.90	-2.90	1.00	0.00
	65-85	-3.60	-4.60	-0.90	-1.90	2.30	1.30
	89	-3.50	-4.50	-0.60	-1.60	2.50	1.50
	93	-3.30	-4.30	-0.70	-1.70	2.40	1.40
	97-113	-3.50	-4.50	-0.80	-1.80	2.40	1.40
	117-181	-4.90	-5.90	-2.20	-3.20	1.00	0.00
	185	-5.20	-6.20	-2.40	-3.40	1.00	0.00
	189-225	-5.30	-6.30	-2.50	-3.50	0.70	-0.30
	229	-5.00	-6.00	-2.20	-3.20	1.00	0.00
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-4.80	-5.80	-2.10	-3.10	1.00	0.00
	67-75	-3.70	-4.70	-1.00	-2.00	2.30	1.30
	83	-4.00	-5.00	-0.80	-1.80	2.30	1.30
	91	-3.50	-4.50	-0.90	-1.90	2.40	1.40
	99-107	-3.50	-4.50	-0.90	-1.90	2.40	1.40
	115	-4.80	-5.80	-2.10	-3.10	1.20	0.20
	123-179	-4.90	-5.90	-2.20	-3.20	1.00	0.00
	187	-5.20	-6.20	-2.40	-3.40	0.70	-0.30
	195-219	-5.30	-6.30	-2.50	-3.50	0.70	-0.30
	227	-5.00	-6.00	-2.40	-3.40	0.80	-0.20
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-4.70	-5.70	-2.00	-3.00	1.20	0.20
6 GHz WiFi (80MHz BW) VLP	71	-3.60	-4.60	-0.90	-1.90	2.30	1.30
	87	-3.50	-4.50	-0.80	-1.80	2.30	1.30
	103	-3.60	-4.60	-0.80	-1.80	2.50	1.50
	119	-5.10	-6.10	-1.90	-2.90	1.10	0.10
	135-167	-4.90	-5.90	-2.10	-3.10	1.10	0.10
	183	-5.00	-6.00	-2.40	-3.40	0.90	-0.10
	199	-5.40	-6.40	-2.50	-3.50	1.40	0.40
	215	-5.00	-6.00	-2.30	-3.30	1.00	0.00
	15	NS	NS	NS	NS	NS	NS
	47	-4.90	-5.90	-2.20	-3.20	1.10	0.10
6 GHz WiFi (160MHz BW) VLP	79	-3.90	-4.90	-1.40	-2.40	2.10	1.10
	111	-5.10	-6.10	-2.50	-3.50	1.10	0.10
	143	-5.10	-6.10	-2.30	-3.30	1.00	0.00
	175	-5.20	-6.20	-2.30	-3.30	0.50	-0.50
	207	-5.30	-6.30	-2.80	-3.80	0.70	-0.30

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 20 of 57

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF2a					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-8.40	-9.40	-5.30	-6.30
	65-85	NS	NS	-7.30	-8.30	-4.20	-5.20
	89	NS	NS	-7.20	-8.20	-3.90	-4.90
	93	NS	NS	-7.10	-8.10	-4.10	-5.10
	97-113	NS	NS	-7.40	-8.40	-4.20	-5.20
	117-181	NS	NS	NS	NS	-5.80	-6.80
	185	NS	NS	-9.00	-10.00	-5.90	-6.90
	189-225	NS	NS	NS	NS	-6.00	-7.00
	229	NS	NS	-8.80	-9.80	-5.70	-6.70
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	-8.40	-9.40	-5.30	-6.30
	67-75	NS	NS	-7.40	-8.40	-4.20	-5.20
	83	NS	NS	-7.30	-8.30	-4.10	-5.10
	91	NS	NS	-7.30	-8.30	-4.10	-5.10
	99-107	NS	NS	-7.40	-8.40	-4.20	-5.20
	115	NS	NS	-8.90	-9.90	-5.70	-6.70
	123-179	NS	NS	NS	NS	-5.80	-6.80
	187	NS	NS	-9.00	-10.00	-6.00	-7.00
	195-219	NS	NS	NS	NS	-5.90	-6.90
	227	NS	NS	-9.00	-10.00	-5.80	-6.80
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	-8.30	-9.30	-5.20	-6.20
6 GHz WiFi (80MHz BW) VLP	71	NS	NS	-7.30	-8.30	-4.20	-5.20
	87	NS	NS	-7.30	-8.30	-4.10	-5.10
	103	NS	NS	-7.30	-8.30	-4.00	-5.00
	119	NS	NS	-8.90	-9.90	-5.70	-6.70
	135-167	NS	NS	-8.90	-9.90	-5.70	-6.70
	183	NS	NS	-9.00	-10.00	-5.70	-6.70
	199	NS	NS	NS	NS	-5.70	-6.70
	215	NS	NS	NS	NS	-5.60	-6.60
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	-8.50	-9.50	-5.70	-6.70
6 GHz WiFi (160MHz BW) VLP	79	NS	NS	-7.80	-8.80	-4.40	-5.40
	111	NS	NS	NS	NS	-6.00	-7.00
	143	NS	NS	NS	NS	-5.80	-6.80
	175	NS	NS	NS	NS	-6.50	-7.50
	207	NS	NS	NS	NS	-5.90	-6.90

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF2a					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-8.10	-9.10	-5.40	-6.40	-2.30	-3.30
	65-85	-7.20	-8.20	-4.30	-5.30	-1.20	-2.20
	89	-6.90	-7.90	-4.20	-5.20	-0.90	-1.90
	93	-7.00	-8.00	-4.10	-5.10	-1.10	-2.10
	97-113	-7.00	-8.00	-4.40	-5.40	-1.20	-2.20
	117-181	-8.70	-9.70	-6.10	-7.10	-2.80	-3.80
	185	-8.90	-9.90	-6.00	-7.00	-2.90	-3.90
	189-225	-8.90	-9.90	-6.10	-7.10	-3.00	-4.00
	229	-8.60	-9.60	-5.80	-6.80	-2.70	-3.70
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-8.10	-9.10	-5.40	-6.40	-2.30	-3.30
	67-75	-7.10	-8.10	-4.40	-5.40	-1.20	-2.20
	83	-7.40	-8.40	-4.30	-5.30	-1.10	-2.10
	91	-7.10	-8.10	-4.30	-5.30	-1.10	-2.10
	99-107	-7.00	-8.00	-4.40	-5.40	-1.20	-2.20
	115	-8.60	-9.60	-5.90	-6.90	-2.70	-3.70
	123-179	-8.80	-9.80	-6.10	-7.10	-2.80	-3.80
	187	-8.90	-9.90	-6.00	-7.00	-3.00	-4.00
	195-219	-8.90	-9.90	-6.10	-7.10	-2.90	-3.90
	227	-8.60	-9.60	-6.00	-7.00	-2.80	-3.80
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-8.30	-9.30	-5.30	-6.30	-2.20	-3.20
6 GHz WiFi (80MHz BW) VLP	71	-7.00	-8.00	-4.30	-5.30	-1.20	-2.20
	87	-7.20	-8.20	-4.30	-5.30	-1.10	-2.10
	103	-7.10	-8.10	-4.30	-5.30	-1.00	-2.00
	119	-8.90	-9.90	-5.90	-6.90	-2.70	-3.70
	135-167	-8.70	-9.70	-5.90	-6.90	-2.70	-3.70
	183	-9.00	-10.00	-6.00	-7.00	-2.70	-3.70
	199	-9.00	-10.00	-6.10	-7.10	-2.70	-3.70
	215	-8.90	-9.90	-6.10	-7.10	-2.60	-3.60
	15	NS	NS	NS	NS	NS	NS
	47	-8.20	-9.20	-5.50	-6.50	-2.70	-3.70
6 GHz WiFi (160MHz BW) VLP	79	-7.30	-8.30	-4.80	-5.80	-1.40	-2.40
	111	-8.90	-9.90	-6.30	-7.30	-3.00	-4.00
	143	-8.90	-9.90	-6.10	-7.10	-2.80	-3.80
	175	-8.80	-9.80	-6.30	-7.30	-3.50	-4.50
	207	-8.90	-9.90	-6.40	-7.40	-2.90	-3.90

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 21 of 57

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF2a					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.50	9.50	12.75	11.75	12.75	11.75
	5	10.50	9.50	12.75	11.75	12.75	11.75
	9-29	10.50	9.50	12.75	11.75	12.75	11.75
	33-61	10.50	9.50	13.50	12.50	14.00	13.00
	65-85	10.50	9.50	13.50	12.50	15.00	14.00
	89	10.50	9.50	13.50	12.50	15.00	14.00
	93	10.50	9.50	13.50	12.50	15.00	14.00
	97-113	NS	NS	NS	NS	NS	NS
	117-181	10.00	9.00	13.00	12.00	13.75	12.75
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.50	9.50	12.75	11.75	12.75	11.75
	11	10.50	9.50	12.75	11.75	12.75	11.75
6 GHz WiFi (40MHz BW) SP	19-27	10.50	9.50	12.75	11.75	12.75	11.75
	35-59	10.50	9.50	13.50	12.50	14.00	13.00
	67-75	10.50	9.50	13.50	12.50	15.00	14.00
	83	10.50	9.50	13.50	12.50	15.00	14.00
	91	10.50	9.50	13.50	12.50	15.00	14.00
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	10.00	9.00	13.00	12.00	13.75	12.75
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.50	9.50	12.75	11.75	12.75	11.75
	23	10.50	9.50	12.75	11.75	12.75	11.75
	39-55	10.50	9.50	13.50	12.50	14.00	13.00
	71	10.50	9.50	13.50	12.50	15.00	14.00
	87	10.50	9.50	13.50	12.50	15.00	14.00
6 GHz WiFi (80MHz BW) SP	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	10.00	9.00	13.00	12.00	13.75	12.75
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.50	9.50	12.75	11.75	12.75	11.75
	47	10.50	9.50	13.50	12.50	14.00	13.00
	79	10.50	9.50	13.50	12.50	15.00	14.00
	111	NS	NS	NS	NS	NS	NS
6 GHz WiFi (160MHz BW) SP	143	10.00	9.00	13.00	12.00	13.75	12.75
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF2a					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	12.75	11.75	12.75	11.75
	5	10.00	9.00	12.75	11.75	12.75	11.75
	9-29	10.00	9.00	12.75	11.75	12.75	11.75
	33-61	10.00	9.00	13.00	12.00	14.00	13.00
	65-85	10.00	9.00	13.00	12.00	15.00	14.00
	89	10.00	9.00	13.00	12.00	15.00	14.00
	93	10.00	9.00	13.00	12.00	15.00	14.00
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.00	8.00	12.00	11.00	13.75	12.75
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.00	9.00	12.75	11.75	12.75	11.75
	11	10.00	9.00	12.75	11.75	12.75	11.75
6 GHz WiFi (40MHz BW) SP	19-27	10.00	9.00	12.75	11.75	12.75	11.75
	35-59	10.00	9.00	13.00	12.00	14.00	13.00
	67-75	10.00	9.00	13.00	12.00	15.00	14.00
	83	10.00	9.00	13.00	12.00	15.00	14.00
	91	10.00	9.00	13.00	12.00	15.00	14.00
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.00	8.00	12.00	11.00	13.75	12.75
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.00	9.00	12.75	11.75	12.75	11.75
	23	10.00	9.00	12.75	11.75	12.75	11.75
	39-55	10.00	9.00	13.00	12.00	14.00	13.00
	71	10.00	9.00	13.00	12.00	15.00	14.00
	87	10.00	9.00	13.00	12.00	15.00	14.00
6 GHz WiFi (80MHz BW) SP	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	9.00	8.00	12.00	11.00	13.75	12.75
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.00	9.00	12.75	11.75	12.75	11.75
	47	10.00	9.00	13.00	12.00	14.00	13.00
	79	10.00	9.00	13.00	12.00	15.00	14.00
	111	NS	NS	NS	NS	NS	NS
6 GHz WiFi (160MHz BW) SP	143	9.00	8.00	12.00	11.00	13.75	12.75
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 22 of 57

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF2a						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	12.75	11.75	12.75	11.75
	5	10.00	9.00	12.75	11.75	12.75	11.75
	9-29	10.00	9.00	12.75	11.75	12.75	11.75
	33-61	10.00	9.00	13.00	12.00	14.00	13.00
	65-85	10.00	9.00	13.00	12.00	15.00	14.00
	89	10.00	9.00	13.00	12.00	15.00	14.00
	93	10.00	9.00	13.00	12.00	15.00	14.00
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.00	8.00	12.00	11.00	13.75	12.75
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.00	9.00	12.75	11.75	12.75	11.75
	11	10.00	9.00	12.75	11.75	12.75	11.75
6 GHz WIFI (40MHz BW) SP	19-27	10.00	9.00	12.75	11.75	12.75	11.75
	35-59	10.00	9.00	13.00	12.00	14.00	13.00
	67-75	10.00	9.00	13.00	12.00	15.00	14.00
	83	10.00	9.00	13.00	12.00	15.00	14.00
	91	10.00	9.00	13.00	12.00	15.00	14.00
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.00	8.00	12.00	11.00	13.75	12.75
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.00	9.00	12.75	11.75	12.75	11.75
	23	10.00	9.00	12.75	11.75	12.75	11.75
	39-55	10.00	9.00	13.00	12.00	14.00	13.00
	71	10.00	9.00	13.00	12.00	15.00	14.00
	87	10.00	9.00	13.00	12.00	15.00	14.00
6 GHz WIFI (80MHz BW) SP	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	9.00	8.00	12.00	11.00	13.75	12.75
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.00	9.00	12.75	11.75	12.75	11.75
	47	10.00	9.00	13.00	12.00	14.00	13.00
	79	10.00	9.00	13.00	12.00	15.00	14.00
	111	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	143	9.00	8.00	12.00	11.00	13.75	12.75
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 23 of 57

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7b						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-0.90	-1.90	1.20	0.20	4.00	3.00
	5	-0.80	-1.80	1.90	0.90	4.80	3.80
	9-29	-1.10	-2.10	1.80	0.80	4.80	3.80
	33-61	-1.20	-2.20	1.50	0.50	4.70	3.70
	65-85	-0.40	-1.40	2.50	1.50	5.60	4.60
	89	0.00	-1.00	2.60	1.60	5.90	4.90
	93	-0.20	-1.20	2.70	1.70	5.70	4.70
	97-113	-0.30	-1.30	2.20	1.20	5.40	4.40
	117-181	-2.30	-3.30	0.30	-0.70	3.60	2.60
	185	-2.40	-3.40	0.50	-0.50	3.60	2.60
	189-225	-2.30	-3.30	0.70	-0.30	3.60	2.60
	229	-2.00	-3.00	0.80	-0.20	3.90	2.90
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-0.90	-1.90	1.20	0.20	4.00	3.00
	11	-1.20	-2.20	1.90	0.90	4.80	3.80
	19-27	-1.10	-2.10	1.80	0.80	5.00	4.00
	35-59	-1.20	-2.20	1.50	0.50	4.70	3.70
	67-75	-0.20	-1.20	2.50	1.50	5.60	4.60
	83	-0.40	-1.40	2.50	1.50	5.70	4.70
	91	-0.30	-1.30	2.60	1.60	5.70	4.70
	99-107	-0.40	-1.40	2.20	1.20	5.40	4.40
	115	-2.00	-3.00	0.60	-0.40	3.70	2.70
	123-179	-2.40	-3.40	0.30	-0.70	3.60	2.60
	187	-2.40	-3.40	0.50	-0.50	3.50	2.50
	195-219	-2.30	-3.30	0.60	-0.40	3.80	2.80
	227	-2.00	-3.00	0.70	-0.30	3.90	2.90
	7	-0.90	-1.90	2.10	1.10	4.00	3.00
	23	-1.10	-2.10	1.80	0.80	5.10	4.10
6 GHz WIFI (80MHz BW) LP	39-55	-1.40	-2.40	1.60	0.60	4.70	3.70
	71	-0.20	-1.20	2.50	1.50	5.60	4.60
	87	-0.40	-1.40	2.50	1.50	5.70	4.70
	103	-0.50	-1.50	2.40	1.40	5.60	4.60
	119	-2.20	-3.20	0.50	-0.50	3.80	2.80
	135-167	-2.30	-3.30	0.80	-0.20	3.70	2.70
	183	-2.50	-3.50	0.80	-0.20	3.90	2.90
	199	-2.10	-3.10	0.70	-0.30	3.90	2.90
	215	-2.30	-3.30	0.50	-0.50	4.00	3.00
	15	-1.20	-2.20	2.00	1.00	4.00	3.00
6 GHz WIFI (160MHz BW) LP	47	-1.30	-2.30	1.80	0.80	4.20	3.20
	79	-0.50	-1.50	2.40	1.40	5.40	4.40
	111	-2.50	-3.50	0.70	-0.30	3.40	2.40
	143	-2.50	-3.50	0.40	-0.60	3.70	2.70
	175	-2.30	-3.30	0.20	-0.80	3.00	2.00
	207	-2.30	-3.30	1.00	0.00	3.70	2.70

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 24 of 57

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7b						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-7.10	-8.10	-4.90	-5.90	-2.10	-3.10
	5	-6.90	-7.90	-4.20	-5.20	-1.30	-2.30
	9-29	-7.20	-8.20	-4.30	-5.30	-1.30	-2.30
	33-61	-7.10	-8.10	-4.40	-5.40	-1.30	-2.30
	65-85	-6.20	-7.20	-3.30	-4.30	-0.20	-1.20
	89	-5.90	-6.90	-3.20	-4.20	0.10	-0.90
	93	-6.00	-7.00	-3.10	-4.10	-0.10	-1.10
	97-113	-6.00	-7.00	-3.40	-4.40	-0.20	-1.20
	117-181	-7.70	-8.70	-5.10	-6.10	-1.80	-2.80
	185	-7.90	-8.90	-5.00	-6.00	-1.90	-2.90
	189-225	-7.90	-8.90	-5.10	-6.10	-2.00	-3.00
	229	-7.60	-8.60	-4.80	-5.80	-1.70	-2.70
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-7.10	-8.10	-4.90	-5.90	-2.10	-3.10
	11	-7.30	-8.30	-4.50	-5.50	-1.30	-2.30
	19-27	-7.20	-8.20	-4.30	-5.30	-1.20	-2.20
	35-59	-7.10	-8.10	-4.40	-5.40	-1.30	-2.30
	67-75	-6.10	-7.10	-3.40	-4.40	-0.20	-1.20
	83	-6.40	-7.40	-3.30	-4.30	-0.10	-1.10
	91	-6.10	-7.10	-3.30	-4.30	-0.10	-1.10
	99-107	-6.00	-7.00	-3.40	-4.40	-0.20	-1.20
	115	-7.60	-8.60	-4.90	-5.90	-1.70	-2.70
	123-179	-7.80	-8.80	-5.10	-6.10	-1.80	-2.80
	187	-7.90	-8.90	-5.00	-6.00	-2.00	-3.00
	195-219	-7.90	-8.90	-5.10	-6.10	-1.90	-2.90
	227	-7.60	-8.60	-5.00	-6.00	-1.80	-2.80
	7	-7.00	-8.00	-4.50	-5.50	-2.10	-3.10
6 GHz WIFI (80MHz BW) LP	23	-7.20	-8.20	-4.30	-5.30	-1.20	-2.20
	39-55	-7.30	-8.30	-4.30	-5.30	-1.20	-2.20
	71	-6.00	-7.00	-3.30	-4.30	-0.20	-1.20
	87	-6.20	-7.20	-3.30	-4.30	-0.10	-1.10
	103	-6.10	-7.10	-3.30	-4.30	0.00	-1.00
	119	-7.90	-8.90	-4.90	-5.90	-1.70	-2.70
	135-167	-7.70	-8.70	-4.90	-5.90	-1.70	-2.70
	183	-8.00	-9.00	-5.00	-6.00	-1.70	-2.70
	199	-8.00	-9.00	-5.10	-6.10	-1.70	-2.70
	215	-7.90	-8.90	-5.10	-6.10	-1.60	-2.60
6 GHz WIFI (160MHz BW) LP	15	-7.30	-8.30	-4.20	-5.20	-2.10	-3.10
	47	-7.20	-8.20	-4.50	-5.50	-1.70	-2.70
	79	-6.30	-7.30	-3.80	-4.80	-0.40	-1.40
	111	-7.90	-8.90	-5.30	-6.30	-2.00	-3.00
	143	-7.90	-8.90	-5.10	-6.10	-1.80	-2.80
	175	-7.80	-8.80	-5.30	-6.30	-2.50	-3.50
	207	-7.90	-8.90	-5.40	-6.40	-1.90	-2.90

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 25 of 57

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7b						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-4.10	-5.10	-1.90	-2.90	0.90	-0.10
	5	-3.90	-4.90	-1.20	-2.20	1.70	0.70
	9-29	-4.20	-5.20	-1.30	-2.30	1.70	0.70
	33-61	-4.10	-5.10	-1.40	-2.40	1.70	0.70
	65-85	-3.20	-4.20	-0.30	-1.30	2.80	1.80
	89	-2.90	-3.90	-0.20	-1.20	3.10	2.10
	93	-3.00	-4.00	-0.10	-1.10	2.90	1.90
	97-113	-3.00	-4.00	-0.40	-1.40	2.80	1.80
	117-181	-4.70	-5.70	-2.10	-3.10	1.20	0.20
	185	-4.90	-5.90	-2.00	-3.00	1.10	0.10
	189-225	-4.90	-5.90	-2.10	-3.10	1.00	0.00
	229	-4.60	-5.60	-1.80	-2.80	1.30	0.30
	233	NS	NS	NS	NS	NS	NS
	3	-4.10	-5.10	-1.90	-2.90	0.90	-0.10
	11	-4.30	-5.30	-1.50	-2.50	1.70	0.70
6 GHz WiFi (40MHz BW) LP	19-27	-4.20	-5.20	-1.30	-2.30	1.80	0.80
	35-59	-4.10	-5.10	-1.40	-2.40	1.70	0.70
	67-75	-3.10	-4.10	-0.40	-1.40	2.80	1.80
	83	-3.40	-4.40	-0.30	-1.30	2.90	1.90
	91	-3.10	-4.10	-0.30	-1.30	2.90	1.90
	99-107	-3.00	-4.00	-0.40	-1.40	2.80	1.80
	115	-4.60	-5.60	-1.90	-2.90	1.30	0.30
	123-179	-4.80	-5.80	-2.10	-3.10	1.20	0.20
	187	-4.90	-5.90	-2.00	-3.00	1.00	0.00
	195-219	-4.90	-5.90	-2.10	-3.10	1.10	0.10
	227	-4.60	-5.60	-2.00	-3.00	1.20	0.20
	7	-4.00	-5.00	-1.50	-2.50	0.90	-0.10
	23	-4.20	-5.20	-1.30	-2.30	1.80	0.80
	39-55	-4.30	-5.30	-1.30	-2.30	1.80	0.80
	71	-3.00	-4.00	-0.30	-1.30	2.80	1.80
	87	-3.20	-4.20	-0.30	-1.30	2.90	1.90
	103	-3.10	-4.10	-0.30	-1.30	3.00	2.00
6 GHz WiFi (80MHz BW) LP	119	-4.90	-5.90	-1.90	-2.90	1.30	0.30
	135-167	-4.70	-5.70	-1.90	-2.90	1.30	0.30
	183	-5.00	-6.00	-2.00	-3.00	1.30	0.30
	199	-5.00	-6.00	-2.10	-3.10	1.30	0.30
	215	-4.90	-5.90	-2.10	-3.10	1.40	0.40
	15	-4.30	-5.30	-1.20	-2.20	0.90	-0.10
	47	-4.20	-5.20	-1.50	-2.50	1.30	0.30
	79	-3.30	-4.30	-0.80	-1.80	2.60	1.60
	111	-4.90	-5.90	-2.30	-3.30	1.00	0.00
	143	-4.90	-5.90	-2.10	-3.10	1.20	0.20
6 GHz WiFi (160MHz BW) LP	175	-4.80	-5.80	-2.30	-3.30	0.50	-0.50
	207	-4.90	-5.90	-2.40	-3.40	1.10	0.10
Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7b						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-5.20	-6.20	-2.50	-3.50	0.70	-0.30
	65-85	-4.40	-5.40	-1.50	-2.50	1.60	0.60
	89	-4.00	-5.00	-1.40	-2.40	1.90	0.90
	93	-4.20	-5.20	-1.30	-2.30	1.70	0.70
	97-113	-4.30	-5.30	-1.80	-2.80	1.40	0.40
	117-181	-6.30	-7.30	-3.70	-4.70	-0.40	-1.40
	185	-6.40	-7.40	-3.50	-4.50	-0.40	-1.40
	189-225	-6.30	-7.30	-3.30	-4.30	-0.40	-1.40
	229	-6.00	-7.00	-3.20	-4.20	-0.10	-1.10
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	35-59	-5.20	-6.20	-2.50	-3.50	0.70	-0.30
	67-75	-4.20	-5.20	-1.50	-2.50	1.60	0.60
	83	-4.40	-5.40	-1.50	-2.50	1.70	0.70
	91	-4.30	-5.30	-1.40	-2.40	1.70	0.70
	99-107	-4.40	-5.40	-1.80	-2.80	1.40	0.40
	115	-6.00	-7.00	-3.40	-4.40	-0.30	-1.30
	123-179	-6.40	-7.40	-3.70	-4.70	-0.40	-1.40
	187	-6.40	-7.40	-3.50	-4.50	-0.50	-1.50
	195-219	-6.30	-7.30	-3.40	-4.40	-0.20	-1.20
	227	-6.00	-7.00	-3.30	-4.30	-0.10	-1.10
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-5.40	-6.40	-2.40	-3.40	0.70	-0.30
	71	-4.20	-5.20	-1.50	-2.50	1.60	0.60
	87	-4.40	-5.40	-1.50	-2.50	1.70	0.70
	103	-4.50	-5.50	-1.60	-2.60	1.60	0.60
	119	-6.20	-7.20	-3.50	-4.50	-0.20	-1.20
6 GHz WiFi (80MHz BW) VLP	135-167	-6.30	-7.30	-3.20	-4.20	-0.30	-1.30
	183	-6.50	-7.50	-3.20	-4.20	-0.10	-1.10
	199	-6.10	-7.10	-3.30	-4.30	-0.10	-1.10
	215	-6.30	-7.30	-3.50	-4.50	0.00	-1.00
	15	NS	NS	NS	NS	NS	NS
	47	-5.30	-6.30	-2.20	-3.20	0.20	-0.80
	79	-4.50	-5.50	-1.60	-2.60	1.40	0.40
	111	-6.50	-7.50	-3.30	-4.30	-0.60	-1.60
	143	-6.50	-7.50	-3.60	-4.60	-0.30	-1.30
	175	-6.30	-7.30	-3.80	-4.80	-1.00	-2.00
6 GHz WiFi (160MHz BW) VLP	207	-6.30	-7.30	-3.00	-4.00	-0.30	-1.30

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 26 of 57

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7b						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-8.40	-9.40	-5.30	-6.30
	65-85	NS	NS	-7.30	-8.30	-4.20	-5.20
	89	NS	NS	-7.20	-8.20	-3.90	-4.90
	93	NS	NS	-7.10	-8.10	-4.10	-5.10
	97-113	NS	NS	-7.40	-8.40	-4.20	-5.20
	117-181	NS	NS	NS	NS	-5.80	-6.80
	185	NS	NS	-9.00	-10.00	-5.90	-6.90
	189-225	NS	NS	NS	NS	-6.00	-7.00
	229	NS	NS	-8.80	-9.80	-5.70	-6.70
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	-8.40	-9.40	-5.30	-6.30
	67-75	NS	NS	-7.40	-8.40	-4.20	-5.20
	83	NS	NS	-7.30	-8.30	-4.10	-5.10
	91	NS	NS	-7.30	-8.30	-4.10	-5.10
	99-107	NS	NS	-7.40	-8.40	-4.20	-5.20
	115	NS	NS	-8.90	-9.90	-5.70	-6.70
	123-179	NS	NS	NS	NS	-5.80	-6.80
	187	NS	NS	-9.00	-10.00	-6.00	-7.00
	195-219	NS	NS	NS	NS	-5.90	-6.90
	227	NS	NS	-9.00	-10.00	-5.80	-6.80
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	-8.30	-9.30	-5.20	-6.20
	71	NS	NS	-7.30	-8.30	-4.20	-5.20
6 GHz WiFi (80MHz BW) VLP	87	NS	NS	-7.30	-8.30	-4.10	-5.10
	103	NS	NS	-7.30	-8.30	-4.00	-5.00
	119	NS	NS	-8.90	-9.90	-5.70	-6.70
	135-167	NS	NS	-8.90	-9.90	-5.70	-6.70
	183	NS	NS	-9.00	-10.00	-5.70	-6.70
	199	NS	NS	NS	NS	-5.70	-6.70
	215	NS	NS	NS	NS	-5.60	-6.60
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	-8.50	-9.50	-5.70	-6.70
	79	NS	NS	-7.80	-8.80	-4.40	-5.40
6 GHz WiFi (160MHz BW) VLP	111	NS	NS	NS	NS	-6.00	-7.00
	143	NS	NS	NS	NS	-5.80	-6.80
	175	NS	NS	NS	NS	-6.50	-7.50
	207	NS	NS	NS	NS	-5.90	-6.90
Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7b						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-8.10	-9.10	-5.40	-6.40	-2.30	-3.30
	65-85	-7.20	-8.20	-4.30	-5.30	-1.20	-2.20
	89	-6.90	-7.90	-4.20	-5.20	-0.90	-1.90
	93	-7.00	-8.00	-4.10	-5.10	-1.10	-2.10
	97-113	-7.00	-8.00	-4.40	-5.40	-1.20	-2.20
	117-181	-8.70	-9.70	-6.10	-7.10	-2.80	-3.80
	185	-8.90	-9.90	-6.00	-7.00	-2.90	-3.90
	189-225	-8.90	-9.90	-6.10	-7.10	-3.00	-4.00
	229	-8.60	-9.60	-5.80	-6.80	-2.70	-3.70
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	19-27	NS	NS	NS	NS	NS	NS
	35-59	-8.10	-9.10	-5.40	-6.40	-2.30	-3.30
	67-75	-7.10	-8.10	-4.40	-5.40	-1.20	-2.20
	83	-7.40	-8.40	-4.30	-5.30	-1.10	-2.10
	91	-7.10	-8.10	-4.30	-5.30	-1.10	-2.10
	99-107	-7.00	-8.00	-4.40	-5.40	-1.20	-2.20
	115	-8.60	-9.60	-5.90	-6.90	-2.70	-3.70
	123-179	-8.80	-9.80	-6.10	-7.10	-2.80	-3.80
	187	-8.90	-9.90	-6.00	-7.00	-3.00	-4.00
	195-219	-8.90	-9.90	-6.10	-7.10	-2.90	-3.90
	227	-8.60	-9.60	-6.00	-7.00	-2.80	-3.80
	7	NS	NS	NS	NS	NS	NS
6 GHz WiFi (80MHz BW) VLP	23	NS	NS	NS	NS	NS	NS
	39-55	-8.30	-9.30	-5.30	-6.30	-2.20	-3.20
	71	-7.00	-8.00	-4.30	-5.30	-1.20	-2.20
	87	-7.20	-8.20	-4.30	-5.30	-1.10	-2.10
	103	-7.10	-8.10	-4.30	-5.30	-1.00	-2.00
	119	-8.90	-9.90	-5.90	-6.90	-2.70	-3.70
	135-167	-8.70	-9.70	-5.90	-6.90	-2.70	-3.70
	183	-9.00	-10.00	-6.00	-7.00	-2.70	-3.70
	199	-9.00	-10.00	-6.10	-7.10	-2.70	-3.70
	215	-8.90	-9.90	-6.10	-7.10	-2.60	-3.60
	15	NS	NS	NS	NS	NS	NS
	47	-8.20	-9.20	-5.50	-6.50	-2.70	-3.70
6 GHz WiFi (160MHz BW) VLP	79	-7.30	-8.30	-4.80	-5.80	-1.40	-2.40
	111	-8.90	-9.90	-6.30	-7.30	-3.00	-4.00
	143	-8.90	-9.90	-6.10	-7.10	-2.80	-3.80
	175	-8.80	-9.80	-6.30	-7.30	-3.50	-4.50
	207	-8.90	-9.90	-6.40	-7.40	-2.90	-3.90

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 27 of 57

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7b						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	13.00	12.00	15.50	14.50
	5	10.00	9.00	13.00	12.00	15.50	14.50
	9-29	10.00	9.00	13.00	12.00	15.50	14.50
	33-61	10.00	9.00	13.00	12.00	15.00	14.00
	65-85	10.00	9.00	13.00	12.00	13.75	12.75
	89	10.00	9.00	13.00	12.00	13.75	12.75
	93	10.00	9.00	13.00	12.00	13.75	12.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.00	8.00	12.00	11.00	15.00	14.00
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.00	9.00	13.00	12.00	15.50	14.50
	11	10.00	9.00	13.00	12.00	15.50	14.50
	19-27	10.00	9.00	13.00	12.00	15.50	14.50
6 GHz WIFI (40MHz BW) SP	35-59	10.00	9.00	13.00	12.00	15.00	14.00
	67-75	10.00	9.00	13.00	12.00	13.75	12.75
	83	10.00	9.00	13.00	12.00	13.75	12.75
	91	10.00	9.00	13.00	12.00	13.75	12.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.00	8.00	12.00	11.00	15.00	14.00
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.00	9.00	13.00	12.00	15.50	14.50
	23	10.00	9.00	13.00	12.00	15.50	14.50
	39-55	10.00	9.00	13.00	12.00	15.00	14.00
	71	10.00	9.00	13.00	12.00	13.75	12.75
	87	10.00	9.00	13.00	12.00	13.75	12.75
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) SP	135-167	9.00	8.00	12.00	11.00	15.00	14.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.00	9.00	13.00	12.00	15.50	14.50
	47	10.00	9.00	13.00	12.00	15.00	14.00
	79	10.00	9.00	13.00	12.00	13.75	12.75
	111	NS	NS	NS	NS	NS	NS
	143	9.00	8.00	12.00	11.00	15.00	14.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS
Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7b						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	13.00	12.00	15.50	14.50
	5	10.00	9.00	13.00	12.00	15.50	14.50
	9-29	10.00	9.00	13.00	12.00	15.50	14.50
	33-61	10.00	9.00	13.00	12.00	15.00	14.00
	65-85	10.00	9.00	13.00	12.00	13.75	12.75
	89	10.00	9.00	13.00	12.00	13.75	12.75
	93	10.00	9.00	13.00	12.00	13.75	12.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.00	8.00	12.00	11.00	15.00	14.00
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.00	9.00	13.00	12.00	15.50	14.50
	11	10.00	9.00	13.00	12.00	15.50	14.50
	19-27	10.00	9.00	13.00	12.00	15.50	14.50
6 GHz WIFI (40MHz BW) SP	35-59	10.00	9.00	13.00	12.00	15.00	14.00
	67-75	10.00	9.00	13.00	12.00	13.75	12.75
	83	10.00	9.00	13.00	12.00	13.75	12.75
	91	10.00	9.00	13.00	12.00	13.75	12.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.00	8.00	12.00	11.00	15.00	14.00
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.00	9.00	13.00	12.00	15.50	14.50
	23	10.00	9.00	13.00	12.00	15.50	14.50
	39-55	10.00	9.00	13.00	12.00	15.00	14.00
	71	10.00	9.00	13.00	12.00	13.75	12.75
	87	10.00	9.00	13.00	12.00	13.75	12.75
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) SP	135-167	9.00	8.00	12.00	11.00	15.00	14.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.00	9.00	13.00	12.00	15.50	14.50
	47	10.00	9.00	13.00	12.00	15.00	14.00
	79	10.00	9.00	13.00	12.00	13.75	12.75
	111	NS	NS	NS	NS	NS	NS
	143	9.00	8.00	12.00	11.00	15.00	14.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 28 of 57

Mode	Channel	IEEE 802.11 ((Maximum in dBm) - Antenna WF7b					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	13.00	12.00	15.50	14.50
	5	10.00	9.00	13.00	12.00	15.50	14.50
	9-29	10.00	9.00	13.00	12.00	15.50	14.50
	33-61	10.00	9.00	13.00	12.00	15.00	14.00
	65-85	10.00	9.00	13.00	12.00	13.75	12.75
	89	10.00	9.00	13.00	12.00	13.75	12.75
	93	10.00	9.00	13.00	12.00	13.75	12.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.00	8.00	12.00	11.00	15.00	14.00
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.00	9.00	13.00	12.00	15.50	14.50
6 GHz WiFi (40MHz BW) SP	11	10.00	9.00	13.00	12.00	15.50	14.50
	19-27	10.00	9.00	13.00	12.00	15.50	14.50
	35-59	10.00	9.00	13.00	12.00	15.00	14.00
	67-75	10.00	9.00	13.00	12.00	13.75	12.75
	83	10.00	9.00	13.00	12.00	13.75	12.75
	91	10.00	9.00	13.00	12.00	13.75	12.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.00	8.00	12.00	11.00	15.00	14.00
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.00	9.00	13.00	12.00	15.50	14.50
	23	10.00	9.00	13.00	12.00	15.50	14.50
	39-55	10.00	9.00	13.00	12.00	15.00	14.00
6 GHz WiFi (80MHz BW) SP	71	10.00	9.00	13.00	12.00	13.75	12.75
	87	10.00	9.00	13.00	12.00	13.75	12.75
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	9.00	8.00	12.00	11.00	15.00	14.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.00	9.00	13.00	12.00	15.50	14.50
	47	10.00	9.00	13.00	12.00	15.00	14.00
6 GHz WiFi (160MHz BW) SP	79	10.00	9.00	13.00	12.00	13.75	12.75
	111	NS	NS	NS	NS	NS	NS
	143	9.00	8.00	12.00	11.00	15.00	14.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

G.2.2 Maximum 802.11be MRU WLAN Output Power

Mode	Channel	IEEE 802.11 ((Maximum in dBm) - Antenna WF7b											
		26T	26T	52T	52T	106T	106T	106T	106T	106T	106T	106T	106T
		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WiFi (20 MHz bandwidth)	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	5	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	9	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	13	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	17	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	21	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	25	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	29	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	33	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	37	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	41	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	45	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	49	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	53	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
6 GHz WiFi (40 MHz bandwidth)	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	5	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	9	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	13	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	17	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	21	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	25	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	29	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	33	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	37	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	41	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	45	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	49	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50
	53	10.00	9.00	13.00	12.00	15.50	14.50	15.50	14.50	15.50	14.50	15.50	14.50

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 29 of 57

Male	Channel	E12 R0.11 (Shamoun) is different - Audemars WPH									
		S60	S60	S60	S60	S60	S60	S60	S60	S60	S60
5 Giga With 20 Micro bandwidth		S12_R01 (Shamoun)	S12_R01 (Shamoun)	S05_R01 (Shamoun)	S05_R01 (Shamoun)	4867_2472 (Shamoun)	4867_2472 (Shamoun)	4867_2472 (Shamoun)	4867_2472 (Shamoun)	4867_2472 (Shamoun)	4867_2472 (Shamoun)
	36	15.50	15.50	17.50	17.50						
	40	15.50	15.50	17.50	17.50						
	44	15.50	15.50	17.50	17.50						
	48	15.50	15.50	17.50	17.50						
	52	15.50	15.50	17.50	17.50						
	56	15.50	15.50	17.50	17.50						
	60	15.50	15.50	17.50	17.50						
	64	15.50	15.50	17.50	17.50						
	68	15.50	15.50	17.50	17.50						
	72	15.50	15.50	17.50	17.50						
	76	15.50	15.50	17.50	17.50						
	80	15.50	15.50	17.50	17.50						
	84	15.50	15.50	17.50	17.50						
	88	15.50	15.50	17.50	17.50						
	92	15.50	15.50	17.50	17.50						
5 Giga With 40 Micro bandwidth	96	15.50	15.50	17.50	17.50						
	100	15.50	15.50	17.50	17.50						
	104	15.50	15.50	17.50	17.50						
	108	15.50	15.50	17.50	17.50						
	112	15.50	15.50	17.50	17.50						
	116	15.50	15.50	17.50	17.50						
	120	15.50	15.50	17.50	17.50						
	124	15.50	15.50	17.50	17.50						
	128	15.50	15.50	17.50	17.50						
	132	15.50	15.50	17.50	17.50						
	136	15.50	15.50	17.50	17.50						
	140	15.50	15.50	17.50	17.50						
	144	15.50	15.50	17.50	17.50						
	148	15.50	15.50	17.50	17.50						
	152	15.50	15.50	17.50	17.50						
	156	15.50	15.50	17.50	17.50						
5 Giga With 60 Micro bandwidth	160	15.50	15.50	17.50	17.50						
	164	15.50	15.50	17.50	17.50						
	168	15.50	15.50	17.50	17.50						
	172	15.50	15.50	17.50	17.50						
	176	15.50	15.50	17.50	17.50						
	180	15.50	15.50	17.50	17.50						
	184	15.50	15.50	17.50	17.50						
	188	15.50	15.50	17.50	17.50						
	192	15.50	15.50	17.50	17.50						
	196	15.50	15.50	17.50	17.50						
	200	15.50	15.50	17.50	17.50						
	204	15.50	15.50	17.50	17.50						
	208	15.50	15.50	17.50	17.50						
	212	15.50	15.50	17.50	17.50						
	216	15.50	15.50	17.50	17.50						
	220	15.50	15.50	17.50	17.50						
5 Giga With 80 Micro bandwidth	224	15.50	15.50	17.50	17.50						
	228	15.50	15.50	17.50	17.50						
	232	15.50	15.50	17.50	17.50						
	236	15.50	15.50	17.50	17.50						
	240	15.50	15.50	17.50	17.50						
	244	15.50	15.50	17.50	17.50						
	248	15.50	15.50	17.50	17.50						
	252	15.50	15.50	17.50	17.50						
	256	15.50	15.50	17.50	17.50						
	260	15.50	15.50	17.50	17.50						
	264	15.50	15.50	17.50	17.50						
	268	15.50	15.50	17.50	17.50						
	272	15.50	15.50	17.50	17.50						
	276	15.50	15.50	17.50	17.50						
	280	15.50	15.50	17.50	17.50						
	284	15.50	15.50	17.50	17.50						
5 Giga With 100 Micro bandwidth	288	15.50	15.50	17.50	17.50						
	292	15.50	15.50	17.50	17.50						
	296	15.50	15.50	17.50	17.50						
	300	15.50	15.50	17.50	17.50						
	304	15.50	15.50	17.50	17.50						
	308	15.50	15.50	17.50	17.50						
	312	15.50	15.50	17.50	17.50						
	316	15.50	15.50	17.50	17.50						
	320	15.50	15.50	17.50	17.50						
	324	15.50	15.50	17.50	17.50						
	328	15.50	15.50	17.50	17.50						
	332	15.50	15.50	17.50	17.50						
	336	15.50	15.50	17.50	17.50						
	340	15.50	15.50	17.50	17.50						
	344	15.50	15.50	17.50	17.50						
	348	15.50	15.50	17.50	17.50						

Mode	Channel	IEEE 802.11 (Maximums) in dBm - Antenna 90°/90°											
		MIMO CSD		MIMO CSD		MIMO CSD		MIMO CSD		MIMO CSD		MIMO CSD	
		CS_207 (Maximum)	CS_207 (Minimum)	CS_207 (Maximum)	CS_207 (Minimum)	CS_207 (Maximum)	CS_207 (Minimum)	CS_207 (Maximum)	CS_207 (Minimum)	CS_207 (Maximum)	CS_207 (Minimum)		
5 GHz Wi-Fi 20 MHz bandwidth	36	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	40	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	44	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	48	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	52	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	56	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	60	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	64	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	100	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	104	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	108	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	112	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	116	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	120	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	124	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	128	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
5 GHz Wi-Fi 40 MHz bandwidth	36	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	40	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	44	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	48	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	52	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	56	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	60	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	64	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	100	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	104	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	108	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	112	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	116	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	120	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	124	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	128	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
5 GHz Wi-Fi 80 MHz bandwidth	36	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	40	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	44	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	48	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	52	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	56	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
6 GHz Wi-Fi 160 MHz bandwidth	36	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	
	40	13.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	15.00	

Mode	Channel	R12 R02 13 (Bianchi) in effect - Airbus A320XLR												
		MEMO LINE		MEMO LINE		MEMO LINE		MEMO LINE		MEMO LINE		MEMO LINE		
		MEMO LINE	MEMO LINE	MEMO LINE	MEMO LINE	MEMO LINE	MEMO LINE	MEMO LINE	MEMO LINE	MEMO LINE	MEMO LINE			
1 Mile with 20 Miles bandwidth		R2_20T (Bianchi)		R2_20T (Bianchi)		R02_24T (Bianchi)		R02_24T (Bianchi)		R02_24T (Bianchi)		R02_24T (Bianchi)		
	06	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	07	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	08	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	09	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	10	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	11	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	12	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	13	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	14	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	15	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	16	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	17	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	18	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	19	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	20	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	21	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	1 Mile with 40 Miles bandwidth	06	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50
07		11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
08		11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
09		11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
10		11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
11		11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
12		11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
13		11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
14		11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
15		11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
16		11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
17		11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
18		11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
19		11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
20		11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
21		11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
1 Mile with 80 Miles bandwidth		06	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50
		07	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50
	08	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	09	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	10	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	11	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	12	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	13	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	14	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	15	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	16	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	17	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	18	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	19	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	20	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	21	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
	Solo with 100 Miles bandwidth	06	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50
		07	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50
08		11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	

Mode	Channel	E12 802.11 (Maximum) in dBm: Antenna W25a									
		S50	S60	S60	S60	S60		S60	S60	S60	S60
		S1_267 (Maximum)	S2_267 (Maximum)	S6_267 (Maximum)	S6_267 (Maximum)	Total		S607_267 (Maximum)	S607_267 (Maximum)	S607_267 (Maximum)	S607_267 (Maximum)
5 GHz W55 20 MHz Bandwidth	36	16.50	16.50	16.50	16.50	17.50					
	40	16.50	16.50	16.50	16.50						
	44	16.50	16.50	16.50	16.50						
	48	16.50	16.50	16.50	16.50						
	52	16.50	16.50	16.50	16.50						
	56	16.50	16.50	16.50	16.50						
	60	16.50	16.50	16.50	16.50						
	64	16.50	16.50	16.50	16.50						
	68	16.50	16.50	16.50	16.50						
	72	16.50	16.50	16.50	16.50						
	76	16.50	16.50	16.50	16.50						
	80	16.50	16.50	16.50	16.50						
	84	16.50	16.50	16.50	16.50						
	88	16.50	16.50	16.50	16.50						
	92	16.50	16.50	16.50	16.50						
	96	16.50	16.50	16.50	16.50						
	100	16.50	16.50	16.50	16.50						
	104	16.50	16.50	16.50	16.50						
	108	16.50	16.50	16.50	16.50						
	112	16.50	16.50	16.50	16.50						
	116	16.50	16.50	16.50	16.50						
	120	16.50	16.50	16.50	16.50						
	124	16.50	16.50	16.50	16.50						
	128	16.50	16.50	16.50	16.50						
	132	16.50	16.50	16.50	16.50						
	136	16.45	16.45	16.45	16.45						
	140	16.50	16.50	16.50	16.50						
	144	16.50	16.50	16.50	16.50						
	148	16.50	16.50	16.50	16.50						
	152	16.50	16.50	16.50	16.50						
	156	16.50	16.50	16.50	16.50						
	160	16.50	16.50	16.50	16.50						
164	16.50	16.50	16.50	16.50							
168	16.50	16.50	16.50	16.50							
172	16.50	16.50	16.50	16.50							
176	16.50	16.50	16.50	16.50							
180	16.50	16.50	16.50	16.50							
184	16.50	16.50	16.50	16.50							
188	16.50	16.50	16.50	16.50							
192	16.50	16.50	16.50	16.50							
196	16.50	16.50	16.50	16.50							
200	16.50	16.50	16.50	16.50							
5 GHz W55 40 MHz Bandwidth	100	16.50	16.50	16.50	16.50						
	104	16.50	16.50	16.50	16.50						
	108	16.50	16.50	16.50	16.50						
	112	16.50	16.50	16.50	16.50						
	116	16.50	16.50	16.50	16.50						
	120	16.50	16.50	16.50	16.50						
	124	16.50	16.50	16.50	16.50						
	128	16.50	16.50	16.50	16.50						
	132	16.50	16.50	16.50	16.50						
	136	16.50	16.50	16.50	16.50						
	140	16.50	16.50	16.50	16.50						
	144	16.50	16.50	16.50	16.50						
5 GHz W55 80 MHz Bandwidth	100	16.50	16.50	16.50	16.50						
	104	16.50	16.50	16.50	16.50						
	108	16.50	16.50	16.50	16.50						
	112	16.50	16.50	16.50	16.50						
	116	16.50	16.50	16.50	16.50						
	120	16.50	16.50	16.50	16.50						
	124	16.50	16.50	16.50	16.50						
	128	16.50	16.50	16.50	16.50						
	132	16.50	16.50	16.50	16.50						
	136	16.50	16.50	16.50	16.50						
	140	16.50	16.50	16.50	16.50						
	144	16.50	16.50	16.50	16.50						
5 GHz W55 160 MHz Bandwidth	100	16.50	16.50	16.50	16.50						
	104	16.50	16.50	16.50	16.50						
	108	16.50	16.50	16.50	16.50						
	112	16.50	16.50	16.50	16.50						
5 GHz W55 320 MHz Bandwidth	100	16.50	16.50	16.50	16.50						
	104	16.50	16.50	16.50	16.50						
	108	16.50	16.50	16.50	16.50						
	112	16.50	16.50	16.50	16.50						
5 GHz W55 640 MHz Bandwidth	100	16.50	16.50	16.50	16.50						
	104	16.50	16.50	16.50	16.50						
	108	16.50	16.50	16.50	16.50						
	112	16.50	16.50	16.50	16.50						
5 GHz W55 1280 MHz Bandwidth	100	16.50	16.50	16.50	16.50						
	104	16.50	16.50	16.50	16.50						
	108	16.50	16.50	16.50	16.50						
	112	16.50	16.50	16.50	16.50						
5 GHz W55 2560 MHz Bandwidth	100	16.50	16.50	16.50	16.50						
	104	16.50	16.50	16.50	16.50						
	108	16.50	16.50	16.50	16.50						
	112	16.50	16.50	16.50	16.50						

Mode	Channel	E12 802.11 (Maximum 16 dBm) Antenna WPA										
		S60	S60	S60	S60	Type		S60	S60	S60	S60	
2.4 GHz WDR		E12_201 (Maximum)	E12_201 (Nominal)	E06_201 (Maximum)	E06_201 (Nominal)	4867_2417 (Maximum)		4867_2417 (Nominal)	5921_4847 (Maximum)	5921_4847 (Nominal)	5921_4847_2427 (Maximum)	5921_4847_2427 (Nominal)
	36	15.50	15.50	17.50	17.50							
	40	15.50	15.50	17.50	17.50							
	44	15.50	15.50	17.50	17.50							
	48	15.50	15.50	17.50	17.50							
	52	15.50	15.50	17.50	17.50							
	56	15.50	15.50	17.50	17.50							
	60	15.50	15.50	17.50	17.50							
	64	15.50	15.50	16.50	16.50							
	100	15.50	15.50	16.50	16.50							
	104	15.50	15.50	16.50	16.50							
	108	15.50	15.50	17.50	17.50							
	112	15.50	15.50	17.50	17.50							
	116	15.50	15.50	17.50	17.50							
	120	15.50	15.50	17.50	17.50							
	124	15.50	15.50	17.50	17.50							
	128	15.50	15.50	17.50	17.50							
	132	15.50	15.50	17.50	17.50							
	136	15.50	15.50	17.50	17.50							
	140	15.50	15.50	17.50	17.50							
5 GHz WDR	144	15.50	15.50	17.50	17.50							
	148	15.50	15.50	17.50	17.50							
	152	15.50	15.50	17.50	17.50							
	156	15.50	15.50	17.50	17.50							
	160	15.50	15.50	17.50	17.50							
	164	15.50	15.50	17.50	17.50							
	168	15.50	15.50	17.50	17.50							
	172	15.50	15.50	17.50	17.50							
	176	15.50	15.50	17.50	17.50							
	180	15.50	15.50	17.50	17.50							
	184	15.50	15.50	17.50	17.50							
	188	15.50	15.50	17.50	17.50							
	192	15.50	15.50	17.50	17.50							
	196	15.50	15.50	17.50	17.50							
	200	15.50	15.50	17.50	17.50							
	204	15.50	15.50	17.50	17.50							
	208	15.50	15.50	17.50	17.50							
	212	15.50	15.50	17.50	17.50							
	216	15.50	15.50	17.50	17.50							
	5 GHz WDR	220	15.50	15.50	17.50	17.50						
224		15.50	15.50	17.50	17.50							
228		15.50	15.50	17.50	17.50							
232		15.50	15.50	17.50	17.50							
236		15.50	15.50	17.50	17.50							
240		15.50	15.50	17.50	17.50							
244		15.50	15.50	17.50	17.50							
248		15.50	15.50	17.50	17.50							
252		15.50	15.50	17.50	17.50							
256		15.50	15.50	17.50	17.50							
5 GHz WDR	260	15.50	15.50	17.50	17.50							
	264	15.50	15.50	17.50	17.50							
	268	15.50	15.50	17.50	17.50							
	272	15.50	15.50	17.50	17.50							
	276	15.50	15.50	17.50	17.50							
	280	15.50	15.50	17.50	17.50							
	284	15.50	15.50	17.50	17.50							
	288	15.50	15.50	17.50	17.50							
	292	15.50	15.50	17.50	17.50							
	296	15.50	15.50	17.50	17.50							
5 GHz WDR	300	15.50	15.50	17.50	17.50							
	304	15.50	15.50	17.50	17.50							
	308	15.50	15.50	17.50	17.50							
	312	15.50	15.50	17.50	17.50							
	316	15.50	15.50	17.50	17.50							
	320	15.50	15.50	17.50	17.50							
	324	15.50	15.50	17.50	17.50							
	328	15.50	15.50	17.50	17.50							
	332	15.50	15.50	17.50	17.50							
	336	15.50	15.50	17.50	17.50							
5 GHz WDR	340	15.50	15.50	17.50	17.50							
	344	15.50	15.50	17.50	17.50							
	348	15.50	15.50	17.50	17.50							
	352	15.50	15.50	17.50	17.50							
	356	15.50	15.50	17.50	17.50							
	360	15.50	15.50	17.50	17.50							
	364	15.50	15.50	17.50	17.50							
	368	15.50	15.50	17.50	17.50							
	372	15.50	15.50	17.50	17.50							
	376	15.50	15.50	17.50	17.50							
5 GHz WDR	380	15.50	15.50	17.50	17.50							
	384	15.50	15.50	17.50	17.50							
	388	15.50	15.50	17.50	17.50							
	392	15.50	15.50	17.50	17.50							
	396	15.50	15.50	17.50	17.50							
	400	15.50	15.50	17.50	17.50							
	404	15.50	15.50	17.50	17.50							
	408	15.50	15.50	17.50	17.50							
	412	15.50	15.50	17.50	17.50							
	416	15.50	15.50	17.50	17.50							
5 GHz WDR	420	15.50	15.50	17.50	17.50							
	424	15.50	15.50	17.50	17.50							
	428	15.50	15.50	17.50	17.50							
	432	15.50	15.50	17.50	17.50							
	436	15.50	15.50	17.50	17.50							
	440	15.50	15.50	17.50	17.50							
	444	15.50	15.50	17.50	17.50							
	448	15.50	15.50	17.50	17.50							
	452	15.50	15.50	17.50	17.50							
	456	15.50	15.50	17.50	17.50							
5 GHz WDR	460	15.50	15.50	17.50	17.50							
	464	15.50	15.50	17.50	17.50							
	468	15.50	15.50	17.50	17.50							
	472	15.50	15.50	17.50	17.50							
	476	15.50	15.50	17.50	17.50							
	480	15.50	15.50	17.50	17.50							
	484	15.50	15.50	17.50	17.50							
	488	15.50	15.50	17.50	17.50							
	492	15.50	15.50	17.50	17.50							
	496	15.50	15.50	17.50	17.50							
5 GHz WDR	500	15.50	15.50	17.50	17.50							
	504	15.50	15.50	17.50	17.50							
	508	15.50	15.50	17.50	17.50							
	512	15.50	15.50	17.50	17.50							
	516	15.50	15.50	17.50	17.50							
	520	15.50	15.50	17.50	17.50							
	524	15.50	15.50	17.50	17.50							
	528	15.50	15.50	17.50	17.50							
	532	15.50	15.50	17.50	17.50							
	536	15.50	15.50	17.50	17.50							
5 GHz WDR	540	15.50	15.50	17.50	17.50							
	544	15.50	15.50	17.50	17.50							
	548	15.50	15.50	17.50	17.50							
	552	15.50	15.50	17.50	17.50							
	556	15.50	15.50	17.50	17.50							
	560	15.50	15.50	17.50	17.50							
	564	15.50	15.50	17.50	17.50							
	568	15.50	15.50	17.50	17.50							
	572	15.50	15.50	17.50	17.50							
	576	15.50	15.50	17.50	17.50							
5 GHz WDR	580	15.50	15.50	17.50	17.50							
	584	15.50	15.50	17.50	17.50							
	588	15.50	15.50	17.50	17.50							
	592	15.50	15.50	17.50	17.50							
	596	15.50	15.50	17.50	17.50							
	600	15.50	15.50	17.50	17.50							
	604	15.50	15.50	17.50	17.50							
	608	15.50	15.50	17.50	17.50							
	612	15.50	15.50	17.50	17.50							
	616	15.50	15.50	17.50	17.50							
5 GHz WDR	620	15.50	15.50	17.50	17.50							
	624	15.50	15.50	17.50	17.50							
	628	15.50	15.50	17.50	17.50							
	632	15.50	15.50	17.50	17.50							
	636	15.50	15.50	17.50	17.50							
	640	15.50	15.50	17.50	17.50							
	644	15.50	15.50	17.50	17.50							
	648	15.50	15.50	17.50	17.50							
	652	15.50	15.50	17.50	17.50							
	656	15.50	15.50	17.50	17.50							
5 GHz WDR	660	15.50	15.50	17.50	17.50							

[illegible][illegible]

Mode	Channel	E1E 802.11 (Measurements) in dBm: Antenna W77a									
		SSO	SSO	SSO	SSO	Totals		SSO	SSO	SSO	SSO
		SA_267 (Measurement)	SA_267 (Measurement)	SA_267 (Measurement)	SA_267 (Measurement)	BAF_247 (Measurement)	BAF_247 (Measurement)	BAF_487 (Measurement)	BAF_487 (Measurement)	BAF_487_247 (Measurement)	BAF_487_247 (Measurement)
4 Giga Wi-Fi (80MHz SISO) LP	1	95	95	95	95						
	3	3.10	2.90	2.90	2.90						
	5	3.80	3.60	3.60	3.60						
	9-19	3.10	2.70	2.70	2.70						
	20-23	3.10	2.70	2.70	2.70						
	30-40	4.10	3.10	3.10	3.10						
	40	4.00	3.00	3.00	3.00						
	45	4.10	3.10	3.10	3.10						
	49-129	4.10	3.10	3.10	3.10						
	130-180	2.60	2.40	2.40	2.40						
4 Giga Wi-Fi (80MHz SISO) LP	181	2.60	2.40	2.40	2.40						
	185-220	2.60	2.40	2.40	2.40						
	221	2.60	2.40	2.40	2.40						
	225	2.60	2.40	2.40	2.40						
	230	95	95	95	95						
	23	3.10	2.70	2.70	2.70						
	15	3.10	2.70	2.70	2.70						
	20-23	3.10	2.70	2.70	2.70						
	30-40	4.10	3.10	3.10	3.10						
	40	4.00	3.00	3.00	3.00						
4 Giga Wi-Fi (80MHz SISO) LP	45	4.10	3.10	3.10	3.10						
	49-129	4.10	3.10	3.10	3.10						
	130	2.10	1.90	1.90	1.90						
	135-220	2.10	1.90	1.90	1.90						
	221	2.10	1.90	1.90	1.90						
	225	2.10	1.90	1.90	1.90						
	230	2.10	1.90	1.90	1.90						
	23	3.10	2.70	2.70	2.70						
	15	3.10	2.70	2.70	2.70						
	20-23	3.10	2.70	2.70	2.70						
4 Giga Wi-Fi (80MHz SISO) LP	30-40	3.10	2.70	2.70	2.70						
	40	3.00	2.60	2.60	2.60						
	45	3.00	2.60	2.60	2.60						
	49-129	3.00	2.60	2.60	2.60						
	130	2.00	1.80	1.80	1.80						
	135-220	2.00	1.80	1.80	1.80						
	221	2.00	1.80	1.80	1.80						
	225	2.00	1.80	1.80	1.80						
	230	2.00	1.80	1.80	1.80						
	23	3.10	2.70	2.70	2.70						
4 Giga Wi-Fi (80MHz SISO) LP	15	3.10	2.70	2.70	2.70						
	20-23	3.10	2.70	2.70	2.70						
	30-40	3.10	2.70	2.70	2.70						
	40	3.00	2.60	2.60	2.60						
	45	3.00	2.60	2.60	2.60						
	49-129	3.00	2.60	2.60	2.60						
	130	2.00	1.80	1.80	1.80						
	135-220	2.00	1.80	1.80	1.80						
	221	2.00	1.80	1.80	1.80						
	225	2.00	1.80	1.80	1.80						

Mode	Channel	E1E 802.11 (Measurements) in dBm: Antenna W77a									
		MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	Totals		MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD
		SA_267 (Measurement)	SA_267 (Measurement)	SA_267 (Measurement)	SA_267 (Measurement)	BAF_247 (Measurement)	BAF_247 (Measurement)	BAF_487 (Measurement)	BAF_487 (Measurement)	BAF_487_247 (Measurement)	BAF_487_247 (Measurement)
4 Giga Wi-Fi (80MHz SISO) LP	1	95	95	95	95						
	3	-1.50	-1.50	-1.50	-1.50						
	5	-2.40	-2.40	-2.40	-2.40						
	9-19	-2.40	-2.40	-2.40	-2.40						
	20-23	-2.50	-2.50	-2.50	-2.50						
	30-40	-1.50	-1.50	-1.50	-1.50						
	40	-1.40	-1.40	-1.40	-1.40						
	45	-1.50	-1.50	-1.50	-1.50						
	49-129	-1.50	-1.50	-1.50	-1.50						
	130-180	-1.60	-1.60	-1.60	-1.60						
4 Giga Wi-Fi (80MHz SISO) LP	181	-1.50	-1.50	-1.50	-1.50						
	185-220	-1.50	-1.50	-1.50	-1.50						
	221	-1.50	-1.50	-1.50	-1.50						
	225	-1.50	-1.50	-1.50	-1.50						
	230	95	95	95	95						
	23	-2.40	-2.40	-2.40	-2.40						
	15	-2.40	-2.40	-2.40	-2.40						
	20-23	-2.40	-2.40	-2.40	-2.40						
	30-40	-2.40	-2.40	-2.40	-2.40						
	40-49	-1.40	-1.40	-1.40	-1.40						
4 Giga Wi-Fi (80MHz SISO) LP	50-59	-1.50	-1.50	-1.50	-1.50						
	60	-1.50	-1.50	-1.50	-1.50						
	65-129	-1.50	-1.50	-1.50	-1.50						
	130-180	-1.50	-1.50	-1.50	-1.50						
	181-220	-1.50	-1.50	-1.50	-1.50						
	221	-1.50	-1.50	-1.50	-1.50						
	225	-1.50	-1.50	-1.50	-1.50						
	230	-1.50	-1.50	-1.50	-1.50						
	23	-2.40	-2.40	-2.40	-2.40						
	15	-2.40	-2.40	-2.40	-2.40						
4 Giga Wi-Fi (80MHz SISO) LP	20-23	-2.40	-2.40	-2.40	-2.40						
	30-40	-2.40	-2.40	-2.40	-2.40						
	40	-2.40	-2.40	-2.40	-2.40						
	45	-2.40	-2.40	-2.40	-2.40						
	49-129	-2.40	-2.40	-2.40	-2.40						
	130	-2.40	-2.40	-2.40	-2.40						
	135-220	-2.40	-2.40	-2.40	-2.40						
	221	-2.40	-2.40	-2.40	-2.40						
	225	-2.40	-2.40	-2.40	-2.40						
	230	-2.40	-2.40	-2.40	-2.40						
4 Giga Wi-Fi (80MHz SISO) LP	23	-2.40	-2.40	-2.40	-2.40						
	15	-2.40	-2.40	-2.40	-2.40						
	20-23	-2.40	-2.40	-2.40	-2.40						
	30-40	-2.40	-2.40	-2.40	-2.40						
	40	-2.40	-2.40	-2.40	-2.40						
	45	-2.40	-2.40	-2.40	-2.40						
	49-129	-2.40	-2.40	-2.40	-2.40						
	130	-2.40	-2.40	-2.40	-2.40						
	135-220	-2.40	-2.40	-2.40	-2.40						
	221	-2.40	-2.40	-2.40	-2.40						

Mode	Channel	E1E 802.11 (Measurements) in dBm: Antenna W77a									
		MIMO CSD		MIMO CSD		MIMO CSD		MIMO CSD		MIMO CSD	
		SA_267 (Measurement)	SA_267 (Measurement)	SA_267 (Measurement)	SA_267 (Measurement)	BAF_247 (Measurement)	BAF_247 (Measurement)	BAF_487 (Measurement)	BAF_487 (Measurement)	BAF_487_247 (Measurement)	BAF_487_247 (Measurement)
4 Giga Wi-Fi (80MHz SISO) LP	1	95	95	95	95						
	3	0.10	0.00	0.00	0.00						
	5	0.20	0.10	0.10	0.10						
	9-19	0.20	0.10	0.10	0.10						
	20-23	0.20	0.10	0.10	0.10						
	30-40	0.20	0.10	0.10	0.10						
	40	0.20	0.10	0.10	0.10						
	45	0.20	0.10	0.10	0.10						
	49-129	0.20	0.10	0.10	0.10						
	130-180	0.10	0.00	0.00	0.00						
4 Giga Wi-Fi (80MHz SISO) LP	181	0.10	0.00	0.00	0.00						
	185-220	0.10	0.00	0.00	0.00						
	221	0.10	0.00	0.00	0.00						
	225	0.10	0.00	0.00	0.00						
	230	95	95	95	95						
	23	0.10	0.00	0.00	0.00						
	15	0.10	0.00	0.00	0.00						
	20-23	0.10	0.00	0.00	0.00						
	30-40	0.10	0.00	0.00	0.00						
	40	0.10	0.00	0.00	0.00						
4 Giga Wi-Fi (80MHz SISO) LP	45	0.10	0.00	0.00	0.00						
	49-129	0.10	0.00	0.00	0.00						
	130	0.10	0.00	0.00	0.00						
	135-220	0.10	0.00	0.00	0.00						
	221	0.10	0.00	0.00	0.00						
	225	0.10	0.00	0.00	0.00						
	230	0.10	0.00	0.00	0.00						
	23	0.10	0.00	0.00	0.00						
	15	0.10	0.00	0.00	0.00						
	20-23	0.10	0.00	0.00	0.00						

[illegible][illegible][illegible]

Model	Channel	E1E 802.11 (Measurements) in dBm: Antenna W25a									
		SSO	SSO	SSO	SSO	Totals		SSO	SSO	SSO	SSO
		SS_247 (Measurement)	SS_247 (Measurement)	SS_247 (Measurement)	SS_247 (Measurement)	802_247 (Measurement)	802_247 (Measurement)	802_247 (Measurement)	802_247 (Measurement)	802_247 (Measurement)	802_247 (Measurement)
4 Giga-WiFi (Reference 240) LP	1	0.0	0.0	0.0	0.0						
	2	0.0	0.0	0.0	0.0						
	3	0.0	0.0	0.0	0.0						
	4	0.0	0.0	0.0	0.0						
	5	0.0	0.0	0.0	0.0						
	6	0.0	0.0	0.0	0.0						
	7	0.0	0.0	0.0	0.0						
	8	0.0	0.0	0.0	0.0						
	9	0.0	0.0	0.0	0.0						
	10	0.0	0.0	0.0	0.0						
4 Giga-WiFi (Reference 240) LP	11	0.0	0.0	0.0	0.0						
	12	0.0	0.0	0.0	0.0						
	13	0.0	0.0	0.0	0.0						
	14	0.0	0.0	0.0	0.0						
	15	0.0	0.0	0.0	0.0						
	16	0.0	0.0	0.0	0.0						
	17	0.0	0.0	0.0	0.0						
	18	0.0	0.0	0.0	0.0						
	19	0.0	0.0	0.0	0.0						
	20	0.0	0.0	0.0	0.0						
4 Giga-WiFi (Reference 240) LP	21	0.0	0.0	0.0	0.0						
	22	0.0	0.0	0.0	0.0						
	23	0.0	0.0	0.0	0.0						
	24	0.0	0.0	0.0	0.0						
	25	0.0	0.0	0.0	0.0						
	26	0.0	0.0	0.0	0.0						
	27	0.0	0.0	0.0	0.0						
	28	0.0	0.0	0.0	0.0						
	29	0.0	0.0	0.0	0.0						
	30	0.0	0.0	0.0	0.0						
4 Giga-WiFi (Reference 240) LP	31	0.0	0.0	0.0	0.0						
	32	0.0	0.0	0.0	0.0						
	33	0.0	0.0	0.0	0.0						
	34	0.0	0.0	0.0	0.0						
	35	0.0	0.0	0.0	0.0						
	36	0.0	0.0	0.0	0.0						
	37	0.0	0.0	0.0	0.0						
	38	0.0	0.0	0.0	0.0						
	39	0.0	0.0	0.0	0.0						
	40	0.0	0.0	0.0	0.0						

Model	Channel	E1E 802.11 (Measurements) in dBm: Antenna W25a									
		SSO	SSO	SSO	SSO	Totals		SSO	SSO	SSO	SSO
		SS_247 (Measurement)	SS_247 (Measurement)	SS_247 (Measurement)	SS_247 (Measurement)	802_247 (Measurement)	802_247 (Measurement)	802_247 (Measurement)	802_247 (Measurement)	802_247 (Measurement)	802_247 (Measurement)
4 Giga-WiFi (Reference 240) LP	1	0.0	0.0	0.0	0.0						
	2	0.0	0.0	0.0	0.0						
	3	0.0	0.0	0.0	0.0						
	4	0.0	0.0	0.0	0.0						
	5	0.0	0.0	0.0	0.0						
	6	0.0	0.0	0.0	0.0						
	7	0.0	0.0	0.0	0.0						
	8	0.0	0.0	0.0	0.0						
	9	0.0	0.0	0.0	0.0						
	10	0.0	0.0	0.0	0.0						
4 Giga-WiFi (Reference 240) LP	11	0.0	0.0	0.0	0.0						
	12	0.0	0.0	0.0	0.0						
	13	0.0	0.0	0.0	0.0						
	14	0.0	0.0	0.0	0.0						
	15	0.0	0.0	0.0	0.0						
	16	0.0	0.0	0.0	0.0						
	17	0.0	0.0	0.0	0.0						
	18	0.0	0.0	0.0	0.0						
	19	0.0	0.0	0.0	0.0						
	20	0.0	0.0	0.0	0.0						
4 Giga-WiFi (Reference 240) LP	21	0.0	0.0	0.0	0.0						
	22	0.0	0.0	0.0	0.0						
	23	0.0	0.0	0.0	0.0						
	24	0.0	0.0	0.0	0.0						
	25	0.0	0.0	0.0	0.0						
	26	0.0	0.0	0.0	0.0						
	27	0.0	0.0	0.0	0.0						
	28	0.0	0.0	0.0	0.0						
	29	0.0	0.0	0.0	0.0						
	30	0.0	0.0	0.0	0.0						
4 Giga-WiFi (Reference 240) LP	31	0.0	0.0	0.0	0.0						
	32	0.0	0.0	0.0	0.0						
	33	0.0	0.0	0.0	0.0						
	34	0.0	0.0	0.0	0.0						
	35	0.0	0.0	0.0	0.0						
	36	0.0	0.0	0.0	0.0						
	37	0.0	0.0	0.0	0.0						
	38	0.0	0.0	0.0	0.0						
	39	0.0	0.0	0.0	0.0						
	40	0.0	0.0	0.0	0.0						

Model	Channel	E1E 802.11 (Measurements) in dBm: Antenna W25a									
		SSO	SSO	SSO	SSO	Totals		SSO	SSO	SSO	SSO
		SS_247 (Measurement)	SS_247 (Measurement)	SS_247 (Measurement)	SS_247 (Measurement)	802_247 (Measurement)	802_247 (Measurement)	802_247 (Measurement)	802_247 (Measurement)	802_247 (Measurement)	802_247 (Measurement)
4 Giga-WiFi (Reference 240) LP	1	0.0	0.0	0.0	0.0						
	2	0.0	0.0	0.0	0.0						
	3	0.0	0.0	0.0	0.0						
	4	0.0	0.0	0.0	0.0						
	5	0.0	0.0	0.0	0.0						
	6	0.0	0.0	0.0	0.0						
	7	0.0	0.0	0.0	0.0						
	8	0.0	0.0	0.0	0.0						
	9	0.0	0.0	0.0	0.0						
	10	0.0	0.0	0.0	0.0						
4 Giga-WiFi (Reference 240) LP	11	0.0	0.0	0.0	0.0						
	12	0.0	0.0	0.0	0.0						
	13	0.0	0.0	0.0	0.0						
	14	0.0	0.0	0.0	0.0						
	15	0.0	0.0	0.0	0.0						
	16	0.0	0.0	0.0	0.0						
	17	0.0	0.0	0.0	0.0						
	18	0.0	0.0	0.0	0.0						
	19	0.0	0.0	0.0	0.0						
	20	0.0	0.0	0.0	0.0						
4 Giga-WiFi (Reference 240) LP	21	0.0	0.0	0.0	0.0						
	22	0.0	0.0	0.0	0.0						
	23	0.0	0.0	0.0	0.0						
	24	0.0	0.0	0.0	0.0						
	25	0.0	0.0	0.0	0.0						
	26	0.0	0.0	0.0	0.0						
	27	0.0	0.0	0.0	0.0						
	28	0.0	0.0	0.0	0.0						
	29	0.0	0.0	0.0	0.0						
	30	0.0	0.0	0.0	0.0						
4 Giga-WiFi (Reference 240) LP	31	0.0	0.0	0.0	0.0						
	32	0.0	0.0	0.0	0.0						
	33	0.0	0.0	0.0	0.0						
	34	0.0	0.0	0.0	0.0						
	35	0.0	0.0	0.0	0.0						
	36	0.0	0.0	0.0	0.0						
	37	0.0	0.0	0.0	0.0						
	38	0.0	0.0	0.0	0.0						
	39	0.0	0.0	0.0	0.0						
	40	0.0	0.0	0.0	0.0						

[illegible][illegible][illegible]

Model	Channel	E12 862.11 (Maximum) in dBm - Antenna WP7s									
		SSO	SSO	SSO	SSO	Totals		SSO	SSO	SSO	SSO
		SA_267 (Maximum)	SA_267 (Maximum)	SA_267 (Maximum)	SA_267 (Maximum)	BAF_267 (Maximum)	BAF_267 (Maximum)	BAF_487 (Maximum)	BAF_487 (Maximum)	BAF_487_2417 (Maximum)	BAF_487_2417 (Maximum)
4 Giga Wi-Fi (Maximum 2W) LP	1	95	95	95	95						
	2	3.00	3.00	3.00	3.00						
	3	3.00	3.00	3.00	3.00						
	4	3.00	3.00	3.00	3.00						
	5	3.00	3.00	3.00	3.00						
	6	3.00	3.00	3.00	3.00						
	7	3.00	3.00	3.00	3.00						
	8	3.00	3.00	3.00	3.00						
	9	3.00	3.00	3.00	3.00						
	10	3.00	3.00	3.00	3.00						
4 Giga Wi-Fi (Maximum 2W) LP	11	3.00	3.00	3.00	3.00						
	12	3.00	3.00	3.00	3.00						
	13	3.00	3.00	3.00	3.00						
	14	3.00	3.00	3.00	3.00						
	15	3.00	3.00	3.00	3.00						
	16	3.00	3.00	3.00	3.00						
	17	3.00	3.00	3.00	3.00						
	18	3.00	3.00	3.00	3.00						
	19	3.00	3.00	3.00	3.00						
	20	3.00	3.00	3.00	3.00						
4 Giga Wi-Fi (Maximum 2W) LP	21	3.00	3.00	3.00	3.00						
	22	3.00	3.00	3.00	3.00						
	23	3.00	3.00	3.00	3.00						
	24	3.00	3.00	3.00	3.00						
	25	3.00	3.00	3.00	3.00						
	26	3.00	3.00	3.00	3.00						
	27	3.00	3.00	3.00	3.00						
	28	3.00	3.00	3.00	3.00						
	29	3.00	3.00	3.00	3.00						
	30	3.00	3.00	3.00	3.00						
4 Giga Wi-Fi (Maximum 2W) LP	31	3.00	3.00	3.00	3.00						
	32	3.00	3.00	3.00	3.00						
	33	3.00	3.00	3.00	3.00						
	34	3.00	3.00	3.00	3.00						
	35	3.00	3.00	3.00	3.00						
	36	3.00	3.00	3.00	3.00						
	37	3.00	3.00	3.00	3.00						
	38	3.00	3.00	3.00	3.00						
	39	3.00	3.00	3.00	3.00						
	40	3.00	3.00	3.00	3.00						

Model	Channel	E12 862.11 (Maximum) in dBm - Antenna WP7s									
		SSO	SSO	SSO	SSO	Totals		SSO	SSO	SSO	SSO
		SA_267 (Maximum)	SA_267 (Maximum)	SA_267 (Maximum)	SA_267 (Maximum)	BAF_267 (Maximum)	BAF_267 (Maximum)	BAF_487 (Maximum)	BAF_487 (Maximum)	BAF_487_2417 (Maximum)	BAF_487_2417 (Maximum)
4 Giga Wi-Fi (Maximum 2W) LP	1	95	95	95	95						
	2	3.00	3.00	3.00	3.00						
	3	3.00	3.00	3.00	3.00						
	4	3.00	3.00	3.00	3.00						
	5	3.00	3.00	3.00	3.00						
	6	3.00	3.00	3.00	3.00						
	7	3.00	3.00	3.00	3.00						
	8	3.00	3.00	3.00	3.00						
	9	3.00	3.00	3.00	3.00						
	10	3.00	3.00	3.00	3.00						
4 Giga Wi-Fi (Maximum 2W) LP	11	3.00	3.00	3.00	3.00						
	12	3.00	3.00	3.00	3.00						
	13	3.00	3.00	3.00	3.00						
	14	3.00	3.00	3.00	3.00						
	15	3.00	3.00	3.00	3.00						
	16	3.00	3.00	3.00	3.00						
	17	3.00	3.00	3.00	3.00						
	18	3.00	3.00	3.00	3.00						
	19	3.00	3.00	3.00	3.00						
	20	3.00	3.00	3.00	3.00						
4 Giga Wi-Fi (Maximum 2W) LP	21	3.00	3.00	3.00	3.00						
	22	3.00	3.00	3.00	3.00						
	23	3.00	3.00	3.00	3.00						
	24	3.00	3.00	3.00	3.00						
	25	3.00	3.00	3.00	3.00						
	26	3.00	3.00	3.00	3.00						
	27	3.00	3.00	3.00	3.00						
	28	3.00	3.00	3.00	3.00						
	29	3.00	3.00	3.00	3.00						
	30	3.00	3.00	3.00	3.00						
4 Giga Wi-Fi (Maximum 2W) LP	31	3.00	3.00	3.00	3.00						
	32	3.00	3.00	3.00	3.00						
	33	3.00	3.00	3.00	3.00						
	34	3.00	3.00	3.00	3.00						
	35	3.00	3.00	3.00	3.00						
	36	3.00	3.00	3.00	3.00						
	37	3.00	3.00	3.00	3.00						
	38	3.00	3.00	3.00	3.00						
	39	3.00	3.00	3.00	3.00						
	40	3.00	3.00	3.00	3.00						

Model	Channel	E12 862.11 (Maximum) in dBm - Antenna WP7s									
		SSO	SSO	SSO	SSO	Totals		SSO	SSO	SSO	SSO
		SA_267 (Maximum)	SA_267 (Maximum)	SA_267 (Maximum)	SA_267 (Maximum)	BAF_267 (Maximum)	BAF_267 (Maximum)	BAF_487 (Maximum)	BAF_487 (Maximum)	BAF_487_2417 (Maximum)	BAF_487_2417 (Maximum)
4 Giga Wi-Fi (Maximum 2W) LP	1	95	95	95	95						
	2	3.00	3.00	3.00	3.00						
	3	3.00	3.00	3.00	3.00						
	4	3.00	3.00	3.00	3.00						
	5	3.00	3.00	3.00	3.00						
	6	3.00	3.00	3.00	3.00						
	7	3.00	3.00	3.00	3.00						
	8	3.00	3.00	3.00	3.00						
	9	3.00	3.00	3.00	3.00						
	10	3.00	3.00	3.00	3.00						
4 Giga Wi-Fi (Maximum 2W) LP	11	3.00	3.00	3.00	3.00						
	12	3.00	3.00	3.00	3.00						
	13	3.00	3.00	3.00	3.00						
	14	3.00	3.00	3.00	3.00						
	15	3.00	3.00	3.00	3.00						
	16	3.00	3.00	3.00	3.00						
	17	3.00	3.00	3.00	3.00						
	18	3.00	3.00	3.00	3.00						
	19	3.00	3.00	3.00	3.00						
	20	3.00	3.00	3.00	3.00						
4 Giga Wi-Fi (Maximum 2W) LP	21	3.00	3.00	3.00	3.00						
	22	3.00	3.00	3.00	3.00						
	23	3.00	3.00	3.00	3.00						
	24	3.00	3.00	3.00	3.00						
	25	3.00	3.00	3.00	3.00						
	26	3.00	3.00	3.00	3.00						
	27	3.00	3.00	3.00	3.00						
	28	3.00	3.00	3.00	3.00						
	29	3.00	3.00	3.00	3.00						
	30	3.00	3.00	3.00	3.00						
4 Giga Wi-Fi (Maximum 2W) LP	31	3.00	3.00	3.00	3.00						
	32	3.00	3.00	3.00	3.00						
	33	3.00	3.00	3.00	3.00						
	34	3.00	3.00	3.00	3.00						
	35	3.00	3.00	3.00	3.00						
	36	3.00	3.00	3.00	3.00						
	37	3.00	3.00	3.00	3.00						
	38	3.00	3.00	3.00	3.00						
	39	3.00	3.00	3.00	3.00						
	40	3.00	3.00	3.00	3.00						

G.3 IEEE 802.11ax RU Target Powers

Table G-1
Maximum 2.4 GHz 802.11ax RU Output Power – Ant WF7b

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			0	4	8
2412	1	26T	13.39	13.42	13.43
2437	6	26T	13.44	13.38	13.27
2462	11	26T	13.32	13.29	13.14
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			37	38	40
2412	1	52T	13.60	13.64	13.74
2437	6	52T	15.65	15.57	15.53
2462	11	52T	14.22	14.18	14.11
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			53	54	x
2412	1	106T	13.86	13.37	
2437	6	106T	18.83	18.93	
2462	11	106T	13.67	13.52	

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 42 of 57

Table G-2
Maximum 2.4 GHz 802.11ax RU Output Power – Ant WF2b

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			0	4	8
2412	1	26T	12.83	12.93	12.94
2437	6	26T	12.87	12.73	12.56
2462	11	26T	12.07	12.41	12.00
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			37	38	40
2412	1	52T	14.62	14.31	14.60
2437	6	52T	15.95	15.91	15.86
2462	11	52T	14.78	14.62	14.59
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			53	54	x
2412	1	106T	14.44	14.52	
2437	6	106T	18.15	18.23	
2462	11	106T	14.87	14.61	

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 43 of 57

Table G-3
Maximum 5 GHz 802.11ax RU Output Power – Ant WF7b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	1	5180	36	26T	9.78	10.76	9.94
		5200	40	26T	9.80	10.76	9.84
		5220	44	26T	9.82	10.76	10.01
		5240	48	26T	9.82	10.71	9.87
	3	5745	149	26T	9.82	10.64	9.80
		5785	157	26T	9.85	10.83	9.87
		5825	165	26T	9.70	10.72	9.83
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	13.03	13.51	13.16
		5200	40	52T	13.13	13.50	13.26
		5220	44	52T	12.97	13.49	13.27
		5240	48	52T	13.01	13.40	13.15
	2A	5260	52	52T	13.13	13.51	13.16
		5280	56	52T	13.06	13.58	13.15
		5300	60	52T	13.13	13.51	13.24
		5320	64	52T	13.04	13.50	13.09
	2C	5500	100	52T	12.83	13.21	12.83
		5600	120	52T	12.91	13.41	13.04
		5580	124	52T	12.89	13.32	12.90
		5720	144	52T	12.94	13.37	12.95
	3	5745	149	52T	13.03	13.45	12.98
		5785	157	52T	13.02	13.35	13.01
		5825	165	52T	12.93	13.41	13.01
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	15.67	15.79	
		5200	40	106T	16.14	16.27	
		5220	44	106T	16.10	16.19	
		5240	48	106T	16.14	16.06	
	2A	5260	52	106T	16.17	16.18	
		5280	56	106T	16.15	16.23	
		5300	60	106T	16.17	16.27	
		5320	64	106T	15.65	15.68	
	2C	5500	100	106T	13.77	13.78	
		5600	120	106T	16.24	16.32	
		5620	124	106T	16.20	16.21	
		5720	144	106T	15.99	16.07	
	3	5745	149	106T	16.06	16.07	
		5785	157	106T	16.10	16.19	
		5825	165	106T	16.03	16.05	

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 44 of 57

Table G-4
Maximum 5 GHz 802.11ax RU Output Power – Ant WF7a

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	1	5180	36	26T	9.69	10.64	9.95
		5200	40	26T	9.86	10.68	9.83
		5220	44	26T	9.80	10.82	10.03
		5240	48	26T	9.92	10.68	10.04
	3	5745	149	26T	9.66	10.65	9.69
		5785	157	26T	9.58	10.47	9.59
		5825	165	26T	9.54	10.53	9.65
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	12.99	13.37	13.23
		5200	40	52T	13.05	13.49	12.97
		5220	44	52T	13.15	13.46	13.26
		5240	48	52T	13.13	13.57	13.30
	2A	5260	52	52T	13.12	13.53	13.17
		5280	56	52T	13.15	13.62	13.21
		5300	60	52T	13.15	13.58	13.22
		5320	64	52T	13.11	13.66	13.23
	2C	5500	100	52T	13.24	13.61	13.26
		5600	120	52T	13.20	13.59	13.29
		5580	124	52T	13.21	13.55	13.19
		5720	144	52T	13.04	13.45	13.06
	3	5745	149	52T	12.92	13.26	12.96
		5785	157	52T	12.87	13.20	12.84
		5825	165	52T	12.84	13.29	12.88
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	15.64	15.66	
		5200	40	106T	16.16	16.15	
		5220	44	106T	16.18	16.31	
		5240	48	106T	16.27	16.28	
	2A	5260	52	106T	16.27	16.28	
		5280	56	106T	16.31	16.37	
		5300	60	106T	16.26	16.34	
		5320	64	106T	15.78	15.89	
	2C	5500	100	106T	14.14	14.23	
		5600	120	106T	16.34	16.35	
		5620	124	106T	16.21	16.20	
		5720	144	106T	16.14	16.15	
	3	5745	149	106T	15.98	15.96	
		5785	157	106T	15.86	15.90	
		5825	165	106T	15.88	15.93	

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 45 of 57

Table G-5
Maximum 5 GHz 802.11ax RU Output Power – Ant WF2a

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	1	5180	36	26T	10.99	11.77	10.95
		5200	40	26T	10.94	11.83	10.81
		5220	44	26T	10.92	11.82	10.91
		5240	48	26T	11.11	11.80	10.96
	3	5745	149	26T	10.97	11.80	10.75
		5785	157	26T	10.92	11.71	10.76
		5825	165	26T	10.74	11.74	10.75
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	13.64	14.03	13.76
		5200	40	52T	13.92	14.15	13.90
		5220	44	52T	13.95	14.37	13.94
		5240	48	52T	13.96	14.25	13.80
	2A	5260	52	52T	13.96	14.19	13.84
		5280	56	52T	14.30	14.56	14.20
		5300	60	52T	14.01	14.29	13.87
		5320	64	52T	13.76	14.01	13.67
	2C	5500	100	52T	13.66	14.19	13.82
		5600	120	52T	14.15	14.58	14.26
		5580	124	52T	14.17	14.49	14.18
		5720	144	52T	13.91	14.14	13.71
	3	5745	149	52T	14.12	14.25	13.84
		5785	157	52T	14.02	14.33	13.95
		5825	165	52T	13.91	14.24	13.76
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	16.51	16.66	
		5200	40	106T	17.20	17.25	
		5220	44	106T	17.28	17.27	
		5240	48	106T	17.36	17.16	
	2A	5260	52	106T	17.28	17.18	
		5280	56	106T	17.41	17.34	
		5300	60	106T	17.35	17.24	
		5320	64	106T	15.87	15.82	
	2C	5500	100	106T	14.20	14.41	
		5600	120	106T	17.16	17.26	
		5620	124	106T	17.19	17.18	
		5720	144	106T	17.15	17.03	
	3	5745	149	106T	17.12	16.97	
		5785	157	106T	17.03	17.00	
		5825	165	106T	16.94	16.98	

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 46 of 57

Table G-6
Maximum 6 GHz 802.11ax RU Output Power – Ant WF7b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	5	5955	1	26T	8.91	9.85	8.86
		6175	45	26T	9.01	9.80	9.04
		6195	49	26T	8.89	9.80	8.99
		6415	93	26T	8.80	9.63	8.66
	6	6435	97	26T	-0.33	-0.42	-0.52
		6475	105	26T	-0.43	-0.49	-0.54
		6515	113	26T	-0.82	-0.89	-0.91
	7	6535	117	26T	7.59	8.42	7.48
		6695	149	26T	7.42	8.28	7.37
		6875	185	26T	-2.92	-3.01	-3.11
	8	6895	189	26T	-2.99	-3.03	-3.06
		6995	209	26T	-2.61	-2.65	-2.71
		7015	213	26T	-2.60	-2.63	-2.64
		7115	233	26T	NS	NS	NS
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	5	5955	1	52T	12.29	12.72	12.33
		6195	49	52T	12.25	12.57	12.26
		6415	93	52T	11.82	12.06	11.67
	6	6435	97	52T	2.00	1.95	1.93
		6475	105	52T	1.81	2.04	1.71
		6515	113	52T	1.68	2.00	1.71
	7	6535	117	52T	10.69	11.02	10.60
		6695	149	52T	10.71	10.92	10.59
		6875	185	52T	0.27	0.24	0.19
	8	6895	189	52T	0.01	0.57	-0.02
		6995	209	52T	0.59	0.42	0.39
		7015	213	52T	0.68	0.61	0.56
		7115	233	52T	NS	NS	NS
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	5	5955	1	106T	14.92	14.95	
		6175	45	106T	14.93	14.96	
		6195	49	106T	14.91	14.91	
		6415	93	106T	12.72	12.64	
	6	6435	97	106T	4.82	4.63	
		6475	105	106T	4.66	4.53	
		6515	113	106T	4.52	4.47	
	7	6535	117	106T	13.84	13.70	
		6695	149	106T	13.62	13.61	
		6875	185	106T	2.25	2.20	
	8	6895	189	106T	2.21	2.13	
		6995	209	106T	2.96	2.87	
		7015	213	106T	2.88	2.84	
		7115	233	106T	NS	NS	

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 47 of 57

Table G-7
Maximum 6 GHz 802.11ax RU Output Power – Ant WF7a

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	5	5955	1	26T	8.99	9.88	9.08
		6175	45	26T	9.18	9.15	9.17
		6195	49	26T	9.16	9.14	9.18
		6415	93	26T	9.38	9.29	9.19
	6	6435	97	26T	-0.35	-0.32	-0.30
		6475	105	26T	-0.38	-0.36	-0.33
		6515	113	26T	-0.40	-0.42	-0.44
	7	6535	117	26T	8.31	8.28	8.23
		6695	149	26T	7.71	8.61	7.73
		6875	185	26T	-2.93	-2.90	-2.91
	8	6895	189	26T	-2.66	-2.74	-2.85
		6995	209	26T	-3.17	-2.31	-3.23
		7015	213	26T	-3.27	-3.25	-3.22
		7115	233	26T	NS	NS	NS
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
20MHz BW	5	5955	1	52T	12.31	12.79	12.36
		6195	49	52T	12.35	12.72	12.39
		6415	93	52T	12.50	12.88	12.39
	6	6435	97	52T	1.19	1.09	1.08
		6475	105	52T	2.00	1.96	1.94
		6515	113	52T	2.03	1.95	1.96
	7	6535	117	52T	11.43	11.69	11.36
		6695	149	52T	10.90	11.21	10.86
		6875	185	52T	0.42	0.39	0.34
	8	6895	189	52T	0.55	0.49	0.43
		6995	209	52T	0.10	0.43	0.10
		7015	213	52T	0.01	0.39	0.00
		7115	233	52T	NS	NS	NS
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
20MHz BW	5	5955	1	106T	12.41	12.49	
		6175	45	106T	12.64	12.56	
		6195	49	106T	12.57	12.46	
		6415	93	106T	13.43	13.31	
	6	6435	97	106T	5.38	5.28	
		6475	105	106T	5.33	5.20	
		6515	113	106T	5.19	5.14	
	7	6535	117	106T	12.25	12.18	
		6695	149	106T	11.75	11.77	
		6875	185	106T	2.32	2.29	
	8	6895	189	106T	2.19	2.11	
		6995	209	106T	2.09	1.97	
		7015	213	106T	2.10	2.02	
		7115	233	106T	NS	NS	

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 48 of 57

Table G-8
Maximum 6 GHz 802.11ax RU Output Power – Ant WF2a

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	5	5955	1	26T	9.24	10.19	9.32
		6175	45	26T	9.09	9.97	9.05
		6195	49	26T	9.05	9.91	8.97
		6415	93	26T	8.76	9.49	8.52
	6	6435	97	26T	0.25	0.23	0.21
		6475	105	26T	0.35	0.27	0.19
		6515	113	26T	0.22	0.12	-0.11
	7	6535	117	26T	8.89	9.67	8.69
		6695	149	26T	8.46	9.26	8.13
		6875	185	26T	-1.70	-1.56	-1.76
	8	6895	189	26T	-1.76	-1.75	-1.73
		6995	209	26T	-2.52	-1.72	-2.75
		7015	213	26T	-2.69	-1.95	-3.12
		7115	233	26T	NS	NS	NS
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	5	5955	1	52T	11.59	12.08	11.77
		6195	49	52T	11.48	11.84	11.46
		6415	93	52T	11.81	12.06	11.62
	6	6435	97	52T	2.76	3.08	2.65
		6475	105	52T	2.16	2.33	1.88
		6515	113	52T	2.23	2.50	2.14
	7	6535	117	52T	11.95	12.17	11.78
		6695	149	52T	11.59	11.83	11.33
		6875	185	52T	1.12	1.55	1.23
	8	6895	189	52T	1.14	1.48	1.22
		6995	209	52T	0.43	0.64	0.22
		7015	213	52T	0.25	0.46	0.04
		7115	233	52T	NS	NS	NS
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	5	5955	1	106T	11.72	11.88	
		6175	45	106T	11.76	11.68	
		6195	49	106T	11.69	11.57	
		6415	93	106T	13.51	13.74	
	6	6435	97	106T	5.44	5.25	
		6475	105	106T	5.52	5.31	
		6515	113	106T	5.51	5.44	
	7	6535	117	106T	12.85	12.72	
		6695	149	106T	12.40	12.22	
		6875	185	106T	3.82	3.84	
	8	6895	189	106T	3.47	3.47	
		6995	209	106T	3.12	3.03	
		7015	213	106T	3.00	2.84	
		7115	233	106T	NS	NS	

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 49 of 57

G.4 IEEE 802.11be MRU Target Powers

Table G-9
Maximum 2.4 GHz 802.11ax MRU Output Power – Ant WF7b

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			71	72	x
2412	1	52T + 26T	13.69	13.79	
2437	6	52T + 26T	17.11	17.45	
2462	11	52T + 26T	13.49	13.56	
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			82	x	x
2412	1	106T + 26T	14.12		
2437	6	106T + 26T	19.22		
2462	11	106T + 26T	13.87		

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 50 of 57

Table G-10
Maximum 2.4 GHz 802.11ax MRU Output Power – Ant WF2a

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			71	72	x
2412	1	52T + 26T	14.23	14.51	
2437	6	52T + 26T	16.70	16.95	
2462	11	52T + 26T	14.40	14.70	
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			82	x	x
2412	1	106T + 26T	13.45		
2437	6	106T + 26T	18.59		
2462	11	106T + 26T	14.75		

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 51 of 57

Table G-11
Maximum 5 GHz 802.11ax MRU Output Power – Ant WF7b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					71	72	N/A	
	1	5180	36	52T + 26T	15.03	14.86		
		5200	40	52T + 26T	15.08	14.88		
		5220	44	52T + 26T	15.10	14.99		
		5240	48	52T + 26T	14.89	14.93		
	2A	5260	52	52T + 26T	15.04	14.96		
		5280	56	52T + 26T	15.02	14.91		
		5300	60	52T + 26T	15.13	14.93		
5320		64	52T + 26T	14.96	14.85			
2C	5500	100	52T + 26T	14.091	13.875			
	5600	120	52T + 26T	15.084	14.93			
	5620	124	52T + 26T	15.017	14.842			
	5720	144	52T + 26T	14.877	14.784			
3	5745	149	52T + 26T	14.909	14.836			
	5785	157	52T + 26T	14.986	14.764			
	5825	165	52T + 26T	14.963	14.742			
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					82	N/A	N/A	
	1	5180	36	106T + 26T	15.73			
		5200	40	106T + 26T	16.72			
		5220	44	106T + 26T	16.74			
		5240	48	106T + 26T	16.60			
	2A	5260	52	106T + 26T	16.82			
		5280	56	106T + 26T	16.79			
		5300	60	106T + 26T	16.82			
		5320	64	106T + 26T	15.79			
	2C	5500	100	106T + 26T	13.888			
		5600	120	106T + 26T	16.831			
		5620	124	106T + 26T	16.81			
		5720	144	106T + 26T	16.643			
	3	5745	149	106T + 26T	16.607			
5785		157	106T + 26T	16.747				
5825		165	106T + 26T	16.654				
80MHz BW		Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
	RU Index							
	90					91	92	93
	1	5210	42	484T + 242T	12.40	12.50	12.49	13.15
	2A	5290	58	484T + 242T	12.20	12.32	12.40	12.95
	2C	5530	106	484T + 242T	10.93	10.73	10.91	11.24
		5610	122	484T + 242T	14.11	14.29	14.28	15.09
		5690	138	484T + 242T	18.68	18.32	18.35	18.89
3	5775	155	484T + 242T	14.24	14.33	14.30	15.17	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	1	5250	50	996T + 484T + 242T	12.07	11.88	12.18	12.5
	2C	5570	114	996T + 484T + 242T	11.03	10.84	11.25	11.5

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 52 of 57

Table G-12
Maximum 5 GHz 802.11ax MRU Output Power – Ant WF7a

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
	1	5180	36	52T + 26T	14.97	14.86	
		5200	40	52T + 26T	15.08	14.82	
		5220	44	52T + 26T	15.07	15.01	
		5240	48	52T + 26T	15.15	14.93	
	2A	5260	52	52T + 26T	15.07	14.93	
		5280	56	52T + 26T	15.05	15.07	
		5300	60	52T + 26T	15.10	14.96	
5320		64	52T + 26T	15.13	14.99		
2C	5500	100	52T + 26T	14.387	14.329		
	5600	120	52T + 26T	15.154	14.95		
	5620	124	52T + 26T	15.012	14.787		
	5720	144	52T + 26T	15.034	14.858		
3	5745	149	52T + 26T	14.882	14.696		
	5785	157	52T + 26T	14.699	14.629		
	5825	165	52T + 26T	14.792	14.665		

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	1	5180	36	106T + 26T	15.64		
		5200	40	106T + 26T	16.72		
		5220	44	106T + 26T	16.71		
		5240	48	106T + 26T	16.87		
	2A	5260	52	106T + 26T	16.87		
		5280	56	106T + 26T	16.85		
		5300	60	106T + 26T	16.82		
5320		64	106T + 26T	15.88			
2C	5500	100	106T + 26T	14.193			
	5600	120	106T + 26T	16.901			
	5620	124	106T + 26T	16.81			
	5720	144	106T + 26T	16.655			
3	5745	149	106T + 26T	16.624			
	5785	157	106T + 26T	16.419			
	5825	165	106T + 26T	16.48			

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	1	5210	42	484T + 242T	12.45	12.48	12.51	13.03
	2A	5290	58	484T + 242T	12.29	12.26	12.39	12.80
	2C	5530	106	484T + 242T	11.09	10.94	11.08	11.43
		5610	122	484T + 242T	14.08	14.22	14.26	15.11
5690		138	484T + 242T	17.05	16.77	16.90	17.68	
3	5775	155	484T + 242T	14.37	14.38	14.53	15.27	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	1	5250	50	996T + 484T + 242T	12.15	11.91	12.24	12.6
	2C	5570	114	996T + 484T + 242T	11.26	11.00	11.35	11.6

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 53 of 57

Table G-13
Maximum 5 GHz 802.11ax MRU Output Power – Ant WF2a

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					71	72	N/A	
	1	5180	36	52T + 26T	16.13	16.07		
		5200	40	52T + 26T	16.14	15.99		
		5220	44	52T + 26T	16.12	16.00		
		5240	48	52T + 26T	16.13	15.92		
	2A	5260	52	52T + 26T	16.11	15.83		
		5280	56	52T + 26T	16.27	15.93		
		5300	60	52T + 26T	16.21	15.94		
5320		64	52T + 26T	15.92	15.69			
2C	5500	100	52T + 26T	14.566	14.602			
	5600	120	52T + 26T	15.981	15.972			
	5620	124	52T + 26T	15.937	15.838			
	5720	144	52T + 26T	15.881	15.654			
3	5745	149	52T + 26T	15.852	15.683			
	5785	157	52T + 26T	15.817	15.658			
	5825	165	52T + 26T	15.765	15.633			
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					82	N/A	N/A	
	1	5180	36	106T + 26T	16.99			
		5200	40	106T + 26T	17.77			
		5220	44	106T + 26T	17.87			
		5240	48	106T + 26T	17.92			
	2A	5260	52	106T + 26T	17.88			
		5280	56	106T + 26T	18.00			
		5300	60	106T + 26T	17.88			
		5320	64	106T + 26T	15.90			
	2C	5500	100	106T + 26T	14.393			
		5600	120	106T + 26T	17.855			
		5620	124	106T + 26T	17.745			
		5720	144	106T + 26T	17.69			
	3	5745	149	106T + 26T	17.743			
5785		157	106T + 26T	17.601				
5825		165	106T + 26T	17.566				
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	1	5210	42	484T + 242T	13.03	12.91	13.09	13.58
	2A	5290	58	484T + 242T	12.76	12.75	12.90	13.37
	2C	5530	106	484T + 242T	12.44	12.48	12.45	12.97
		5610	122	484T + 242T	17.25	17.00	17.13	17.98
5690		138	484T + 242T	17.43	17.13	17.25	18.05	
3	5775	155	484T + 242T	15.55	15.59	15.67	16.43	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
1	5250	50	996T + 484T + 242T	12.32	11.88	12.29	12.6	
2C	5570	114	996T + 484T + 242T	11.12	11.09	11.37	11.5	

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 54 of 57

Table G-14
Maximum 5 GHz 802.11ax MRU Output Power – Ant WF7b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)				
					RU Index				
	71	72	N/A						
	20MHz BW	5	5955	1	52T + 26T	14.26	14.12		
6175			45	52T + 26T	14.30	14.10			
6195			49	52T + 26T	14.18	14.06			
6415			93	52T + 26T	13.03	12.83			
6		6435	97	52T + 26T	3.70	3.54			
		6475	105	52T + 26T	3.57	3.31			
		6515	113	52T + 26T	3.54	3.38			
7		6535	117	52T + 26T	12.59	12.39			
		6695	149	52T + 26T	12.62	12.42			
		6875	185	52T + 26T	2.11	1.95			
8		6895	189	52T + 26T	2.16	1.99			
		6995	209	52T + 26T	2.13	1.93			
	7015	213	52T + 26T	2.11	1.93				
7115	233	52T + 26T	NS	NS					
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)				
					RU Index				
	82	N/A	N/A						
	20MHz BW	5	5955	1	106T + 26T	14.97			
6175			45	106T + 26T	14.98				
6195			49	106T + 26T	14.97				
6415			93	106T + 26T	12.84				
6		6435	97	106T + 26T	5.64				
		6475	105	106T + 26T	5.44				
		6515	113	106T + 26T	5.32				
7		6535	117	106T + 26T	14.35				
		6695	149	106T + 26T	14.23				
		6875	185	106T + 26T	3.53				
8		6895	189	106T + 26T	3.35				
		6995	209	106T + 26T	3.23				
	7015	213	106T + 26T	3.10					
	7115	233	106T + 26T	NS					
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)				
					RU Index				
	90	91	92	93					
	80MHz BW	5	5985	7	484T + 242T	14.13	14.20	14.30	15.09
6145			39	484T + 242T	13.62	13.80	13.83	14.57	
6225			55	484T + 242T	13.60	13.71	13.72	14.52	
6385			87	484T + 242T	12.19	12.17	12.29	12.89	
6		6465	103	484T + 242T	11.37	11.44	11.57	12.23	
7		6545	119	484T + 242T	9.86	9.75	9.88	10.24	
		6705	151	484T + 242T	15.37	15.00	15.18	15.99	
		6865	183	484T + 242T	9.46	9.44	9.51	9.96	
8		6945	199	484T + 242T	9.24	9.35	9.53	10.10	
		7025	215	484T + 242T	9.14	9.22	9.30	9.87	
160MHz BW		Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
						RU Index			
	96	97	98	99					
	160MHz BW	5	6025	15	996T + 484T + 242T	14.63	14.38	14.94	15.34
6185			47	996T + 484T + 242T	14.03	13.88	14.33	14.80	
6345			79	996T + 484T + 242T	12.59	12.33	12.85	13.23	
6		6505	111	996T + 484T + 242T	13.16	12.99	13.50	13.90	
7		6665	143	996T + 484T + 242T	16.08	15.51	15.91	16.17	
		6825	175	996T + 484T + 242T	12.72	12.42	13.02	13.42	
8		6985	207	996T + 484T + 242T	12.41	12.16	12.72	13.09	

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 55 of 57

Table G-15
Maximum 5 GHz 802.11ax MRU Output Power – Ant WF7a

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
	5	5955	1	52T + 26T	12.13	12.13	
		6175	45	52T + 26T	12.22	12.07	
		6195	49	52T + 26T	12.21	12.06	
		6415	93	52T + 26T	13.26	12.98	
	6	6435	97	52T + 26T	4.03	3.80	
		6475	105	52T + 26T	3.97	3.84	
		6515	113	52T + 26T	4.08	3.88	
7	6535	117	52T + 26T	12.40	12.19		
	6695	149	52T + 26T	12.08	11.92		
	6875	185	52T + 26T	1.38	1.15		
8	6895	189	52T + 26T	1.17	1.05		
	6995	209	52T + 26T	1.86	1.65		
	7015	213	52T + 26T	1.87	1.62		
	7115	233	52T + 26T	NS	NS		

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	5	5955	1	106T + 26T	12.02		
		6175	45	106T + 26T	12.03		
		6195	49	106T + 26T	11.98		
		6415	93	106T + 26T	13.04		
	6	6435	97	106T + 26T	5.92		
		6475	105	106T + 26T	5.86		
		6515	113	106T + 26T	5.93		
7	6535	117	106T + 26T	12.11			
	6695	149	106T + 26T	11.87			
	6875	185	106T + 26T	3.45			
8	6895	189	106T + 26T	3.04			
	6995	209	106T + 26T	2.80			
	7015	213	106T + 26T	2.94			
	7115	233	106T + 26T	NS			

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	5	5985	7	484T + 242T	11.77	11.56	11.71	12.14
		6145	39	484T + 242T	11.37	11.18	11.33	11.69
		6225	55	484T + 242T	11.43	11.21	11.33	11.69
		6385	87	484T + 242T	12.53	12.26	12.49	12.87
	6	6465	103	484T + 242T	11.91	11.70	11.98	12.38
		6545	119	484T + 242T	10.79	10.55	10.71	11.04
	7	6705	151	484T + 242T	11.81	11.76	11.93	12.39
6865		183	484T + 242T	9.94	9.76	9.78	10.18	
8		6945	199	484T + 242T	9.71	9.45	9.55	9.91
	7025	215	484T + 242T	9.83	9.54	9.56	9.85	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	5	6025	15	996T + 484T + 242T	11.87	11.69	12.04	12.24
		6185	47	996T + 484T + 242T	11.47	11.22	11.46	11.68
		6345	79	996T + 484T + 242T	12.87	12.51	12.88	13.12
	6	6505	111	996T + 484T + 242T	11.98	11.84	12.09	12.29
	7	6665	143	996T + 484T + 242T	12.16	11.96	12.32	12.52
		6825	175	996T + 484T + 242T	11.50	11.30	11.70	11.97
	8	6985	207	996T + 484T + 242T	10.14	10.09	10.13	10.15

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 56 of 57

Table G-16
Maximum 5 GHz 802.11ax MRU Output Power – Ant WF2a

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
	5	5955	1	52T + 26T	12.05	12.03	
		6175	45	52T + 26T	12.11	11.88	
		6195	49	52T + 26T	11.90	11.83	
		6415	93	52T + 26T	12.99	12.74	
	6	6435	97	52T + 26T	4.52	4.21	
		6475	105	52T + 26T	4.53	4.26	
		6515	113	52T + 26T	4.56	4.35	
7	6535	117	52T + 26T	13.09	12.92		
	6695	149	52T + 26T	12.79	12.59		
	6875	185	52T + 26T	3.25	3.13		
8	6895	189	52T + 26T	3.19	3.05		
	6995	209	52T + 26T	2.75	2.52		
	7015	213	52T + 26T	2.62	2.37		
	7115	233	52T + 26T	NS	NS		

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	5	5955	1	106T + 26T	11.82		
		6175	45	106T + 26T	11.91		
		6195	49	106T + 26T	11.77		
		6415	93	106T + 26T	13.61		
	6	6435	97	106T + 26T	6.11		
		6475	105	106T + 26T	6.05		
		6515	113	106T + 26T	6.08		
7	6535	117	106T + 26T	12.88			
	6695	149	106T + 26T	12.59			
	6875	185	106T + 26T	4.73			
8	6895	189	106T + 26T	4.58			
	6995	209	106T + 26T	4.13			
	7015	213	106T + 26T	4.07			
	7115	233	106T + 26T	NS			

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)				Target	PLS
					RU Index					
					90	91	92	93		
	5	5985	7	484T + 242T	11.36	11.16	11.33	11.62	12.75	51
		6145	39	484T + 242T	12.31	12.25	12.44	12.85	14.00	56
		6225	55	484T + 242T	12.25	12.20	12.30	12.95	14.00	56
		6385	87	484T + 242T	12.93	13.02	13.07	13.59	15.00	60
	6	6465	103	484T + 242T	11.92	11.90	11.93	12.51	13.75	55
	7	6545	119	484T + 242T	11.57	11.39	11.51	11.94	13.00	52
		6705	151	484T + 242T	11.76	11.69	11.93	12.31	13.75	55
6865		183	484T + 242T	10.70	10.53	10.74	11.10	12.50	50	
8	6945	199	484T + 242T	10.36	10.32	10.49	10.84	12.60	50.4	
	7025	215	484T + 242T	9.59	9.67	9.83	10.31	12.50	50	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)				Target	PLS
					RU Index					
					96	97	98	99		
	5	6025	15	996T + 484T + 242T	11.56	11.45	11.82	12.04	12.75	51
		6185	47	996T + 484T + 242T	12.76	12.46	12.83	13.24	14.00	56
		6345	79	996T + 484T + 242T	13.05	12.85	13.44	13.70	15.00	60
	6	6505	111	996T + 484T + 242T	12.56	12.08	12.48	12.85	13.75	55
	7	6665	143	996T + 484T + 242T	12.34	12.04	12.52	12.67	13.75	55
		6825	175	996T + 484T + 242T	11.92	11.69	12.09	12.38	13.75	55
	8	6985	207	996T + 484T + 242T	10.93	10.93	11.28	11.63	13.25	53

FCC ID: BCGA3461	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 57 of 57