




ELEMENT MATERIALS TECHNOLOGY

(formerly PCTEST)
18855 Adams Court, Morgan Hill, CA 95037 USA
Tel. 408.538.5600
<http://www.element.com>



MEASUREMENT REPORT FCC PART 15.407 Narrowband (NB) U-NII 5GHz

Applicant Name:

Apple Inc.
One Apple Park Way
Cupertino, CA 95014
United States

Date of Testing:

9/15/2025 - 12/10/2025

Test Report Issue Date:

1/23/2026

Test Site/Location:

Element Materials Technology, Morgan Hill, CA, USA

Test Report Serial No.:

1C2509100081-10-R2.BCG

FCC ID:

BCGA3461

APPLICANT:

Apple Inc.

Application Type:

Certification

Model:

A3461

EUT Type:

Tablet Device

Frequency Range:

5162 – 5245MHz, 5733 – 5844MHz

Modulation Type:

GFSK, $\pi/4$ DQPSK, OQPSK, 8PSK, 16QAM

FCC Classification:

Unlicensed National Information Infrastructure (UNII)

FCC Rule Part(s):

Part 15 Subpart E (15.407)

Test Procedure(s):

ANSI C63.10:2020 + Cor. 1:2023 + C63.10a:2024 + Errata to
C63.10a:2024, KDB 789033 D02 v02r01

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in ANSI C63.10:2020 + Cor. 1:2023 + C63.10a:2024 + Errata to C63.10a:2024 and KDB 789033 D02 v02r01. Test results reported herein relate only to the item(s) tested.

This revised Test Report (S/N: 1C2509100081-10-R2.BCG) supersedes and replaces the previously issued test report on the same subject device for the same type of testing as indicated. Please discard or destroy the previously issued test report(s) and dispose accordingly.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.

RJ Ortanez
Executive Vice President



FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 1 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Revision Summary

Revision	Date	Comments	Revised By
-	12/17/2025	Initial Release	WKR017014
R1	12/29/2025	Addressed Client's comments for Section 7.4	WKR017014
R2	01/08/2026	Addressed TCB comments in Section 2.2, 2.3, 7.2, 7.5, and 7.6	WKR007111

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 2 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


TABLE OF CONTENTS

1.0	INTRODUCTION	5
1.1	Scope.....	5
1.2	Element Materials Technology Test Location	5
1.3	Test Facility / Accreditations.....	5
2.0	PRODUCT INFORMATION	6
2.1	Equipment Description	6
2.2	Device Capabilities.....	6
2.3	Antenna Description	10
2.4	Test Support Equipment.....	10
2.5	Test Configuration	11
2.6	Software and Firmware	12
2.7	EMI Suppression Device(s)/Modifications.....	12
3.0	DESCRIPTION OF TESTS	13
3.1	Evaluation Procedure	13
3.2	AC Line Conducted Emissions	13
3.3	Radiated Emissions.....	14
3.4	Environmental Conditions.....	14
4.0	ANTENNA REQUIREMENTS	15
5.0	MEASUREMENT UNCERTAINTY	16
6.0	TEST EQUIPMENT CALIBRATION DATA.....	17
7.0	TEST RESULTS	18
7.1	Summary.....	18
7.2	26dB & 99% Bandwidth Measurement	19
7.3	6dB Bandwidth Measurement	68
7.4	Conducted Output Power Measurement.....	93
7.5	Maximum Power Spectral Density	105
7.6	Radiated Spurious Emission – Above 1GHz.....	299
7.7	Radiated Spurious Emissions – Below 1GHz	431
7.8	AC Line Conducted Emissions Measurement.....	436
8.0	CONCLUSION.....	442


FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 3 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



MEASUREMENT REPORT



UNII Band	Tx Frequency [MHz]	Mode	Power Scheme	SISO						TxBF Primary		TxBF Diversity	
				Antenna WF7a		Antenna WF2a		Antenna WF7b		Summed		Summed	
				Max. Power (mW)	Max. Power (dBm)	Max. Power (mW)	Max. Power (dBm)	Max. Power (mW)	Max. Power (dBm)	Max. Power (mW)	Max. Power (dBm)	Max. Power (mW)	Max. Power (dBm)
1	5162 - 5245	NB UNII BDR	ePA	9.528	9.79	9.290	9.68	9.290	9.68	9.594	9.82	9.594	9.82
			iPA	3.837	5.84	2.767	4.42	3.221	5.08	6.501	8.13	6.237	7.95
		NB UNII LE	ePA	11.885	10.75	12.106	10.83	12.445	10.95	12.417	10.94	11.995	10.79
			iPA	3.776	5.77	2.786	4.45	3.499	5.44	6.397	8.06	6.081	7.84
		NB UNII HDR	ePA	27.990	14.47	31.550	14.99	25.061	13.99	58.076	17.64	54.325	17.35
			iPA	1.986	2.98	1.330	1.24	1.770	2.48	3.319	5.21	3.155	4.99
		NB UNII HDT	ePA	17.179	12.35	17.701	12.48	17.458	12.42	17.338	12.39	17.498	12.43
			iPA	1.982	2.97	1.291	1.11	1.778	2.50	3.357	5.26	3.069	4.87
3	5733 - 5844	NB UNII BDR	ePA	95.940	19.82	92.897	19.68	86.298	19.36	188.365	22.75	177.828	22.50
			iPA	3.945	5.96	2.685	4.29	3.365	5.27	6.607	8.20	5.970	7.76
		NB UNII LE	ePA	97.275	19.88	93.972	19.73	87.902	19.44	192.752	22.85	182.390	22.61
			iPA	3.945	5.96	2.716	4.34	3.459	5.39	6.622	8.21	6.138	7.88
		NB UNII HDR	ePA	31.623	15.00	31.477	14.98	27.479	14.39	62.230	17.94	59.704	17.76
			iPA	1.991	2.99	1.406	1.48	1.746	2.42	3.327	5.22	3.069	4.87
		NB UNII HDT	ePA	31.623	15.00	31.623	15.00	28.184	14.50	62.087	17.93	59.156	17.72
			iPA	1.941	2.88	1.393	1.44	1.687	2.27	3.296	5.18	2.999	4.77

EUT Overview

FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 4 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

1.0 INTRODUCTION

1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission.

1.2 Element Materials Technology Test Location

These measurement tests were conducted at the Element Materials Technology facility located at 18855 Adams Court, Morgan Hill, CA 95037. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014 and KDB 414788 D01 v01r01.

1.3 Test Facility / Accreditations

Measurements were performed at Element Materials Technology located in Morgan Hill, CA 95037, U.S.A.

- Element Materials Technology is an ISO 17025-2017 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.02 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- Element Washington DC LLC TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISED Standards (RSS).
- Element Materials Technology facility is a registered (22831) test laboratory with the site description on file with ISED.
- Element Washington DC LLC is a Recognized U.S. Certification Assessment Body (CAB# US0110) for ISED Canada as designed by NIST under the U.S. and Canada Mutual Recognition Agreements (MRAs)

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 5 of 442

V 11.0 06/2025

2.0 PRODUCT INFORMATION

2.1 Equipment Description

The Equipment Under Test (EUT) is the **Apple Tablet Device FCC ID: BCGA3461**. The test data contained in this report pertains only to the emissions due to the EUT's Narrowband UNII transmitter.

- This Narrowband UNII module has been tested by manufacturer and the following were confirmed:
 - A) The hopping sequence is pseudorandom
 - B) The receiver input bandwidth equals the transmit bandwidth
 - C) The receiver hops in sequence with the transmit signal
 - D) Narrowband UNII can only hop within the same UNII band and cannot hop between bands

Test Device Serial No.: H4D0365M2C, DR2VJ9M4FX, KVGJJYV1Q9, YX42147Q5C, DLXHKM0001L00013YY, DLXHKM0001N00013YY

2.2 Device Capabilities

This device contains the following capabilities:

802.11b/g/n/ax/be WLAN, 802.11a/n/ac/ax/be UNII (5GHz and 6GHz), 802.15.4, Bluetooth (1x, EDR, LE, HDR, HDT), Narrowband (NB) UNII (5GHz and 6GHz), WPT.

This device supports BT Beamforming.

This device supports channel puncturing and channel bandwidth reduction.

Band 1	Band 3
Frequency (MHz)	Frequency (MHz)
5162	5733
:	:
5203	5788
:	:
5245	5844

Table 2-1. NB UNII Frequency / Channel Operations

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 6 of 442

V 11.0 06/2025

Group	Mode	Data Rate (Mbps)	Modulation	Bandwidth (MHz)
1	BDR	1	GFSK	1
2	LE1M	1	GFSK	1
3	LE2M	2	GFSK	2
4	HDR4	4	Pi/4-DQPSK	2
5	HDR8	8	Pi/4-DQPSK	4
6	HDRPS2	2	OQPSK	2
	XHDRPS2	2		
7	HDRPM4	4	OQPSK	4
	HDRPM6	6		
	HDRPM8	8		
	XHDRPM4	4		
	XHDRPM6	6		
	XHDRPM8	8		
8	HDRPM12	12	16QAM	4
	HDRPM16	16		
	XHDRPM12	12		
	XHDRPM16	16		
9	HDRPL8	8	OQPSK	8
	HDRPL12	12		
	HDRPL16	16		
	XHDRPL8	8		
	XHDRPL12	12		
	XHDRPL16	16		
10	HDRPL24	24	16QAM	8
	HDRPL32	32		
	XHDRPL24	24		
	XHDRPL32	32		
11	HDT2	2	Pi/4-QPSK	2
	HDT3	3		
12	HDT4	4	8PSK	2
13	HDT6	6	16QAM	2
	HDT8	8		

Table 2-2. NB UNII Configuration

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 7 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Notes: This device is capable of operating in hopping and non-hopping mode. The EUT can hop between different channels in the U-NII Band 1 & U-NII Band 3. The maximum achievable duty cycles for all modes were determined based on measurements performed on a spectrum analyzer in zero-span mode with RBW = 8MHz, VBW = 50MHz, and detector = peak per the guidance of Section B)2)b) of KDB 789033 D02 v02r01 and ANSI C63.10:2020 + Cor. 1:2023 + C63.10a:2024 + Errata to C63.10a:2024. The RBW and VBW were both greater than 50/T, where T is the minimum transmission duration, and the number of sweep points across T was greater than 100. The duty cycles are as follows:

Mode		Antenna WF7a		Antenna WF2a		Antenna WF7b		TxBF Primary		TxBF Diversity	
		Duty Cycle [%]	DCCF [dB]	Duty Cycle [%]	DCCF [dB]	Duty Cycle [%]	DCCF [dB]	Duty Cycle [%]	DCCF [dB]	Duty Cycle [%]	DCCF [dB]
BDR	ePA	76.683	1.153	76.401	1.169	76.296	1.175	76.296	1.175	76.296	1.175
	iPA	76.683	1.153	76.401	1.169	76.296	1.175	76.296	1.175	76.296	1.175
LE1M	ePA	85.016	0.705	85.016	0.705	84.840	0.714	85.055	0.703	84.879	0.712
	iPA	85.016	0.705	85.016	0.705	84.840	0.714	85.055	0.703	84.879	0.712
LE2M	ePA	56.977	2.443	57.056	2.437	56.977	2.443	56.872	2.451	56.872	2.451
	iPA	56.977	2.443	57.056	2.437	56.977	2.443	56.872	2.451	56.872	2.451
HDR4	ePA	77.804	1.090	77.553	1.104	77.553	1.104	77.553	1.104	77.553	1.104
	iPA	77.804	1.090	77.553	1.104	77.553	1.104	77.553	1.104	77.553	1.104
HDR8	ePA	96.494	0.155	77.911	1.084	77.965	1.081	78.235	1.066	96.494	0.155
	iPA	96.494	0.155	77.911	1.084	77.965	1.081	78.235	1.066	96.494	0.155
HDRPS2	ePA	91.770	0.373	91.981	0.363	92.003	0.362	91.981	0.363	92.130	0.356
	iPA	91.770	0.373	91.981	0.363	92.003	0.362	91.981	0.363	92.130	0.356
XHDRPS2	ePA	98.401	0.070	98.333	0.073	98.560	0.063	98.878	0.049	98.311	0.074
	iPA	98.401	0.070	98.333	0.073	98.560	0.063	98.878	0.049	98.311	0.074
XHDRPM6	ePA	86.437	0.633	86.080	0.651	86.080	0.651	86.417	0.634	85.842	0.663
	iPA	86.437	0.633	86.080	0.651	86.080	0.651	86.417	0.634	85.842	0.663
XHDRPM8	ePA	91.854	0.369	91.854	0.369	91.981	0.363	91.854	0.369	91.854	0.369
	iPA	91.854	0.369	91.854	0.369	91.981	0.363	91.854	0.369	91.854	0.369
HDRPM16	ePA	88.982	0.507	89.805	0.467	89.598	0.477	89.598	0.477	89.166	0.498
	iPA	88.982	0.507	89.805	0.467	89.598	0.477	89.598	0.477	89.166	0.498
XHDRPM16	ePA	87.781	0.566	87.297	0.590	87.297	0.590	87.317	0.589	87.640	0.573
	iPA	87.781	0.566	87.297	0.590	87.297	0.590	87.317	0.589	87.640	0.573
HDRPL12	ePA	90.095	0.453	89.888	0.463	90.323	0.442	90.511	0.433	90.095	0.453
	iPA	90.095	0.453	89.888	0.463	90.323	0.442	90.511	0.433	90.095	0.453
XHDRPL16	ePA	95.017	0.222	94.995	0.223	95.017	0.222	94.951	0.225	95.236	0.212
	iPA	95.017	0.222	94.995	0.223	95.017	0.222	94.951	0.225	95.236	0.212
HDRPL32	ePA	88.410	0.535	87.862	0.562	88.491	0.531	88.532	0.529	88.491	0.531
	iPA	88.410	0.535	87.862	0.562	88.491	0.531	88.532	0.529	88.491	0.531
XHDRPL32	ePA	85.981	0.656	85.961	0.657	85.408	0.685	85.310	0.690	85.408	0.685
	iPA	85.981	0.656	85.961	0.657	85.408	0.685	85.310	0.690	85.408	0.685
HDT2	ePA	96.161	0.170	96.316	0.163	96.006	0.177	96.006	0.177	96.006	0.177
	iPA	96.161	0.170	96.316	0.163	96.006	0.177	96.006	0.177	96.006	0.177
HDT4	ePA	93.282	0.302	93.347	0.299	93.218	0.305	93.282	0.302	93.089	0.311
	iPA	93.282	0.302	93.347	0.299	93.218	0.305	93.282	0.302	93.089	0.311
HDT6	ePA	90.427	0.437	90.427	0.437	90.427	0.437	90.240	0.446	90.240	0.446
	iPA	90.427	0.437	90.427	0.437	90.427	0.437	90.240	0.446	90.240	0.446
HDT8	ePA	88.777	0.517	89.002	0.506	88.941	0.509	88.675	0.522	88.552	0.528
	iPA	88.777	0.517	89.002	0.506	88.941	0.509	88.675	0.522	88.552	0.528

Table 2-3. Measured Duty Cycles

FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 8 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



This device supports simultaneous transmission operations, which allows multiple transmitters to transmit simultaneously on the same antenna. The table below shows all configurations possible.

Antenna	Simultaneous Tx Config	Bluetooth 2.4GHz	Thread	WLAN	NB UNII	WIFI 5GHz	WIFI 6GHz
		BDR, EDR, LE HDR, HDT	802.15.4	802.11 b/g/n/ax/be	BDR, EDR, LE HDR, HDT	802.11 a/n/ac/ax/be	802.11 a/ax/be
Ant WF7b	Config 1	✓	✗	✗	✗	✓	✗
Ant WF7b	Config 2	✓	✗	✗	✗	✗	✓
Ant WF7b	Config 3	✗	✓	✗	✗	✓	✗
Ant WF7b	Config 4	✗	✓	✗	✗	✗	✓
Ant WF7b	Config 5	✗	✗	✓	✓	✗	✗
Ant WF7b	Config 6	✗	✗	✓	✗	✓	✗
Ant WF7b	Config 7	✗	✗	✓	✗	✗	✓

Table 2-4. Simultaneous Transmission Configurations

✓ = Support; ✗ = Not Support

TxBF Primary = Antenna WF7a + Antenna WF2a

TxBF Diversity = Antenna WF2a + Antenna WF7b

Note:

All the above simultaneous transmission configurations have been tested and the worst-case configuration was found to be Config 1 and reported in RF Bluetooth and RF UNII 5GHz OFDM test reports.

FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 9 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

2.3 Antenna Description

The following antenna gains provided by the manufacturer were used for testing.

Frequency [MHz]	Antenna Gain (dBi)		
	Antenna WF7a	Antenna WF2a	Antenna WF7b
5162 - 5245	1.4	0.3	0.6
5733 – 5844	2.3	1.5	2.6

Table 2-5. Highest Antenna Gain

2.4 Test Support Equipment

1	Apple MacBook Pro	Model:	A2141	S/N:	C02H604EQ05D
	w/AC/DC Adapter	Model:	A2166	S/N:	C4H042705ZNPM0WA6
2	Apple USB-C Cable	Model:	Spartan	S/N:	GXK1336018XKTR024
3	USB-C Cable	Model:	A2795	S/N:	DWH80115BK826GV19
	w/ AC Adapter	Model:	A2305	S/N:	C4H95160004PF4F4V
4	Apple Pencil	Model:	A2538	S/N:	KJ26TCFXJW
5	DC Power Supply	Model:	KPS3010D	S/N:	N/A

Table 2-6. Test Support Equipment List

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 10 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

2.5 Test Configuration

The EUT was tested per the guidance of ANSI C63.10:2020 + Cor. 1:2023 + C63.10a:2024 + Errata to C63.10a:2024 and KDB 789033 D02 v02r01. ANSI C63.10:2020 + Cor. 1:2023 + C63.10a:2024 + Errata to C63.10a:2024 was used to reference the appropriate EUT setup for radiated spurious emissions testing and AC line conducted testing. See Sections 3.2 for AC line conducted emissions test setups, 3.3 for radiated emissions test setups, and 7.2, 7.3, 7.4, and 7.5 for antenna port conducted emissions test setups.

There are two vendors of the WiFi/Bluetooth radio modules, variant 1 and variant 2. Both radio modules have the same mechanical outline, same on-board antenna matching circuit, identical antenna structure, and are built and tested to conform to the same specifications and to operate within the same tolerances. The worst case configuration was found between the two variants. The EUT was also investigated with and without charger.

For emissions from 1GHz – 18GHz, low, mid, and high channels were tested with highest power and worst case configuration. The emissions below 1GHz and above 18GHz were tested with the highest transmitting power and the worst case channel were reported.

The EUT was manipulated through three orthogonal planes of X-orientation (flatbed), Y-orientation (landscape), and Z-orientation (portrait) during the testing. Only the worst case emissions were reported in this test report.

For AC line conducted and radiated test below 1GHz, following configurations were investigated and EUT powered by AC/DC adaptor was the worst case.

- EUT powered by AC/DC adaptor to USB-C cable with wire charger
- EUT powered by host PC via USB-C cable with wire charger

For conducted emissions, the following are the worst case NB UNII rates were used for testing:

1. BDR
2. LE1M
3. LE2M
4. HDR4
5. HDR8
6. HDRPS2
7. XHDRPM6
8. HDRPM16
9. HDT2
10. HDT4
11. HDT6

For radiated band edge, the following are the worst case NB UNII rates were used for testing:

1. BDR
2. LE1M
3. LE2M
4. HDR4
5. HDR8
6. XHDRPS2
7. XHDRPM8
8. XHDRPM16
9. XHDRPL16
10. XHDRPL32
11. HDT2
12. HDT8

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 11 of 442

V 11.0 06/2025



2.6 Software and Firmware

The test was conducted with firmware version 23D40 installed on the EUT.

2.7 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and/or no modifications were made during testing.

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 12 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

3.0 DESCRIPTION OF TESTS

3.1 Evaluation Procedure

The measurement procedures described in the American National Standard of Procedures for Compliance Testing of Unlicensed Wireless Devices (ANSI C63.10:2020 + Cor. 1:2023 + C63.10a:2024 + Errata to C63.10a:2024) and the guidance provided in KDB 789033 D02 v02r01 were used in the measurement of the EUT.

Deviation from measurement procedure.....None

3.2 AC Line Conducted Emissions

The line-conducted facility is located inside a 7m x 3.66m x 2.7m shielded enclosure. The shielded enclosure is manufactured by AP Americas. The shielding effectiveness of the shielded room is in accordance with MIL-Std-285 or NSA 65-6. A 1m x 1.5m wooden table 80cm high is placed 40cm away from the vertical wall and 80cm away from the sidewall of the shielded room. Two 10kHz-30MHz, 50Ω/50μH Line-Impedance Stabilization Networks (LISNs) are bonded to the shielded room floor. Power to the LISNs is filtered by external high-current high-insertion loss power line filters. The external power line filter is EPCOS 2X60A Power Line Filter (100dB Attenuation, 14kHz-18GHz) and the two EPCOs 2X48A filters (100dB Minimum Insertion Loss, 14kHz - 10GHz). These filters attenuate ambient signal noise from entering the measurement lines. These filters are also bonded to the shielded enclosure.

The EUT is powered from one LISN and the support equipment is powered from the second LISN. If the EUT is a DC-powered device, power will be derived from the source power supply it normally will be powered from and this supply line(s) will be connected to the second LISN. All interconnecting cables more than 1 meter were shortened to a 1 meter length by non-inductive bundling (serpentine fashion) and draped over the back edge of the test table. All cables were at least 40cm above the horizontal reference ground plane. Power cables for support equipment were routed down to the second LISN while ensuring that that cables were not draped over the second LISN.

Sufficient time for the EUT, support equipment, and test equipment was allowed in order for them to warm up to their normal operating condition. The RF output of the LISN was connected to the spectrum analyzer and exploratory measurements were made to determine the frequencies producing the maximum emission from the EUT. The spectrum was scanned from 150kHz to 30MHz with a spectrum analyzer. The detector function was set to peak mode for exploratory measurements while the bandwidth of the analyzer was set to 10kHz. The EUT, support equipment, and interconnecting cables were arranged and manipulated to maximize each emission. Once the worst case emissions have been identified, the one EUT cable configuration/arrangement and mode of operation that produced these emissions is used for final measurements on the same test site. The analyzer is set to CISPR quasi-peak and average detectors with a 9kHz resolution bandwidth for final measurements.

Line conducted emissions test results are shown in Section 7.8. Automated test software was used to perform the AC line conducted emissions testing. Automated measurement software utilized is Rohde & Schwarz EMC32, Version 10.50.40.

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 13 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

3.3 Radiated Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. An 80cm tall test table made of Styrodur is placed on top of the turn table. For measurements above 1GHz, an additional Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

Per KDB 414788 D01 v01r01, radiated emission test sites other than open-field test sites (e.g., shielded anechoic chambers), may be employed for emission measurements below 30MHz if characterized so that the measurements correspond to those obtained at an open-field test site. To determine test site equivalency, a reference sample transmitting at 149kHz was measured on an open field test site (asphalt with no ground plane) and then measured in the 3m semi-anechoic chamber. A calibrated 60cm loop antenna was used while the reference device was rotated through the X, Y and Z axis in order to capture the worst case level. A maximum deviation of 2.77dB at 149kHz was measured when comparing the 3 meter semi-anechoic chamber to the open field site.

For all measurements, the spectrum was scanned through all EUT azimuths and from 1 to 4 meter receive antenna height using a broadband antenna from 30MHz up to the upper frequency shown in 15.33 depending on the highest frequency generated or used in the device or on which the device operates or tunes. For frequencies above 1GHz, linearly polarized double ridge horn antennas were used. For frequencies below 30MHz, a calibrated loop antenna was used. When exploratory measurements were necessary, they were performed at 1 meter test distance inside the semi-anechoic chamber using broadband antennas, broadband amplifiers, and spectrum analyzers to determine the frequencies and modes producing the maximum emissions. Sufficient time for the EUT, support equipment, and test equipment was allowed in order for them to warm up to their normal operating condition. The test set-up was placed on top of the 1 x 1.5 meter table. The EUT, support equipment, and interconnecting cables were arranged and manipulated to maximize each emission. Appropriate precaution was taken to ensure that all emissions from the EUT were maximized and investigated. The system configuration, mode of operation, turntable azimuth, and receive antenna height was noted for each frequency found.

Final measurements were made in the semi-anechoic chamber using calibrated, linearly polarized broadband and horn antennas. The test setup was configured to the setup that produced the worst case emissions. The spectrum analyzer was set to investigate all frequencies required for testing to compare the highest radiated disturbances with respect to the specified limits. The turntable containing the EUT was rotated through 360 degrees and the height of the receive antenna was varied 1 to 4 meters and stopped at the azimuth and height producing the maximum emission. Each emission was maximized by changing the orientation of the EUT through three orthogonal planes and changing the polarity of the receive antenna, whichever produced the worst-case emissions.

3.4 Environmental Conditions

The temperature is controlled within range of 15°C to 35°C. The relative humidity is controlled within range of 10% to 75%. The atmospheric pressure is monitored within the range 86-106kPa (860-1060mbar).

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 14 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

4.0 ANTENNA REQUIREMENTS

Excerpt from §15.203 of the FCC Rules/Regulations:

“An intentional radiator antenna shall be designed to ensure that no antenna other than that furnished by the responsible party can be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section.”

- The antennas of the EUT are **permanently attached**.
- There are no provisions for connection to an external antenna.

Conclusion:

The EUT complies with the requirement of §15.203.

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 15 of 442

V 11.0 06/2025

5.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.23-2012. All measurement uncertainty values are shown with a coverage factor of $k = 2$ to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the U_{CISPR} measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty ($\pm$ dB)
Conducted Bench Top Measurements	2.00
AC Line Conducted Disturbance	1.88
Radiated Disturbance (<30MHz)	4.24
Radiated Disturbance (30MHz - 1GHz)	4.96
Radiated Disturbance (1 - 18GHz)	5.18
Radiated Disturbance (>18GHz)	5.18

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 16 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

6.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance with the requirements of ANSI C63.5-2017.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
Agilent	N9020A	MXA Signal Analyzer	7/7/2025	Biennial	7/7/2027	MY56470202
Anritsu	ML2496A	Power Meter	2/10/2025	Annual	2/10/2026	1306009
Anritsu	MA2411B	Pulse Power Sensor	2/10/2025	Annual	2/10/2026	1315051
Anritsu	MA2411B	Pulse Power Sensor	2/10/2025	Annual	2/10/2026	1339027
ATM	180-442-KF	20dB Nominal Gain Horn Antenna	3/24/2025	Annual	3/24/2026	T058601-02
ETS-Lindgren	3117	Double Ridged Guide Horn (1-18 GHz)	4/16/2025	Annual	4/16/2026	218555
Fairview Microwave/MCL	FMCA1975-36/BW-K10-2W44+	30MHz-40GHz RF Cable/Attenuator *	6/10/2025	Annual	6/10/2026	-
Keysight Technology	N9040B	UXA Signal Analyzer	6/9/2025	Annual	6/9/2026	MY57212015
Rohde & Schwarz	TS-PR18	Pre-Amplifier (1GHz - 18GHz)	8/6/2025	Annual	8/6/2026	101639
Rohde & Schwarz	FSW43	Spectrum Analyzer 2Hz to 43GHz	8/5/2025	Annual	8/5/2026	104093
Rohde & Schwarz	ESW44	EMI Test Receiver 2Hz to 44 GHz	5/13/2025	Annual	5/13/2026	101867
Rohde & Schwarz	TS-PR8	Pre-Amplifier (30MHz - 8GHz)	11/15/2024	Annual	11/15/2025	102326
Rohde & Schwarz	TS-PR8	Pre-Amplifier (30MHz - 8GHz)	10/14/2025	Annual	10/14/2026	102328
Rohde & Schwarz	TS-PR1840	Pre-Amplifier (18GHz - 40GHz)	6/3/2025	Annual	6/3/2026	100052
Rohde & Schwarz	HFH2-Z2	Loop Antenna	5/12/2025	Annual	5/12/2026	100546
Rohde & Schwarz	ENV216	Two-Line V-Network	4/24/2025	Annual	4/24/2026	101364
Schwarzbeck	VULB 9162	Bilog Antenna (30MHz - 6GHz)	7/17/2025	Annual	7/17/2026	00302

Table 6-1. Test Equipment List

Note:

- For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due date.
- * Denotes passive equipment that have been internally verified/calibrated.

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 17 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.0 TEST RESULTS

7.1 Summary

Company Name: Apple Inc.

FCC ID: BCGA3461

FCC Classification: Unlicensed National Information Infrastructure (UNII)

FCC Part Section(s)	Test Description	Test Limit	Test Condition	Test Result	Reference
15.407	26dB Bandwidth	N/A	CONDUCTED	N/A	Section 7.2
15.407(e)	6dB Bandwidth	>500kHz(5725-5850MHz)		PASS	Section 7.3
2.1049	Occupied Bandwidth	N/A		N/A	Section 7.2, 7.3
15.407 (a.1.iv), (a.3.i)	Maximum Conducted Output Power	Maximum conducted powers must meet the limits detailed in 15.407 (a)		PASS	Section 7.4
15.407 (a.1.iv), (a.3.i)	Maximum Power Spectral Density	Maximum power spectral density must meet the limits detailed in 15.407 (a)		PASS	Section 7.5
15.407(b.1), (b.4)	Undesirable Emissions	Undesirable emissions must meet the limits detailed in 15.407(b)	RADIATED	PASS	Section 7.6
15.205, 15.407(b.1), (b.4)	General Field Strength Limits (Restricted Bands and Radiated Emission Limits)	Emissions in restricted bands must meet the radiated limits detailed in 15.209		PASS	Section 7.6, 7.7
15.207	AC Conducted Emissions 150kHz – 30MHz	< FCC 15.207 limits	AC LINE CONDUCTED	PASS	Section 7.8

Table 7-1. Summary of Test Results

Notes:

- All channels, modes, and modulations/data rates were investigated among all UNII bands. The test results shown in the following sections represent the worst case emissions.
- The analyzer plots shown in this section were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables and attenuators used as part of the system to connect the EUT to the analyzer at all frequencies of interest.
- All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables and attenuators.
- For conducted spurious emissions, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is Element "Conducted Automation Software," Version 1.5.0.
- For radiated testing, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is Element "Chamber Automation," Version 3.6.1.

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 18 of 442

V 11.0 06/2025

7.2 26dB & 99% Bandwidth Measurement

§2.1049; §15.407

Test Overview and Limit

The bandwidth at 26dB down from the highest in-band spectral density is measured with a spectrum analyzer connected to the antenna terminal while the EUT is operating at its maximum duty cycle, at its maximum power control level, as defined in ANSI C63.10:2020 + Cor. 1:2023 + C63.10a:2024 + Errata to C63.10a:2024 and KDB 789033 D02 v02r01, and at the appropriate frequencies. The spectrum analyzer's bandwidth measurement function is configured to measure the 26dB bandwidth.

Test Procedure Used

ANSI C63.10:2020 + Cor. 1:2023 + C63.10a:2024 + Errata to C63.10a:2024 – Subclause 12.5.2.
KDB 789033 D02 v02r01 – Section C

Test Settings

1. The signal analyzers' automatic bandwidth measurement capability was used to perform the 26dB bandwidth measurement. The "X" dB bandwidth parameter was set to $X = 26$. The automatic bandwidth measurement function also has the capability of simultaneously measuring the 99% occupied bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = in the range of 1% to 5% of the emission bandwidth
3. $VBW \geq 3 \times RBW$
4. Detector = Peak
5. Trace mode = max hold

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-1. Test Instrument & Measurement Setup

Test Notes

1. All antenna configs and power schemes were investigated and only the worst case is reported.
2. Low, mid and high channels were tested and tabular data has been reported. Only mid channel plots has been reported.

FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 19 of 442

V 11.0 06/2025

7.2.1 Antenna WF7a 26dB & 99% Bandwidth Measurements (U-NII-1)


Frequency [MHz]	Data Rate [Mbps]	Mode	Power Scheme	Measured 99% Occupied Bandwidth [MHz]	Measured 26dB Bandwidth [MHz]
5162	1.0	NB UNII BDR	ePA	0.930	1.249
5203	1.0	NB UNII BDR	ePA	0.930	1.248
5245	1.0	NB UNII BDR	ePA	0.930	1.248
5162	1.0	NB UNII LE1M	ePA	1.015	1.262
5203	1.0	NB UNII LE1M	ePA	1.015	1.261
5245	1.0	NB UNII LE1M	ePA	1.015	1.262
5162	2.0	NB UNII LE2M	ePA	2.030	2.511
5203	2.0	NB UNII LE2M	ePA	2.030	2.510
5245	2.0	NB UNII LE2M	ePA	2.030	2.511
5162	4.0	NB UNII HDR4	ePA	2.325	2.712
5203	4.0	NB UNII HDR4	ePA	2.325	2.709
5245	4.0	NB UNII HDR4	ePA	2.325	2.711
5162	8.0	NB UNII HDR8	ePA	4.619	5.308
5203	8.0	NB UNII HDR8	ePA	4.613	5.299
5245	8.0	NB UNII HDR8	ePA	4.611	5.306
5162	2.0	NB UNII HDRPS2	ePA	2.380	2.687
5203	2.0	NB UNII HDRPS2	ePA	2.382	2.783
5245	2.0	NB UNII HDRPS2	ePA	2.377	2.680
5162	6.0	NB UNII XHDRPM6	ePA	4.705	5.370
5203	6.0	NB UNII XHDRPM6	ePA	4.715	5.369
5245	6.0	NB UNII XHDRPM6	ePA	4.729	5.366
5162	16.0	NB UNII HDRPM16	ePA	4.680	5.335
5203	16.0	NB UNII HDRPM16	ePA	4.649	5.350
5245	16.0	NB UNII HDRPM16	ePA	4.670	5.346
5162	12.0	NB UNII HDRPL12	ePA	9.328	10.645
5203	12.0	NB UNII HDRPL12	ePA	9.359	10.649
5245	12.0	NB UNII HDRPL12	ePA	9.401	10.840
5162	32.0	NB UNII HDRPL32	ePA	9.286	10.532
5203	32.0	NB UNII HDRPL32	ePA	9.269	10.545
5245	32.0	NB UNII HDRPL32	ePA	9.276	10.539
5162	2.0	NB UNII HDT2	ePA	2.349	2.746
5203	2.0	NB UNII HDT2	ePA	2.349	2.746
5245	2.0	NB UNII HDT2	ePA	2.349	2.745
5162	4.0	NB UNII HDT4	ePA	2.359	2.812
5203	4.0	NB UNII HDT4	ePA	2.360	2.812
5245	4.0	NB UNII HDT4	ePA	2.359	2.811
5162	6.0	NB UNII HDT6	ePA	2.388	2.788
5203	6.0	NB UNII HDT6	ePA	2.388	2.788
5245	6.0	NB UNII HDT6	ePA	2.388	2.787

Table 7-2. Conducted BW Measurements Antenna WF7a

FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 20 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 21 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-3. 26dB BW Antenna WF7a (NB UNII LE2M, ePA– 5203MHz)




Plot 7-4. 26dB BW Antenna WF7a (NB UNII HDR4, ePA– 5203MHz)


FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 22 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-5. 26dB BW Antenna WF7a (NB UNII HDR8, ePA– 5203MHz)




Plot 7-6. 26dB BW Antenna WF7a (NB UNII HDRPS2, ePA– 5203MHz)


FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 23 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-7. 26dB BW Antenna WF7a (NB UNII XHDRPM6, ePA- 5203MHz)



Plot 7-8. 26dB BW Antenna WF7a (NB UNII HDRPM16, ePA- 5203MHz)


FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 24 of 442




FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 25 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-11. 26dB BW Antenna WF7a (NB UNII HDT2, ePA- 5203MHz)




Plot 7-12. 26dB BW Antenna WF7a (NB UNII HDT4, ePA- 5203MHz)

FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 26 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-13. 26dB BW Antenna WF7a (NB UNII HDT6, ePA– 5203MHz)

FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 27 of 442

V 11.0 06/2025

7.2.2 Antenna WF7a 99% Bandwidth Measurements (U-NII-3)


Frequency [MHz]	Data Rate [Mbps]	Mode	Power Scheme	Measured 99% Occupied Bandwidth [MHz]
5733	1.0	NB UNII BDR	ePA	0.934
5788	1.0	NB UNII BDR	ePA	0.934
5844	1.0	NB UNII BDR	ePA	0.934
5733	1.0	NB UNII LE1M	ePA	1.015
5788	1.0	NB UNII LE1M	ePA	1.015
5844	1.0	NB UNII LE1M	ePA	1.015
5733	2.0	NB UNII LE2M	ePA	2.036
5788	2.0	NB UNII LE2M	ePA	2.039
5844	2.0	NB UNII LE2M	ePA	2.038
5733	4.0	NB UNII HDR4	ePA	2.342
5788	4.0	NB UNII HDR4	ePA	2.335
5844	4.0	NB UNII HDR4	ePA	2.330
5733	8.0	NB UNII HDR8	ePA	4.664
5788	8.0	NB UNII HDR8	ePA	4.677
5844	8.0	NB UNII HDR8	ePA	4.672
5733	2.0	NB UNII HDRPS2	ePA	2.375
5788	2.0	NB UNII HDRPS2	ePA	2.386
5844	2.0	NB UNII HDRPS2	ePA	2.382
5733	6.0	NB UNII XHDRPM6	ePA	4.748
5788	6.0	NB UNII XHDRPM6	ePA	4.748
5844	6.0	NB UNII XHDRPM6	ePA	4.736
5733	16.0	NB UNII HDRPM16	ePA	4.709
5788	16.0	NB UNII HDRPM16	ePA	4.701
5844	16.0	NB UNII HDRPM16	ePA	4.702
5733	12.0	NB UNII HDRPL12	ePA	9.423
5788	12.0	NB UNII HDRPL12	ePA	9.386
5844	12.0	NB UNII HDRPL12	ePA	9.396
5733	32.0	NB UNII HDRPL32	ePA	9.303
5788	32.0	NB UNII HDRPL32	ePA	9.305
5844	32.0	NB UNII HDRPL32	ePA	9.298
5733	2.0	NB UNII HDT2	ePA	2.375
5788	2.0	NB UNII HDT2	ePA	2.375
5844	2.0	NB UNII HDT2	ePA	2.376
5733	4.0	NB UNII HDT4	ePA	2.384
5788	4.0	NB UNII HDT4	ePA	2.384
5844	4.0	NB UNII HDT4	ePA	2.384
5733	6.0	NB UNII HDT6	ePA	2.390
5788	6.0	NB UNII HDT6	ePA	2.390
5844	6.0	NB UNII HDT6	ePA	2.390

Table 7-3. Conducted BW Measurements Antenna WF7a


FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 28 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-14. 99% OBW Antenna WF7a (NB UNII BDR, ePA – 5788MHz)




Plot 7-15. 99% OBW Antenna WF7a (NB UNII LE1M, ePA– 5788MHz)

FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 29 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-16. 99% OBW Antenna WF7a (NB UNII LE2M, ePA- 5788MHz)




Plot 7-17. 99% OBW Antenna WF7a (NB UNII HDR4, ePA - 5788MHz)


FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 30 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-18. 99% OBW Antenna WF7a (NB UNII HDR8, ePA – 5788MHz)




Plot 7-19. 99% OBW Antenna WF7a (NB UNII HDRPS2, ePA – 5788MHz)


FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 31 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-20. 99% OBW Antenna WF7a (NB UNII XHDRPM6, ePA – 5788MHz)



Plot 7-21. 99% OBW Antenna WF7a (NB UNII HDRPM16, ePA – 5788MHz)

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 32 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-22. 99% OBW Antenna WF7a (NB UNII HDRPL12, ePA – 5788MHz)




Plot 7-23. 99% OBW Antenna WF7a (NB UNII HDRPL32, ePA – 5788MHz)


FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 33 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-24. 99% OBW Antenna WF7a (NB UNII HDT2, ePA- 5788MHz)




Plot 7-25. 99% OBW Antenna WF7a (NB UNII HDT4, ePA- 5788MHz)

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 34 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-26. 99% OBW Antenna WF7a (NB UNII HDT6, ePA- 5788MHz)

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 35 of 442

V 11.0 06/2025

7.2.3 Antenna WF2a 26dB & 99% Bandwidth Measurements (U-NII-1)


Frequency [MHz]	Data Rate [Mbps]	Mode	Power Scheme	Measured 99% Occupied Bandwidth [MHz]	Measured 26dB Bandwidth [MHz]
5162	1.0	NB UNII BDR	ePA	0.930	1.247
5203	1.0	NB UNII BDR	ePA	0.930	1.248
5245	1.0	NB UNII BDR	ePA	0.930	1.247
5162	1.0	NB UNII LE1M	ePA	1.015	1.261
5203	1.0	NB UNII LE1M	ePA	1.015	1.262
5245	1.0	NB UNII LE1M	ePA	1.015	1.262
5162	2.0	NB UNII LE2M	ePA	2.030	2.510
5203	2.0	NB UNII LE2M	ePA	2.031	2.511
5245	2.0	NB UNII LE2M	ePA	2.031	2.512
5162	4.0	NB UNII HDR4	ePA	2.326	2.714
5203	4.0	NB UNII HDR4	ePA	2.326	2.717
5245	4.0	NB UNII HDR4	ePA	2.324	2.712
5162	8.0	NB UNII HDR8	ePA	4.612	5.306
5203	8.0	NB UNII HDR8	ePA	4.613	5.303
5245	8.0	NB UNII HDR8	ePA	4.613	5.292
5162	2.0	NB UNII HDRPS2	ePA	2.376	2.685
5203	2.0	NB UNII HDRPS2	ePA	2.384	2.700
5245	2.0	NB UNII HDRPS2	ePA	2.384	2.676
5162	6.0	NB UNII XHDRPM6	ePA	4.749	5.500
5203	6.0	NB UNII XHDRPM6	ePA	4.712	5.384
5245	6.0	NB UNII XHDRPM6	ePA	4.724	5.370
5162	16.0	NB UNII HDRPM16	ePA	4.667	5.285
5203	16.0	NB UNII HDRPM16	ePA	4.655	5.279
5245	16.0	NB UNII HDRPM16	ePA	4.662	5.287
5162	12.0	NB UNII HDRPL12	ePA	9.390	10.660
5203	12.0	NB UNII HDRPL12	ePA	9.379	10.639
5245	12.0	NB UNII HDRPL12	ePA	9.365	10.641
5162	32.0	NB UNII HDRPL32	ePA	9.274	10.542
5203	32.0	NB UNII HDRPL32	ePA	9.275	10.526
5245	32.0	NB UNII HDRPL32	ePA	9.288	10.543
5162	2.0	NB UNII HDT2	ePA	2.350	2.745
5203	2.0	NB UNII HDT2	ePA	2.349	2.744
5245	2.0	NB UNII HDT2	ePA	2.349	2.745
5162	4.0	NB UNII HDT4	ePA	2.359	2.813
5203	4.0	NB UNII HDT4	ePA	2.359	2.812
5245	4.0	NB UNII HDT4	ePA	2.359	2.811
5162	6.0	NB UNII HDT6	ePA	2.388	2.788
5203	6.0	NB UNII HDT6	ePA	2.388	2.788
5245	6.0	NB UNII HDT6	ePA	2.388	2.789

Table 7-4. Conducted BW Measurements Antenna WF2a


FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 36 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-29. 26dB BW Antenna WF2a (NB UNII LE2M, ePA- 5203MHz)





Plot 7-30. 26dB BW Antenna WF2a (NB UNII HDR4, ePA- 5203MHz)

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 38 of 442

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.





FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 39 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.





Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 41 of 442

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 42 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-39. 26dB BW Antenna WF2a (NB UNII HDT6, ePA– 5203MHz)

FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 43 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.2.4 Antenna WF2a 99% Bandwidth Measurements (U-NII-3)


Frequency [MHz]	Data Rate [Mbps]	Mode	Power Scheme	Measured 99% Occupied Bandwidth [MHz]
5733	1.0	NB UNII BDR	ePA	0.934
5788	1.0	NB UNII BDR	ePA	0.935
5844	1.0	NB UNII BDR	ePA	0.934
5733	1.0	NB UNII LE1M	ePA	1.014
5788	1.0	NB UNII LE1M	ePA	1.014
5844	1.0	NB UNII LE1M	ePA	1.014
5733	2.0	NB UNII LE2M	ePA	2.033
5788	2.0	NB UNII LE2M	ePA	2.033
5844	2.0	NB UNII LE2M	ePA	2.038
5733	4.0	NB UNII HDR4	ePA	2.333
5788	4.0	NB UNII HDR4	ePA	2.336
5844	4.0	NB UNII HDR4	ePA	2.331
5733	8.0	NB UNII HDR8	ePA	4.685
5788	8.0	NB UNII HDR8	ePA	4.659
5844	8.0	NB UNII HDR8	ePA	4.674
5733	2.0	NB UNII HDRPS2	ePA	2.384
5788	2.0	NB UNII HDRPS2	ePA	2.386
5844	2.0	NB UNII HDRPS2	ePA	2.371
5733	6.0	NB UNII XHDRPM6	ePA	4.739
5788	6.0	NB UNII XHDRPM6	ePA	4.725
5844	6.0	NB UNII XHDRPM6	ePA	4.762
5733	16.0	NB UNII HDRPM16	ePA	4.701
5788	16.0	NB UNII HDRPM16	ePA	4.699
5844	16.0	NB UNII HDRPM16	ePA	4.689
5733	12.0	NB UNII HDRPL12	ePA	9.448
5788	12.0	NB UNII HDRPL12	ePA	9.409
5844	12.0	NB UNII HDRPL12	ePA	9.431
5733	32.0	NB UNII HDRPL32	ePA	9.305
5788	32.0	NB UNII HDRPL32	ePA	9.302
5844	32.0	NB UNII HDRPL32	ePA	9.312
5733	2.0	NB UNII HDT2	ePA	2.374
5788	2.0	NB UNII HDT2	ePA	2.376
5844	2.0	NB UNII HDT2	ePA	2.376
5733	4.0	NB UNII HDT4	ePA	2.384
5788	4.0	NB UNII HDT4	ePA	2.385
5844	4.0	NB UNII HDT4	ePA	2.384
5733	6.0	NB UNII HDT6	ePA	2.390
5788	6.0	NB UNII HDT6	ePA	2.391
5844	6.0	NB UNII HDT6	ePA	2.391

Table 7-5. Conducted BW Measurements Antenna WF2a


FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 44 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-40. 99% OBW Antenna WF2a (NB UNII BDR, ePA – 5788MHz)




Plot 7-41. 99% OBW Antenna WF2a (NB UNII LE1M, ePA– 5788MHz)


FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 45 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-42. 99% OBW Antenna WF2a (NB UNII LE2M, ePA- 5788MHz)



Plot 7-43. 99% OBW Antenna WF2a (NB UNII HDR4, ePA - 5788MHz)


FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 46 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-44. 99% OBW Antenna WF2a (NB UNII HDR8, ePA – 5788MHz)



Plot 7-45. 99% OBW Antenna WF2a (NB UNII HDRPS2, ePA – 5788MHz)

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 47 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-46. 99% OBW Antenna WF2a (NB UNII XHDRPM6, ePA – 5788MHz)




Plot 7-47. 99% OBW Antenna WF2a (NB UNII HDRPM16, ePA – 5788MHz)


FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 48 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-48. 99% OBW Antenna WF2a (NB UNII HDRPL12, ePA - 5788MHz)




Plot 7-49. 99% OBW Antenna WF2a (NB UNII HDRPL32, ePA - 5788MHz)

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 49 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-50. 99% OBW Antenna WF2a (NB UNII HDT2, ePA- 5788MHz)




Plot 7-51. 99% OBW Antenna WF2a (NB UNII HDT4, ePA- 5788MHz)

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 50 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-52. 99% OBW Antenna WF2a (NB UNII HDT6, ePA- 5788MHz)

FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 51 of 442

V 11.0 06/2025

7.2.5 Antenna WF7b 26dB & 99% Bandwidth Measurements (U-NII-1)

Frequency [MHz]	Data Rate [Mbps]	Mode	Power Scheme	Measured 99% Occupied Bandwidth [MHz]	Measured 26dB Bandwidth [MHz]
5162	1.0	NB UNII BDR	ePA	0.930	1.248
5203	1.0	NB UNII BDR	ePA	0.930	1.248
5245	1.0	NB UNII BDR	ePA	0.930	1.248
5162	1.0	NB UNII LE1M	ePA	1.016	1.262
5203	1.0	NB UNII LE1M	ePA	1.016	1.262
5245	1.0	NB UNII LE1M	ePA	1.016	1.261
5162	2.0	NB UNII LE2M	ePA	2.031	2.511
5203	2.0	NB UNII LE2M	ePA	2.031	2.512
5245	2.0	NB UNII LE2M	ePA	2.031	2.512
5162	4.0	NB UNII HDR4	ePA	2.326	2.714
5203	4.0	NB UNII HDR4	ePA	2.326	2.712
5245	4.0	NB UNII HDR4	ePA	2.324	2.700
5162	8.0	NB UNII HDR8	ePA	4.617	5.300
5203	8.0	NB UNII HDR8	ePA	4.619	5.310
5245	8.0	NB UNII HDR8	ePA	4.619	5.326
5162	2.0	NB UNII HDRPS2	ePA	2.381	2.688
5203	2.0	NB UNII HDRPS2	ePA	2.370	2.686
5245	2.0	NB UNII HDRPS2	ePA	2.376	2.675
5162	6.0	NB UNII XHDRPM6	ePA	4.719	5.354
5203	6.0	NB UNII XHDRPM6	ePA	4.724	5.354
5245	6.0	NB UNII XHDRPM6	ePA	4.717	5.356
5162	16.0	NB UNII HDRPM16	ePA	4.680	5.368
5203	16.0	NB UNII HDRPM16	ePA	4.681	5.353
5245	16.0	NB UNII HDRPM16	ePA	4.674	5.292
5162	12.0	NB UNII HDRPL12	ePA	9.357	10.647
5203	12.0	NB UNII HDRPL12	ePA	9.358	10.644
5245	12.0	NB UNII HDRPL12	ePA	9.298	10.636
5162	32.0	NB UNII HDRPL32	ePA	9.285	10.533
5203	32.0	NB UNII HDRPL32	ePA	9.288	10.543
5245	32.0	NB UNII HDRPL32	ePA	9.271	10.542
5162	2.0	NB UNII HDT2	ePA	2.349	2.747
5203	2.0	NB UNII HDT2	ePA	2.350	2.746
5245	2.0	NB UNII HDT2	ePA	2.350	2.745
5162	4.0	NB UNII HDT4	ePA	2.359	2.811
5203	4.0	NB UNII HDT4	ePA	2.360	2.812
5245	4.0	NB UNII HDT4	ePA	2.359	2.812
5162	6.0	NB UNII HDT6	ePA	2.388	2.786
5203	6.0	NB UNII HDT6	ePA	2.389	2.787
5245	6.0	NB UNII HDT6	ePA	2.388	2.786

Table 7-6. Conducted BW Measurements Antenna WF7b


FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 52 of 442

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-55. 26dB BW Antenna WF7b (NB UNII LE2M, ePA- 5203MHz)




Plot 7-56. 26dB BW Antenna WF7b (NB UNII HDR4, ePA- 5203MHz)

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 54 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-57. 26dB BW Antenna WF7b (NB UNII HDR8, ePA- 5203MHz)




Plot 7-58. 26dB BW Antenna WF7b (NB UNII HDRPS2, ePA- 5203MHz)


FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 55 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-59. 26dB BW Antenna WF7b (NB UNII XHDRPM6, ePA- 5203MHz)




Plot 7-60. 26dB BW Antenna WF7b (NB UNII HDRPM16, ePA- 5203MHz)


FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 56 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-61. 26dB BW Antenna WF7b (NB UNII HDRPL12, ePA- 5203MHz)




Plot 7-62. 26dB BW Antenna WF7b (NB UNII HDRPL32, ePA- 5203MHz)


FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 57 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-63. 26dB BW Antenna WF7b (NB UNII HDT2, ePA- 5203MHz)




Plot 7-64. 26dB BW Antenna WF7b (NB UNII HDT4, ePA- 5203MHz)

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 58 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-65. 26dB BW Antenna WF7b (NB UNII HDT6, ePA- 5203MHz)

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 59 of 442

V 11.0 06/2025

7.2.6 Antenna WF7b 99% Bandwidth Measurements (U-NII-3)


Frequency [MHz]	Data Rate [Mbps]	Mode	Power Scheme	Measured 99% Occupied Bandwidth [MHz]
5733	1.0	NB UNII BDR	ePA	0.934
5788	1.0	NB UNII BDR	ePA	0.934
5844	1.0	NB UNII BDR	ePA	0.934
5733	1.0	NB UNII LE1M	ePA	1.014
5788	1.0	NB UNII LE1M	ePA	1.014
5844	1.0	NB UNII LE1M	ePA	1.015
5733	2.0	NB UNII LE2M	ePA	2.038
5788	2.0	NB UNII LE2M	ePA	2.037
5844	2.0	NB UNII LE2M	ePA	2.039
5733	4.0	NB UNII HDR4	ePA	2.337
5788	4.0	NB UNII HDR4	ePA	2.337
5844	4.0	NB UNII HDR4	ePA	2.338
5733	8.0	NB UNII HDR8	ePA	4.676
5788	8.0	NB UNII HDR8	ePA	4.666
5844	8.0	NB UNII HDR8	ePA	4.660
5733	2.0	NB UNII HDRPS2	ePA	2.376
5788	2.0	NB UNII HDRPS2	ePA	2.369
5844	2.0	NB UNII HDRPS2	ePA	2.384
5733	6.0	NB UNII XHDRPM6	ePA	4.763
5788	6.0	NB UNII XHDRPM6	ePA	4.718
5844	6.0	NB UNII XHDRPM6	ePA	4.746
5733	16.0	NB UNII HDRPM16	ePA	4.697
5788	16.0	NB UNII HDRPM16	ePA	4.682
5844	16.0	NB UNII HDRPM16	ePA	4.694
5733	12.0	NB UNII HDRPL12	ePA	9.367
5788	12.0	NB UNII HDRPL12	ePA	9.407
5844	12.0	NB UNII HDRPL12	ePA	9.425
5733	32.0	NB UNII HDRPL32	ePA	9.305
5788	32.0	NB UNII HDRPL32	ePA	9.313
5844	32.0	NB UNII HDRPL32	ePA	9.297
5733	2.0	NB UNII HDT2	ePA	2.375
5788	2.0	NB UNII HDT2	ePA	2.376
5844	2.0	NB UNII HDT2	ePA	2.375
5733	4.0	NB UNII HDT4	ePA	2.384
5788	4.0	NB UNII HDT4	ePA	2.385
5844	4.0	NB UNII HDT4	ePA	2.384
5733	6.0	NB UNII HDT6	ePA	2.390
5788	6.0	NB UNII HDT6	ePA	2.390
5844	6.0	NB UNII HDT6	ePA	2.390

Table 7-7. Conducted BW Measurements Antenna WF7b


FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 60 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-66. 99% OBW Antenna WF7b (NB UNII BDR, ePA – 5788MHz)




Plot 7-67. 99% OBW Antenna WF7b (NB UNII LE1M, ePA– 5788MHz)


FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 61 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-68. 99% OBW Antenna WF7b (NB UNII LE2M, ePA- 5788MHz)




Plot 7-69. 99% OBW Antenna WF7b (NB UNII HDR4, ePA - 5788MHz)

FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 62 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-70. 99% OBW Antenna WF7b (NB UNII HDR8, ePA - 5788MHz)




Plot 7-71. 99% OBW Antenna WF7b (NB UNII HDRPS2, ePA - 5788MHz)


FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 63 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-72. 99% OBW Antenna WF7b (NB UNII XHDRPM6, ePA – 5788MHz)




Plot 7-73. 99% OBW Antenna WF7b (NB UNII HDRPM16, ePA – 5788MHz)


FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 64 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-76. 99% OBW Antenna WF7b (NB UNII HDT2, ePA- 5788MHz)




Plot 7-77. 99% OBW Antenna WF7b (NB UNII HDT4, ePA- 5788MHz)

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 66 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-78. 99% OBW Antenna WF7b (NB UNII HDT6, ePA- 5788MHz)

FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 67 of 442

V 11.0 06/2025

7.3 6dB Bandwidth Measurement

§2.1049; §15.407 (e)

Test Overview and Limit

The bandwidth at 6dB down from the highest in-band spectral density is measured with a spectrum analyzer connected to the antenna terminal while the EUT is operating at its maximum duty cycle, at its maximum power control level, as defined in ANSI C63.10:2020 + Cor. 1:2023 + C63.10a:2024 + Errata to C63.10a:2024 and KDB 789033 D02 v02r01, and at the appropriate frequencies. The spectrum analyzer's bandwidth measurement function is configured to measure the 6dB bandwidth.

In the 5.725 – 5.850GHz band, the 6dB bandwidth must be ≥ 500 kHz.

Test Procedure Used

ANSI C63.10:2020 + Cor. 1:2023 + C63.10a:2024 + Errata to C63.10a:2024 – Subclause 12.5.1.
KDB 789033 D02 v02r01 – Section C

Test Settings

1. The signal analyzers' automatic bandwidth measurement capability was used to perform the 6dB bandwidth measurement. The "X" dB bandwidth parameter was set to $X = 6$. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 100 kHz
3. VBW $\geq 3 \times$ RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-2. Test Instrument & Measurement Setup

Test Notes

1. All antenna configurations and power schemes were investigated and only the worst case is reported.
2. Low, mid and high channels were tested and tabular data has been reported. Only mid channel plots has been reported.

FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 68 of 442

V 11.0 06/2025

7.3.1 Antenna WF7a 6dB Bandwidth Measurements (U-NII-3)

Frequency [MHz]	Data Rate [Mbps]	Mode	Power Scheme	Measured 6dB Bandwidth [MHz]	Minimum 6dB Bandwidth [MHz]	Pass / Fail
5733	1.0	NB UNII BDR	ePA	0.552	0.500	Pass
5788	1.0	NB UNII BDR	ePA	0.552	0.500	Pass
5844	1.0	NB UNII BDR	ePA	0.551	0.500	Pass
5733	1.0	NB UNII LE1M	ePA	0.663	0.500	Pass
5788	1.0	NB UNII LE1M	ePA	0.663	0.500	Pass
5844	1.0	NB UNII LE1M	ePA	0.664	0.500	Pass
5733	2.0	NB UNII LE2M	ePA	1.178	0.500	Pass
5788	2.0	NB UNII LE2M	ePA	1.180	0.500	Pass
5844	2.0	NB UNII LE2M	ePA	1.177	0.500	Pass
5733	4.0	NB UNII HDR4	ePA	1.848	0.500	Pass
5788	4.0	NB UNII HDR4	ePA	1.756	0.500	Pass
5844	4.0	NB UNII HDR4	ePA	1.754	0.500	Pass
5733	8.0	NB UNII HDR8	ePA	0.550	0.500	Pass
5788	8.0	NB UNII HDR8	ePA	0.548	0.500	Pass
5844	8.0	NB UNII HDR8	ePA	0.884	0.500	Pass
5733	2.0	NB UNII HDRPS2	ePA	2.072	0.500	Pass
5788	2.0	NB UNII HDRPS2	ePA	2.085	0.500	Pass
5844	2.0	NB UNII HDRPS2	ePA	2.091	0.500	Pass
5733	6.0	NB UNII XHDRPM6	ePA	2.694	0.500	Pass
5788	6.0	NB UNII XHDRPM6	ePA	4.052	0.500	Pass
5844	6.0	NB UNII XHDRPM6	ePA	4.057	0.500	Pass
5733	16.0	NB UNII HDRPM16	ePA	2.687	0.500	Pass
5788	16.0	NB UNII HDRPM16	ePA	2.677	0.500	Pass
5844	16.0	NB UNII HDRPM16	ePA	4.077	0.500	Pass
5733	12.0	NB UNII HDRPL12	ePA	6.109	0.500	Pass
5788	12.0	NB UNII HDRPL12	ePA	6.110	0.500	Pass
5844	12.0	NB UNII HDRPL12	ePA	6.073	0.500	Pass
5733	32.0	NB UNII HDRPL32	ePA	6.109	0.500	Pass
5788	32.0	NB UNII HDRPL32	ePA	6.109	0.500	Pass
5844	32.0	NB UNII HDRPL32	ePA	6.106	0.500	Pass
5733	2.0	NB UNII HDT2	ePA	2.118	0.500	Pass
5788	2.0	NB UNII HDT2	ePA	2.118	0.500	Pass
5844	2.0	NB UNII HDT2	ePA	2.116	0.500	Pass
5733	4.0	NB UNII HDT4	ePA	2.123	0.500	Pass
5788	4.0	NB UNII HDT4	ePA	2.124	0.500	Pass
5844	4.0	NB UNII HDT4	ePA	2.125	0.500	Pass
5733	6.0	NB UNII HDT6	ePA	2.128	0.500	Pass
5788	6.0	NB UNII HDT6	ePA	2.128	0.500	Pass
5844	6.0	NB UNII HDT6	ePA	2.129	0.500	Pass

Table 7-8. Conducted BW Measurements Antenna WF7a


FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 69 of 442

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-85. 6dB BW Antenna WF7a (NB UNII XHDRPM6, ePA – 5788MHz)





Plot 7-86. 6dB BW Antenna WF7a (NB UNII HDRPM16, ePA – 5788MHz)

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 73 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 74 of 442