




Plot 7-513. Radiated Spurious Emissions 1-18GHz TxBF Diversity (BDR GFSK ePA – 5844MHz)

Mode: BDR

Data Rate: 1Mbps

Power Scheme: ePA

Distance of Measurements: 3 Meters

Operating Frequency: 5844MHz

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11688.00	Average	V	-	-	-80.07	10.37	37.30	53.98	-16.68
* 11688.00	Peak	V	-	-	-68.51	10.37	48.86	73.98	-25.12
17532.00	Peak	H	-	-	-72.63	19.19	53.55	68.23	-14.68


Table 7-55. Radiated Spurious Emissions Measurements TxBF Diversity

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device		Page 325 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

HDR



Plot 7-514. Radiated Spurious Emissions 1-18GHz TxBF Diversity (HDR HDR4 ePA – 5162MHz)


Mode:	HDR4
Data Rate:	4Mbps
Power Scheme:	ePA
Distance of Measurements:	3 Meters
Operating Frequency:	5162MHz

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10324.00	Peak	V	-	-	-67.59	8.13	47.54	68.23	-20.69
* 15486.00	Average	V	-	-	-82.94	15.57	39.63	53.98	-14.35
* 15486.00	Peak	V	-	-	-71.29	15.57	51.28	73.98	-22.70


Table 7-56. Radiated Spurious Emissions Measurements TxBF Diversity

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device		Page 326 of 442

V 11.0 06/2025



Plot 7-515. Radiated Spurious Emissions 1-18GHz TxBF Diversity (HDR HDR4 ePA – 5203MHz)



Plot 7-516. Radiated Spurious Emissions Above 18GHz (HDR HDR4 ePA – 5203MHz)

Mode: HDR4

Data Rate: 4Mbps

Power Scheme: ePA

Distance of Measurements: 3 Meters


Operating Frequency: 5203MHz

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10406.00	Peak	V	-	-	-68.46	8.68	0.00	47.23	68.23	-21.00
* 15609.00	Average	V	-	-	-82.94	16.02	0.00	40.08	53.98	-13.90
* 15609.00	Peak	V	-	-	-71.16	16.02	0.00	51.86	73.98	-22.12
* 20812.00	Average	V	-	-	-60.41	-7.64	-9.54	29.41	53.98	-24.57
* 20812.00	Peak	V	-	-	-48.76	-7.64	-9.54	41.06	73.98	-32.92
26015.00	Peak	V	-	-	-50.31	-5.83	-9.54	41.32	68.23	-26.91
* 31218.00	Average	V	-	-	-59.46	-3.94	-9.54	34.06	53.98	-19.92
* 31218.00	Peak	V	-	-	-52.46	-3.94	-9.54	41.06	73.98	-32.92

Table 7-57. Radiated Spurious Emissions Measurements TxBF Diversity

FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 327 of 442

V 11.0 06/2025



Plot 7-517. Radiated Spurious Emissions 1-18GHz TxBF Diversity (HDR HDR4 ePA – 5245MHz)

Mode: HDR4

Data Rate: 4Mbps

Power Scheme: ePA

Distance of Measurements: 3 Meters

Operating Frequency: 5245MHz


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10490.00	Peak	H	-	-	-68.99	8.89	0.00	46.90	68.23	-21.33
* 15735.00	Average	V	-	-	-83.17	16.54	0.00	40.37	53.98	-13.61
* 15735.00	Peak	V	-	-	-71.62	16.54	0.00	51.92	73.98	-22.06

Table 7-58. Radiated Spurious Emissions Measurements TxBF Diversity

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 328 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-518. Radiated Spurious Emissions 1-18GHz TxBF Diversity (HDR HDR4 ePA – 5733MHz)


Mode:	HDR4
Data Rate:	4Mbps
Power Scheme:	ePA
Distance of Measurements:	3 Meters
Operating Frequency:	5733MHz

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11466.00	Average	V	-	-	-80.23	9.85	36.62	53.98	-17.36
*	11466.00	Peak	V	-	-	-68.71	9.85	48.14	73.98	-25.84
	17199.00	Peak	V	-	-	-72.18	19.41	54.23	68.23	-14.00


Table 7-59. Radiated Spurious Emissions Measurements TxBF Diversity

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 329 of 442

V 11.0 06/2025



Plot 7-519. Radiated Spurious Emissions 1-18GHz TxBF Diversity (HDR HDR4 ePA – 5788MHz)



Plot 7-520. Radiated Spurious Emissions Above 18GHz (HDR HDR4 ePA – 5788MHz)

Mode: HDR4

Data Rate: 4Mbps

Power Scheme: ePA

Distance of Measurements: 3 Meters


Operating Frequency: 5788MHz

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11576.00	Average	V	-	-	-79.77	9.83	0.00	37.05	53.98	-16.93
*	11576.00	Peak	V	-	-	-68.50	9.83	0.00	48.33	73.98	-25.65
	17364.00	Peak	V	-	-	-71.26	18.88	0.00	54.62	68.23	-13.61
	23152.00	Peak	V	-	-	-49.45	-7.13	-9.54	40.88	68.23	-27.35
	28940.00	Peak	H	-	-	-51.87	-3.99	-9.54	41.60	68.23	-26.63
	34728.00	Peak	H	-	-	-50.09	-4.81	-9.54	42.56	68.23	-25.67

Table 7-60. Radiated Spurious Emissions Measurements TxBF Diversity

FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 330 of 442

V 11.0 06/2025



Plot 7-521. Radiated Spurious Emissions 1-18GHz TxBF Diversity (HDR HDR4 ePA – 5844MHz)

Mode: HDR4

Data Rate: 4Mbps

Power Scheme: ePA

Distance of Measurements: 3 Meters

Operating Frequency: 5844MHz

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11688.00	Average	V	-	-	-79.94	10.24	37.30	53.98	-16.68
*	11688.00	Peak	V	-	-	-68.30	10.24	48.94	73.98	-25.04
	17532.00	Peak	V	-	-	-72.38	18.97	53.59	68.23	-14.64


Table 7-61. Radiated Spurious Emissions Measurements TxBF Diversity

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 331 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

LE



Plot 7-522. Radiated Spurious Emissions 1-18GHz TxBF Diversity (LE1M ePA – 5162MHz)

Mode:	LE1M
Data Rate:	1Mbps
Power Scheme:	ePA
Distance of Measurements:	3 Meters
Operating Frequency:	5162MHz


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10324.00	Peak	H	-	-	-68.10	8.07	46.97	68.23	-21.26
* 15486.00	Average	H	-	-	-82.89	15.57	39.69	53.98	-14.29
* 15486.00	Peak	H	-	-	-71.62	15.57	50.95	73.98	-23.03

Table 7-62. Radiated Spurious Emissions Measurements TxBF Diversity


FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 332 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-523. Radiated Spurious Emissions 1-18GHz TxBF Diversity (LE1M ePA – 5203MHz)



Plot 7-524. Radiated Spurious Emissions Above 18GHz (LE1M ePA – 5203MHz)

Mode: LE1M

Data Rate: 1Mbps

Power Scheme: ePA

Distance of Measurements: 3 Meters

Operating Frequency: 5203MHz


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10406.00	Peak	V	-	-	-67.71	8.68	0.00	47.98	68.23	-20.25
* 15609.00	Average	H	-	-	-82.70	16.02	0.00	40.32	53.98	-13.66
* 15609.00	Peak	H	-	-	-71.14	16.02	0.00	51.88	73.98	-22.10
* 20812.00	Average	V	-	-	-60.57	-7.57	-9.54	29.32	53.98	-24.66
* 20812.00	Peak	V	-	-	-49.29	-7.57	-9.54	40.60	73.98	-33.38
26015.00	Peak	H	-	-	-50.20	-5.93	-9.54	41.32	68.23	-26.91
* 31218.00	Average	V	-	-	-59.12	-3.94	-9.54	34.40	53.98	-19.58
* 31218.00	Peak	V	-	-	-52.23	-3.94	-9.54	41.29	73.98	-32.69

Table 7-63. Radiated Spurious Emissions Measurements TxBF Diversity

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device		Page 333 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-525. Radiated Spurious Emissions 1-18GHz TxBF Diversity (LE1M ePA – 5245MHz)

Mode: LE1M

Data Rate: 1Mbps

Power Scheme: ePA

Distance of Measurements: 3 Meters


Operating Frequency: 5245MHz

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10490.00	Peak	V	-	-	-68.93	8.90	46.97	68.23	-21.26
* 15735.00	Average	V	-	-	-82.94	16.62	40.68	53.98	-13.30
* 15735.00	Peak	V	-	-	-71.91	16.62	51.71	73.98	-22.27

Table 7-64. Radiated Spurious Emissions Measurements TxBF Diversity

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 334 of 442

V 11.0 06/2025



Plot 7-526. Radiated Spurious Emissions 1-18GHz TxBF Diversity (LE1M ePA – 5733MHz)


Mode:	LE1M
Data Rate:	1Mbps
Power Scheme:	ePA
Distance of Measurements:	3 Meters
Operating Frequency:	5733MHz

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11466.00	Average	V	-	-	-80.46	10.07	36.61	53.98	-17.37
*	11466.00	Peak	V	-	-	-68.80	10.07	48.27	73.98	-25.71
	17199.00	Peak	H	-	-	-72.36	19.26	53.90	68.23	-14.33


Table 7-65. Radiated Spurious Emissions Measurements TxBF Diversity

FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 335 of 442

V 11.0 06/2025



Plot 7-527. Radiated Spurious Emissions 1-18GHz TxBF Diversity (LE1M ePA – 5788MHz)



Plot 7-528. Radiated Spurious Emissions Above 18GHz (LE1M ePA – 5788MHz)

Mode: LE1M

Data Rate: 1Mbps

Power Scheme: ePA

Distance of Measurements: 3 Meters

Operating Frequency: 5788MHz


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11576.00	Average	H	-	-	-79.96	10.02	0.00	37.06	53.98	-16.92
*	11576.00	Peak	H	-	-	-68.58	10.02	0.00	48.44	73.98	-25.54
	17364.00	Peak	H	-	-	-72.18	19.06	0.00	53.88	68.23	-14.35
	23152.00	Peak	V	-	-	-49.51	-7.12	-9.54	40.83	68.23	-27.40
	28940.00	Peak	V	-	-	-51.79	-3.99	-9.54	41.68	68.23	-26.55
	34728.00	Peak	V	-	-	-50.17	-4.70	-9.54	42.59	68.23	-25.64

Table 7-66. Radiated Spurious Emissions Measurements TxBF Diversity

FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 336 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-529. Radiated Spurious Emissions 1-18GHz TxBF Diversity (LE1M ePA – 5844MHz)

Mode: LE1M

Data Rate: 1Mbps

Power Scheme: ePA

Distance of Measurements: 3 Meters

Operating Frequency: 5844MHz

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11688.00	Average	V	-	-	-80.04	10.21	37.18	53.98	-16.80
*	11688.00	Peak	V	-	-	-68.34	10.21	48.88	73.98	-25.10
	17532.00	Peak	V	-	-	-72.22	18.97	53.75	68.23	-14.48


Table 7-67. Radiated Spurious Emissions Measurements TxBF Diversity

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 337 of 442

V 11.0 06/2025


7.6.3 Antenna WF7a Radiated Band Edge Measurements (U-NII-1)

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-530 Radiated Lower Band Edge Measurement Antenna WF7a

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz




Plot 7-531 Radiated Lower Band Edge Measurement Antenna WF7a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 338 of 442


V 11.0 06/2025

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-532 Radiated Lower Band Edge Measurement Antenna WF7a

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-533 Radiated Lower Band Edge Measurement Antenna WF7a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 339 of 442


V 11.0 06/2025

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-534 Radiated Lower Band Edge Measurement Antenna WF7a

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-535 Radiated Lower Band Edge Measurement Antenna WF7a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 340 of 442

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-536 Radiated Lower Band Edge Measurement Antenna WF7a

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-537 Radiated Lower Band Edge Measurement Antenna WF7a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 341 of 442


V 11.0 06/2025

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5164MHz



Plot 7-538 Radiated Lower Band Edge Measurement Antenna WF7a

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-539 Radiated Lower Band Edge Measurement Antenna WF7a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 342 of 442


V 11.0 06/2025

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5164MHz



Plot 7-540 Radiated Lower Band Edge Measurement Antenna WF7a

Mode HDT2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-541 Radiated Lower Band Edge Measurement Antenna WF7a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 343 of 442

V 11.0 06/2025

Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-542 Radiated Lower Band Edge Measurement Antenna WF7a

FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 344 of 442

V 11.0 06/2025


7.6.4 Antenna WF7a Radiated Band Edge Measurements (U-NII-3)

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-543 Radiated Lower Band Edge Measurement Antenna WF7a

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-544 Radiated Lower Band Edge Measurement Antenna WF7a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 345 of 442


V 11.0 06/2025

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-545 Radiated Lower Band Edge Measurement Antenna WF7a

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-546 Radiated Lower Band Edge Measurement Antenna WF7a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 346 of 442


V 11.0 06/2025

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-547 Radiated Lower Band Edge Measurement Antenna WF7a

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-548 Radiated Lower Band Edge Measurement Antenna WF7a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 347 of 442


V 11.0 06/2025

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-549 Radiated Lower Band Edge Measurement Antenna WF7a

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-550 Radiated Lower Band Edge Measurement Antenna WF7a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 348 of 442


V 11.0 06/2025

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-551 Radiated Lower Band Edge Measurement Antenna WF7a

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-552 Radiated Lower Band Edge Measurement Antenna WF7a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 349 of 442

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode HDT2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-553 Radiated Lower Band Edge Measurement Antenna WF7a

Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-554 Radiated Lower Band Edge Measurement Antenna WF7a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 350 of 442


V 11.0 06/2025

Mode BDR
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-555 Radiated Upper Band Edge Measurement Antenna WF7a

Mode LE1M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-556 Radiated Upper Band Edge Measurement Antenna WF7a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 351 of 442


V 11.0 06/2025

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-557 Radiated Upper Band Edge Measurement Antenna WF7a

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-558 Radiated Upper Band Edge Measurement Antenna WF7a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 352 of 442


V 11.0 06/2025

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-559 Radiated Upper Band Edge Measurement Antenna WF7a

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-560 Radiated Upper Band Edge Measurement Antenna WF7a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 353 of 442

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-561 Radiated Upper Band Edge Measurement Antenna WF7a

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-562 Radiated Upper Band Edge Measurement Antenna WF7a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 354 of 442


V 11.0 06/2025

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-563 Radiated Upper Band Edge Measurement Antenna WF7a

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-564 Radiated Upper Band Edge Measurement Antenna WF7a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 355 of 442


V 11.0 06/2025

Mode HDT2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-565 Radiated Upper Band Edge Measurement Antenna WF7a

Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-566 Radiated Upper Band Edge Measurement Antenna WF7a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 356 of 442

V 11.0 06/2025


7.6.5 Antenna WF2a Radiated Band Edge Measurements (U-NII-1)

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-567 Radiated Lower Band Edge Measurement Antenna WF2a

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz




Plot 7-568 Radiated Lower Band Edge Measurement Antenna WF2a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 357 of 442

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-569 Radiated Lower Band Edge Measurement Antenna WF2a

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-570 Radiated Lower Band Edge Measurement Antenna WF2a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 358 of 442


V 11.0 06/2025

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-571 Radiated Lower Band Edge Measurement Antenna WF2a

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-572 Radiated Lower Band Edge Measurement Antenna WF2a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 359 of 442


V 11.0 06/2025

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-573 Radiated Lower Band Edge Measurement Antenna WF2a

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-574 Radiated Lower Band Edge Measurement Antenna WF2a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 360 of 442


V 11.0 06/2025

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5164MHz



Plot 7-575 Radiated Lower Band Edge Measurement Antenna WF2a

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-576 Radiated Lower Band Edge Measurement Antenna WF2a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 361 of 442


V 11.0 06/2025

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5164MHz



Plot 7-577 Radiated Lower Band Edge Measurement Antenna WF2a

Mode HDT2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-578 Radiated Lower Band Edge Measurement Antenna WF2a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 362 of 442

V 11.0 06/2025

Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-579 Radiated Lower Band Edge Measurement Antenna WF2a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 363 of 442

V 11.0 06/2025


7.6.6 Antenna WF2a Radiated Band Edge Measurements (U-NII-3)

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-580 Radiated Lower Band Edge Measurement Antenna WF2a

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-581 Radiated Lower Band Edge Measurement Antenna WF2a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 364 of 442


V 11.0 06/2025

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-582 Radiated Lower Band Edge Measurement Antenna WF2a

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-583 Radiated Lower Band Edge Measurement Antenna WF2a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 365 of 442


V 11.0 06/2025

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-584 Radiated Lower Band Edge Measurement Antenna WF2a

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-585 Radiated Lower Band Edge Measurement Antenna WF2a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 366 of 442


V 11.0 06/2025

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-586 Radiated Lower Band Edge Measurement Antenna WF2a

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-587 Radiated Lower Band Edge Measurement Antenna WF2a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 367 of 442


V 11.0 06/2025

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-588 Radiated Lower Band Edge Measurement Antenna WF2a

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-589 Radiated Lower Band Edge Measurement Antenna WF2a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 368 of 442

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode HDT2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-590 Radiated Lower Band Edge Measurement Antenna WF2a

Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-591 Radiated Lower Band Edge Measurement Antenna WF2a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 369 of 442


V 11.0 06/2025

Mode BDR
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-592 Radiated Upper Band Edge Measurement Antenna WF2a

Mode LE1M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-593 Radiated Upper Band Edge Measurement Antenna WF2a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 370 of 442


V 11.0 06/2025

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-594 Radiated Upper Band Edge Measurement Antenna WF2a

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-595 Radiated Upper Band Edge Measurement Antenna WF2a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 371 of 442


V 11.0 06/2025

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-596 Radiated Upper Band Edge Measurement Antenna WF2a

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-597 Radiated Upper Band Edge Measurement Antenna WF2a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 372 of 442


V 11.0 06/2025

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-598 Radiated Upper Band Edge Measurement Antenna WF2a

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-599 Radiated Upper Band Edge Measurement Antenna WF2a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 373 of 442


V 11.0 06/2025

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-600 Radiated Upper Band Edge Measurement Antenna WF2a

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-601 Radiated Upper Band Edge Measurement Antenna WF2a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device		Page 374 of 442

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode HDT2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-602 Radiated Upper Band Edge Measurement Antenna WF2a

Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-603 Radiated Upper Band Edge Measurement Antenna WF2a

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 375 of 442

V 11.0 06/2025


7.6.7 Antenna WF7b Radiated Band Edge Measurements (U-NII-1)

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-604 Radiated Lower Band Edge Measurement Antenna WF7b

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz




Plot 7-605 Radiated Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 376 of 442


V 11.0 06/2025

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-606 Radiated Lower Band Edge Measurement Antenna WF7b

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-607 Radiated Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 377 of 442


V 11.0 06/2025

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-608 Radiated Lower Band Edge Measurement Antenna WF7b

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-609 Radiated Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 378 of 442


V 11.0 06/2025

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-610 Radiated Lower Band Edge Measurement Antenna WF7b

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-611 Radiated Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 379 of 442


V 11.0 06/2025

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5164MHz



Plot 7-612 Radiated Lower Band Edge Measurement Antenna WF7b

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5164MHz




Plot 7-613 Radiated Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 380 of 442


V 11.0 06/2025

Mode HDT2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-614 Radiated Lower Band Edge Measurement Antenna WF7b

Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-615 Radiated Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 381 of 442

V 11.0 06/2025


7.6.8 Antenna WF7b Radiated Band Edge Measurements (U-NII-3)

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-616 Radiated Lower Band Edge Measurement Antenna WF7b

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-617 Radiated Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 382 of 442

V 11.0 06/2025