



Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-618 Radiated Lower Band Edge Measurement Antenna WF7b

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-619 Radiated Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 383 of 442


V 11.0 06/2025

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-620 Radiated Lower Band Edge Measurement Antenna WF7b

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-621 Radiated Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 384 of 442


V 11.0 06/2025

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-622 Radiated Lower Band Edge Measurement Antenna WF7b

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-623 Radiated Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 385 of 442


V 11.0 06/2025

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-624 Radiated Lower Band Edge Measurement Antenna WF7b

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-625 Radiated Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 386 of 442


V 11.0 06/2025

Mode HDT2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-626 Radiated Lower Band Edge Measurement Antenna WF7b

Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-627 Radiated Lower Band Edge Measurement Antenna WF7b

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 387 of 442

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode BDR
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-628 Radiated Upper Band Edge Measurement Antenna WF7b

Mode LE1M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-629 Radiated Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 388 of 442


V 11.0 06/2025

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-630 Radiated Upper Band Edge Measurement Antenna WF7b

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-631 Radiated Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 389 of 442


V 11.0 06/2025

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-632 Radiated Upper Band Edge Measurement Antenna WF7b

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-633 Radiated Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 390 of 442


V 11.0 06/2025

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-634 Radiated Upper Band Edge Measurement Antenna WF7b

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-635 Radiated Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 391 of 442


V 11.0 06/2025

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-636 Radiated Upper Band Edge Measurement Antenna WF7b

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-637 Radiated Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device		Page 392 of 442


V 11.0 06/2025

Mode HDT2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-638 Radiated Upper Band Edge Measurement Antenna WF7b

Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-639 Radiated Upper Band Edge Measurement Antenna WF7b

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 393 of 442

V 11.0 06/2025


7.6.9 TxBF Primary Radiated Band Edge Measurements (U-NII-1)

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-640 Radiated Lower Band Edge Measurement TxBF Primary

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz




Plot 7-641 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 394 of 442


V 11.0 06/2025

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-642 Radiated Lower Band Edge Measurement TxBF Primary

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-643 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 395 of 442


V 11.0 06/2025

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-644 Radiated Lower Band Edge Measurement TxBF Primary

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-645 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 396 of 442


V 11.0 06/2025

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-646 Radiated Lower Band Edge Measurement TxBF Primary

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-647 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 397 of 442


V 11.0 06/2025

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5164MHz



Plot 7-648 Radiated Lower Band Edge Measurement TxBF Primary

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-649 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 398 of 442


V 11.0 06/2025

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5164MHz



Plot 7-650 Radiated Lower Band Edge Measurement TxBF Primary

Mode HDT2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-651 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 399 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-652 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 400 of 442

V 11.0 06/2025


7.6.10 TxBF Primary Radiated Band Edge Measurements (U-NII-3)

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-653 Radiated Lower Band Edge Measurement TxBF Primary

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-654 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 401 of 442


V 11.0 06/2025

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-655 Radiated Lower Band Edge Measurement TxBF Primary

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-656 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 402 of 442

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-657 Radiated Lower Band Edge Measurement TxBF Primary

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-658 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 403 of 442


V 11.0 06/2025

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-659 Radiated Lower Band Edge Measurement TxBF Primary

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-660 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device		Page 404 of 442


V 11.0 06/2025

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-661 Radiated Lower Band Edge Measurement TxBF Primary

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-662 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device		Page 405 of 442


V 11.0 06/2025

Mode HDT2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-663 Radiated Lower Band Edge Measurement TxBF Primary

Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-664 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 406 of 442


V 11.0 06/2025

Mode BDR
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-665 Radiated Upper Band Edge Measurement TxBF Primary

Mode LE1M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-666 Radiated Upper Band Edge Measurement TxBF Primary

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 407 of 442


V 11.0 06/2025

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-667 Radiated Upper Band Edge Measurement TxBF Primary

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-668 Radiated Upper Band Edge Measurement TxBF Primary

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 408 of 442


V 11.0 06/2025

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-669 Radiated Upper Band Edge Measurement TxBF Primary

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-670 Radiated Upper Band Edge Measurement TxBF Primary

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 409 of 442


V 11.0 06/2025

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-671 Radiated Upper Band Edge Measurement TxBF Primary

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-672 Radiated Upper Band Edge Measurement TxBF Primary

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 410 of 442


V 11.0 06/2025

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-673 Radiated Upper Band Edge Measurement TxBF Primary

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-674 Radiated Upper Band Edge Measurement TxBF Primary

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device		Page 411 of 442


V 11.0 06/2025

Mode HDT2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-675 Radiated Upper Band Edge Measurement TxBF Primary

Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-676 Radiated Upper Band Edge Measurement TxBF Primary

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 412 of 442

V 11.0 06/2025


7.6.11 TxBF Diversity Radiated Band Edge Measurements (U-NII-1)

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-677 Radiated Lower Band Edge Measurement TxBF Diversity

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz




Plot 7-678 Radiated Lower Band Edge Measurement TxBF Diversity

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 413 of 442


V 11.0 06/2025

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-679 Radiated Lower Band Edge Measurement TxBF Diversity

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-680 Radiated Lower Band Edge Measurement TxBF Diversity

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 414 of 442


V 11.0 06/2025

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-681 Radiated Lower Band Edge Measurement TxBF Diversity

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-682 Radiated Lower Band Edge Measurement TxBF Diversity

FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 415 of 442


V 11.0 06/2025

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-683 Radiated Lower Band Edge Measurement TxBF Diversity

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-684 Radiated Lower Band Edge Measurement TxBF Diversity

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 416 of 442

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5164MHz



Plot 7-685 Radiated Lower Band Edge Measurement TxBF Diversity

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5164MHz




Plot 7-686 Radiated Lower Band Edge Measurement TxBF Diversity

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 417 of 442


V 11.0 06/2025

Mode HDT2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-687 Radiated Lower Band Edge Measurement TxBF Diversity

Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-688 Radiated Lower Band Edge Measurement TxBF Diversity

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 418 of 442

V 11.0 06/2025


7.6.12 TxBF Diversity Radiated Band Edge Measurements (U-NII-3)

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-689 Radiated Lower Band Edge Measurement TxBF Diversity

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-690 Radiated Lower Band Edge Measurement TxBF Diversity

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 419 of 442


V 11.0 06/2025

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-691 Radiated Lower Band Edge Measurement TxBF Diversity

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-692 Radiated Lower Band Edge Measurement TxBF Diversity

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 420 of 442


V 11.0 06/2025

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-693 Radiated Lower Band Edge Measurement TxBF Diversity

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-694 Radiated Lower Band Edge Measurement TxBF Diversity

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 421 of 442


V 11.0 06/2025

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-695 Radiated Lower Band Edge Measurement TxBF Diversity

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-696 Radiated Lower Band Edge Measurement TxBF Diversity

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 422 of 442


V 11.0 06/2025

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-697 Radiated Lower Band Edge Measurement TxBF Diversity

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-698 Radiated Lower Band Edge Measurement TxBF Diversity

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 423 of 442


V 11.0 06/2025

Mode HDT2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-699 Radiated Lower Band Edge Measurement TxBF Diversity

Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-700 Radiated Lower Band Edge Measurement TxBF Diversity

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 424 of 442


V 11.0 06/2025

Mode BDR
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-701 Radiated Upper Band Edge Measurement TxBF Diversity

Mode LE1M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-702 Radiated Upper Band Edge Measurement TxBF Diversity

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 425 of 442


V 11.0 06/2025

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-703 Radiated Upper Band Edge Measurement TxBF Diversity

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-704 Radiated Upper Band Edge Measurement TxBF Diversity

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 426 of 442


V 11.0 06/2025

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-705 Radiated Upper Band Edge Measurement TxBF Diversity

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-706 Radiated Upper Band Edge Measurement TxBF Diversity

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 427 of 442


V 11.0 06/2025

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-707 Radiated Upper Band Edge Measurement TxBF Diversity

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-708 Radiated Upper Band Edge Measurement TxBF Diversity

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 428 of 442


V 11.0 06/2025

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-709 Radiated Upper Band Edge Measurement TxBF Diversity

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-710 Radiated Upper Band Edge Measurement TxBF Diversity

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device		Page 429 of 442


V 11.0 06/2025

Mode HDT2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-711 Radiated Upper Band Edge Measurement TxBF Diversity

Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-712 Radiated Upper Band Edge Measurement TxBF Diversity

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 430 of 442

V 11.0 06/2025

7.7 Radiated Spurious Emissions – Below 1GHz

§15.209

Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for radiated spurious emissions. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR and Table 7 must not exceed the limits shown in Table 7-68 per Section 15.209.

Frequency	Field Strength [μV/m]	Measured Distance [Meters]
0.009 – 0.490 MHz	2400/F (kHz)	300
0.490 – 1.705 MHz	24000/F (kHz)	30
1.705 – 30.00 MHz	30	30
30.00 – 88.00 MHz	100	3
88.00 – 216.0 MHz	150	3
216.0 – 960.0 MHz	200	3
Above 960.0 MHz	500	3

Table 7-68. Radiated Limits

Test Procedures Used

ANSI C63.10:2020 + Cor. 1:2023 + C63.10a:2024 + Errata to C63.10a:2024

Test Settings

Quasi-Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. VBW = 300kHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 431 of 442

V 11.0 06/2025

Test Setup

The EUT and measurement equipment were set up as shown in the diagrams below.




Figure 7-6. Radiated Test Setup < 30MHz




Figure 7-7. Radiated Test Setup < 1GHz

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 432 of 442

V 11.0 06/2025

Test Notes

1. All emissions lying in restricted bands specified in §15.205 are below the limit shown in Table 7-68.
2. The broadband receive antenna is manipulated through vertical and horizontal polarizations during the tests. The EUT is manipulated through three orthogonal planes. For below 30MHz the loop antenna was positioned in 3 orthogonal planes (X front, Y side, Z top) to determine the orientation resulting in the worst case emissions.
3. This unit was tested with its standard battery.
4. The spectrum is investigated using a peak detector and final measurements are recorded using CISPR quasi peak detector for emissions within 6dB of the limit.
5. Emissions were measured at a 3 meter test distance.
6. Emissions are investigated while operating on the center channel of the mode, band, and modulation that produced the worst case results during the transmitter spurious emissions testing.
7. No spurious emissions were detected within 20dB of the limit below 30MHz.
8. The results recorded using the broadband antenna is known to correlate with the results obtained by using a tuned dipole with an acceptable degree of accuracy. The VSWR for the measurement antenna was found to be less than 2:1.
9. All supported modulation and power schemes have been tested on the unit and only worst case configuration is reported.
10. Both configurations below were investigated, and the worst case has been reported.
 - a. EUT powered by AC/DC adaptor to USB-C cable with wire charger
 - b. EUT powered by host PC via USB-C cable with wire charger

Sample Calculations

Determining Spurious Emissions Levels

- Field Strength Level $_{[dB_{\mu V/m}]}$ = Analyzer Level $_{[dBm]}$ + 107 + AFCL $_{[dB/m]}$
- AFCL $_{[dB/m]}$ = Antenna Factor $_{[dB/m]}$ + Cable Loss $_{[dB]}$ – Preamplifier Gain $_{[dB]}$
- Margin $_{[dB]}$ = Field Strength Level $_{[dB_{\mu V/m}]}$ – Limit $_{[dB_{\mu V/m}]}$


FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 433 of 442

V 11.0 06/2025

Radiated Spurious Emissions (Below 1GHz)

§15.209

TxBF Primary



Plot 7-713. Radiated Spurious Emissions Below 1GHz TxBF Primary (NB UNII BDR ePA – 5788MHz), with AC/DC adaptor


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
36.87	Max-Peak	V	100	-	-60.99	-17.36	28.64	40.00	-11.36
49.77	Max-Peak	V	100	-	-64.32	-15.08	27.60	40.00	-12.40
120.09	Max-Peak	H	300	-	-61.37	-19.63	26.00	43.50	-17.50
195.93	Max-Peak	H	100	-	-53.92	-17.61	35.47	43.50	-8.03
220.05	Max-Peak	H	100	-	-59.29	-17.43	30.28	46.00	-15.72
911.59	Max-Peak	V	100	-	-72.25	-4.12	30.63	46.00	-15.37

Table 7-69. Radiated Spurious Emissions Below 1GHz TxBF Primary (NB UNII BDR ePA – 5788MHz), with AC/DC adaptor

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 434 of 442

V 11.0 06/2025

TxBF Diversity



Plot 7-714. Radiated Spurious Emissions Below 1GHz TxBF Diversity (NB UNII BDR ePA – 5788MHz), with AC/DC adaptor

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
36.63	Max-Peak	V	100	-	-60.82	-17.48	28.71	40.00	-11.29
58.05	Max-Peak	V	100	-	-65.46	-16.41	25.13	40.00	-14.87
139.47	Max-Peak	H	200	-	-58.10	-21.42	27.48	43.50	-16.02
183.39	Max-Peak	H	200	-	-54.01	-19.25	33.74	43.50	-9.76
378.68	Max-Peak	H	100	-	-68.82	-13.33	24.85	46.00	-21.15
921.31	Max-Peak	H	200	-	-72.70	-4.22	30.08	46.00	-15.92

Table 7-70. Radiated Spurious Emissions Below 1GHz TxBF Diversity (NB UNII BDR ePA – 5788MHz), with AC/DC adaptor

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device		Page 435 of 442

V 11.0 06/2025

7.8 AC Line Conducted Emissions Measurement

§15.207

Test Overview and Limit

All AC line conducted spurious emissions are measured with a receiver connected to a grounded LISN while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for AC Line conducted spurious emissions. All data rates and modes were investigated for AC Line conducted spurious emissions.

All conducted emissions must not exceed the limits shown in the table below, per Section 15.207.

Frequency of emission (MHz)	Conducted Limit (dBμV)	
	Quasi-peak	Average
0.15 – 0.5	66 to 56*	56 to 46*
0.5 – 5	56	46
5 – 30	60	50

Table 7-71. Conducted Limits

*Decreases with the logarithm of the frequency.

Test Procedures Used

ANSI C63.10:2020 + Cor. 1:2023 + C63.10a:2024 + Errata to C63.10a:2024, Subclause 6.2

Test Settings

Quasi-Peak Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

Average Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = RMS
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 436 of 442

V 11.0 06/2025

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-8. Test Instrument & Measurement Setup

Test Notes

1. All modes of operation were investigated and the worst-case emissions are reported. The emissions found were not affected by the choice of channel used during testing.
2. Both configurations below were investigated, and the worst case has been reported.
 - a. EUT powered by AC/DC adaptor to USB-C cable with wire charger
 - b. EUT powered by host PC via USB-C cable with wire charger
3. The limit for an intentional radiator from 150kHz to 30MHz are specified in 15.207.
4. $\text{Corr. (dB)} = \text{Cable loss (dB)} + \text{LISN insertion factor (dB)}$
5. $\text{QP/AV Level (dB}\mu\text{V)} = \text{QP/AV Analyzer/Receiver Level (dB}\mu\text{V)} + \text{Correction Factor (dB)}$
6. $\text{Margin (dB)} = \text{QP/AV Level (dB}\mu\text{V)} - \text{QP/AV Limit (dB}\mu\text{V)}$
7. Traces shown in plots are made using quasi-peak and average detectors.
8. Deviations to the Specifications: None.

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 437 of 442

V 11.0 06/2025




Plot 7-715. AC Line Conducted Plot TxBF (NB UNII BDR ePA – 5788MHz) (L1) with AC/DC adaptor

Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.16	FINAL	—	34.96	55.40	-20.44	L1	GND
0.16	FINAL	50.01	—	65.40	-15.39	L1	GND
0.24	FINAL	—	28.40	52.10	-23.70	L1	GND
0.24	FINAL	44.25	—	62.10	-17.85	L1	GND
0.51	FINAL	—	18.07	46.00	-27.93	L1	GND
0.51	FINAL	36.38	—	56.00	-19.62	L1	GND
1.33	FINAL	30.49	—	56.00	-25.51	L1	GND
1.33	FINAL	—	14.25	46.00	-31.75	L1	GND
5.08	FINAL	25.34	—	60.00	-34.66	L1	GND
5.08	FINAL	—	13.26	50.00	-36.74	L1	GND
16.13	FINAL	—	11.07	50.00	-38.93	L1	GND
16.13	FINAL	15.17	—	60.00	-44.83	L1	GND

Table 7-72. AC Line Conducted Data TxBF (NB UNII BDR ePA – 5788MHz) (L1) with AC/DC adaptor

FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 438 of 442




Plot 7-716. AC Line Conducted Plot TxBF (NB UNII BDR ePA – 5788MHz) (N) with AC/DC adaptor

Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.17	FINAL	—	36.29	55.17	-18.88	N	GND
0.17	FINAL	52.92	—	65.17	-12.25	N	GND
0.25	FINAL	—	27.96	51.79	-23.83	N	GND
0.25	FINAL	46.25	—	61.79	-15.54	N	GND
0.51	FINAL	—	18.87	46.00	-27.13	N	GND
0.51	FINAL	37.91	—	56.00	-18.09	N	GND
1.40	FINAL	32.38	—	56.00	-23.62	N	GND
1.40	FINAL	—	13.11	46.00	-32.89	N	GND
5.09	FINAL	28.40	—	60.00	-31.60	N	GND
5.09	FINAL	—	17.81	50.00	-32.19	N	GND
16.12	FINAL	—	8.67	50.00	-41.33	N	GND
16.12	FINAL	14.33	—	60.00	-45.67	N	GND

Table 7-73. AC Line Conducted TxBF (NB UNII BDR ePA – 5788MHz) (N) with AC/DC adaptor

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 439 of 442

V 11.0 06/2025



Plot 7-717. AC Line Conducted Plot TxBF (NB UNII BDR ePA – 5788MHz) (L1) with AC/DC adaptor


Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.16	FINAL	—	35.89	55.40	-19.51	L1	GND
0.16	FINAL	50.74	—	65.40	-14.66	L1	GND
0.24	FINAL	—	28.66	52.10	-23.44	L1	GND
0.24	FINAL	44.49	—	62.10	-17.61	L1	GND
0.51	FINAL	—	17.96	46.00	-28.04	L1	GND
0.51	FINAL	37.14	—	56.00	-18.86	L1	GND
1.35	FINAL	31.93	—	56.00	-24.07	L1	GND
1.35	FINAL	—	15.82	46.00	-30.18	L1	GND
5.01	FINAL	29.38	—	60.00	-30.62	L1	GND
5.01	FINAL	—	18.75	50.00	-31.25	L1	GND
16.15	FINAL	—	11.74	50.00	-38.26	L1	GND
16.15	FINAL	16.53	—	60.00	-43.47	L1	GND

Table 7-74. AC Line Conducted Data TxBF (NB UNII BDR ePA – 5788MHz) (L1) with AC/DC adaptor

FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 440 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-718. AC Line Conducted Plot TxBF (NB UNII BDR ePA – 5788MHz) (N) with AC/DC adaptor

Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.17	FINAL	—	36.15	54.95	-18.80	N	GND
0.17	FINAL	50.49	—	64.95	-14.46	N	GND
0.26	FINAL	—	30.13	51.57	-21.44	N	GND
0.26	FINAL	45.85	—	61.57	-15.72	N	GND
0.52	FINAL	—	19.67	46.00	-26.33	N	GND
0.52	FINAL	38.34	—	56.00	-17.66	N	GND
0.92	FINAL	34.43	—	56.00	-21.57	N	GND
0.92	FINAL	—	19.07	46.00	-26.93	N	GND
5.04	FINAL	35.86	—	60.00	-24.14	N	GND
5.04	FINAL	—	22.83	50.00	-27.17	N	GND
16.20	FINAL	—	10.24	50.00	-39.76	N	GND
16.20	FINAL	15.99	—	60.00	-44.01	N	GND

Table 7-75. AC Line Conducted TxBF (NB UNII BDR ePA – 5788MHz) (N) with AC/DC adaptor

FCC ID: BCGA3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 441 of 442

V 11.0 06/2025

8.0 CONCLUSION

The data collected relate only the item(s) tested and show that the **Apple Tablet Device** **FCC ID: BCGA3461** is in compliance with Part 15 Subpart E (15.407) of the FCC Rules.

FCC ID: BCGA3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-10-R2.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 442 of 442

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.