







Plot 7-73 PSD Antenna WF2a (20MHz BW 802.11a - Ch.149)



Plot 7-75 PSD Antenna WF2a (80MHz BW 802.11be(SU) - Ch.151)



Plot 7-74 PSD Antenna WF2a (40MHz BW 802.11be(SU) - Ch.179)







Plot 7-76 PSD Antenna WF2a (160MHz BW 802.11be(SU) - Ch.143)

FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-17-R3.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 53 of 197

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-17-R3.BCG			Page 54 of 197
Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device		

7.4.3 Antenna WF7b Power Spectral Density Measurements – VLP


	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	a	6Mbps	-8.65	1.2	-7.45	-5	-2.45
	6255	61	a	12Mbps	-8.48	1.2	-7.28	-5	-2.28
	6415	93	a	6Mbps	-7.68	0.2	-7.48	-5	-2.48
	6115	33	be (20MHz)	MCS3	-8.80	1.2	-7.60	-5	-2.60
	6255	61	be (20MHz)	MCS0	-8.57	1.2	-7.37	-5	-2.37
	6415	93	be (20MHz)	MCS3	-7.57	0.2	-7.37	-5	-2.37
	6125	35	be (40MHz)	MCS5	-8.76	1.2	-7.56	-5	-2.56
	6245	59	be (40MHz)	MCS5	-8.90	1.2	-7.70	-5	-2.70
	6405	91	be (40MHz)	MCS3	-7.69	0.2	-7.49	-5	-2.49
	6145	39	be (80MHz)	MCS5	-8.23	1.2	-7.03	-5	-2.03
	6225	55	be (80MHz)	MCS5	-8.35	1.2	-7.15	-5	-2.15
	6385	87	be (80MHz)	MCS0	-7.79	0.2	-7.59	-5	-2.59
Band 6	6185	47	be (160MHz)	MCS5	-9.43	1.2	-8.23	-5	-3.23
	6345	79	be (160MHz)	MCS3	-8.57	0.2	-8.37	-5	-3.37
	6435	97	a	6Mbps	-7.66	-0.2	-7.86	-5	-2.86
	6475	105	a	6Mbps	-7.66	-0.2	-7.86	-5	-2.86
	6515	113	a	36Mbps	-7.75	-0.2	-7.95	-5	-2.95
	6435	97	be (20MHz)	MCS3	-7.78	-0.2	-7.98	-5	-2.98
	6475	105	be (20MHz)	MCS3	-7.80	-0.2	-8.00	-5	-3.00
	6515	113	be (20MHz)	MCS3	-7.95	-0.2	-8.15	-5	-3.15
	6445	99	be (40MHz)	MCS0	-7.69	-0.2	-7.89	-5	-2.89
	6485	107	be (40MHz)	MCS5	-7.82	-0.2	-8.02	-5	-3.02
	6525	115	be (40MHz)	MCS5	-9.69	-0.2	-9.89	-5	-4.89
	6465	103	be (80MHz)	MCS0	-7.55	-0.2	-7.75	-5	-2.75
Band 7	6505	111	be (160MHz)	MCS5	-10.56	-0.2	-10.76	-5	-5.76
	6535	117	a	6Mbps	-9.71	2.3	-7.41	-5	-2.41
	6695	149	a	6Mbps	-9.52	2.3	-7.22	-5	-2.22
	6875	185	a	12Mbps	-9.45	2.3	-7.15	-5	-2.15
	6535	117	be (20MHz)	MCS3	-9.84	2.3	-7.54	-5	-2.54
	6695	149	be (20MHz)	MCS3	-9.66	2.3	-7.36	-5	-2.36
	6875	185	be (20MHz)	MCS3	-8.63	2.3	-6.33	-5	-1.33
	6565	123	be (40MHz)	MCS5	-9.99	2.3	-7.69	-5	-2.69
	6725	155	be (40MHz)	MCS3	-9.74	2.3	-7.44	-5	-2.44
	6845	179	be (40MHz)	MCS5	-9.89	2.3	-7.59	-5	-2.59
	6545	119	be (80MHz)	MCS5	-9.62	2.3	-7.32	-5	-2.32
	6705	151	be (80MHz)	MCS5	-9.64	2.3	-7.34	-5	-2.34
Band 8	6865	183	be (80MHz)	MCS5	-9.58	2.3	-7.28	-5	-2.28
	6665	143	be (160MHz)	MCS5	-10.60	2.3	-8.30	-5	-3.30
	6825	175	be (160MHz)	MCS5	-10.35	2.3	-8.05	-5	-3.05
	6895	189	a	6Mbps	-9.50	1.3	-8.20	-5	-3.20
	6995	209	a	12Mbps	-9.62	1.3	-8.32	-5	-3.32
	7115	233	a	6Mbps	-10.17	1.3	-8.87	-5	-3.87
	6895	189	be (20MHz)	MCS3	-9.63	1.3	-8.33	-5	-3.33
	6995	209	be (20MHz)	MCS3	-9.75	1.3	-8.45	-5	-3.45
	7115	233	be (20MHz)	MCS0	-10.09	1.3	-8.79	-5	-3.79
	6885	187	be (40MHz)	MCS5	-9.60	1.3	-8.30	-5	-3.30
	7005	211	be (40MHz)	MCS5	-9.47	1.3	-8.17	-5	-3.17
	7085	227	be (40MHz)	MCS5	-9.63	1.3	-8.33	-5	-3.33
	6945	199	be (80MHz)	MCS5	-9.70	1.3	-8.40	-5	-3.40
	7025	215	be (80MHz)	MCS0	-9.56	1.3	-8.26	-5	-3.26
	6985	207	be (160MHz)	MCS0	-10.23	1.3	-8.93	-5	-3.93

Table 7-32. Power Spectral Density Measurements Antenna WF7b


FCC ID: BCGA3461 IC: 579C-A3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-17-R3.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 55 of 197




Plot 7-81 PSD Antenna WF7b (20MHz BW 802.11a - Ch.61)



Plot 7-83 PSD Antenna WF7b (80MHz BW 802.11be(SU) - Ch.39)







Plot 7-82 PSD Antenna WF7b (40MHz BW 802.11be(SU) - Ch.91)




Plot 7-84 PSD Antenna WF7b (160MHz BW 802.11be(SU) - Ch.47)


FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-17-R3.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 56 of 197




FCC ID: BCGA3461 IC: 579C-A3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-17-R3.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 57 of 197



Plot 7-89 PSD Antenna WF7b (20MHz BW 802.11be(SU) - Ch.185)



Plot 7-91 PSD Antenna WF7b (80MHz BW 802.11be(SU) - Ch.183)



Plot 7-90 PSD Antenna WF7b (40MHz BW 802.11be(SU) - Ch.155)




Plot 7-92 PSD Antenna WF7b (160MHz BW 802.11be(SU) - Ch.175)


FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-17-R3.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 58 of 197

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-93 PSD Antenna WF7b (20MHz BW 802.11a - Ch.189)



Plot 7-95 PSD Antenna WF7b (80MHz BW 802.11be(SU) - Ch.215)



Plot 7-94 PSD Antenna WF7b (40MHz BW 802.11be(SU) - Ch.211)



Plot 7-96 PSD Antenna WF7b (160MHz BW 802.11be(SU) - Ch.207)


FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-17-R3.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 59 of 197

7.4.4 CDD/SDM Primary Power Spectral Density Measurements – VLP


	Frequency [MHz]	Channel No.	802.11 Mode	Mode	Data Rate	Antenna WF7a Measured Power Density [dBm/MHz]	Antenna WF2a Measured Power Density [dBm/MHz]	Summed MIMO Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	a	CDD	36Mbps	-14.16	-14.92	-11.51	4.01	-7.50	-5	-2.50
	6255	61	a	CDD	6Mbps	-13.98	-14.86	-11.39	4.01	-7.38	-5	-2.38
	6415	93	a	CDD	6Mbps	-13.34	-14.05	-10.67	3.02	-7.66	-5	-2.66
	6115	33	be (20MHz)	SDM	MCS0	-11.33	-11.71	-8.50	1.00	-7.50	-5	-2.50
	6255	61	be (20MHz)	SDM	MCS0	-11.31	-11.79	-8.54	1.00	-7.53	-5	-2.53
	6415	93	be (20MHz)	SDM	MCS3	-11.12	-10.23	-7.64	0.01	-7.63	-5	-2.63
	6125	35	be (40MHz)	SDM	MCSS	-11.47	-11.75	-8.60	1.00	-7.59	-5	-2.59
	6245	59	be (40MHz)	SDM	MCSS	-11.41	-11.97	-8.67	1.00	-7.67	-5	-2.67
	6405	91	be (40MHz)	SDM	MCS0	-10.50	-10.50	-7.49	0.01	-7.48	-5	-2.48
	6145	39	be (80MHz)	SDM	MCSS	-11.52	-11.66	-8.58	1.00	-7.57	-5	-2.57
	6225	55	be (80MHz)	SDM	MCSS	-11.45	-11.85	-8.63	1.00	-7.63	-5	-2.63
	6385	87	be (80MHz)	SDM	MCS0	-10.50	-10.12	-7.29	0.01	-7.28	-5	-2.28
	6185	47	be (160MHz)	SDM	MCS0	-12.46	-12.73	-9.58	1.00	-8.58	-5	-3.58
	6345	79	be (160MHz)	SDM	MCSS	-11.21	-11.28	-8.24	0.01	-8.23	-5	-3.23
	6435	97	a	CDD	6Mbps	-13.48	-14.20	-10.81	3.07	-7.74	-5	-2.74
Band 6	6475	105	a	CDD	6Mbps	-13.07	-14.22	-10.60	3.07	-7.52	-5	-2.52
	6515	113	a	CDD	12Mbps	-13.25	-14.01	-10.60	3.07	-7.53	-5	-2.53
	6435	97	be (20MHz)	SDM	MCS0	-10.83	-10.24	-7.51	0.07	-7.44	-5	-2.44
	6475	105	be (20MHz)	SDM	MCSS	-10.90	-10.33	-7.60	0.07	-7.52	-5	-2.52
	6515	113	be (20MHz)	SDM	MCS0	-11.15	-11.43	-8.27	0.07	-8.20	-5	-3.20
	6445	99	be (40MHz)	SDM	MCS0	-10.35	-10.31	-7.32	0.07	-7.25	-5	-2.25
	6485	107	be (40MHz)	SDM	MCS0	-10.45	-10.41	-7.42	0.07	-7.35	-5	-2.35
	6525	115	be (40MHz)	SDM	MCS0	-11.95	-12.09	-9.01	0.07	-8.93	-5	-3.93
	6465	103	be (80MHz)	SDM	MCS0	-10.29	-10.20	-7.24	0.07	-7.16	-5	-2.16
	6505	111	be (80MHz)	SDM	MCS3	-12.86	-13.11	-9.97	0.07	-9.90	-5	-4.90
Band 7	6535	117	a	CDD	6Mbps	-14.91	-15.74	-12.30	4.37	-7.92	-5	-2.92
	6695	149	a	CDD	12Mbps	-15.09	-15.21	-12.14	4.37	-7.77	-5	-2.77
	6875	185	a	CDD	36Mbps	-15.31	-15.40	-12.34	4.37	-7.97	-5	-2.97
	6535	117	be (20MHz)	SDM	MCS0	-12.28	-12.78	-9.51	1.37	-8.14	-5	-3.14
	6695	149	be (20MHz)	SDM	MCS0	-12.28	-12.29	-9.27	1.37	-7.90	-5	-2.90
	6875	185	be (20MHz)	SDM	MCS0	-12.51	-12.59	-9.54	1.37	-8.17	-5	-3.17
	6565	123	be (40MHz)	SDM	MCSS	-12.43	-12.42	-9.41	1.37	-8.04	-5	-3.04
	6725	155	be (40MHz)	SDM	MCS3	-12.54	-12.19	-9.35	1.37	-7.98	-5	-2.98
	6845	179	be (40MHz)	SDM	MCS0	-12.72	-12.27	-9.48	1.37	-8.11	-5	-3.11
	6545	119	be (80MHz)	SDM	MCSS	-12.13	-12.14	-9.13	1.37	-7.75	-5	-2.75
	6705	151	be (80MHz)	SDM	MCSS	-12.20	-12.17	-9.17	1.37	-7.80	-5	-2.80
	6865	183	be (80MHz)	SDM	MCS0	-11.99	-12.32	-9.14	1.37	-7.77	-5	-2.77
	6665	143	be (160MHz)	SDM	MCS0	-13.12	-13.04	-10.07	1.37	-8.70	-5	-3.70
	6825	175	be (160MHz)	SDM	MCS0	-13.08	-13.15	-10.10	1.37	-8.73	-5	-3.73
	6895	189	a	CDD	12Mbps	-15.31	-15.65	-12.47	4.72	-7.74	-5	-2.74
Band 8	6995	209	a	CDD	6Mbps	-15.17	-14.96	-12.05	4.72	-7.33	-5	-2.33
	7115	233	a	CDD	36Mbps	-15.43	-16.29	-12.83	4.72	-8.11	-5	-3.11
	6895	189	be (20MHz)	SDM	MCS0	-12.32	-12.25	-9.27	1.73	-7.54	-5	-2.54
	6995	209	be (20MHz)	SDM	MCS0	-12.36	-12.49	-9.41	1.73	-7.68	-5	-2.68
	7115	233	be (20MHz)	SDM	MCSS	-12.77	-13.62	-10.16	1.73	-8.43	-5	-3.43
	6885	187	be (40MHz)	SDM	MCS0	-12.03	-12.18	-9.09	1.73	-7.37	-5	-2.37
	7005	211	be (40MHz)	SDM	MCSS	-12.02	-12.18	-9.09	1.73	-7.36	-5	-2.36
	7085	227	be (40MHz)	SDM	MCSS	-12.04	-12.38	-9.19	1.73	-7.46	-5	-2.46
	6945	199	be (80MHz)	SDM	MCSS	-12.22	-12.37	-9.28	1.73	-7.56	-5	-2.56
	7025	215	be (80MHz)	SDM	MCS0	-12.11	-12.52	-9.30	1.73	-7.57	-5	-2.57
	6985	207	be (160MHz)	SDM	MCS3	-12.85	-13.04	-9.93	1.73	-8.20	-5	-3.20

Table 7-33. Power Spectral Density Measurements CDD/SDM Primary


FCC ID: BCGA3461 IC: 579C-A3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-17-R3.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 60 of 197




Plot 7-97 PSD CDD Primary Antenna WF7a (20MHz BW 802.11a - Ch.61)




Plot 7-101 PSD CDD Primary Antenna WF2a (20MHz BW 802.11a - Ch.61)




Plot 7-98 PSD SDM Primary Antenna WF7a (40MHz BW 802.11be(SU) - Ch.91)




Plot 7-102 PSD SDM Primary Antenna WF2a (40MHz BW 802.11be(SU) - Ch.91)



Plot 7-99 PSD SDM Primary Antenna WF7a (80MHz BW 802.11be(SU) - Ch.87)



Plot 7-103 PSD SDM Primary Antenna WF2a (80MHz BW 802.11be(SU) - Ch.87)




Plot 7-100 PSD SDM Primary Antenna WF7a (160MHz BW 802.11be(SU) - Ch.79)



Plot 7-104 PSD SDM Primary Antenna WF2a (160MHz BW 802.11be(SU) - Ch.79)


FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-17-R3.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 61 of 197




Plot 7-105 PSD SDM Primary Antenna WF7a (20MHz BW 802.11be(SU) - Ch.97)




Plot 7-109 PSD SDM Primary Antenna WF2a (20MHz BW 802.11be(SU) - Ch.97)




Plot 7-106 PSD SDM Primary Antenna WF7a (40MHz BW 802.11be(SU) - Ch.99)




Plot 7-110 PSD SDM Primary Antenna WF2a (40MHz BW 802.11be(SU) - Ch.99)




Plot 7-107 PSD SDM Primary Antenna WF7a (80MHz BW 802.11be(SU) - Ch.103)



Plot 7-111 PSD SDM Primary Antenna WF2a (80MHz BW 802.11be(SU) - Ch.103)




Plot 7-108 PSD SDM Primary Antenna WF7a (160MHz BW 802.11be(SU) - Ch.111)




Plot 7-112 PSD SDM Primary Antenna WF2a (160MHz BW 802.11be(SU) - Ch.111)


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-17-R3.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 62 of 197




Plot 7-113 PSD CDD Primary Antenna WF7a (20MHz BW 802.11a - Ch.149)




Plot 7-117 PSD CDD Primary Antenna WF2a (20MHz BW 802.11a - Ch.149)




Plot 7-114 PSD SDM Primary Antenna WF7a (40MHz BW 802.11be(SU) - Ch.155)




Plot 7-118 PSD SDM Primary Antenna WF2a (40MHz BW 802.11be(SU) - Ch.155)




Plot 7-115 PSD SDM Primary Antenna WF7a (80MHz BW 802.11be(SU) - Ch.119)



Plot 7-119 PSD SDM Primary Antenna WF2a (80MHz BW 802.11be(SU) - Ch.119)




Plot 7-116 PSD SDM Primary Antenna WF7a (160MHz BW 802.11be(SU) - Ch.143)




Plot 7-120 PSD SDM Primary Antenna WF2a (160MHz BW 802.11be(SU) - Ch.143)


FCC ID: BCGA3461 IC: 579C-A3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-17-R3.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 63 of 197




Plot 7-121 PSD CDD Primary Antenna WF7a (20MHz BW 802.11a - Ch.209)




Plot 7-125 PSD CDD Primary Antenna WF2a (20MHz BW 802.11a - Ch.209)




Plot 7-122 PSD SDM Primary Antenna WF7a (40MHz BW 802.11be(SU) - Ch.211)




Plot 7-126 PSD SDM Primary Antenna WF2a (40MHz BW 802.11be(SU) - Ch.211)




Plot 7-123 PSD SDM Primary Antenna WF7a (80MHz BW 802.11be(SU) - Ch.199)



Plot 7-127 PSD SDM Primary Antenna WF2a (80MHz BW 802.11be(SU) - Ch.199)



Plot 7-124 PSD SDM Primary Antenna WF7a (160MHz BW 802.11be(SU) - Ch.207)



Plot 7-128 PSD SDM Primary Antenna WF2a (160MHz BW 802.11be(SU) - Ch.207)


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-17-R3.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device		Page 64 of 197

7.4.5 CDD/SDM Diversity Power Spectral Density Measurements – VLP


	Frequency [MHz]	Channel No.	802.11 Mode	Mode	Data Rate	Antenna WF2a Measured Power Density [dBm/MHz]	Antenna WF7b Measured Power Density [dBm/MHz]	Summed MIMO Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	a	CDD	6Mbps	-14.86	-14.43	-11.63	4.01	-7.62	-5	-2.62
	6255	61	a	CDD	12Mbps	-15.15	-14.56	-11.83	4.01	-7.82	-5	-2.82
	6415	93	a	CDD	6Mbps	-14.05	-13.47	-10.74	2.96	-7.78	-5	-2.78
	6115	33	be (20MHz)	SDM	MCS0	-11.71	-11.83	-8.76	1.00	-7.75	-5	-2.75
	6255	61	be (20MHz)	SDM	MCS0	-11.79	-11.98	-8.88	1.00	-7.87	-5	-2.87
	6415	93	be (20MHz)	SDM	MCS0	-10.19	-10.53	-7.35	-0.04	-7.39	-5	-2.39
	6125	35	be (40MHz)	SDM	MCSS	-11.75	-11.82	-8.78	1.00	-7.77	-5	-2.77
	6245	59	be (40MHz)	SDM	MCSS	-11.97	-11.92	-8.93	1.00	-7.93	-5	-2.93
	6405	91	be (40MHz)	SDM	MCS0	-10.50	-10.67	-7.58	-0.04	-7.62	-5	-2.62
	6145	39	be (80MHz)	SDM	MCSS	-11.66	-11.38	-8.51	1.00	-7.50	-5	-2.50
	6225	55	be (80MHz)	SDM	MCSS	-11.85	-11.45	-8.63	1.00	-7.63	-5	-2.63
	6385	87	be (80MHz)	SDM	MCS0	-10.12	-10.63	-7.36	-0.04	-7.40	-5	-2.40
	6185	47	be (160MHz)	SDM	MCS3	-12.78	-12.54	-9.65	1.00	-8.64	-5	-3.64
	6345	79	be (160MHz)	SDM	MCSS	-11.28	-11.22	-8.24	-0.04	-8.28	-5	-3.28
	6435	97	a	CDD	6Mbps	-14.20	-13.74	-10.95	2.71	-8.24	-5	-3.24
Band 6	6475	105	a	CDD	6Mbps	-14.22	-13.51	-10.84	2.71	-8.13	-5	-3.13
	6515	113	a	CDD	6Mbps	-14.00	-13.39	-10.67	2.71	-7.96	-5	-2.96
	6435	97	be (20MHz)	SDM	MCS0	-10.24	-10.53	-7.37	-0.30	-7.67	-5	-2.67
	6475	105	be (20MHz)	SDM	MCSS	-10.33	-10.39	-7.35	-0.30	-7.65	-5	-2.65
	6515	113	be (20MHz)	SDM	MCS0	-11.43	-10.46	-7.91	-0.30	-8.21	-5	-3.21
	6445	99	be (40MHz)	SDM	MCS0	-10.31	-10.51	-7.40	-0.30	-7.69	-5	-2.69
	6485	107	be (40MHz)	SDM	MCS0	-10.41	-10.44	-7.41	-0.30	-7.71	-5	-2.71
	6525	115	be (40MHz)	SDM	MCS0	-12.09	-12.03	-9.05	-0.30	-9.35	-5	-4.35
	6465	103	be (80MHz)	SDM	MCS0	-10.20	-10.54	-7.35	-0.30	-7.65	-5	-2.65
	6505	111	be (160MHz)	SDM	MCS0	-13.06	-13.06	-10.05	-0.30	-10.35	-5	-5.35
	6535	117	a	CDD	6Mbps	-15.74	-15.19	-12.45	4.64	-7.81	-5	-2.81
	6695	149	a	CDD	12Mbps	-15.21	-15.25	-12.22	4.64	-7.58	-5	-2.58
	6875	185	a	CDD	36Mbps	-15.40	-15.32	-12.35	4.64	-7.71	-5	-2.71
	6535	117	be (20MHz)	SDM	MCS0	-12.78	-12.39	-9.57	1.66	-7.91	-5	-2.91
	6695	149	be (20MHz)	SDM	MCS0	-12.29	-12.41	-9.34	1.66	-7.68	-5	-2.68
Band 7	6875	185	be (20MHz)	SDM	MCS0	-12.59	-12.12	-9.34	1.66	-7.68	-5	-2.68
	6565	123	be (40MHz)	SDM	MCS0	-12.56	-12.36	-9.45	1.66	-7.79	-5	-2.79
	6725	155	be (40MHz)	SDM	MCS3	-12.19	-12.22	-9.19	1.66	-7.54	-5	-2.54
	6845	179	be (40MHz)	SDM	MCS0	-12.27	-12.47	-9.36	1.66	-7.70	-5	-2.70
	6545	119	be (80MHz)	SDM	MCSS	-12.14	-12.21	-9.17	1.66	-7.51	-5	-2.51
	6705	151	be (80MHz)	SDM	MCSS	-12.17	-12.13	-9.14	1.66	-7.48	-5	-2.48
	6865	183	be (80MHz)	SDM	MCSS	-12.29	-12.28	-9.27	1.66	-7.62	-5	-2.62
	6665	143	be (160MHz)	SDM	MCSS	-13.14	-13.12	-10.12	1.66	-8.46	-5	-3.46
	6825	175	be (160MHz)	SDM	MCSS	-13.02	-13.13	-10.06	1.66	-8.41	-5	-3.41
	6895	189	a	CDD	6Mbps	-15.61	-15.36	-12.47	4.26	-8.21	-5	-3.21
	6995	209	a	CDD	6Mbps	-14.96	-15.54	-12.23	4.26	-7.97	-5	-2.97
	7115	233	a	CDD	6Mbps	-16.05	-15.63	-12.82	4.26	-8.56	-5	-3.56
	6895	189	be (20MHz)	SDM	MCS0	-12.25	-12.42	-9.32	1.25	-8.07	-5	-3.07
	6995	209	be (20MHz)	SDM	MCS0	-12.49	-12.26	-9.36	1.25	-8.11	-5	-3.11
	7115	233	be (20MHz)	SDM	MCS0	-13.53	-12.96	-10.23	1.25	-8.98	-5	-3.98
Band 8	6885	187	be (40MHz)	SDM	MCS0	-12.18	-12.11	-9.14	1.25	-7.89	-5	-2.89
	7005	211	be (40MHz)	SDM	MCS0	-12.33	-11.96	-9.13	1.25	-7.88	-5	-2.88
	7085	227	be (40MHz)	SDM	MCS0	-12.27	-12.31	-9.28	1.25	-8.03	-5	-3.03
	6945	199	be (80MHz)	SDM	MCS0	-12.39	-12.34	-9.36	1.25	-8.11	-5	-3.11
	7025	215	be (80MHz)	SDM	MCS0	-12.52	-12.31	-9.40	1.25	-8.15	-5	-3.15
	6985	207	be (160MHz)	SDM	MCS0	-12.99	-13.09	-10.03	1.25	-8.78	-5	-3.78

Table 7-34. Power Spectral Density Measurements CDD/SDM Diversity


FCC ID: BCGA3461 IC: 579C-A3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-17-R3.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 65 of 197



Plot 7-129 PSD SDM Diversity Antenna WF2a (20MHz BW 802.11be(SU) - Ch.93)




Plot 7-133 PSD SDM Diversity Antenna WF7b (20MHz BW 802.11be(SU) - Ch.93)




Plot 7-130 PSD SDM Diversity Antenna WF2a (40MHz BW 802.11be(SU) - Ch.91)



Plot 7-134 PSD SDM Diversity Antenna WF7b (40MHz BW 802.11be(SU) - Ch.91)



Plot 7-131 PSD SDM Diversity Antenna WF2a (80MHz BW 802.11be(SU) - Ch.87)



Plot 7-135 PSD SDM Diversity Antenna WF7b (80MHz BW 802.11be(SU) - Ch.87)



Plot 7-132 PSD SDM Diversity Antenna WF2a (160MHz BW 802.11be(SU) - Ch.79)



Plot 7-136 PSD SDM Diversity Antenna WF7b (160MHz BW 802.11be(SU) - Ch.79)


FCC ID: BCGA3461 IC: 579C-A3461			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-17-R3.BCG				
Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 66 of 197		




Plot 7-137 PSD SDM Diversity Antenna WF2a (20MHz BW 802.11be(SU) - Ch.105)




Plot 7-141 PSD SDM Diversity Antenna WF7b (20MHz BW 802.11be(SU) - Ch.105)




Plot 7-138 PSD SDM Diversity Antenna WF2a (40MHz BW 802.11be(SU) - Ch.99)




Plot 7-142 PSD SDM Diversity Antenna WF7b (40MHz BW 802.11be(SU) - Ch.99)




Plot 7-139 PSD SDM Diversity Antenna WF2a (80MHz BW 802.11be(SU) - Ch.103)



Plot 7-143 PSD SDM Diversity Antenna WF7b (80MHz BW 802.11be(SU) - Ch.103)




Plot 7-140 PSD SDM Diversity Antenna WF2a (160MHz BW 802.11be(SU) - Ch.111)




Plot 7-144 PSD SDM Diversity Antenna WF7b (160MHz BW 802.11be(SU) - Ch.111)


FCC ID: BCGA3461 IC: 579C-A3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-17-R3.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 67 of 197




Plot 7-145 PSD CDD Diversity Antenna WF2a (20MHz BW 802.11a - Ch.149)




Plot 7-149 PSD CDD Diversity Antenna WF7b (20MHz BW 802.11a - Ch.149)




Plot 7-146 PSD SDM Diversity Antenna WF2a (40MHz BW 802.11b(SU) - Ch.155)




Plot 7-150 PSD SDM Diversity Antenna WF7b (40MHz BW 802.11b(SU) - Ch.155)



Plot 7-147 PSD SDM Diversity Antenna WF2a (80MHz BW 802.11b(SU) - Ch.151)



Plot 7-151 PSD SDM Diversity Antenna WF7b (80MHz BW 802.11b(SU) - Ch.151)



Plot 7-148 PSD SDM Diversity Antenna WF2a (160MHz BW 802.11b(SU) - Ch.175)



Plot 7-152 PSD SDM Diversity Antenna WF7b (160MHz BW 802.11b(SU) - Ch.175)

FCC ID: BCGA3461 IC: 579C-A3461		 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-17-R3.BCG			
Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 68 of 197	