






Plot 7-170 PSD Antenna WF7a (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.229)




Plot 7-172 PSD Antenna WF7a (160MHz BW 802.11be(RU) RU996+484+242 Index98 - Ch.207)




Plot 7-171 PSD Antenna WF7a (80MHz BW 802.11be(RU) RU484+242 Index92 - Ch.215)


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 104 of 472




Plot 7-173 PSD Antenna WF7a (20MHz BW 802.11be(RU) RU242 Index61 - Ch.189)



Plot 7-175 PSD Antenna WF7a (80MHz BW 802.11be(RU) RU996 Index67 - Ch.199)



Plot 7-174 PSD Antenna WF7a (40MHz BW 802.11be(RU) RU484 Index65 - Ch.227)



Plot 7-176 PSD Antenna WF7a (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.207)

FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 105 of 472

7.4.2 Antenna WF2a Power Spectral Density Measurements – VLP

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	be (20MHz)	26	0	MCS5	-7.98	0.80	-7.18	-5.00	-2.18
	6255	61	be (20MHz)	26	8	MCS5	-7.91	0.80	-7.11	-5.00	-2.11
	6415	93	be (20MHz)	26	0	MCS5	-6.26	-0.30	-6.56	-5.00	-1.56
	6125	35	be (40MHz)	26	17	MCS5	-8.30	0.80	-7.50	-5.00	-2.50
	6245	59	be (40MHz)	26	8	MCS5	-7.87	0.80	-7.07	-5.00	-2.07
	6405	91	be (40MHz)	26	8	MCS5	-6.50	-0.30	-6.80	-5.00	-1.80
	6145	39	be (80MHz)	26	36	MCS5	-7.80	0.80	-7.00	-5.00	-2.00
	6225	55	be (80MHz)	26	0	MCS5	-7.69	0.80	-6.89	-5.00	-1.89
	6385	87	be (80MHz)	26	36	MCS5	-6.50	-0.30	-6.80	-5.00	-1.80
	6185	47	be (160MHz)	26	36	MCS5	-8.01	0.80	-7.21	-5.00	-2.21
Band 6	6345	79	be (160MHz)	26	0	MCS5	-6.56	-0.30	-6.86	-5.00	-1.86
	6435	97	be (20MHz)	26	8	MCS5	-6.76	-0.40	-7.16	-5.00	-2.16
	6475	105	be (20MHz)	26	0	MCS5	-6.63	-0.40	-7.03	-5.00	-2.03
	6515	113	be (20MHz)	26	8	MCS5	-6.42	-0.40	-6.82	-5.00	-1.82
	6445	99	be (40MHz)	26	0	MCS5	-6.47	-0.40	-6.87	-5.00	-1.87
	6485	107	be (40MHz)	26	8	MCS5	-6.83	-0.40	-7.23	-5.00	-2.23
	6525	115	be (40MHz)	26	8	MCS5	-8.20	-0.40	-8.60	-5.00	-3.60
	6465	103	be (80MHz)	26	0	MCS5	-6.81	-0.40	-7.21	-5.00	-2.21
	6505	111	be (160MHz)	26	0	MCS5	-8.55	-0.40	-8.95	-5.00	-3.95
	6535	117	be (20MHz)	26	0	MCS5	-8.49	0.90	-7.59	-5.00	-2.59
Band 7	6695	149	be (20MHz)	26	0	MCS5	-8.24	0.90	-7.34	-5.00	-2.34
	6875	185	be (20MHz)	26	0	MCS5	-8.44	0.90	-7.54	-5.00	-2.54
	6565	123	be (40MHz)	26	8	MCS5	-8.15	0.90	-7.25	-5.00	-2.25
	6725	155	be (40MHz)	26	17	MCS5	-8.18	0.90	-7.28	-5.00	-2.28
	6845	179	be (40MHz)	26	8	MCS5	-8.08	0.90	-7.18	-5.00	-2.18
	6545	119	be (80MHz)	26	0	MCS5	-8.30	0.90	-7.40	-5.00	-2.40
	6705	151	be (80MHz)	26	17	MCS5	-8.32	0.90	-7.42	-5.00	-2.42
	6865	183	be (80MHz)	26	17	MCS5	-8.26	0.90	-7.36	-5.00	-2.36
	6665	143	be (160MHz)	26	17	MCS5	-8.78	0.90	-7.88	-5.00	-2.88
	6825	175	be (160MHz)	26	17	MCS5	-8.65	0.90	-7.75	-5.00	-2.75
Band 8	6895	189	be (20MHz)	26	8	MCS5	-8.43	1.20	-7.23	-5.00	-2.23
	6995	209	be (20MHz)	26	8	MCS5	-8.24	1.20	-7.04	-5.00	-2.04
	7095	229	be (20MHz)	26	0	MCS5	-8.34	1.20	-7.14	-5.00	-2.14
	6885	187	be (40MHz)	26	8	MCS5	-8.39	1.20	-7.19	-5.00	-2.19
	7005	211	be (40MHz)	26	8	MCS5	-8.35	1.20	-7.15	-5.00	-2.15
	7085	227	be (40MHz)	26	17	MCS5	-8.02	1.20	-6.82	-5.00	-1.82
	6945	199	be (80MHz)	26	0	MCS5	-8.53	1.20	-7.33	-5.00	-2.33
	7025	215	be (80MHz)	26	0	MCS5	-7.90	1.20	-6.70	-5.00	-1.70
	6985	207	be (160MHz)	26	17	MCS5	-8.31	1.20	-7.11	-5.00	-2.11

Table 7-74. Power Spectral Density Measurements Antenna WF2a (RU26)

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	be (20MHz)	106+26	82	MCS5	-8.30	0.80	-7.50	-5.00	-2.50
	6255	61	be (20MHz)	106+26	83	MCS5	-9.12	0.80	-8.32	-5.00	-3.32
	6415	93	be (20MHz)	106+26	82	MCS5	-7.05	0.80	-6.25	-5.00	-1.25
	6145	39	be (80MHz)	484+242	91	MCS5	-8.54	0.80	-7.74	-5.00	-2.74
	6225	55	be (80MHz)	484+242	93	MCS5	-8.72	0.80	-7.92	-5.00	-2.92
	6385	87	be (80MHz)	484+242	92	MCS5	-7.08	-0.30	-7.38	-5.00	-2.38
	6185	47	be (160MHz)	996+484+242	97-L	MCS5	-8.64	0.80	-7.84	-5.00	-2.84
	6345	79	be (160MHz)	996+484+242	99-L	MCS5	-7.52	-0.30	-7.82	-5.00	-2.82
	6435	97	be (20MHz)	106+26	82	MCS5	-6.84	-0.40	-7.24	-5.00	-2.24
	6475	105	be (20MHz)	106+26	83	MCS5	-6.93	-0.40	-7.33	-5.00	-2.33
Band 6	6515	113	be (20MHz)	106+26	83	MCS5	-6.72	-0.40	-7.12	-5.00	-2.12
	6465	103	be (80MHz)	484+242	91	MCS5	-7.13	-0.40	-7.53	-5.00	-2.53
	6505	111	be (160MHz)	996+484+242	97-L	MCS5	-8.68	-0.40	-9.08	-5.00	-4.08
	6535	117	be (20MHz)	106+26	82	MCS5	-8.56	0.90	-7.66	-5.00	-2.66
	6695	149	be (20MHz)	106+26	82	MCS5	-8.66	0.90	-7.76	-5.00	-2.76
	6875	185	be (20MHz)	106+26	82	MCS5	-8.33	0.90	-7.43	-5.00	-2.43
	6545	119	be (80MHz)	484+242	91	MCS5	-8.39	0.90	-7.49	-5.00	-2.49
	6705	151	be (80MHz)	484+242	91	MCS5	-8.63	0.90	-7.73	-5.00	-2.73
	6865	183	be (80MHz)	484+242	90	MCS5	-8.96	0.90	-8.06	-5.00	-3.06
	6665	143	be (160MHz)	996+484+242	99-L	MCS5	-8.64	0.90	-7.74	-5.00	-2.74
Band 7	6825	175	be (160MHz)	996+484+242	97-L	MCS5	-8.97	0.90	-8.07	-5.00	-3.07
	6895	189	be (20MHz)	106+26	83	MCS5	-8.40	1.20	-7.20	-5.00	-2.20
	6995	209	be (20MHz)	106+26	82	MCS5	-8.42	1.20	-7.22	-5.00	-2.22
	7095	229	be (20MHz)	106+26	82	MCS5	-8.30	1.20	-7.10	-5.00	-2.10
	6945	199	be (80MHz)	484+242	91	MCS5	-8.54	1.20	-7.34	-5.00	-2.34
	7025	215	be (80MHz)	484+242	92	MCS5	-8.66	1.20	-7.46	-5.00	-2.46
	6985	207	be (160MHz)	996+484+242	99-L	MCS5	-8.82	1.20	-7.62	-5.00	-2.62


Table 7-75. Power Spectral Density Measurements Antenna WF2a (MRU)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 106 of 472


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	be (20MHz)	242	61	MCS5	-8.66	0.80	-7.86	-5.00	-2.86
	6255	61	be (20MHz)	242	61	MCS5	-8.50	0.80	-7.70	-5.00	-2.70
	6415	93	be (20MHz)	242	61	MCS5	-6.61	-0.30	-6.91	-5.00	-1.91
	6125	35	be (40MHz)	484	65	MCS5	-8.37	0.80	-7.57	-5.00	-2.57
	6245	59	be (40MHz)	484	65	MCS5	-8.26	0.80	-7.46	-5.00	-2.46
	6405	91	be (40MHz)	484	65	MCS5	-6.68	-0.30	-6.98	-5.00	-1.98
	6145	39	be (80MHz)	996	67	MCS5	-8.24	0.80	-7.44	-5.00	-2.44
	6225	55	be (80MHz)	996	67	MCS5	-8.33	0.80	-7.53	-5.00	-2.53
	6385	87	be (80MHz)	996	67	MCS5	-6.71	-0.30	-7.01	-5.00	-2.01
	6185	47	be (160MHz)	996	68	MCS5	-8.97	0.80	-8.17	-5.00	-3.17
Band 6	6345	79	be (160MHz)	996	68	MCS5	-7.97	-0.30	-8.27	-5.00	-3.27
	6435	97	be (20MHz)	242	61	MCS5	-6.77	-0.40	-7.17	-5.00	-2.17
	6475	105	be (20MHz)	242	61	MCS5	-6.77	-0.40	-7.17	-5.00	-2.17
	6515	113	be (20MHz)	242	61	MCS5	-7.17	-0.40	-7.57	-5.00	-2.57
	6445	99	be (40MHz)	484	65	MCS5	-6.73	-0.40	-7.13	-5.00	-2.13
	6485	107	be (40MHz)	484	65	MCS5	-6.58	-0.40	-6.98	-5.00	-1.98
	6525	115	be (40MHz)	484	65	MCS5	-8.24	-0.40	-8.64	-5.00	-3.64
	6465	103	be (80MHz)	996	67	MCS5	-6.88	-0.40	-7.28	-5.00	-2.28
	6505	111	be (160MHz)	996	68	MCS5	-9.05	-0.40	-9.45	-5.00	-4.45
	6535	117	be (20MHz)	242	61	MCS5	-8.15	0.90	-7.25	-5.00	-2.25
Band 7	6695	149	be (20MHz)	242	61	MCS5	-8.13	0.90	-7.23	-5.00	-2.23
	6875	185	be (20MHz)	242	61	MCS5	-8.59	0.90	-7.69	-5.00	-2.69
	6565	123	be (40MHz)	484	65	MCS5	-8.90	0.90	-8.00	-5.00	-3.00
	6725	155	be (40MHz)	484	65	MCS5	-8.59	0.90	-7.69	-5.00	-2.69
	6845	179	be (40MHz)	484	65	MCS5	-8.61	0.90	-7.71	-5.00	-2.71
	6545	119	be (80MHz)	996	67	MCS5	-8.39	0.90	-7.49	-5.00	-2.49
	6705	151	be (80MHz)	996	67	MCS5	-7.94	0.90	-7.04	-5.00	-2.04
	6865	183	be (80MHz)	996	67	MCS5	-8.18	0.90	-7.28	-5.00	-2.28
	6665	143	be (160MHz)	996	68	MCS5	-8.99	0.90	-8.09	-5.00	-3.09
	6825	175	be (160MHz)	996	68	MCS5	-9.27	0.90	-8.37	-5.00	-3.37
Band 8	6895	189	be (20MHz)	242	61	MCS5	-8.58	1.20	-7.38	-5.00	-2.38
	6995	209	be (20MHz)	242	61	MCS5	-8.90	1.20	-7.70	-5.00	-2.70
	7115	233	be (20MHz)	242	61	MCS5	-8.75	1.20	-7.55	-5.00	-2.55
	6885	187	be (40MHz)	484	65	MCS5	-8.82	1.20	-7.62	-5.00	-2.62
	7005	211	be (40MHz)	484	65	MCS5	-8.21	1.20	-7.01	-5.00	-2.01
	7085	227	be (40MHz)	484	65	MCS5	-7.79	1.20	-6.59	-5.00	-1.59
	6945	199	be (80MHz)	996	67	MCS5	-8.53	1.20	-7.33	-5.00	-2.33
	7025	215	be (80MHz)	996	67	MCS5	-8.37	1.20	-7.17	-5.00	-2.17
	6985	207	be (160MHz)	996	68	MCS5	-9.42	1.20	-8.22	-5.00	-3.22

Table 7-76. Power Spectral Density Measurements Antenna WF2a (Fully – Loaded RU)


FCC ID: BCGA3461 IC: 579C-A3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 107 of 472




Plot 7-177 PSD Antenna WF2a (20MHz BW 802.11be(RU) RU26 Index0 - Ch.93)



Plot 7-179 PSD Antenna WF2a (80MHz BW 802.11be(RU) RU26 Index36 - Ch.87)



Plot 7-178 PSD Antenna WF2a (40MHz BW 802.11be(RU) RU26 Index8 - Ch.91)




Plot 7-180 PSD Antenna WF2a (160MHz BW 802.11be(RU) RU26 Index0 - Ch.79)


FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 108 of 472



Plot 7-181 PSD Antenna WF2a (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.93)



Plot 7-183 PSD Antenna WF2a (160MHz BW 802.11be(RU) RU996+484+242 Index99 - Ch.79)




Plot 7-182 PSD Antenna WF2a (80MHz BW 802.11be(RU) RU484+242 Index92 - Ch.87)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG			Page 109 of 472

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-184 PSD Antenna WF2a (20MHz BW 802.11be(RU) RU242 Index61 - Ch.93)



Plot 7-186 PSD Antenna WF2a (80MHz BW 802.11be(RU) RU996 Index67 - Ch.87)




Plot 7-185 PSD Antenna WF2a (40MHz BW 802.11be(RU) RU484 Index65 - Ch.91)




Plot 7-187 PSD Antenna WF2a (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.47)


FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 110 of 472




Plot 7-188 PSD Antenna WF2a (20MHz BW 802.11be(RU) RU26 Index8 - Ch.113)



Plot 7-190 PSD Antenna WF2a (80MHz BW 802.11be(RU) RU26 Index0 - Ch.103)



Plot 7-189 PSD Antenna WF2a (40MHz BW 802.11be(RU) RU26 Index0 - Ch.99)




Plot 7-191 PSD Antenna WF2a (160MHz BW 802.11be(RU) RU26 Index0 - Ch.111)


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG			Page 111 of 472
Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device		



Plot 7-192 PSD Antenna WF2a (20MHz BW 802.11be(RU) RU106+26 Index83 - Ch.113)



Plot 7-194 PSD Antenna WF2a (160MHz BW 802.11be(RU) RU996+484+242 Index97 - Ch.111)




Plot 7-193 PSD Antenna WF2a (80MHz BW 802.11be(RU) RU484+242 Index91 - Ch.103)


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 112 of 472

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-195 PSD Antenna WF2a (20MHz BW 802.11be(RU) RU242 Index61 - Ch.105)



Plot 7-197 PSD Antenna WF2a (80MHz BW 802.11be(RU) RU996 Index67 - Ch.103)



Plot 7-196 PSD Antenna WF2a (40MHz BW 802.11be(RU) RU484 Index65 - Ch.107)




Plot 7-198 PSD Antenna WF2a (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.111)


FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 113 of 472




Plot 7-199 PSD Antenna WF2a (20MHz BW 802.11be(RU) RU26 Index0 - Ch.149)



Plot 7-201 PSD Antenna WF2a (80MHz BW 802.11be(RU) RU26 Index17 - Ch.183)



Plot 7-200 PSD Antenna WF2a (40MHz BW 802.11be(RU) RU26 Index8 - Ch.179)




Plot 7-202 PSD Antenna WF2a (160MHz BW 802.11be(RU) RU26 Index17 - Ch.175)


FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 114 of 472



Plot 7-203 PSD Antenna WF2a (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.185)



Plot 7-205 PSD Antenna WF2a (160MHz BW 802.11be(RU) RU996+484+242 Index99 - Ch.143)




Plot 7-204 PSD Antenna WF2a (80MHz BW 802.11be(RU) RU484+242 Index91 - Ch.119)


FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 115 of 472

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-206 PSD Antenna WF2a (20MHz BW 802.11be(RU) RU242 Index61 - Ch.149)



Plot 7-208 PSD Antenna WF2a (80MHz BW 802.11be(RU) RU996 Index67 - Ch.151)




Plot 7-207 PSD Antenna WF2a (40MHz BW 802.11be(RU) RU484 Index65 - Ch.155)




Plot 7-209 PSD Antenna WF2a (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.143)


FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 116 of 472




Plot 7-210 PSD Antenna WF2a (20MHz BW 802.11be(RU) RU26 Index8 - Ch.209)



Plot 7-212 PSD Antenna WF2a (80MHz BW 802.11be(RU) RU26 Index0 - Ch.215)





Plot 7-211 PSD Antenna WF2a (40MHz BW 802.11be(RU) RU26 Index17 - Ch.227)




Plot 7-213 PSD Antenna WF2a (160MHz BW 802.11be(RU) RU26 Index17 - Ch.207)

FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 117 of 472




FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 118 of 472




Plot 7-217 PSD Antenna WF2a (20MHz BW 802.11be(RU) RU242 Index61 - Ch.189)



Plot 7-219 PSD Antenna WF2a (80MHz BW 802.11be(RU) RU996 Index67 - Ch.215)



Plot 7-218 PSD Antenna WF2a (40MHz BW 802.11be(RU) RU484 Index65 - Ch.227)



Plot 7-220 PSD Antenna WF2a (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.207)

FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 119 of 472

7.4.3 Antenna WF7b Power Spectral Density Measurements – VLP

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	be (20MHz)	26	8	MCS5	-8.50	1.20	-7.30	-5.00	-2.30
	6255	61	be (20MHz)	26	8	MCS5	-8.79	1.20	-7.59	-5.00	-2.59
	6415	93	be (20MHz)	26	0	MCS5	-7.64	0.20	-7.44	-5.00	-2.44
	6125	35	be (40MHz)	26	17	MCS5	-8.49	1.20	-7.29	-5.00	-2.29
	6245	59	be (40MHz)	26	17	MCS5	-8.62	1.20	-7.42	-5.00	-2.42
	6405	91	be (40MHz)	26	0	MCS5	-7.78	0.20	-7.58	-5.00	-2.58
	6145	39	be (80MHz)	26	0	MCS5	-8.76	1.20	-7.56	-5.00	-2.56
	6225	55	be (80MHz)	26	0	MCS5	-8.73	1.20	-7.53	-5.00	-2.53
	6385	87	be (80MHz)	26	0	MCS5	-7.77	0.20	-7.57	-5.00	-2.57
	6185	47	be (160MHz)	26	36	MCS5	-8.70	1.20	-7.50	-5.00	-2.50
Band 6	6345	79	be (160MHz)	26	17	MCS5	-7.94	0.20	-7.74	-5.00	-2.74
	6435	97	be (20MHz)	26	0	MCS5	-7.68	-0.20	-7.88	-5.00	-2.88
	6475	105	be (20MHz)	26	8	MCS5	-7.66	-0.20	-7.86	-5.00	-2.86
	6515	113	be (20MHz)	26	8	MCS5	-7.24	-0.20	-7.44	-5.00	-2.44
	6445	99	be (40MHz)	26	0	MCS5	-7.78	-0.20	-7.98	-5.00	-2.98
	6485	107	be (40MHz)	26	8	MCS5	-7.72	-0.20	-7.92	-5.00	-2.92
	6525	115	be (40MHz)	26	17	MCS5	-9.34	-0.20	-9.54	-5.00	-4.54
	6465	103	be (80MHz)	26	17	MCS5	-7.75	-0.20	-7.95	-5.00	-2.95
	6505	111	be (160MHz)	26	17	MCS5	-10.05	-0.20	-10.25	-5.00	-5.25
	6535	117	be (20MHz)	26	0	MCS5	-9.63	2.30	-7.33	-5.00	-2.33
Band 7	6695	149	be (20MHz)	26	8	MCS5	-9.62	2.30	-7.32	-5.00	-2.32
	6875	185	be (20MHz)	26	0	MCS5	-9.71	2.30	-7.41	-5.00	-2.41
	6565	123	be (40MHz)	26	8	MCS5	-9.69	2.30	-7.39	-5.00	-2.39
	6725	155	be (40MHz)	26	17	MCS5	-9.58	2.30	-7.28	-5.00	-2.28
	6845	179	be (40MHz)	26	0	MCS5	-9.75	2.30	-7.45	-5.00	-2.45
	6545	119	be (80MHz)	26	17	MCS5	-9.51	2.30	-7.21	-5.00	-2.21
	6705	151	be (80MHz)	26	36	MCS5	-9.57	2.30	-7.27	-5.00	-2.27
	6865	183	be (80MHz)	26	0	MCS5	-9.60	2.30	-7.30	-5.00	-2.30
	6665	143	be (160MHz)	26	36	MCS5	-9.83	2.30	-7.53	-5.00	-2.53
	6825	175	be (160MHz)	26	17	MCS5	-9.62	2.30	-7.32	-5.00	-2.32
Band 8	6895	189	be (20MHz)	26	0	MCS5	-9.95	1.30	-8.65	-5.00	-3.65
	6995	209	be (20MHz)	26	0	MCS5	-9.55	1.30	-8.25	-5.00	-3.25
	7095	229	be (20MHz)	26	0	MCS5	-9.44	1.30	-8.14	-5.00	-3.14
	6885	187	be (40MHz)	26	8	MCS5	-9.83	1.30	-8.53	-5.00	-3.53
	7005	211	be (40MHz)	26	8	MCS5	-9.50	1.30	-8.20	-5.00	-3.20
	7085	227	be (40MHz)	26	0	MCS5	-9.33	1.30	-8.03	-5.00	-3.03
	6945	199	be (80MHz)	26	17	MCS5	-9.40	1.30	-8.10	-5.00	-3.10
	7025	215	be (80MHz)	26	0	MCS5	-9.55	1.30	-8.25	-5.00	-3.25
	6985	207	be (160MHz)	26	36	MCS5	-9.76	1.30	-8.46	-5.00	-3.46

Table 7-77. Power Spectral Density Measurements Antenna WF7b (RU26)

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	be (20MHz)	106+26	83	MCS5	-8.84	1.20	-7.64	-5.00	-2.64
	6255	61	be (20MHz)	106+26	83	MCS5	-8.65	1.20	-7.45	-5.00	-2.45
	6415	93	be (20MHz)	106+26	82	MCS5	-8.33	1.20	-7.13	-5.00	-2.13
	6145	39	be (80MHz)	484+242	93	MCS5	-9.09	1.20	-7.89	-5.00	-2.89
	6225	55	be (80MHz)	484+242	93	MCS5	-9.22	1.20	-8.02	-5.00	-3.02
	6385	87	be (80MHz)	484+242	90	MCS5	-8.21	0.20	-8.01	-5.00	-3.01
	6185	47	be (160MHz)	996+484+242	97-L	MCS5	-9.17	1.20	-7.97	-5.00	-2.97
	6345	79	be (160MHz)	996+484+242	99-L	MCS5	-8.49	0.20	-8.29	-5.00	-3.29
	6435	97	be (20MHz)	106+26	82	MCS5	-8.02	-0.20	-8.22	-5.00	-3.22
	6475	105	be (20MHz)	106+26	82	MCS5	-8.08	-0.20	-8.28	-5.00	-3.28
Band 6	6515	113	be (20MHz)	106+26	83	MCS5	-7.72	-0.20	-7.92	-5.00	-2.92
	6465	103	be (80MHz)	484+242	92	MCS5	-8.34	-0.20	-8.54	-5.00	-3.54
	6505	111	be (160MHz)	996+484+242	96-L	MCS5	-10.31	-0.20	-10.51	-5.00	-5.51
	6535	117	be (20MHz)	106+26	82	MCS5	-9.83	2.30	-7.53	-5.00	-2.53
	6695	149	be (20MHz)	106+26	82	MCS5	-9.77	2.30	-7.47	-5.00	-2.47
	6875	185	be (20MHz)	106+26	82	MCS5	-9.49	2.30	-7.19	-5.00	-2.19
	6545	119	be (80MHz)	484+242	92	MCS5	-10.03	2.30	-7.73	-5.00	-2.73
	6705	151	be (80MHz)	484+242	92	MCS5	-9.98	2.30	-7.68	-5.00	-2.68
	6865	183	be (80MHz)	484+242	91	MCS5	-10.18	2.30	-7.88	-5.00	-2.88
	6665	143	be (160MHz)	996+484+242	99-L	MCS5	-10.28	2.30	-7.98	-5.00	-2.98
Band 7	6825	175	be (160MHz)	996+484+242	96-L	MCS5	-10.52	2.30	-8.22	-5.00	-3.22
	6895	189	be (20MHz)	106+26	82	MCS5	-10.24	1.30	-8.94	-5.00	-3.94
	6995	209	be (20MHz)	106+26	82	MCS5	-9.80	1.30	-8.50	-5.00	-3.50
	7095	229	be (20MHz)	106+26	82	MCS5	-9.73	1.30	-8.43	-5.00	-3.43
	6945	199	be (80MHz)	484+242	91	MCS5	-9.82	1.30	-8.52	-5.00	-3.52
	7025	215	be (80MHz)	484+242	90	MCS5	-10.09	1.30	-8.79	-5.00	-3.79
	6985	207	be (160MHz)	996+484+242	96-L	MCS5	-10.31	1.30	-9.01	-5.00	-4.01





Table 7-78. Power Spectral Density Measurements Antenna WF7b (MRU)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 120 of 472

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	be (20MHz)	242	61	MCS5	-9.01	1.20	-7.81	-5.00	-2.81
	6255	61	be (20MHz)	242	61	MCS5	-9.16	1.20	-7.96	-5.00	-2.96
	6415	93	be (20MHz)	242	61	MCS5	-8.18	0.20	-7.98	-5.00	-2.98
	6125	35	be (40MHz)	484	65	MCS5	-8.71	1.20	-7.51	-5.00	-2.51
	6245	59	be (40MHz)	484	65	MCS5	-8.86	1.20	-7.66	-5.00	-2.66
	6405	91	be (40MHz)	484	65	MCS5	-8.19	0.20	-7.99	-5.00	-2.99
	6145	39	be (80MHz)	996	67	MCS5	-8.86	1.20	-7.66	-5.00	-2.66
	6225	55	be (80MHz)	996	67	MCS5	-8.93	1.20	-7.73	-5.00	-2.73
	6385	87	be (80MHz)	996	67	MCS5	-8.05	0.20	-7.85	-5.00	-2.85
	6185	47	be (160MHz)	996	68	MCS5	-9.63	1.20	-8.43	-5.00	-3.43
Band 6	6345	79	be (160MHz)	996	68	MCS5	-8.85	0.20	-8.65	-5.00	-3.65
	6435	97	be (20MHz)	242	61	MCS5	-7.93	-0.20	-8.13	-5.00	-3.13
	6475	105	be (20MHz)	242	61	MCS5	-7.93	-0.20	-8.13	-5.00	-3.13
	6515	113	be (20MHz)	242	61	MCS5	-7.74	-0.20	-7.94	-5.00	-2.94
	6445	99	be (40MHz)	484	65	MCS5	-7.95	-0.20	-8.15	-5.00	-3.15
	6485	107	be (40MHz)	484	65	MCS5	-7.91	-0.20	-8.11	-5.00	-3.11
	6525	115	be (40MHz)	484	65	MCS5	-9.60	-0.20	-9.80	-5.00	-4.80
	6465	103	be (80MHz)	996	67	MCS5	-8.20	-0.20	-8.40	-5.00	-3.40
	6505	111	be (160MHz)	996	68	MCS5	-10.89	-0.20	-11.09	-5.00	-6.09
	6535	117	be (20MHz)	242	61	MCS5	-9.74	2.30	-7.44	-5.00	-2.44
Band 7	6695	149	be (20MHz)	242	61	MCS5	-9.97	2.30	-7.67	-5.00	-2.67
	6875	185	be (20MHz)	242	61	MCS5	-10.05	2.30	-7.75	-5.00	-2.75
	6565	123	be (40MHz)	484	65	MCS5	-10.34	2.30	-8.04	-5.00	-3.04
	6725	155	be (40MHz)	484	65	MCS5	-10.18	2.30	-7.88	-5.00	-2.88
	6845	179	be (40MHz)	484	65	MCS5	-10.08	2.30	-7.78	-5.00	-2.78
	6545	119	be (80MHz)	996	67	MCS5	-9.88	2.30	-7.58	-5.00	-2.58
	6705	151	be (80MHz)	996	67	MCS5	-9.69	2.30	-7.39	-5.00	-2.39
	6865	183	be (80MHz)	996	67	MCS5	-9.84	2.30	-7.54	-5.00	-2.54
	6665	143	be (160MHz)	996	68	MCS5	-11.20	2.30	-8.90	-5.00	-3.90
	6825	175	be (160MHz)	996	68	MCS5	-10.94	2.30	-8.64	-5.00	-3.64
Band 8	6895	189	be (20MHz)	242	61	MCS5	-9.89	1.30	-8.59	-5.00	-3.59
	6995	209	be (20MHz)	242	61	MCS5	-9.57	1.30	-8.27	-5.00	-3.27
	7115	233	be (20MHz)	242	61	MCS5	-10.63	1.30	-9.33	-5.00	-4.33
	6885	187	be (40MHz)	484	65	MCS5	-9.66	1.30	-8.36	-5.00	-3.36
	7005	211	be (40MHz)	484	65	MCS5	-9.57	1.30	-8.27	-5.00	-3.27
	7085	227	be (40MHz)	484	65	MCS5	-9.72	1.30	-8.42	-5.00	-3.42
	6945	199	be (80MHz)	996	67	MCS5	-10.12	1.30	-8.82	-5.00	-3.82
	7025	215	be (80MHz)	996	67	MCS5	-9.77	1.30	-8.47	-5.00	-3.47
	6985	207	be (160MHz)	996	68	MCS5	-10.93	1.30	-9.63	-5.00	-4.63

Table 7-79. Power Spectral Density Measurements Antenna WF7b (Fully – Loaded RU)


FCC ID: BCGA3461 IC: 579C-A3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 121 of 472




FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 122 of 472



Plot 7-225 PSD Antenna WF7b (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.93)



Plot 7-227 PSD Antenna WF7b (160MHz BW 802.11be(RU) RU996+484+242 Index97 - Ch.47)




Plot 7-226 PSD Antenna WF7b (80MHz BW 802.11be(RU) RU484+242 Index93 - Ch.39)


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 123 of 472

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-228 PSD Antenna WF7b (20MHz BW 802.11be(RU) RU242 Index61 - Ch.33)



Plot 7-230 PSD Antenna WF7b (80MHz BW 802.11be(RU) RU996 Index67 - Ch.33)







Plot 7-229 PSD Antenna WF7b (40MHz BW 802.11be(RU) RU484 Index65 - Ch.35)




Plot 7-231 PSD Antenna WF7b (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.47)


FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 124 of 472




FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 125 of 472



Plot 7-236 PSD Antenna WF7b (20MHz BW 802.11be(RU) RU106+26 Index83 - Ch.113)



Plot 7-238 PSD Antenna WF7b (160MHz BW 802.11be(RU) RU996+484+242 Index96 - Ch.111)




Plot 7-237 PSD Antenna WF7b (80MHz BW 802.11be(RU) RU484+242 Index92 - Ch.103)


FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 126 of 472

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-239 PSD Antenna WF7b (20MHz BW 802.11be(RU) RU242 Index61 - Ch.113)



Plot 7-241 PSD Antenna WF7b (80MHz BW 802.11be(RU) RU996 Index67 - Ch.103)







Plot 7-240 PSD Antenna WF7b (40MHz BW 802.11be(RU) RU484 Index65 - Ch.107)



Plot 7-242 PSD Antenna WF7b (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.111)


FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 127 of 472




FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 128 of 472



Plot 7-247 PSD Antenna WF7b (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.185)



Plot 7-249 PSD Antenna WF7b (160MHz BW 802.11be(RU) RU996+484+242 Index99 - Ch.143)




Plot 7-248 PSD Antenna WF7b (80MHz BW 802.11be(RU) RU484+242 Index92 - Ch.151)


FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 129 of 472

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-250 PSD Antenna WF7b (20MHz BW 802.11be(RU) RU242 Index61 - Ch.117)



Plot 7-252 PSD Antenna WF7b (80MHz BW 802.11be(RU) RU996 Index67 - Ch.151)






Plot 7-251 PSD Antenna WF7b (40MHz BW 802.11be(RU) RU484 Index65 - Ch.179)



Plot 7-253 PSD Antenna WF7b (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.175)


FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 130 of 472




FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 131 of 472



Plot 7-258 PSD Antenna WF7b (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.229)



Plot 7-260 PSD Antenna WF7b (160MHz BW 802.11be(RU) RU996+484+242 Index96 - Ch.207)



Plot 7-259 PSD Antenna WF7b (80MHz BW 802.11be(RU) RU484+242 Index91 - Ch.199)

FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 132 of 472

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.