





Plot 7-603 PSD SDM Primary Antenna WF7a (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.189)




Plot 7-606 PSD SDM Primary Antenna WF2a (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.189)




Plot 7-604 PSD SDM Primary Antenna WF7a (80MHz BW 802.11be(RU) RU484+242 Index91 - Ch.199)



Plot 7-607 PSD SDM Primary Antenna WF2a (80MHz BW 802.11be(RU) RU484+242 Index91 - Ch.199)



Plot 7-605 PSD SDM Primary Antenna WF7a (160MHz BW 802.11be(RU) RU996+484+242 Index98 - Ch.207)




Plot 7-608 PSD SDM Primary Antenna WF2a (160MHz BW 802.11be(RU) RU996+484+242 Index98 - Ch.207)


FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-16-R1.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 251 of 655




Plot 7-609 PSD SDM Primary Antenna WF7a (20MHz BW 802.11be(RU) RU242 Index61 - Ch.189)




Plot 7-613 PSD SDM Primary Antenna WF2a (20MHz BW 802.11be(RU) RU242 Index61 - Ch.189)




Plot 7-610 PSD SDM Primary Antenna WF7a (40MHz BW 802.11be(RU) RU484 Index65 - Ch.187)



Plot 7-614 PSD SDM Primary Antenna WF2a (40MHz BW 802.11be(RU) RU484 Index65 - Ch.187)




Plot 7-611 PSD SDM Primary Antenna WF7a (80MHz BW 802.11be(RU) RU996 Index67 - Ch.199)



Plot 7-615 PSD SDM Primary Antenna WF2a (80MHz BW 802.11be(RU) RU996 Index67 - Ch.199)



Plot 7-612 PSD SDM Primary Antenna WF7a (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.207)



Plot 7-616 PSD SDM Primary Antenna WF2a (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.207)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-16-R1.BCG			Page 252 of 655

Test Dates:
9/15/2025 - 12/10/2025

EUT Type:
Tablet Device

7.4.9 CDD Diversity Power Spectral Density Measurements – SP

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate	Antenna WF2a Measured Power Density [dBm/MHz]	Antenna WF7b Measured Power Density [dBm/MHz]	Summed MIMO Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	be (20MHz)	26	0	CDD	MCSS	6.58	6.78	9.69	3.82	13.51	17.00	-3.49
	6175	45	be (20MHz)	26	8	CDD	MCSS	6.47	6.11	9.30	4.01	13.32	17.00	-3.68
	6415	93	be (20MHz)	26	8	CDD	MCSS	7.00	6.36	9.70	2.96	12.67	17.00	-4.33
	5965	3	be (40MHz)	26	0	CDD	MCSS	6.75	6.66	9.71	3.82	13.53	17.00	-3.47
	6165	43	be (40MHz)	26	8	CDD	MCSS	6.23	6.19	9.22	4.01	13.23	17.00	-3.77
	6405	91	be (40MHz)	26	8	CDD	MCSS	6.81	6.47	9.65	2.96	12.61	17.00	-4.39
	5985	7	be (80MHz)	26	0	CDD	MCSS	6.62	6.52	9.58	3.82	13.40	17.00	-3.60
	6145	39	be (80MHz)	26	36	CDD	MCSS	6.43	6.21	9.33	4.01	13.31	17.00	-3.69
	6385	87	be (80MHz)	26	17	CDD	MCSS	6.85	6.08	9.49	2.96	12.45	17.00	-4.55
	6025	15	be (160MHz)	26	0-L	CDD	MCSS	6.66	6.42	9.55	3.82	13.37	17.00	-3.63
	6185	47	be (160MHz)	26	0-L	CDD	MCSS	6.42	6.57	9.51	4.01	13.23	17.00	-3.77
	6345	79	be (160MHz)	26	0-L	CDD	MCSS	6.66	6.46	9.57	2.96	12.53	17.00	-4.47
	6435	97	be (20MHz)	26	0	CDD	MCSS	5.91	5.20	8.58	2.71	11.29	17.00	-5.71
	6475	105	be (20MHz)	26	0	CDD	MCSS	6.06	5.04	8.59	2.71	11.30	17.00	-5.70
Band 6	6515	113	be (20MHz)	26	8	CDD	MCSS	5.68	4.68	8.22	2.71	10.93	17.00	-6.07
	6445	99	be (40MHz)	26	8	CDD	MCSS	5.84	5.26	8.57	2.71	11.28	17.00	-5.72
	6485	107	be (40MHz)	26	17	CDD	MCSS	5.90	5.03	8.50	2.71	11.16	17.00	-5.84
	6525	115	be (40MHz)	26	8	CDD	MCSS	5.82	4.61	8.26	2.71	10.98	17.00	-6.02
	6465	103	be (80MHz)	26	17	CDD	MCSS	5.95	4.99	8.51	2.71	11.22	17.00	-5.78
	6505	111	be (160MHz)	26	0-L	CDD	MCSS	5.65	5.04	8.37	2.71	10.87	17.00	-6.13
	6535	117	be (20MHz)	26	8	CDD	MCSS	5.67	4.97	8.34	4.64	12.98	17.00	-4.02
	6695	149	be (20MHz)	26	0	CDD	MCSS	5.88	4.85	8.41	4.64	13.04	17.00	-3.96
	6855	181	be (20MHz)	26	8	CDD	MCSS	5.69	5.06	8.40	4.64	12.96	17.00	-4.04
	6565	123	be (40MHz)	26	17	CDD	MCSS	5.65	4.94	8.32	4.64	12.96	17.00	-4.04
Band 7	6725	155	be (40MHz)	26	17	CDD	MCSS	6.23	5.00	8.67	4.64	13.30	17.00	-3.70
	6845	179	be (40MHz)	26	0	CDD	MCSS	5.77	4.98	8.40	4.64	13.04	17.00	-3.96
	6545	119	be (80MHz)	26	36	CDD	MCSS	5.45	5.03	8.26	4.64	12.88	17.00	-4.12
	6705	151	be (80MHz)	26	36	CDD	MCSS	5.83	4.82	8.37	4.64	13.01	17.00	-3.99
	6785	167	be (80MHz)	26	36	CDD	MCSS	5.78	5.21	8.51	4.64	12.89	17.00	-4.11
	6665	143	be (160MHz)	26	36-H	CDD	MCSS	6.15	5.04	8.64	4.64	13.28	17.00	-3.72

Table 7-164. Power Spectral Density Measurements CDD Diversity (RU26)

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate	Antenna WF2a Measured Power Density [dBm/MHz]	Antenna WF7b Measured Power Density [dBm/MHz]	Summed MIMO Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	be (20MHz)	106+26	82	CDD	MCSS	6.24	6.52	9.39	3.82	13.21	17.00	-3.79
	6175	45	be (20MHz)	106+26	82	CDD	MCSS	6.02	6.00	9.02	4.01	13.03	17.00	-3.97
	6415	93	be (20MHz)	106+26	82	CDD	MCSS	6.46	6.31	9.39	2.96	12.36	17.00	-4.64
	5985	7	be (80MHz)	484+242	91	CDD	MCSS	-0.27	-0.05	2.85	3.82	6.67	17.00	-10.33
	6145	39	be (80MHz)	484+242	92	CDD	MCSS	1.00	1.53	4.28	4.01	8.30	17.00	-8.70
	6385	87	be (80MHz)	484+242	92	CDD	MCSS	1.47	1.88	4.69	2.96	7.66	17.00	-9.34
	6025	15	be (160MHz)	996+484+242	99-L	CDD	MCSS	-3.69	-3.45	-0.56	3.82	3.25	17.00	-13.75
	6185	47	be (160MHz)	996+484+242	96-L	CDD	MCSS	-2.35	-2.11	0.78	4.01	4.80	17.00	-12.20
	6345	79	be (160MHz)	996+484+242	97-L	CDD	MCSS	-1.27	-2.08	1.35	2.96	4.32	17.00	-12.68
	6435	97	be (20MHz)	106+26	82	CDD	MCSS	5.31	5.35	8.34	2.71	11.05	17.00	-5.95
	6475	105	be (20MHz)	106+26	82	CDD	MCSS	5.37	5.17	8.28	2.71	10.99	17.00	-6.01
	6515	113	be (20MHz)	106+26	82	CDD	MCSS	5.32	4.99	8.17	2.71	10.88	17.00	-6.12
	6465	103	be (80MHz)	484+242	90	CDD	MCSS	0.87	0.54	3.72	2.71	6.43	17.00	-10.57
	6505	111	be (160MHz)	996+484+242	96-L	CDD	MCSS	-2.90	-2.72	0.20	2.71	2.91	17.00	-14.09
Band 6	6535	117	be (20MHz)	106+26	83	CDD	MCSS	5.22	4.89	8.06	4.64	12.70	17.00	-4.30
	6695	149	be (20MHz)	106+26	82	CDD	MCSS	5.44	5.05	8.26	4.64	12.90	17.00	-4.10
	6855	181	be (20MHz)	106+26	83	CDD	MCSS	5.14	4.93	8.04	4.64	12.68	17.00	-4.32
	6545	119	be (80MHz)	484+242	92	CDD	MCSS	0.49	0.29	3.40	4.64	8.04	17.00	-8.96
	6705	151	be (80MHz)	484+242	91	CDD	MCSS	1.11	0.22	3.70	4.64	8.34	17.00	-8.66
	6785	167	be (80MHz)	484+242	91	CDD	MCSS	1.11	0.19	3.68	4.64	8.32	17.00	-8.68
	6665	143	be (160MHz)	996+484+242	96-L	CDD	MCSS	-2.97	-3.26	-0.10	4.64	4.53	17.00	-12.47

Table 7-165. Power Spectral Density Measurements CDD Diversity (MRU)

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate	Antenna WF2a Measured Power Density [dBm/MHz]	Antenna WF7b Measured Power Density [dBm/MHz]	Summed MIMO Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	be (20MHz)	242	61	CDD	MCSS	5.95	6.27	9.12	3.82	12.94	17.00	-4.06
	6175	45	be (20MHz)	242	61	CDD	MCSS	5.63	5.76	8.71	4.01	12.72	17.00	-4.28
	6415	93	be (20MHz)	242	61	CDD	MCSS	7.14	6.07	9.65	2.96	12.61	17.00	-4.39
	5965	3	be (40MHz)	484	65	CDD	MCSS	2.72	3.29	6.02	3.82	9.84	17.00	-7.16
	6165	43	be (40MHz)	484	65	CDD	MCSS	2.75	2.87	5.82	4.01	9.83	17.00	-7.17
	6405	91	be (40MHz)	484	65	CDD	MCSS	3.80	3.48	6.65	2.96	9.61	17.00	-7.39
	5985	7	be (80MHz)	996	67	CDD	MCSS	-0.17	-0.39	2.73	3.82	6.55	17.00	-10.45
	6145	39	be (80MHz)	996	67	CDD	MCSS	-0.03	-0.09	2.95	4.01	6.96	17.00	-10.04
	6385	87	be (80MHz)	996	67	CDD	MCSS	0.83	0.26	3.56	2.96	6.52	17.00	-10.48
	6025	15	be (160MHz)	996x2	68	CDD	MCSS	-3.67	-3.95	-0.80	3.82	3.02	17.00	-13.98
	6185	47	be (160MHz)	996x2	68	CDD	MCSS	-3.37	-3.01	-0.18	4.01	3.83	17.00	-13.17
	6345	79	be (160MHz)	996x2	68	CDD	MCSS	-2.66	-2.82	0.27	2.96	3.23	17.00	-13.77
	6435	97	be (20MHz)	242	61	CDD	MCSS	5.15	5.37	8.27	2.71	10.98	17.00	-6.02
	6475	105	be (20MHz)	242	61	CDD	MCSS	5.47	5.16	8.33	2.71	11.04	17.00	-5.96
Band 6	6515	113	be (20MHz)	242	61	CDD	MCSS	5.40	4.99	8.21	2.71	10.92	17.00	-6.08
	6445	99	be (40MHz)	484	65	CDD	MCSS	2.52	2.18	5.36	2.71	8.07	17.00	-8.93
	6485	107	be (40MHz)	484	65	CDD	MCSS	2.42	1.99	5.22	2.71	7.93	17.00	-9.07
	6525	115	be (40MHz)	484	65	CDD	MCSS	1.91	1.87	4.90	2.71	7.61	17.00	-9.39
	6465	103	be (80MHz)	996	67	CDD	MCSS	-0.78	-0.75	2.25	2.71	4.96	17.00	-12.04
	6505	111	be (160MHz)	996x2	68	CDD	MCSS	-3.72	-3.71	-0.70	2.71	2.01	17.00	-14.99
	6535	117	be (20MHz)	242	61	CDD	MCSS	5.08	4.74	7.92	4.64	12.56	17.00	-4.44
	6695	149	be (20MHz)	242	61	CDD	MCSS	5.22	4.73	7.99	4.64	12.63	17.00	-4.37
	6855	181	be (20MHz)	242	61	CDD	MCSS	5.32	4.91	8.13	4.64	12.77	17.00	-4.23
	6565	123	be (40MHz)	484	65	CDD	MCSS	1.85	1.98	4.93	4.64	9.57	17.00	-7.43
Band 7	6725	155	be (40MHz)	484	65	CDD	MCSS	2.11	1.87	5.00	4.64	9.64	17.00	-7.36
	6845	179	be (40MHz)	484	65	CDD	MCSS	2.18	2.02	5.11	4.64	9.75	17.00	-7.25
	6545	119	be (80MHz)	996	67	CDD	MCSS	-1.40	-0.95	1.84	4.64	6.48	17.00	-10.52
	6705	151	be (80MHz)	996	67	CDD	MCSS	-0.38	-0.97	2.35	4.64	6.99	17.00	-10.01
	6785	167	be (80MHz)	996	67	CDD	MCSS	-0.81	-0.76	2.23	4.64	6.87	17.00	-10.13
	6665	143	be (160MHz)	996x2	68	CDD	MCSS	-3.69	-4.18	-0.92	4.64	3.72	17.00	-13.28

Table 7-166. Power Spectral Density Measurements CDD Diversity (Fully – Loaded RU)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-16-R1.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 253 of 655




Plot 7-617 PSD CDD Diversity Antenna WF2a (20MHz BW 802.11be(RU) RU26 Index0 - Ch.1)




Plot 7-621 PSD CDD Diversity Antenna WF7b (20MHz BW 802.11be(RU) RU26 Index0 - Ch.1)




Plot 7-618 PSD CDD Diversity Antenna WF2a (40MHz BW 802.11be(RU) RU26 Index0 - Ch.3)




Plot 7-622 PSD CDD Diversity Antenna WF7b (40MHz BW 802.11be(RU) RU26 Index0 - Ch.3)




Plot 7-619 PSD CDD Diversity Antenna WF2a (80MHz BW 802.11be(RU) RU26 Index0 - Ch.7)



Plot 7-623 PSD CDD Diversity Antenna WF7b (80MHz BW 802.11be(RU) RU26 Index0 - Ch.7)




Plot 7-620 PSD CDD Diversity Antenna WF2a (160MHz BW 802.11be(RU) RU26 Index0 - Ch.47)



Plot 7-624 PSD CDD Diversity Antenna WF7b (160MHz BW 802.11be(RU) RU26 Index0 - Ch.47)


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-16-R1.BCG			
Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device		Page 254 of 655




Plot 7-625 PSD CDD Diversity Antenna WF2a (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.1)




Plot 7-628 PSD CDD Diversity Antenna WF7b (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.1)




Plot 7-626 PSD CDD Diversity Antenna WF2a (80MHz BW 802.11be(RU) RU484+242 Index92 - Ch.39)



Plot 7-629 PSD CDD Diversity Antenna WF7b (80MHz BW 802.11be(RU) RU484+242 Index92 - Ch.39)



Plot 7-627 PSD CDD Diversity Antenna WF2a (160MHz BW 802.11be(RU) RU996+484+242 Index96 - Ch.47)



Plot 7-630 PSD CDD Diversity Antenna WF7b (160MHz BW 802.11be(RU) RU996+484+242 Index96 - Ch.47)

FCC ID: BCGA3461
IC: 579C-A3461



MEASUREMENT REPORT (CERTIFICATION)

Approved by:
Technical Manager

Test Report S/N:
1C2509100081-16-R1.BCG


Test Dates:
9/15/2025 - 12/10/2025

EUT Type:
Tablet Device

Page 255 of 655

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-631 PSD CDD Diversity Antenna WF2a (20MHz BW 802.11be(RU) RU242 Index61 - Ch.1)




Plot 7-635 PSD CDD Diversity Antenna WF7b (20MHz BW 802.11be(RU) RU242 Index61 - Ch.1)




Plot 7-632 PSD CDD Diversity Antenna WF2a (40MHz BW 802.11be(RU) RU484 Index65 - Ch.3)




Plot 7-636 PSD CDD Diversity Antenna WF7b (40MHz BW 802.11be(RU) RU484 Index65 - Ch.3)




Plot 7-633 PSD CDD Diversity Antenna WF2a (80MHz BW 802.11be(RU) RU996 Index67 - Ch.39)



Plot 7-637 PSD CDD Diversity Antenna WF7b (80MHz BW 802.11be(RU) RU996 Index67 - Ch.39)









Plot 7-634 PSD CDD Diversity Antenna WF2a (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.47)



Plot 7-638 PSD CDD Diversity Antenna WF7b (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.47)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-16-R1.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device		Page 256 of 655




FCC ID: BCGA3461 IC: 579C-A3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-16-R1.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 257 of 655




Plot 7-647 PSD CDD Diversity Antenna WF2a (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.97)




Plot 7-650 PSD CDD Diversity Antenna WF7b (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.97)




Plot 7-648 PSD CDD Diversity Antenna WF2a (80MHz BW 802.11be(RU) RU484+242 Index90 - Ch.103)



Plot 7-651 PSD CDD Diversity Antenna WF7b (80MHz BW 802.11be(RU) RU484+242 Index90 - Ch.103)




Plot 7-649 PSD CDD Diversity Antenna WF2a (160MHz BW 802.11be(RU) RU996+484+242 Index96 - Ch.111)




Plot 7-652 PSD CDD Diversity Antenna WF7b (160MHz BW 802.11be(RU) RU996+484+242 Index96 - Ch.111)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-16-R1.BCG			Page 258 of 655




Plot 7-653 PSD CDD Diversity Antenna WF2a (20MHz BW 802.11be(RU) RU242 Index61 - Ch.105)




Plot 7-657 PSD CDD Diversity Antenna WF7b (20MHz BW 802.11be(RU) RU242 Index61 - Ch.105)




Plot 7-654 PSD CDD Diversity Antenna WF2a (40MHz BW 802.11be(RU) RU484 Index65 - Ch.99)




Plot 7-658 PSD CDD Diversity Antenna WF7b (40MHz BW 802.11be(RU) RU484 Index65 - Ch.99)




Plot 7-655 PSD CDD Diversity Antenna WF2a (80MHz BW 802.11be(RU) RU996 Index67 - Ch.103)



Plot 7-659 PSD CDD Diversity Antenna WF7b (80MHz BW 802.11be(RU) RU996 Index67 - Ch.103)



Plot 7-656 PSD CDD Diversity Antenna WF2a (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.111)



Plot 7-660 PSD CDD Diversity Antenna WF7b (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.111)


FCC ID: BCGA3461 IC: 579C-A3461	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-16-R1.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 259 of 655




Plot 7-661 PSD CDD Diversity Antenna WF2a (20MHz BW 802.11be(RU) RU26 Index0 - Ch.149)




Plot 7-665 PSD CDD Diversity Antenna WF7b (20MHz BW 802.11be(RU) RU26 Index0 - Ch.149)




Plot 7-662 PSD CDD Diversity Antenna WF2a (40MHz BW 802.11be(RU) RU26 Index17 - Ch.155)




Plot 7-666 PSD CDD Diversity Antenna WF7b (40MHz BW 802.11be(RU) RU26 Index17 - Ch.155)




Plot 7-663 PSD CDD Diversity Antenna WF2a (80MHz BW 802.11be(RU) RU26 Index36 - Ch.167)



Plot 7-667 PSD CDD Diversity Antenna WF7b (80MHz BW 802.11be(RU) RU26 Index36 - Ch.167)



Plot 7-664 PSD CDD Diversity Antenna WF2a (160MHz BW 802.11be(RU) RU26 Index36 - Ch.143)



Plot 7-668 PSD CDD Diversity Antenna WF7b (160MHz BW 802.11be(RU) RU26 Index36 - Ch.143)


FCC ID: BCGA3461 IC: 579C-A3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-16-R1.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 260 of 655




Plot 7-669 PSD CDD Diversity Antenna WF2a (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.149)




Plot 7-672 PSD CDD Diversity Antenna WF7b (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.149)




Plot 7-670 PSD CDD Diversity Antenna WF2a (80MHz BW 802.11be(RU) RU484+242 Index91 - Ch.151)



Plot 7-673 PSD CDD Diversity Antenna WF7b (80MHz BW 802.11be(RU) RU484+242 Index91 - Ch.151)




Plot 7-671 PSD CDD Diversity Antenna WF2a (160MHz BW 802.11be(RU) RU996+484+242 Index96 - Ch.143)




Plot 7-674 PSD CDD Diversity Antenna WF7b (160MHz BW 802.11be(RU) RU996+484+242 Index96 - Ch.143)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-16-R1.BCG			Page 261 of 655



Plot 7-675 PSD CDD Diversity Antenna WF2a (20MHz BW 802.11be(RU) RU242 Index61 - Ch.181)




Plot 7-679 PSD CDD Diversity Antenna WF7b (20MHz BW 802.11be(RU) RU242 Index61 - Ch.181)




Plot 7-676 PSD CDD Diversity Antenna WF2a (40MHz BW 802.11be(RU) RU484 Index65 - Ch.179)




Plot 7-680 PSD CDD Diversity Antenna WF7b (40MHz BW 802.11be(RU) RU484 Index65 - Ch.179)




Plot 7-677 PSD CDD Diversity Antenna WF2a (80MHz BW 802.11be(RU) RU996 Index67 - Ch.151)



Plot 7-681 PSD CDD Diversity Antenna WF7b (80MHz BW 802.11be(RU) RU996 Index67 - Ch.151)



Plot 7-678 PSD CDD Diversity Antenna WF2a (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.143)



Plot 7-682 PSD CDD Diversity Antenna WF7b (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.143)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-16-R1.BCG			Page 262 of 655

Test Dates:
9/15/2025 - 12/10/2025

EUT Type:
Tablet Device

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.4.10 SDM Diversity Power Spectral Density Measurements – LPI

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate	Antenna WF2a Measured Power Density [dBm/MHz]	Antenna WF7b Measured Power Density [dBm/MHz]	Summed MIMO Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	be (20MHz)	26	0	SDM	MCSS	-11.24	-9.12	-7.04	0.81	-6.23	-1.00	-5.23
	6175	45	be (20MHz)	26	0	SDM	MCSS	-12.28	-11.27	-8.73	1.00	-7.73	-1.00	-6.73
	6415	93	be (20MHz)	26	0	SDM	MCSS	-9.28	-10.35	-6.77	-0.04	-6.92	-1.00	-5.92
	5965	3	be (40MHz)	26	8	SDM	MCSS	-11.49	-9.56	-7.40	0.81	-6.87	-1.00	-5.87
	6165	43	be (40MHz)	26	8	SDM	MCSS	-12.36	-11.34	-8.81	1.00	-7.81	-1.00	-6.81
	6405	91	be (40MHz)	26	17	SDM	MCSS	-9.48	-10.50	-6.95	-0.04	-6.99	-1.00	-5.99
	5985	7	be (80MHz)	26	0	SDM	MCSS	-11.37	-9.40	-7.26	0.81	-6.45	-1.00	-5.45
	6145	39	be (80MHz)	26	36	SDM	MCSS	-12.52	-11.76	-9.11	1.00	-8.27	-1.00	-7.27
	6385	87	be (80MHz)	26	36	SDM	MCSS	-9.51	-10.79	-7.09	-0.04	-7.13	-1.00	-6.13
	6025	15	be (160MHz)	26	36-L	SDM	MCSS	-11.60	-9.80	-7.60	0.81	-6.78	-1.00	-5.78
	6185	47	be (160MHz)	26	36-L	SDM	MCSS	-12.92	-11.61	-9.21	1.00	-8.36	-1.00	-7.36
	6345	79	be (160MHz)	26	36-H	SDM	MCSS	-9.52	-10.87	-7.13	-0.04	-7.18	-1.00	-6.18
Band 6	6435	97	be (20MHz)	26	8	SDM	MCSS	-9.90	-11.23	-7.50	-0.30	-7.80	-1.00	-6.80
	6475	105	be (20MHz)	26	0	SDM	MCSS	-9.36	-11.16	-7.16	-0.30	-7.46	-1.00	-6.46
	6515	113	be (20MHz)	26	8	SDM	MCSS	-9.70	-11.01	-7.29	-0.30	-7.77	-1.00	-6.77
	6445	99	be (40MHz)	26	17	SDM	MCSS	-9.48	-11.20	-7.25	-0.30	-7.72	-1.00	-6.72
	6485	107	be (40MHz)	26	8	SDM	MCSS	-9.42	-10.86	-7.07	-0.30	-7.65	-1.00	-6.65
	6525	115	be (40MHz)	26	8	SDM	MCSS	-11.36	-12.31	-8.80	-0.30	-9.38	-1.00	-8.38
	6465	103	be (80MHz)	26	17	SDM	MCSS	-9.46	-11.25	-7.25	-0.30	-7.55	-1.00	-6.55
	6505	111	be (160MHz)	26	36-L	SDM	MCSS	-11.56	-13.07	-9.24	-0.30	-9.54	-1.00	-8.54
	6535	117	be (160MHz)	26	8	SDM	MCSS	-11.52	-12.59	-9.01	1.66	-7.35	-1.00	-6.35
	6695	149	be (20MHz)	26	0	SDM	MCSS	-10.42	-12.71	-8.40	1.66	-6.78	-1.00	-5.78
	6875	185	be (20MHz)	26	8	SDM	MCSS	-9.94	-13.26	-8.28	1.66	-6.70	-1.00	-5.70
	6565	123	be (40MHz)	26	8	SDM	MCSS	-11.83	-12.50	-9.14	1.66	-7.62	-1.00	-6.62
Band 7	6725	155	be (40MHz)	26	17	SDM	MCSS	-9.65	-12.90	-7.97	1.66	-6.31	-1.00	-5.31
	6845	179	be (40MHz)	26	0	SDM	MCSS	-9.68	-13.32	-8.12	1.66	-6.46	-1.00	-5.46
	6545	119	be (80MHz)	26	0	SDM	MCSS	-11.57	-12.95	-9.19	1.66	-7.78	-1.00	-6.78
	6705	151	be (80MHz)	26	36	SDM	MCSS	-9.69	-12.70	-7.93	1.66	-6.27	-1.00	-5.27
	6865	183	be (80MHz)	26	17	SDM	MCSS	-9.90	-13.55	-8.34	1.66	-6.69	-1.00	-5.69
	6665	143	be (160MHz)	26	36-H	SDM	MCSS	-10.05	-12.85	-8.22	1.66	-6.56	-1.00	-5.56
	6825	175	be (160MHz)	26	36-H	SDM	MCSS	-10.57	-13.97	-8.94	1.66	-7.38	-1.00	-6.38
	6895	189	be (20MHz)	26	0	SDM	MCSS	-9.99	-13.07	-8.25	1.25	-7.00	-1.00	-6.00
	6995	209	be (20MHz)	26	8	SDM	MCSS	-12.18	-13.95	-9.96	1.25	-8.72	-1.00	-7.72
	7095	229	be (20MHz)	26	0	SDM	MCSS	-13.50	-13.70	-10.59	1.25	-9.34	-1.00	-8.34
	6885	187	be (40MHz)	26	8	SDM	MCSS	-10.16	-13.18	-8.41	1.25	-7.18	-1.00	-6.18
	7005	211	be (40MHz)	26	0	SDM	MCSS	-12.14	-14.05	-9.98	1.25	-8.73	-1.00	-7.73
	7085	227	be (40MHz)	26	17	SDM	MCSS	-14.04	-13.59	-10.80	1.25	-9.60	-1.00	-8.60
Band 8	6945	199	be (80MHz)	26	0	SDM	MCSS	-11.07	-15.07	-9.62	1.25	-8.75	-1.00	-7.75
	7025	215	be (80MHz)	26	0	SDM	MCSS	-12.41	-13.95	-10.10	1.25	-8.85	-1.00	-7.85
	6985	207	be (160MHz)	26	0-L	SDM	MCSS	-11.07	-15.22	-9.66	1.25	-8.68	-1.00	-7.68

Table 7-167. Power Spectral Density Measurements SDM Diversity (RU26)

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate	Antenna WF2a Measured Power Density [dBm/MHz]	Antenna WF7b Measured Power Density [dBm/MHz]	Summed MIMO Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	be (20MHz)	106+26	83	SDM	MCSS	-11.10	-11.89	-8.47	0.81	-7.66	-1.00	-6.66
	6175	45	be (20MHz)	106+26	82	SDM	MCSS	-12.04	-11.71	-8.86	1.00	-7.86	-1.00	-6.86
	6415	93	be (20MHz)	106+26	83	SDM	MCSS	-9.84	-11.47	-7.57	-0.04	-7.61	-1.00	-6.61
	5985	7	be (80MHz)	484+242	92	SDM	MCSS	-12.20	-11.89	-9.03	0.81	-8.22	-1.00	-7.22
	6145	39	be (80MHz)	484+242	90	SDM	MCSS	-12.00	-12.39	-9.18	1.00	-8.17	-1.00	-7.17
	6385	87	be (80MHz)	484+242	92	SDM	MCSS	-11.21	-11.63	-8.41	-0.04	-8.45	-1.00	-7.45
	6025	15	be (160MHz)	996+484+242	99-L	SDM	MCSS	-11.86	-12.17	-9.00	0.81	-8.19	-1.00	-7.19
	6185	47	be (160MHz)	996+484+242	97-L	SDM	MCSS	-12.31	-12.09	-9.18	1.00	-8.18	-1.00	-7.18
	6345	79	be (160MHz)	996+484+242	97-L	SDM	MCSS	-11.05	-11.20	-8.12	-0.04	-8.16	-1.00	-7.16
	6435	97	be (20MHz)	106+26	82	SDM	MCSS	-10.58	-11.57	-8.04	-0.30	-8.34	-1.00	-7.34
	6475	105	be (20MHz)	106+26	82	SDM	MCSS	-10.67	-12.00	-8.27	-0.30	-8.57	-1.00	-7.57
	6515	113	be (20MHz)	106+26	83	SDM	MCSS	-10.37	-11.90	-8.05	-0.30	-8.35	-1.00	-7.35
Band 6	6465	103	be (80MHz)	484+242	92	SDM	MCSS	-10.88	-11.99	-8.39	-0.30	-8.69	-1.00	-7.69
	6505	111	be (160MHz)	996+484+242	96-L	SDM	MCSS	-12.35	-13.64	-9.94	-0.30	-10.23	-1.00	-9.23
	6535	117	be (20MHz)	106+26	82	SDM	MCSS	-11.62	-13.46	-9.43	1.66	-7.78	-1.00	-6.78
	6695	149	be (20MHz)	106+26	82	SDM	MCSS	-11.97	-13.72	-9.74	1.66	-8.09	-1.00	-7.09
	6875	185	be (20MHz)	106+26	82	SDM	MCSS	-11.59	-14.35	-9.74	1.66	-8.09	-1.00	-7.09
	6545	119	be (80MHz)	484+242	91	SDM	MCSS	-11.90	-13.63	-9.67	1.66	-8.01	-1.00	-7.01
	6705	151	be (80MHz)	484+242	90	SDM	MCSS	-10.98	-13.86	-9.18	1.66	-7.52	-1.00	-6.52
	6865	183	be (80MHz)	484+242	92	SDM	MCSS	-11.26	-14.12	-9.45	1.66	-7.79	-1.00	-6.79
	6665	143	be (160MHz)	996+484+242	97-L	SDM	MCSS	-11.41	-13.85	-9.45	1.66	-7.79	-1.00	-6.79
	6825	175	be (160MHz)	996+484+242	97-L	SDM	MCSS	-11.25	-15.05	-9.73	1.66	-8.08	-1.00	-7.08
	6895	189	be (20MHz)	106+26	82	SDM	MCSS	-12.00	-14.82	-10.18	1.25	-8.93	-1.00	-7.93
	6995	209	be (20MHz)	106+26	82	SDM	MCSS	-12.62	-14.85	-10.58	1.25	-9.33	-1.00	-8.33
Band 7	7095	229	be (20MHz)	106+26	82	SDM	MCSS	-13.81	-13.88	-10.84	1.25	-9.59	-1.00	-8.59
	6945	199	be (80MHz)	484+242	92	SDM	MCSS	-11.78	-14.63	-9.97	1.25	-8.72	-1.00	-7.72
	7025	215	be (80MHz)	484+242	91	SDM	MCSS	-12.60	-14.48	-10.43	1.25	-9.18	-1.00	-8.18
	6985	207	be (160MHz)	996+484+242	97-L	SDM	MCSS	-12.55	-15.10	-10.63	1.25	-9.38	-1.00	-8.38

Table 7-168. Power Spectral Density Measurements SDM Diversity (MRU)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-16-R1.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 263 of 655

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate	Antenna WF7a Measured Power Density [dBm/MHz]	Antenna WF7b Measured Power Density [dBm/MHz]	Summed MIMO Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	be (20MHz)	242	61	SDM	MCS5	-12.12	-11.14	-8.59	0.81	-7.78	-1.00	-6.78
	6175	45	be (20MHz)	242	61	SDM	MCS5	-12.47	-11.64	-9.02	1.00	-8.02	-1.00	-7.02
	6415	93	be (20MHz)	242	61	SDM	MCS5	-10.08	-10.55	-7.30	-0.04	-7.34	-1.00	-6.34
	5965	3	be (40MHz)	484	65	SDM	MCS5	-11.90	-10.91	-8.36	0.81	-7.55	-1.00	-6.55
	6165	43	be (40MHz)	484	65	SDM	MCS5	-12.39	-11.43	-8.87	1.00	-7.87	-1.00	-6.87
	6405	91	be (40MHz)	484	65	SDM	MCS5	-10.87	-10.82	-7.83	-0.04	-7.87	-1.00	-6.87
	5985	7	be (80MHz)	996	67	SDM	MCS5	-12.09	-11.20	-8.61	0.81	-7.80	-1.00	-6.80
	6145	39	be (80MHz)	996	67	SDM	MCS5	-12.50	-11.64	-9.04	1.00	-8.04	-1.00	-7.04
	6385	87	be (80MHz)	996	67	SDM	MCS5	-11.52	-10.87	-8.18	-0.04	-8.22	-1.00	-7.22
	6025	15	be (160MHz)	996x2	68	SDM	MCS5	-12.25	-11.36	-8.77	0.81	-7.96	-1.00	-6.96
	6185	47	be (160MHz)	996x2	68	SDM	MCS5	-12.43	-11.66	-9.02	1.00	-8.01	-1.00	-7.01
	6345	79	be (160MHz)	996x2	68	SDM	MCS5	-11.68	-11.01	-8.32	-0.04	-8.36	-1.00	-7.36
Band 6	6435	97	be (20MHz)	242	61	SDM	MCS5	-11.25	-10.72	-7.97	-0.30	-8.27	-1.00	-7.27
	6475	105	be (20MHz)	242	61	SDM	MCS5	-10.85	-11.14	-7.98	-0.30	-8.28	-1.00	-7.28
	6515	113	be (20MHz)	242	61	SDM	MCS5	-10.54	-10.92	-7.71	-0.30	-8.01	-1.00	-7.01
	6445	99	be (40MHz)	484	65	SDM	MCS5	-10.85	-10.63	-7.73	-0.30	-8.03	-1.00	-7.03
	6485	107	be (40MHz)	484	65	SDM	MCS5	-10.56	-10.90	-7.72	-0.30	-8.02	-1.00	-7.02
	6525	115	be (40MHz)	484	65	SDM	MCS5	-12.20	-12.48	-9.33	-0.30	-9.63	-1.00	-8.63
	6465	103	be (80MHz)	996	67	SDM	MCS5	-11.21	-10.95	-8.07	-0.30	-8.37	-1.00	-7.37
	6505	111	be (160MHz)	996x2	68	SDM	MCS5	-12.36	-12.77	-9.55	-0.30	-9.85	-1.00	-8.85
Band 7	6535	117	be (20MHz)	242	61	SDM	MCS5	-12.43	-12.39	-9.40	1.66	-7.74	-1.00	-6.74
	6695	149	be (20MHz)	242	61	SDM	MCS5	-11.42	-12.56	-8.94	1.66	-7.28	-1.00	-6.28
	6875	185	be (20MHz)	242	61	SDM	MCS5	-11.50	-13.58	-9.41	1.66	-7.75	-1.00	-6.75
	6565	123	be (40MHz)	484	65	SDM	MCS5	-12.59	-12.52	-9.55	1.66	-7.89	-1.00	-6.89
	6725	155	be (40MHz)	484	65	SDM	MCS5	-11.36	-12.79	-9.01	1.66	-7.35	-1.00	-6.35
	6845	179	be (40MHz)	484	65	SDM	MCS5	-11.54	-13.32	-9.33	1.66	-7.67	-1.00	-6.67
	6545	119	be (80MHz)	996	67	SDM	MCS5	-12.18	-12.47	-9.31	1.66	-7.66	-1.00	-6.66
	6705	151	be (80MHz)	996	67	SDM	MCS5	-10.93	-12.40	-8.59	1.66	-6.94	-1.00	-5.94
	6865	183	be (80MHz)	996	67	SDM	MCS5	-11.33	-13.01	-9.08	1.66	-7.42	-1.00	-6.42
	6665	143	be (160MHz)	996x2	68	SDM	MCS5	-11.38	-12.32	-8.82	1.66	-7.16	-1.00	-6.16
	6825	175	be (160MHz)	996x2	68	SDM	MCS5	-11.35	-12.80	-9.01	1.66	-7.35	-1.00	-6.35
Band 8	6895	189	be (20MHz)	242	61	SDM	MCS5	-11.69	-13.57	-9.52	1.25	-8.27	-1.00	-7.27
	6995	209	be (20MHz)	242	61	SDM	MCS5	-12.76	-13.84	-10.26	1.25	-9.01	-1.00	-8.01
	7115	233	be (20MHz)	242	61	SDM	MCS5	-15.60	-14.73	-12.13	1.25	-10.88	-1.00	-9.88
	6885	187	be (40MHz)	484	65	SDM	MCS5	-10.96	-13.28	-8.95	1.25	-7.70	-1.00	-6.70
	7005	211	be (40MHz)	484	65	SDM	MCS5	-12.84	-13.50	-10.14	1.25	-8.89	-1.00	-7.89
	7085	227	be (40MHz)	484	65	SDM	MCS5	-13.81	-14.00	-10.90	1.25	-9.64	-1.00	-8.64
	6945	199	be (80MHz)	996	67	SDM	MCS5	-12.47	-13.80	-10.07	1.25	-8.82	-1.00	-7.82
	7025	215	be (80MHz)	996	67	SDM	MCS5	-12.95	-14.07	-10.46	1.25	-9.21	-1.00	-8.21
	6985	207	be (160MHz)	996x2	68	SDM	MCS5	-12.67	-13.66	-10.12	1.25	-8.87	-1.00	-7.87

Table 7-169. Power Spectral Density Measurements SDM Diversity (Fully – Loaded RU)


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-16-R1.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 264 of 655




Plot 7-683 PSD SDM Diversity Antenna WF2a (20MHz BW 802.11be(RU) RU26 Index0 - Ch.1)



Plot 7-687 PSD SDM Diversity Antenna WF7b (20MHz BW 802.11be(RU) RU26 Index0 - Ch.1)




Plot 7-684 PSD SDM Diversity Antenna WF2a (40MHz BW 802.11be(RU) RU26 Index8 - Ch.3)




Plot 7-688 PSD SDM Diversity Antenna WF7b (40MHz BW 802.11be(RU) RU26 Index8 - Ch.3)




Plot 7-685 PSD SDM Diversity Antenna WF2a (80MHz BW 802.11be(RU) RU26 Index0 - Ch.7)



Plot 7-689 PSD SDM Diversity Antenna WF7b (80MHz BW 802.11be(RU) RU26 Index0 - Ch.7)



Plot 7-686 PSD SDM Diversity Antenna WF2a (160MHz BW 802.11be(RU) RU26 Index17 - Ch.15)



Plot 7-690 PSD SDM Diversity Antenna WF7b (160MHz BW 802.11be(RU) RU26 Index17 - Ch.15)

FCC ID: BCGA3461 IC: 579C-A3461		 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-16-R1.BCG			
Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 265 of 655	