





Plot 7-853. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 105 – RU242)



Plot 7-854. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11be – Ch. 105 – RU242)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6475MHz
Channel:	105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12950.00	Average	V	-	-	-84.70	21.73	0.00	44.03	68.23	-24.20
12950.00	Peak	V	-	-	-72.81	21.73	0.00	55.92	88.23	-32.31
* 19425.00	Average	H	-	-	-60.77	-7.74	-9.54	28.94	53.98	-25.04
* 19425.00	Peak	H	-	-	-48.60	-7.74	-9.54	41.11	73.98	-32.87
25900.00	Average	V	-	-	-60.13	-5.91	-9.54	31.42	68.23	-36.81
25900.00	Peak	V	-	-	-48.19	-5.91	-9.54	43.36	88.23	-44.87
32375.00	Average	V	-	-	-62.73	-3.92	-9.54	30.80	68.23	-37.43
32375.00	Peak	V	-	-	-51.08	-3.92	-9.54	42.46	88.23	-45.77

Table 7-145. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 292 of 472

V 11.0 05/2025



Plot 7-855. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 113 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6515MHz
Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13030.00	Average	V	-	-	-84.93	22.04	44.11	68.23	-24.12
13030.00	Peak	V	-	-	-73.09	22.04	55.95	88.23	-32.28

Table 7-146. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 293 of 472

V 11.0 05/2025



Plot 7-856. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 117 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6535MHz
Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13070.00	Average	V	-	-	-84.55	21.85	44.30	68.23	-23.93
13070.00	Peak	V	-	-	-73.62	21.85	55.23	88.23	-33.00


Table 7-147. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 294 of 472

V 11.0 05/2025



Plot 7-857. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 149 – RU242)



Plot 7-858. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11be – Ch. 149 – RU242)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6695MHz
Channel:	149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 13390.00	Average	H	-	-	-83.82	21.77	0.00	44.94	68.23	-23.29
* 13390.00	Peak	H	-	-	-72.48	21.77	0.00	56.28	88.23	-31.95
* 20085.00	Average	V	-	-	-59.11	-8.00	-9.54	30.35	53.98	-23.63
* 20085.00	Peak	V	-	-	-46.24	-8.03	-9.54	43.18	73.98	-30.80
26780.00	Average	V	-	-	-61.69	-5.10	-9.54	30.67	68.23	-37.56
26780.00	Peak	V	-	-	-50.68	-5.23	-9.54	41.54	88.23	-46.69
33475.00	Average	H	-	-	-60.76	-4.21	-9.54	32.48	68.23	-35.75
33475.00	Peak	H	-	-	-49.05	-4.28	-9.54	44.13	88.23	-44.10

Table 7-148. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 295 of 472

V 11.0 05/2025



Plot 7-859. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 185 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6875MHz
Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13750.00	Average	V	-	-	-82.86	21.84	45.98	68.23	-22.25
13750.00	Peak	V	-	-	-71.08	21.84	57.76	88.23	-30.47

Table 7-149. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 296 of 472

V 11.0 05/2025



Plot 7-860. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 189 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6895MHz
Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13790.00	Average	V	-	-	-82.40	22.27	46.87	68.23	-21.36
13790.00	Peak	V	-	-	-71.42	22.27	57.85	88.23	-30.38


Table 7-150. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 297 of 472

V 11.0 05/2025



Plot 7-861. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 209 – RU242)



Plot 7-862. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11be – Ch. 209 – RU242)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6995MHz
Channel:	209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13990.00	Average	H	-	-	-82.64	22.07	0.00	46.43	68.23	-21.80
13990.00	Peak	H	-	-	-71.38	22.07	0.00	57.69	88.23	-30.54
* 20985.00	Average	H	-	-	-60.57	-7.58	-9.54	29.31	53.98	-24.67
* 20985.00	Peak	H	-	-	-48.89	-7.58	-9.54	40.99	73.98	-32.99
27980.00	Average	H	-	-	-63.55	-4.51	-9.54	29.40	68.23	-38.83
27980.00	Peak	H	-	-	-50.82	-4.51	-9.54	42.13	88.23	-46.10
34975.00	Average	H	-	-	-59.90	-4.53	-9.54	33.03	68.23	-35.20
34975.00	Peak	H	-	-	-49.31	-4.53	-9.54	43.61	88.23	-44.62

Table 7-151. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 298 of 472

V 11.0 05/2025



Plot 7-863. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 233 – RU242)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 7115MHz
Channel: 233

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
14230.00	Average	H	-	-	-83.90	22.84	45.94	68.23	-22.29
14230.00	Peak	H	-	-	-71.78	22.84	58.06	88.23	-30.17

Table 7-152. Radiated Spurious Emission Measurements SDM Diversity – RU242


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 299 of 472

V 11.0 05/2025

7.7.3 Antenna WF7a Radiated Band Edge Measurements (20MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33



Plot 7-864 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-865 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 300 of 472

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-866 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 301 of 472

V 11.0 05/2025


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33



Plot 7-867 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33




Plot 7-868 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 302 of 472


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229



Plot 7-869 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU52+26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229



Plot 7-870 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU52+26


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 303 of 472

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33



Plot 7-871 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-872 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU242


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 304 of 472

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 7115MHz
Channel: 233



Plot 7-873 Antenna WF7a Radiated Upper Band Edge (Peak – UNII Band 8) – RU242



Plot 7-874 Antenna WF7a Radiated Upper Band Edge (Average – UNII Band 8) – RU242


FCC ID: BCGA3461 IC: 579C-A3461			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 305 of 472	

V 11.0 05/2025

7.7.4 Antenna WF7a Radiated Band Edge Measurements (40MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6125MHz
Channel: 35



Plot 7-875 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227




Plot 7-876 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 306 of 472

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 17
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227




Plot 7-877 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 307 of 472


RU484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 6125MHz
Channel: 35



Plot 7-878 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227



Plot 7-879 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 308 of 472

V 11.0 05/2025

7.7.5 Antenna WF7a Radiated Band Edge Measurements (80MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-880 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-881 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 309 of 472

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-882 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 310 of 472

V 11.0 05/2025


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-883 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39




Plot 7-884 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 311 of 472


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-885 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-886 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 312 of 472

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-887 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-888 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 313 of 472

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-889 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-890 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 314 of 472


RU996

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 67
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-891 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 67
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-892 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 315 of 472

V 11.0 05/2025

7.7.6 Antenna WF7a Radiated Band Edge Measurements (160MHz BW)


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6185MHz
 Channel: 47



Plot 7-893 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26 (L)

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6985MHz
 Channel: 207




Plot 7-894 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26 (L)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 316 of 472

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-895 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26 (H)

FCC ID: BCGA3461 IC: 579C-A3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 317 of 472


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-896 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-897 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (H)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 318 of 472


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-898 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-899 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (H)


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 319 of 472

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-900 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-901 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (H)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 320 of 472

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-902 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-903 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (H)


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 321 of 472

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-904 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-905 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 322 of 472


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-906 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-907 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 323 of 472

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-908 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-909 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 324 of 472

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-910 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-911 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 325 of 472

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-912 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-913 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 326 of 472

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-914 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-915 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 327 of 472

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-916 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-917 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 328 of 472


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-918 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-919 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 329 of 472


RU996x2

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 68
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-920 Antenna WF7a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996X2

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 68
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-921 Antenna WF7a Radiated Upper Band Edge (Peak & Average – UNII Band 5) - RU996X2


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 330 of 472

V 11.0 05/2025

7.7.7 Antenna WF2a Radiated Band Edge Measurements (20MHz BW)


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6115MHz
 Channel: 33



Plot 7-922 Antenna WF2a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229




Plot 7-923 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 331 of 472

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-924 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 332 of 472


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229



Plot 7-927 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU52+26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-928 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU52+26

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 334 of 472


RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33



Plot 7-929 Antenna WF2a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-930 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU242


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 335 of 472

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 7115MHz
Channel: 233



Plot 7-931 Antenna WF2a Radiated Upper Band Edge (Peak – UNII Band 8) – RU242



Plot 7-932 Antenna WF2a Radiated Upper Band Edge (Average – UNII Band 8) – RU242


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 336 of 472

V 11.0 05/2025

7.7.8 Antenna WF2a Radiated Band Edge Measurements (40MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6125MHz
Channel: 35



Plot 7-933 Antenna WF2a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227




Plot 7-934 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 337 of 472

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 17
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227




Plot 7-935 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 338 of 472

V 11.0 05/2025


RU484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 6125MHz
Channel: 35



Plot 7-936 Antenna WF2a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227



Plot 7-937 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 339 of 472

V 11.0 05/2025

7.7.9 Antenna WF2a Radiated Band Edge Measurements (80MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-938 Antenna WF2a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-939 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 340 of 472

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-940 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3461 IC: 579C-A3461	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 341 of 472


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-941 Antenna WF2a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39




Plot 7-942 Antenna WF2a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 342 of 472


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-943 Antenna WF2a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-944 Antenna WF2a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 343 of 472

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-945 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-946 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 344 of 472

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-947 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-948 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 345 of 472


RU996

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 67
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-949 Antenna WF2a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 67
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-950 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 346 of 472

V 11.0 05/2025

7.7.10 Antenna WF2a Radiated Band Edge Measurements (160MHz BW)


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6185MHz
 Channel: 47



Plot 7-951 Antenna WF2a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26 (L)

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6985MHz
 Channel: 207




Plot 7-952 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26 (L)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 347 of 472

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-953 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26 (H)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 348 of 472


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-956 Antenna WF2a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-957 Antenna WF2a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (H)


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 350 of 472

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-958 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-959 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (H)


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 351 of 472

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-960 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-961 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (H)


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 352 of 472

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-962 Antenna WF2a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-963 Antenna WF2a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 353 of 472


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-964 Antenna WF2a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-965 Antenna WF2a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 354 of 472

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-966 Antenna WF2a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-967 Antenna WF2a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 355 of 472

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-970 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-971 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 357 of 472

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-972 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-973 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 358 of 472

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-974 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-975 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device		Page 359 of 472

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-976 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-977 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 360 of 472


RU996x2

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 68
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-978 Antenna WF2a Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996X2

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 68
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-979 Antenna WF2a Radiated Upper Band Edge (Peak & Average – UNII Band 5) - RU996X2


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 361 of 472

V 11.0 05/2025

7.7.11 Antenna WF7b Radiated Band Edge Measurements (20MHz BW)


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6115MHz
 Channel: 33



Plot 7-980 Antenna WF7b Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229




Plot 7-981 Antenna WF7b Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 362 of 472

V 11.0 05/2025


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33



Plot 7-983 Antenna WF7b Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33




Plot 7-984 Antenna WF7b Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 364 of 472


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229



Plot 7-985 Antenna WF7b Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU52+26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-986 Antenna WF7b Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU52+26

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 365 of 472


RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33



Plot 7-987 Antenna WF7b Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-988 Antenna WF7b Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU242


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 366 of 472

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 7115MHz
Channel: 233



Plot 7-989 Antenna WF7b Radiated Upper Band Edge (Peak – UNII Band 8) – RU242




Plot 7-990 Antenna WF7b Radiated Upper Band Edge (Average – UNII Band 8) – RU242

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 367 of 472

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 17
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227



Plot 7-993 Antenna WF7b Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-18-R1.BCG	Test Dates: 9/15/2025 - 01/09/2026	EUT Type: Tablet Device	Page 369 of 472

V 11.0 05/2025