




Plot 7-295. Radiated Spurious Emissions above 1GHz CDD Primary (11be – Ch.144 – RU242)


Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11440.00	Average	H	-	-	-85.01	18.83	40.82	53.98	-13.16
* 11440.00	Peak	H	-	-	-73.46	18.83	52.37	73.98	-21.61
17160.00	Peak	V	-	-	-73.03	28.13	62.10	68.23	-6.13

Table 7-215. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 173 of 384

V 10.6 10/27/2023



Plot 7-296. Radiated Spurious Emissions above 1GHz CDD Primary (11be – Ch.149 – RU242)


Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11490.00	Average	V	-	-	-84.52	19.09	41.57	53.98	-12.40
* 11490.00	Peak	V	-	-	-73.24	19.09	52.85	73.98	-21.13
17235.00	Peak	V	-	-	-73.68	27.85	61.17	68.23	-7.06


Table 7-216. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 174 of 384

V 10.6 10/27/2023



Plot 7-297. Radiated Spurious Emissions above 1GHz CDD Primary (11be – Ch.157 – RU242)



Plot 7-298. Radiated Spurious Emissions 18 GHz - 40GHz CDD Primary (11be Ch.157 — RU242)

Mode: 802.11be (20MHz BW)

Data Rate: MCS0

RU Index: 61

Distance of Measurements: 3 Meters

Operating Frequency: 5785MHz


Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11570.00	Average	H	-	-	-84.01	19.04	0.00	42.03	53.98	-11.95
* 11570.00	Peak	H	-	-	-72.98	19.04	0.00	53.05	73.98	-20.93
17355.00	Peak	V	-	-	-73.96	27.88	0.00	60.92	68.23	-7.31
23140.00	Peak	H	-	-	-51.33	-7.13	-9.54	39.00	68.23	-29.23
28925.00	Peak	H	-	-	-51.60	-3.95	-9.54	41.91	68.23	-26.32
34710.00	Peak	V	-	-	-51.33	-4.81	-9.54	41.32	68.23	-26.91

Table 7-217. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 175 of 384

V 10.6 10/27/2023



Plot 7-299. Radiated Spurious Emissions above 1GHz CDD Primary (11be – Ch.165 – RU242)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11650.00	Average	V	-	-	-84.67	19.48	41.81	53.98	-12.17
*	11650.00	Peak	V	-	-	-73.05	19.48	53.43	73.98	-20.55
	17475.00	Peak	V	-	-	-73.66	28.77	62.11	68.23	-6.12


Table 7-218. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 176 of 384

V 10.6 10/27/2023

7.6.2 CDD Diversity Radiated Spurious Emissions

RU26



Plot 7-300. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.36 – RU26)


Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5180MHz
Channel: 36

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10360.00	Peak	V	-	-	-68.27	9.27	48.00	68.23	-20.23
* 15540.00	Average	V	-	-	-79.77	13.65	40.88	53.98	-13.10
* 15540.00	Peak	V	-	-	-68.81	13.65	51.84	73.98	-22.14


Table 7-219. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device		Page 177 of 384

V 10.6 10/27/2023



Plot 7-301. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.40 – RU26)



Plot 7-302. Radiated Spurious Emissions 18 GHz - 40GHz CDD Diversity (11be Ch.40 — RU26)

Mode: 802.11be (20MHz BW)

Data Rate: MCS0

RU Index: 4

Distance of Measurements: 3 Meters

Operating Frequency: 5200MHz


Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10400.00	Peak	V	-	-	-70.95	14.53	0.00	50.58	68.23	-17.65
* 15600.00	Average	V	-	-	-84.15	21.71	0.00	44.57	53.98	-9.41
* 15600.00	Peak	V	-	-	-73.19	21.71	0.00	55.52	73.98	-18.46
* 20800.00	Average	H	-	-	-61.75	-7.57	-9.54	28.14	53.98	-25.84
* 20800.00	Peak	H	-	-	-50.62	-7.57	-9.54	39.27	73.98	-34.71
26000.00	Peak	H	-	-	-49.08	-5.88	-9.54	42.50	68.23	-25.73
* 31200.00	Average	V	-	-	-63.87	-3.75	-9.54	29.84	53.98	-24.14
* 31200.00	Peak	V	-	-	-52.79	-3.75	-9.54	40.92	73.98	-33.06

Table 7-220. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device		Page 178 of 384

V 10.6 10/27/2023




Plot 7-303. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.48 – RU26)

Mode: 802.11be (20MHz BW)
 Data Rate: MCS0
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10480.00	Peak	H	-	-	-67.82	9.66	48.84	68.23	-19.39
* 15720.00	Average	V	-	-	-79.39	13.14	40.75	53.98	-13.23
* 15720.00	Peak	V	-	-	-68.77	13.14	51.37	73.98	-22.61

Table 7-221. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 179 of 384



Plot 7-304. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.52 – RU26)


Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5260MHz
Channel: 52

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	Peak	V	-	-	-67.42	9.41	48.99	68.23	-19.24
* 15780.00	Average	V	-	-	-79.29	13.20	40.92	53.98	-13.06
* 15780.00	Peak	V	-	-	-67.84	13.20	52.36	73.98	-21.62


Table 7-222. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 180 of 384

V 10.6 10/27/2023



Plot 7-305. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.56 – RU26)




Plot 7-306. Radiated Spurious Emissions 18 GHz - 40GHz CDD Diversity (11be Ch.56 — RU26)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5280MHz
Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10560.00	Peak	H	-	-	-67.30	9.14	0.00	48.85	68.23	-19.38
* 15840.00	Average	H	-	-	-81.19	17.53	0.00	43.34	53.98	-10.64
* 15840.00	Peak	H	-	-	-71.17	17.53	0.00	53.36	73.98	-20.62
* 21120.00	Average	H	-	-	-60.89	-7.55	-9.54	29.03	53.98	-24.95
* 21120.00	Peak	H	-	-	-48.96	-7.55	-9.54	40.95	73.98	-33.03
26400.00	Peak	V	-	-	-50.90	-5.30	-9.54	41.26	68.23	-26.97
* 31680.00	Average	H	-	-	-63.29	-4.05	-9.54	30.12	53.98	-23.86
* 31680.00	Peak	H	-	-	-51.76	-4.05	-9.54	41.65	73.98	-32.32

Table 7-223. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 181 of 384



Plot 7-307. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.64 – RU26)


Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5320MHz
Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 10640.00	Average	V	-	-	-79.24	9.60	37.36	53.98	-16.62
* 10640.00	Peak	V	-	-	-68.22	9.60	48.38	73.98	-25.60
* 15960.00	Average	V	-	-	-79.51	13.61	41.10	53.98	-12.88
* 15960.00	Peak	V	-	-	-68.39	13.61	52.22	73.98	-21.76

Table 7-224. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 182 of 384

V 10.6 10/27/2023



Plot 7-308. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.100 – RU26)


Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11000.00	Average	V	-	-	-79.22	9.80	37.57	53.98	-16.41
* 11000.00	Peak	V	-	-	-68.44	9.80	48.35	73.98	-25.63
16500.00	Peak	V	-	-	-69.13	15.99	53.86	68.23	-14.37


Table 7-225. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 183 of 384

V 10.6 10/27/2023



Plot 7-309. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.116 – RU26)



Plot 7-310. Radiated Spurious Emissions 18 GHz - 40GHz CDD Diversity (11be Ch.116 — RU26)

Mode: 802.11be (20MHz BW)

Data Rate: MCS0

RU Index: 4

Distance of Measurements: 3 Meters

Operating Frequency: 5580MHz


Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11160.00	Average	V	-	-	-79.39	9.79	0.00	37.40	53.98	-16.58
* 11160.00	Peak	V	-	-	-68.11	9.79	0.00	48.68	73.98	-25.30
16740.00	Peak	V	-	-	-67.71	15.16	0.00	54.45	68.23	-13.78
* 22320.00	Average	V	-	-	-61.78	-7.54	-9.54	28.14	53.98	-25.84
* 22320.00	Peak	V	-	-	-49.94	-7.54	-9.54	39.97	73.98	-34.01
27900.00	Peak	V	-	-	-52.22	-4.75	-9.54	40.49	68.23	-27.74
33480.00	Peak	V	-	-	-50.22	-4.38	-9.54	42.86	68.23	-25.37

Table 7-226. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 184 of 384

V 10.6 10/27/2023




Plot 7-311. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.144 – RU26)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11440.00	Average	V	-	-	-78.81	9.97	38.16	53.98	-15.82
* 11440.00	Peak	V	-	-	-66.99	9.97	49.98	73.98	-24.00
17160.00	Peak	H	-	-	-72.01	19.05	54.04	68.23	-14.19

Table 7-227. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 185 of 384



Plot 7-312. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.149 – RU26)


Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	H	-	-	-78.88	10.09	38.20	53.98	-15.78
* 11490.00	Peak	H	-	-	-67.46	10.09	49.63	73.98	-24.35
17235.00	Peak	H	-	-	-71.44	18.74	54.31	68.23	-13.92


Table 7-228. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 186 of 384

V 10.6 10/27/2023



Plot 7-313. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.157 – RU26)



Plot 7-314. Radiated Spurious Emissions 18 GHz - 40GHz CDD Diversity (11be Ch.157 — RU26)

Mode: 802.11be (20MHz BW)

Data Rate: MCS0

RU Index: 4

Distance of Measurements: 3 Meters

Operating Frequency: 5785MHz


Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11570.00	Average	V	-	-	-78.46	10.12	0.00	38.66	53.98	-15.32
* 11570.00	Peak	V	-	-	-67.74	10.12	0.00	49.38	73.98	-24.60
17355.00	Peak	H	-	-	-71.40	19.08	0.00	54.67	68.23	-13.56
23140.00	Peak	V	-	-	-51.10	-7.13	-9.54	39.23	68.23	-29.00
28925.00	Peak	H	-	-	-52.30	-3.99	-9.54	41.17	68.23	-27.06
34710.00	Peak	V	-	-	-51.77	-4.65	-9.54	41.05	68.23	-27.18

Table 7-229. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device		Page 187 of 384

V 10.6 10/27/2023



Plot 7-315. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.165 – RU26)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11650.00	Average	V	-	-	-79.29	10.27	37.98	53.98	-16.00
* 11650.00	Peak	V	-	-	-68.78	10.27	48.49	73.98	-25.49
17475.00	Peak	V	-	-	-70.17	19.04	55.86	68.23	-12.37

Table 7-230. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 188 of 384

V 10.6 10/27/2023

RU242



Plot 7-316. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.36 – RU242)


Mode: 11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5180MHz
Channel: 36

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10360.00	Peak	V	-	-	-71.48	15.08	50.60	68.23	-17.63
* 15540.00	Average	V	115	189	-83.82	22.63	45.81	53.98	-8.17
* 15540.00	Peak	V	115	189	-72.78	22.63	56.85	73.98	-17.13


Table 7-231. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 189 of 384

V 10.6 10/27/2023



Plot 7-317. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.40 – RU242)



Plot 7-318. Radiated Spurious Emissions 18 GHz - 40GHz CDD Diversity (11be Ch.40 — RU242)

Mode: 802.11be (20MHz BW)

Data Rate: MCS0

RU Index: 61

Distance of Measurements: 3 Meters


Operating Frequency: 5200MHz

Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10400.00	Peak	V	-	-	-66.35	8.41	0.00	49.06	68.23	-19.17
* 15600.00	Average	H	-	-	-81.24	17.48	0.00	43.24	53.98	-10.73
* 15600.00	Peak	H	-	-	-70.55	17.48	0.00	53.94	73.98	-20.04
* 20800.00	Average	H	-	-	-61.79	-7.57	-9.54	28.11	53.98	-25.87
* 20800.00	Peak	H	-	-	-49.89	-7.57	-9.54	40.00	73.98	-33.98
26000.00	Peak	V	-	-	-49.90	-5.94	-9.54	41.62	68.23	-26.61
* 31200.00	Average	H	-	-	-63.31	-3.75	-9.54	30.40	53.98	-23.58
* 31200.00	Peak	H	-	-	-52.05	-3.75	-9.54	41.66	73.98	-32.32

Table 7-232. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device		Page 190 of 384



Plot 7-319. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.48 – RU242)


Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5240MHz
Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10480.00	Peak	V	-	-	-71.53	14.98	50.45	68.23	-17.78
* 15720.00	Average	V	-	-	-86.75	23.48	43.73	53.98	-10.25
* 15720.00	Peak	V	-	-	-74.11	23.48	56.38	73.98	-17.60

Table 7-233. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device		Page 191 of 384

V 10.6 10/27/2023



Plot 7-320. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.52 – RU242)


Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5260MHz
Channel: 52

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	Peak	V	-	-	-71.93	15.15	50.22	68.23	-18.01
* 15780.00	Average	V	-	-	-86.50	23.53	44.03	53.98	-9.94
* 15780.00	Peak	V	-	-	-74.31	23.53	56.22	73.98	-17.76


Table 7-234. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 192 of 384

V 10.6 10/27/2023



Plot 7-321. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.56 – RU242)



Plot 7-322. Radiated Spurious Emissions 18 GHz - 40GHz CDD Diversity (11be Ch.56 — RU242)

Mode: 802.11be (20MHz BW)

Data Rate: MCS0

RU Index: 61

Distance of Measurements: 3 Meters

Operating Frequency: 5280MHz


Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	V	-	-	-70.90	14.53	0.00	50.64	68.23	-17.60
* 15840.00	Average	V	-	-	-86.38	23.70	0.00	44.33	53.98	-9.65
* 15840.00	Peak	V	-	-	-75.28	23.70	0.00	55.42	73.98	-18.56
* 21120.00	Average	V	-	-	-60.77	-7.55	-9.54	29.14	53.98	-24.84
* 21120.00	Peak	V	-	-	-49.49	-7.55	-9.54	40.42	73.98	-33.56
26400.00	Peak	V	-	-	-50.88	-5.42	-9.54	41.15	68.23	-27.08
* 31680.00	Average	H	-	-	-63.18	-4.05	-9.54	30.23	53.98	-23.75
* 31680.00	Peak	H	-	-	-50.88	-4.05	-9.54	42.53	73.98	-31.45

Table 7-235. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 193 of 384

V 10.6 10/27/2023



Plot 7-323. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.64 – RU242)


Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5320MHz
Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 10640.00	Average	V	-	-	-82.71	15.53	39.82	53.98	-14.16
* 10640.00	Peak	V	-	-	-71.02	15.53	51.50	73.98	-22.48
* 15960.00	Average	V	-	-	-87.11	24.21	44.10	53.98	-9.88
* 15960.00	Peak	V	-	-	-75.62	24.21	55.59	73.98	-18.39

Table 7-236. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 194 of 384

V 10.6 10/27/2023



Plot 7-324. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.100 – RU242)


Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11000.00	Average	H	-	-	-83.42	15.96	39.53	53.98	-14.44
* 11000.00	Peak	H	-	-	-72.38	15.96	50.57	73.98	-23.41
16500.00	Peak	H	-	-	-73.53	23.96	57.43	68.23	-10.80


Table 7-237. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 195 of 384

V 10.6 10/27/2023



Plot 7-325. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.116 – RU242)



Plot 7-326. Radiated Spurious Emissions 18 GHz - 40GHz CDD Diversity (11be Ch.116 — RU242)

Mode: 802.11be (20MHz BW)

Data Rate: MCS0

RU Index: 61

Distance of Measurements: 3 Meters

Operating Frequency: 5580MHz


Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11160.00	Average	H	-	-	-83.03	16.35	0.00	40.32	53.98	-13.66
* 11160.00	Peak	H	-	-	-72.22	16.35	0.00	51.13	73.98	-22.85
16740.00	Peak	H	-	-	-74.55	25.26	0.00	57.71	68.23	-10.52
* 22320.00	Average	V	-	-	-61.39	-7.57	-9.54	28.51	53.98	-25.47
* 22320.00	Peak	V	-	-	-50.14	-7.57	-9.54	39.75	73.98	-34.23
27900.00	Peak	V	-	-	-53.01	-4.48	-9.54	39.97	68.23	-28.26
33480.00	Peak	H	-	-	-50.16	-4.28	-9.54	43.02	68.23	-25.21

Table 7-238. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 196 of 384

V 10.6 10/27/2023




Plot 7-327. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.144 – RU242)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11440.00	Average	V	-	-	-78.70	10.08	38.38	53.98	-15.59
* 11440.00	Peak	V	-	-	-67.93	10.08	49.15	73.98	-24.83
17160.00	Peak	V	-	-	-71.54	18.84	54.30	68.23	-13.93

Table 7-239. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 197 of 384




Plot 7-328. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.149 – RU242)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11490.00	Average	H	-	-	-78.69	10.03	38.34	53.98	-15.64
* 11490.00	Peak	H	-	-	-68.01	10.03	49.02	73.98	-24.96
17235.00	Peak	V	-	-	-71.89	18.74	53.86	68.23	-14.37

Table 7-240. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 198 of 384



Plot 7-329. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.157 – RU242)



Plot 7-330. Radiated Spurious Emissions 18 GHz - 40GHz CDD Diversity (11be Ch.157 — RU242)

Mode: 802.11be (20MHz BW)

Data Rate: MCS0

RU Index: 61

Distance of Measurements: 3 Meters

Operating Frequency: 5785MHz


Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11570.00	Average	V	-	-	-84.29	17.05	0.00	39.76	53.98	-14.22
* 11570.00	Peak	V	-	-	-72.25	17.05	0.00	51.80	73.98	-22.18
17355.00	Peak	V	-	-	-75.31	24.56	0.00	56.25	68.23	-11.98
23140.00	Peak	V	-	-	-50.53	-7.12	-9.54	39.82	68.23	-28.41
28925.00	Peak	H	-	-	-51.76	-3.95	-9.54	41.75	68.23	-26.48
34710.00	Peak	V	-	-	-51.42	-4.81	-9.54	41.23	68.23	-27.00

Table 7-241. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 199 of 384

V 10.6 10/27/2023



Plot 7-331. Radiated Spurious Emissions above 1GHz CDD Diversity (11be – Ch.165 – RU242)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11650.00	Average	H	-	-	-83.64	17.50	40.86	53.98	-13.12
*	11650.00	Peak	H	-	-	-72.28	17.50	52.22	73.98	-21.76
	17475.00	Peak	V	-	-	-74.69	24.73	57.03	68.23	-11.20


Table 7-242. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 200 of 384


V 10.6 10/27/2023

7.6.3 Antenna WF7a Radiated Band Edge Measurements (20MHz BW)


RU26




Plot 7-332. Antenna WF7a (Peak & Average, RU26, Index 0, Ch.36, MCS11)




Plot 7-335. Antenna WF7a (Peak, RU26, Index 8, Ch.149, MCS11)




Plot 7-333. Antenna WF7a (Peak & Average, RU26, Index 8, Ch.36, MCS11)



Plot 7-336. Antenna WF7a (Peak, RU26, Index 0, Ch.165, MCS11)



Plot 7-334. Antenna WF7a (Peak, RU26, Index 0, Ch.149, MCS11)




Plot 7-337. Antenna WF7a (Peak, RU26, Index 8, Ch.165, MCS11)


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 201 of 384

V 10.6 10/27/2023


RU52




Plot 7-338. Antenna WF7a (Peak & Average, RU52, Index 37, Ch.64, MCS11)




Plot 7-341. Antenna WF7a (Peak & Average, RU52, Index 40, Ch.100, MCS11)




Plot 7-339. Antenna WF7a (Peak & Average, RU52, Index 40, Ch.64, MCS11)



Plot 7-342. Antenna WF7a (Peak, RU52, Index 37, Ch.140, MCS11)



Plot 7-340. Antenna WF7a (Peak & Average, RU52, Index 37, Ch.100, MCS11)




Plot 7-343. Antenna WF7a (Peak, RU52, Index 40, Ch.140, MCS11)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 202 of 384


V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


MRU




Plot 7-344. Antenna WF7a (Peak & Average, RU52+26, Index 70, Ch.36, MCS11)




Plot 7-347. Antenna WF7a (Peak & Average, RU52+26, Index 72, Ch.64, MCS11)




Plot 7-345. Antenna WF7a (Peak & Average, RU52+26, Index 72, Ch.36, MCS11)



Plot 7-348. Antenna WF7a (Peak & Average, RU52+26, Index 70, Ch.100, MCS11)



Plot 7-346. Antenna WF7a (Peak & Average, RU52+26, Index 70, Ch.64, MCS11)




Plot 7-349. Antenna WF7a (Peak & Average, RU52+26, Index 72, Ch.100, MCS11)


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 203 of 384

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-350. Antenna WF7a (Peak & Average, RU52+26, Index 70, Ch.104, MCS11)




Plot 7-353. Antenna WF7a (Peak, RU52+26, Index 72, Ch.136, MCS11)




Plot 7-351. Antenna WF7a (Peak & Average, RU52+26, Index 72, Ch.104, MCS11)



Plot 7-354. Antenna WF7a (Peak, RU52+26, Index 70, Ch.140, MCS11)




Plot 7-352. Antenna WF7a (Peak, RU52+26, Index 70, Ch.136, MCS11)




Plot 7-355. Antenna WF7a (Peak, RU52+26, Index 72, Ch.140, MCS11)


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 204 of 384




Plot 7-356. Antenna WF7a (Peak, RU52+26, Index 70, Ch.149, MCS11)



Plot 7-359. Antenna WF7a (Peak, RU52+26, Index 72, Ch.165, MCS11)




Plot 7-357. Antenna WF7a (Peak, RU52+26, Index 72, Ch.149, MCS11)




Plot 7-358. Antenna WF7a (Peak, RU52+26, Index 70, Ch.165, MCS11)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 205 of 384


RU242




Plot 7-360. Antenna WF7a (Peak & Average, RU242, Index 61, Ch.36, MCS11)




Plot 7-363. Antenna WF7a (Peak & Average, RU242, Index 61, Ch.64, MCS11)




Plot 7-361. Antenna WF7a (Peak & Average, RU242, Index 61, Ch.40, MCS11)



Plot 7-364. Antenna WF7a (Peak & Average, RU242, Index 61, Ch.100, MCS11)



Plot 7-362. Antenna WF7a (Peak & Average, RU242, Index 61, Ch.60, MCS11)




Plot 7-365. Antenna WF7a (Peak & Average, RU242, Index 61, Ch.104, MCS11)


FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 206 of 384

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-366. Antenna WF7a (Peak & Average, RU242, Index 61, Ch.108, MCS11)




Plot 7-369. Antenna WF7a (Peak, RU242, Index 61, Ch.140, MCS11)




Plot 7-367. Antenna WF7a (Peak, RU242, Index 61, Ch.132, MCS11)



Plot 7-370. Antenna WF7a (Peak, RU242, Index 61, Ch.149, MCS11)




Plot 7-368. Antenna WF7a (Peak, RU242, Index 61, Ch.136, MCS11)




Plot 7-371. Antenna WF7a (Peak, RU242, Index 61, Ch.165, MCS11)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 207 of 384


RU52




Plot 7-378. Antenna WF7a (Peak & Average, RU52, Index 37, Ch.62, MCS11)




Plot 7-381. Antenna WF7a (Peak & Average, RU52, Index 44, Ch.102, MCS11)




Plot 7-379. Antenna WF7a (Peak & Average, RU52, Index 44, Ch.62, MCS11)



Plot 7-382. Antenna WF7a (Peak, RU52, Index 37, Ch.134, MCS11)



Plot 7-380. Antenna WF7a (Peak & Average, RU52, Index 37, Ch.102, MCS11)



Plot 7-383. Antenna WF7a (Peak, RU52, Index 44, Ch.134, MCS11)

FCC ID: BCGA3461 IC: 579C-A3461		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100081-14-R3.BCG	Test Dates: 09/15/2025 - 12/31/2025	EUT Type: Tablet Device	Page 209 of 384

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.