

APPENDIX J: RU SAR EXCLUSION

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 1 of 61

J.1 IEEE 802.11ax/be RU SAR Exclusion

To make the most efficient use of the additional available subcarriers (data tones), IEEE 802.11ax/be can utilize Orthogonal Frequency-Division Multiple Access (OFDMA) which divides the existing 802.11 channels into smaller subchannels called Resource Units (RUs). Possible RU sizes are: 26T, 52T, 52T+26T, 106T, 106T+26T, 484T+242T, 996T+484T, 996T+484T+242T.

Per FCC Guidance, 802.11ax/be was considered a higher order 802.11 mode when compared to a/b/g/n/ac to apply KDB Publication 248227 D01v02r02 for OFDM mode selection. Therefore, SAR tests were not required for 802.11ax/be based on the maximum allowed output powers of OFDM modes and the reported SAR values. Per FCC Guidance, maximum conducted powers were performed for each RU size to demonstrate that the output powers would not be higher than the other OFDM 802.11 modes.

J.2 IEEE 802.11ax RU Target Powers

J.2.1 Maximum 802.11ax RU WLAN Output Power

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3a					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
2.4 GHz WIFI 20 MHz Bandwidth	1	12.50	11.50	14.50	13.50	14.50	13.50
	2	12.50	11.50	15.50	14.50	17.30	16.30
	3	12.50	11.50	15.50	14.50	18.50	17.50
	4	12.50	11.50	15.50	14.50	18.50	17.50
	5	12.50	11.50	15.50	14.50	18.50	17.50
	6	12.50	11.50	15.50	14.50	18.50	17.50
	7	12.50	11.50	15.50	14.50	18.50	17.50
	8	12.50	11.50	15.50	14.50	18.50	17.50
	9	12.50	11.50	15.50	14.50	18.50	17.50
	10	12.50	11.50	15.50	14.50	17.00	16.00
	11	12.50	11.50	13.50	12.50	13.50	12.50
	12	12.50	11.50	12.50	11.50	12.50	11.50
	13	-6.00	-7.00	-6.00	-7.00	-6.00	-7.00
	13	-6.00	-7.00	-6.00	-7.00	-6.00	-7.00

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3a											
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones											
2.4 GHz WIFI 20 MHz Bandwidth	1	12.50	11.50	14.50	13.50	14.50	13.50	12.50	11.50	14.50	13.50	14.50	13.50
	2	12.50	11.50	15.50	14.50	18.50	17.50	12.50	11.50	15.50	14.50	18.50	17.50
	3	12.50	11.50	15.50	14.50	18.50	17.50	12.50	11.50	15.50	14.50	18.50	17.50
	4	12.50	11.50	15.50	14.50	18.50	17.50	12.50	11.50	15.50	14.50	18.50	17.50
	5	12.50	11.50	15.50	14.50	18.50	17.50	12.50	11.50	15.50	14.50	18.50	17.50
	6	12.50	11.50	15.50	14.50	18.50	17.50	12.50	11.50	15.50	14.50	18.50	17.50
	7	12.50	11.50	15.50	14.50	18.50	17.50	12.50	11.50	15.50	14.50	18.50	17.50
	8	12.50	11.50	15.50	14.50	18.50	17.50	12.50	11.50	15.50	14.50	18.50	17.50
	9	12.50	11.50	15.50	14.50	18.50	17.50	12.50	11.50	15.50	14.50	18.50	17.50
	10	12.50	11.50	15.50	14.50	17.00	16.00	12.50	11.50	15.50	14.50	17.00	16.00
	11	12.50	11.50	13.50	12.50	13.50	12.50	12.50	11.50	12.50	11.50	12.50	11.50
	12	12.50	11.50	12.50	11.50	12.50	11.50	12.50	11.50	12.50	11.50	12.50	11.50
	13	-6.00	-7.00	-6.00	-7.00	-6.00	-7.00	-6.00	-7.00	-6.00	-7.00	-6.00	-7.00
	13	-6.00	-7.00	-6.00	-7.00	-6.00	-7.00	-6.00	-7.00	-6.00	-7.00	-6.00	-7.00

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 2 of 61

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 1a					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
2.4 GHz WIFI 20 MHz Bandwidth	1	26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
	2	12.50	11.50	14.50	13.50	14.50	13.50
	3	12.50	11.50	15.50	14.50	17.30	16.30
	4	12.50	11.50	15.50	14.50	18.50	17.50
	5	12.50	11.50	15.50	14.50	18.50	17.50
	6	12.50	11.50	15.50	14.50	18.50	17.50
	7	12.50	11.50	15.50	14.50	18.50	17.50
	8	12.50	11.50	15.50	14.50	18.50	17.50
	9	12.50	11.50	15.50	14.50	18.50	17.50
	10	12.50	11.50	15.50	14.50	17.00	16.00
	11	12.50	11.50	15.00	14.00	15.00	14.00
	12	12.50	11.50	13.80	12.80	13.80	12.80
	13	-6.00	-7.00	-6.00	-7.00	-6.00	-7.00

Mode	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
2.4 GHz WIFI 20 MHz Bandwidth	1	12.50	11.50	14.50	13.50	14.50	13.50	14.50	13.50	14.50	13.50	14.50	13.50	14.50	13.50
	2	12.50	11.50	15.50	14.50	18.80	17.80	12.50	11.50	15.50	14.50	18.80	17.80	12.50	11.50
	3	12.50	11.50	15.50	14.50	18.80	17.80	12.50	11.50	15.50	14.50	18.80	17.80	12.50	11.50
	4	12.50	11.50	15.50	14.50	18.80	17.80	12.50	11.50	15.50	14.50	18.80	17.80	12.50	11.50
	5	12.50	11.50	15.50	14.50	18.80	17.80	12.50	11.50	15.50	14.50	18.80	17.80	12.50	11.50
	6	12.50	11.50	15.50	14.50	18.80	17.80	12.50	11.50	15.50	14.50	18.80	17.80	12.50	11.50
	7	12.50	11.50	15.50	14.50	18.80	17.80	12.50	11.50	15.50	14.50	18.80	17.80	12.50	11.50
	8	12.50	11.50	15.50	14.50	18.80	17.80	12.50	11.50	15.50	14.50	18.80	17.80	12.50	11.50
	9	12.50	11.50	15.50	14.50	18.80	17.80	12.50	11.50	15.50	14.50	18.80	17.80	12.50	11.50
	10	12.50	11.50	15.50	14.50	17.00	16.00	12.50	11.50	15.50	14.50	17.00	16.00	12.50	11.50
	11	12.50	11.50	15.50	14.50	15.00	14.00	12.50	11.50	15.50	14.50	15.00	14.00	12.50	11.50
	12	12.50	11.50	15.50	14.50	13.80	12.80	12.50	11.50	15.50	14.50	13.80	12.80	12.50	11.50
	13	-6.00	-7.00	-6.00	-7.00	-6.00	-7.00	-6.00	-7.00	-6.00	-7.00	-6.00	-7.00	-6.00	-7.00

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 5T					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
5 GHz WIFI 20 MHz Bandwidth	36	11.00	10.00	14.00	13.00	16.30	15.30
	40	11.00	10.00	14.00	13.00	17.00	16.00
	44	11.00	10.00	14.00	13.00	17.00	16.00
	48	11.00	10.00	14.00	13.00	17.00	16.00
	52	NS	NS	14.00	13.00	17.00	16.00
	56	NS	NS	14.00	13.00	17.00	16.00
	60	NS	NS	14.00	13.00	17.00	16.00
	64	NS	NS	14.00	13.00	17.00	16.00
	100	NS	NS	14.00	13.00	15.00	14.00
	104	NS	NS	14.00	13.00	17.00	16.00
	108	NS	NS	14.00	13.00	17.00	16.00
	112	NS	NS	14.00	13.00	17.00	16.00
	116	NS	NS	14.00	13.00	17.00	16.00
	120	NS	NS	14.00	13.00	17.00	16.00
	124	NS	NS	14.00	13.00	17.00	16.00
	128	NS	NS	14.00	13.00	17.00	16.00
	132	NS	NS	14.00	13.00	17.00	16.00
	136	NS	NS	14.00	13.00	17.00	16.00
	140	NS	NS	13.50	12.50	13.50	12.50
	144	NS	NS	14.00	13.00	17.00	16.00
	149	11.00	10.00	14.00	13.00	17.00	16.00
	153	11.00	10.00	14.00	13.00	17.00	16.00
	157	11.00	10.00	14.00	13.00	17.00	16.00
	161	11.00	10.00	14.00	13.00	17.00	16.00
	165	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 40 MHz Bandwidth	38	11.00	10.00	14.00	13.00	14.50	13.50
	46	11.00	10.00	14.00	13.00	17.00	16.00
	54	NS	NS	14.00	13.00	17.00	16.00
	62	NS	NS	14.00	13.00	14.50	13.50
	102	NS	NS	11.80	10.80	11.80	10.80
	110	NS	NS	14.00	13.00	17.00	16.00
	118	NS	NS	14.00	13.00	17.00	16.00
	126	NS	NS	14.00	13.00	17.00	16.00
	134	NS	NS	14.00	13.00	15.00	14.00
	142	NS	NS	14.00	13.00	17.00	16.00
	151	11.00	10.00	14.00	13.00	17.00	16.00
	159	11.00	10.00	14.00	13.00	17.00	16.00
	167	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 80 MHz Bandwidth	42	11.00	10.00	13.00	12.00	13.00	12.00
	58	NS	NS	13.50	12.50	13.50	12.50
	106	NS	NS	12.50	11.50	12.50	11.50
	122	NS	NS	14.00	13.00	15.80	14.80
	138	NS	NS	14.00	13.00	17.00	16.00
5GHz WIFI 160 Mhz Bandwidth	155	11.00	10.00	14.00	13.00	16.50	15.50
	50	NS	NS	13.50	12.50	13.50	12.50
	114	NS	NS	12.50	11.50	12.50	11.50

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 3 of 61

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5T						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	8.00	7.00	11.00	10.00	14.00	13.00
	40	8.00	7.00	11.00	10.00	14.00	13.00
	44	8.00	7.00	11.00	10.00	14.00	13.00
	48	8.00	7.00	11.00	10.00	14.00	13.00
	52	NS	NS	11.00	10.00	14.00	13.00
	56	NS	NS	11.00	10.00	14.00	13.00
	60	NS	NS	11.00	10.00	14.00	13.00
	64	NS	NS	11.00	10.00	14.00	13.00
	100	NS	NS	11.00	10.00	14.00	13.00
	104	NS	NS	11.00	10.00	14.00	13.00
	108	NS	NS	11.00	10.00	14.00	13.00
	112	NS	NS	11.00	10.00	14.00	13.00
	116	NS	NS	11.00	10.00	14.00	13.00
	120	NS	NS	11.00	10.00	14.00	13.00
	124	NS	NS	11.00	10.00	14.00	13.00
	128	NS	NS	11.00	10.00	14.00	13.00
	132	NS	NS	11.00	10.00	14.00	13.00
	136	NS	NS	11.00	10.00	14.00	13.00
	140	NS	NS	11.00	10.00	13.00	12.00
	144	NS	NS	11.00	10.00	14.00	13.00
	149	8.00	7.00	11.00	10.00	14.00	13.00
	153	8.00	7.00	11.00	10.00	14.00	13.00
	157	8.00	7.00	11.00	10.00	14.00	13.00
	161	8.00	7.00	11.00	10.00	14.00	13.00
	165	8.00	7.00	11.00	10.00	14.00	13.00
5 GHz WIFI 40 MHz Bandwidth	38	8.00	7.00	11.00	10.00	14.00	13.00
	46	8.00	7.00	11.00	10.00	14.00	13.00
	54	NS	NS	11.00	10.00	14.00	13.00
	62	NS	NS	11.00	10.00	13.80	12.80
	102	NS	NS	11.00	10.00	11.80	10.80
	110	NS	NS	11.00	10.00	14.00	13.00
	118	NS	NS	11.00	10.00	14.00	13.00
	126	NS	NS	11.00	10.00	14.00	13.00
	134	NS	NS	11.00	10.00	14.00	13.00
	142	NS	NS	11.00	10.00	14.00	13.00
	151	8.00	7.00	11.00	10.00	14.00	13.00
	159	8.00	7.00	11.00	10.00	14.00	13.00
5 GHz WIFI 80 MHz Bandwidth	42	8.00	7.00	11.00	10.00	12.50	11.50
	58	NS	NS	11.00	10.00	13.50	12.50
	106	NS	NS	11.00	10.00	11.30	10.30
	122	NS	NS	11.00	10.00	14.00	13.00
	138	NS	NS	11.00	10.00	14.00	13.00
5GHz WIFI 160 Mhz Bandwidth	155	8.00	7.00	11.00	10.00	14.00	13.00
	50	NS	NS	11.00	10.00	12.00	11.00
	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 4 of 61

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 5T					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	8.00	7.00	11.00	10.00	14.00	13.00
	40	8.00	7.00	11.00	10.00	14.00	13.00
	44	8.00	7.00	11.00	10.00	14.00	13.00
	48	8.00	7.00	11.00	10.00	14.00	13.00
	52	NS	NS	11.00	10.00	14.00	13.00
	56	NS	NS	11.00	10.00	14.00	13.00
	60	NS	NS	11.00	10.00	14.00	13.00
	64	NS	NS	11.00	10.00	14.00	13.00
	100	NS	NS	11.00	10.00	14.00	13.00
	104	NS	NS	11.00	10.00	14.00	13.00
	108	NS	NS	11.00	10.00	14.00	13.00
	112	NS	NS	11.00	10.00	14.00	13.00
	116	NS	NS	11.00	10.00	14.00	13.00
	120	NS	NS	11.00	10.00	14.00	13.00
	124	NS	NS	11.00	10.00	14.00	13.00
	128	NS	NS	11.00	10.00	14.00	13.00
	132	NS	NS	11.00	10.00	14.00	13.00
	136	NS	NS	11.00	10.00	14.00	13.00
	140	NS	NS	11.00	10.00	13.00	12.00
	144	NS	NS	11.00	10.00	14.00	13.00
	149	8.00	7.00	11.00	10.00	14.00	13.00
	153	8.00	7.00	11.00	10.00	14.00	13.00
	157	8.00	7.00	11.00	10.00	14.00	13.00
	161	8.00	7.00	11.00	10.00	14.00	13.00
	165	8.00	7.00	11.00	10.00	14.00	13.00
5 GHz WIFI 40 MHz Bandwidth	38	8.00	7.00	11.00	10.00	14.00	13.00
	46	8.00	7.00	11.00	10.00	14.00	13.00
	54	NS	NS	11.00	10.00	14.00	13.00
	62	NS	NS	11.00	10.00	13.80	12.80
	102	NS	NS	11.00	10.00	11.80	10.80
	110	NS	NS	11.00	10.00	14.00	13.00
	118	NS	NS	11.00	10.00	14.00	13.00
	126	NS	NS	11.00	10.00	14.00	13.00
	134	NS	NS	11.00	10.00	14.00	13.00
	142	NS	NS	11.00	10.00	14.00	13.00
	151	8.00	7.00	11.00	10.00	14.00	13.00
	159	8.00	7.00	11.00	10.00	14.00	13.00
5 GHz WIFI 80 MHz Bandwidth	42	8.00	7.00	11.00	10.00	12.50	11.50
	58	NS	NS	11.00	10.00	13.50	12.50
	106	NS	NS	11.00	10.00	11.30	10.30
	122	NS	NS	11.00	10.00	14.00	13.00
	138	NS	NS	11.00	10.00	14.00	13.00
5GHz WIFI 160 Mhz Bandwidth	155	8.00	7.00	11.00	10.00	14.00	13.00
	50	NS	NS	11.00	10.00	12.00	11.00
	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 5 of 61

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3b					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	8.00	7.00	11.00	10.00	14.00	13.00
	40	8.00	7.00	11.00	10.00	14.00	13.00
	44	8.00	7.00	11.00	10.00	14.00	13.00
	48	8.00	7.00	11.00	10.00	14.00	13.00
	52	NS	NS	11.00	10.00	14.00	13.00
	56	NS	NS	11.00	10.00	14.00	13.00
	60	NS	NS	11.00	10.00	14.00	13.00
	64	NS	NS	11.00	10.00	14.00	13.00
	100	NS	NS	11.00	10.00	14.00	13.00
	104	NS	NS	11.00	10.00	14.00	13.00
	108	NS	NS	11.00	10.00	14.00	13.00
	112	NS	NS	11.00	10.00	14.00	13.00
	116	NS	NS	11.00	10.00	14.00	13.00
	120	NS	NS	11.00	10.00	14.00	13.00
	124	NS	NS	11.00	10.00	14.00	13.00
	128	NS	NS	11.00	10.00	14.00	13.00
	132	NS	NS	11.00	10.00	14.00	13.00
	136	NS	NS	11.00	10.00	14.00	13.00
	140	NS	NS	11.00	10.00	13.00	12.00
	144	NS	NS	11.00	10.00	14.00	13.00
	149	8.00	7.00	11.00	10.00	14.00	13.00
	153	8.00	7.00	11.00	10.00	14.00	13.00
	157	8.00	7.00	11.00	10.00	14.00	13.00
	161	8.00	7.00	11.00	10.00	14.00	13.00
	165	8.00	7.00	11.00	10.00	14.00	13.00
5 GHz WIFI 40 MHz Bandwidth	38	8.00	7.00	11.00	10.00	14.00	13.00
	46	8.00	7.00	11.00	10.00	14.00	13.00
	54	NS	NS	11.00	10.00	14.00	13.00
	62	NS	NS	11.00	10.00	14.00	13.00
	102	NS	NS	11.00	10.00	12.50	11.50
	110	NS	NS	11.00	10.00	14.00	13.00
	118	NS	NS	11.00	10.00	14.00	13.00
	126	NS	NS	11.00	10.00	14.00	13.00
	134	NS	NS	11.00	10.00	14.00	13.00
	142	NS	NS	11.00	10.00	14.00	13.00
	151	8.00	7.00	11.00	10.00	14.00	13.00
	159	8.00	7.00	11.00	10.00	14.00	13.00
5 GHz WIFI 80 MHz Bandwidth	42	8.00	7.00	11.00	10.00	13.00	12.00
	58	NS	NS	11.00	10.00	13.80	12.80
	106	NS	NS	11.00	10.00	11.50	10.50
	122	NS	NS	11.00	10.00	14.00	13.00
	138	NS	NS	11.00	10.00	14.00	13.00
5GHz WIFI 160 Mhz Bandwidth	155	8.00	7.00	11.00	10.00	14.00	13.00
	50	NS	NS	11.00	10.00	13.50	12.50
	114	NS	NS	11.00	10.00	11.50	10.50

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 6 of 61

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 3b						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	8.00	7.00	11.00	10.00	14.00	13.00
	40	8.00	7.00	11.00	10.00	14.00	13.00
	44	8.00	7.00	11.00	10.00	14.00	13.00
	48	8.00	7.00	11.00	10.00	14.00	13.00
	52	NS	NS	11.00	10.00	14.00	13.00
	56	NS	NS	11.00	10.00	14.00	13.00
	60	NS	NS	11.00	10.00	14.00	13.00
	64	NS	NS	11.00	10.00	14.00	13.00
	100	NS	NS	11.00	10.00	14.00	13.00
	104	NS	NS	11.00	10.00	14.00	13.00
	108	NS	NS	11.00	10.00	14.00	13.00
	112	NS	NS	11.00	10.00	14.00	13.00
	116	NS	NS	11.00	10.00	14.00	13.00
	120	NS	NS	11.00	10.00	14.00	13.00
	124	NS	NS	11.00	10.00	14.00	13.00
	128	NS	NS	11.00	10.00	14.00	13.00
	132	NS	NS	11.00	10.00	14.00	13.00
	136	NS	NS	11.00	10.00	14.00	13.00
	140	NS	NS	11.00	10.00	13.00	12.00
	144	NS	NS	11.00	10.00	14.00	13.00
	149	8.00	7.00	11.00	10.00	14.00	13.00
	153	8.00	7.00	11.00	10.00	14.00	13.00
	157	8.00	7.00	11.00	10.00	14.00	13.00
	161	8.00	7.00	11.00	10.00	14.00	13.00
	165	8.00	7.00	11.00	10.00	14.00	13.00
5 GHz WIFI 40 MHz Bandwidth	38	8.00	7.00	11.00	10.00	14.00	13.00
	46	8.00	7.00	11.00	10.00	14.00	13.00
	54	NS	NS	11.00	10.00	14.00	13.00
	62	NS	NS	11.00	10.00	13.80	12.80
	102	NS	NS	11.00	10.00	11.80	10.80
	110	NS	NS	11.00	10.00	14.00	13.00
	118	NS	NS	11.00	10.00	14.00	13.00
	126	NS	NS	11.00	10.00	14.00	13.00
	134	NS	NS	11.00	10.00	14.00	13.00
	142	NS	NS	11.00	10.00	14.00	13.00
	151	8.00	7.00	11.00	10.00	14.00	13.00
	159	8.00	7.00	11.00	10.00	14.00	13.00
5 GHz WIFI 80 MHz Bandwidth	42	8.00	7.00	11.00	10.00	12.50	11.50
	58	NS	NS	11.00	10.00	13.50	12.50
	106	NS	NS	11.00	10.00	11.30	10.30
	122	NS	NS	11.00	10.00	14.00	13.00
	138	NS	NS	11.00	10.00	14.00	13.00
5GHz WIFI 160 Mhz Bandwidth	155	8.00	7.00	11.00	10.00	14.00	13.00
	50	NS	NS	11.00	10.00	12.00	11.00
	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 7 of 61

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3b					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	8.00	7.00	11.00	10.00	14.00	13.00
	40	8.00	7.00	11.00	10.00	14.00	13.00
	44	8.00	7.00	11.00	10.00	14.00	13.00
	48	8.00	7.00	11.00	10.00	14.00	13.00
	52	NS	NS	11.00	10.00	14.00	13.00
	56	NS	NS	11.00	10.00	14.00	13.00
	60	NS	NS	11.00	10.00	14.00	13.00
	64	NS	NS	11.00	10.00	14.00	13.00
	100	NS	NS	11.00	10.00	14.00	13.00
	104	NS	NS	11.00	10.00	14.00	13.00
	108	NS	NS	11.00	10.00	14.00	13.00
	112	NS	NS	11.00	10.00	14.00	13.00
	116	NS	NS	11.00	10.00	14.00	13.00
	120	NS	NS	11.00	10.00	14.00	13.00
	124	NS	NS	11.00	10.00	14.00	13.00
	128	NS	NS	11.00	10.00	14.00	13.00
	132	NS	NS	11.00	10.00	14.00	13.00
	136	NS	NS	11.00	10.00	14.00	13.00
	140	NS	NS	11.00	10.00	13.00	12.00
	144	NS	NS	11.00	10.00	14.00	13.00
	149	8.00	7.00	11.00	10.00	14.00	13.00
	153	8.00	7.00	11.00	10.00	14.00	13.00
	157	8.00	7.00	11.00	10.00	14.00	13.00
	161	8.00	7.00	11.00	10.00	14.00	13.00
	165	8.00	7.00	11.00	10.00	14.00	13.00
5 GHz WIFI 40 MHz Bandwidth	38	8.00	7.00	11.00	10.00	14.00	13.00
	46	8.00	7.00	11.00	10.00	14.00	13.00
	54	NS	NS	11.00	10.00	14.00	13.00
	62	NS	NS	11.00	10.00	13.80	12.80
	102	NS	NS	11.00	10.00	11.80	10.80
	110	NS	NS	11.00	10.00	14.00	13.00
	118	NS	NS	11.00	10.00	14.00	13.00
	126	NS	NS	11.00	10.00	14.00	13.00
	134	NS	NS	11.00	10.00	14.00	13.00
	142	NS	NS	11.00	10.00	14.00	13.00
	151	8.00	7.00	11.00	10.00	14.00	13.00
	159	8.00	7.00	11.00	10.00	14.00	13.00
5 GHz WIFI 80 MHz Bandwidth	42	8.00	7.00	11.00	10.00	12.50	11.50
	58	NS	NS	11.00	10.00	13.50	12.50
	106	NS	NS	11.00	10.00	11.30	10.30
	122	NS	NS	11.00	10.00	14.00	13.00
	138	NS	NS	11.00	10.00	14.00	13.00
5GHz WIFI 160 Mhz Bandwidth	155	8.00	7.00	11.00	10.00	14.00	13.00
	50	NS	NS	11.00	10.00	12.00	11.00
	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 8 of 61

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	8.00	7.00	11.00	10.00	14.00	13.00
	40	8.00	7.00	11.00	10.00	14.00	13.00
	44	8.00	7.00	11.00	10.00	14.00	13.00
	48	8.00	7.00	11.00	10.00	14.00	13.00
	52	NS	NS	11.00	10.00	14.00	13.00
	56	NS	NS	11.00	10.00	14.00	13.00
	60	NS	NS	11.00	10.00	14.00	13.00
	64	NS	NS	11.00	10.00	14.00	13.00
	100	NS	NS	11.00	10.00	14.00	13.00
	104	NS	NS	11.00	10.00	14.00	13.00
	108	NS	NS	11.00	10.00	14.00	13.00
	112	NS	NS	11.00	10.00	14.00	13.00
	116	NS	NS	11.00	10.00	14.00	13.00
	120	NS	NS	11.00	10.00	14.00	13.00
	124	NS	NS	11.00	10.00	14.00	13.00
	128	NS	NS	11.00	10.00	14.00	13.00
	132	NS	NS	11.00	10.00	14.00	13.00
	136	NS	NS	11.00	10.00	14.00	13.00
	140	NS	NS	11.00	10.00	13.00	12.00
	144	NS	NS	11.00	10.00	14.00	13.00
	149	8.00	7.00	11.00	10.00	14.00	13.00
	153	8.00	7.00	11.00	10.00	14.00	13.00
	157	8.00	7.00	11.00	10.00	14.00	13.00
	161	8.00	7.00	11.00	10.00	14.00	13.00
	165	8.00	7.00	11.00	10.00	14.00	13.00
5 GHz WIFI 40 MHz Bandwidth	38	8.00	7.00	11.00	10.00	14.00	13.00
	46	8.00	7.00	11.00	10.00	14.00	13.00
	54	NS	NS	11.00	10.00	14.00	13.00
	62	NS	NS	11.00	10.00	14.00	13.00
	102	NS	NS	11.00	10.00	12.50	11.50
	110	NS	NS	11.00	10.00	14.00	13.00
	118	NS	NS	11.00	10.00	14.00	13.00
	126	NS	NS	11.00	10.00	14.00	13.00
	134	NS	NS	11.00	10.00	14.00	13.00
	142	NS	NS	11.00	10.00	14.00	13.00
	151	8.00	7.00	11.00	10.00	14.00	13.00
	159	8.00	7.00	11.00	10.00	14.00	13.00
5 GHz WIFI 80 MHz Bandwidth	42	8.00	7.00	11.00	10.00	13.00	12.00
	58	NS	NS	11.00	10.00	13.80	12.80
	106	NS	NS	11.00	10.00	11.50	10.50
	122	NS	NS	11.00	10.00	14.00	13.00
	138	NS	NS	11.00	10.00	14.00	13.00
5GHz WIFI 160 Mhz Bandwidth	155	8.00	7.00	11.00	10.00	14.00	13.00
	50	NS	NS	11.00	10.00	13.50	12.50
	114	NS	NS	11.00	10.00	11.50	10.50

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 9 of 61

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	8.00	7.00	11.00	10.00	14.00	13.00
	40	8.00	7.00	11.00	10.00	14.00	13.00
	44	8.00	7.00	11.00	10.00	14.00	13.00
	48	8.00	7.00	11.00	10.00	14.00	13.00
	52	NS	NS	11.00	10.00	14.00	13.00
	56	NS	NS	11.00	10.00	14.00	13.00
	60	NS	NS	11.00	10.00	14.00	13.00
	64	NS	NS	11.00	10.00	14.00	13.00
	100	NS	NS	11.00	10.00	14.00	13.00
	104	NS	NS	11.00	10.00	14.00	13.00
	108	NS	NS	11.00	10.00	14.00	13.00
	112	NS	NS	11.00	10.00	14.00	13.00
	116	NS	NS	11.00	10.00	14.00	13.00
	120	NS	NS	11.00	10.00	14.00	13.00
	124	NS	NS	11.00	10.00	14.00	13.00
	128	NS	NS	11.00	10.00	14.00	13.00
	132	NS	NS	11.00	10.00	14.00	13.00
	136	NS	NS	11.00	10.00	14.00	13.00
	140	NS	NS	11.00	10.00	13.00	12.00
	144	NS	NS	11.00	10.00	14.00	13.00
	149	8.00	7.00	11.00	10.00	14.00	13.00
	153	8.00	7.00	11.00	10.00	14.00	13.00
	157	8.00	7.00	11.00	10.00	14.00	13.00
	161	8.00	7.00	11.00	10.00	14.00	13.00
	165	8.00	7.00	11.00	10.00	14.00	13.00
5 GHz WIFI 40 MHz Bandwidth	38	8.00	7.00	11.00	10.00	14.00	13.00
	46	8.00	7.00	11.00	10.00	14.00	13.00
	54	NS	NS	11.00	10.00	14.00	13.00
	62	NS	NS	11.00	10.00	13.80	12.80
	102	NS	NS	11.00	10.00	11.80	10.80
	110	NS	NS	11.00	10.00	14.00	13.00
	118	NS	NS	11.00	10.00	14.00	13.00
	126	NS	NS	11.00	10.00	14.00	13.00
	134	NS	NS	11.00	10.00	14.00	13.00
	142	NS	NS	11.00	10.00	14.00	13.00
	151	8.00	7.00	11.00	10.00	14.00	13.00
	159	8.00	7.00	11.00	10.00	14.00	13.00
5 GHz WIFI 80 MHz Bandwidth	42	8.00	7.00	11.00	10.00	12.50	11.50
	58	NS	NS	11.00	10.00	13.50	12.50
	106	NS	NS	11.00	10.00	11.30	10.30
	122	NS	NS	11.00	10.00	14.00	13.00
	138	NS	NS	11.00	10.00	14.00	13.00
5GHz WIFI 160 Mhz Bandwidth	155	8.00	7.00	11.00	10.00	14.00	13.00
	50	NS	NS	11.00	10.00	12.00	11.00
	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 10 of 61

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	8.00	7.00	11.00	10.00	14.00	13.00
	40	8.00	7.00	11.00	10.00	14.00	13.00
	44	8.00	7.00	11.00	10.00	14.00	13.00
	48	8.00	7.00	11.00	10.00	14.00	13.00
	52	NS	NS	11.00	10.00	14.00	13.00
	56	NS	NS	11.00	10.00	14.00	13.00
	60	NS	NS	11.00	10.00	14.00	13.00
	64	NS	NS	11.00	10.00	14.00	13.00
	100	NS	NS	11.00	10.00	14.00	13.00
	104	NS	NS	11.00	10.00	14.00	13.00
	108	NS	NS	11.00	10.00	14.00	13.00
	112	NS	NS	11.00	10.00	14.00	13.00
	116	NS	NS	11.00	10.00	14.00	13.00
	120	NS	NS	11.00	10.00	14.00	13.00
	124	NS	NS	11.00	10.00	14.00	13.00
	128	NS	NS	11.00	10.00	14.00	13.00
	132	NS	NS	11.00	10.00	14.00	13.00
	136	NS	NS	11.00	10.00	14.00	13.00
	140	NS	NS	11.00	10.00	13.00	12.00
	144	NS	NS	11.00	10.00	14.00	13.00
	149	8.00	7.00	11.00	10.00	14.00	13.00
	153	8.00	7.00	11.00	10.00	14.00	13.00
	157	8.00	7.00	11.00	10.00	14.00	13.00
	161	8.00	7.00	11.00	10.00	14.00	13.00
	165	8.00	7.00	11.00	10.00	14.00	13.00
5 GHz WIFI 40 MHz Bandwidth	38	8.00	7.00	11.00	10.00	14.00	13.00
	46	8.00	7.00	11.00	10.00	14.00	13.00
	54	NS	NS	11.00	10.00	14.00	13.00
	62	NS	NS	11.00	10.00	13.80	12.80
	102	NS	NS	11.00	10.00	11.80	10.80
	110	NS	NS	11.00	10.00	14.00	13.00
	118	NS	NS	11.00	10.00	14.00	13.00
	126	NS	NS	11.00	10.00	14.00	13.00
	134	NS	NS	11.00	10.00	14.00	13.00
	142	NS	NS	11.00	10.00	14.00	13.00
	151	8.00	7.00	11.00	10.00	14.00	13.00
	159	8.00	7.00	11.00	10.00	14.00	13.00
5 GHz WIFI 80 MHz Bandwidth	42	8.00	7.00	11.00	10.00	12.50	11.50
	58	NS	NS	11.00	10.00	13.50	12.50
	106	NS	NS	11.00	10.00	11.30	10.30
	122	NS	NS	11.00	10.00	14.00	13.00
	138	NS	NS	11.00	10.00	14.00	13.00
5GHz WIFI 160 Mhz Bandwidth	155	8.00	7.00	11.00	10.00	14.00	13.00
	50	NS	NS	11.00	10.00	12.00	11.00
	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 11 of 61

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5T						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-3.60	-4.60	-1.30	-2.30	1.80	0.80
	5	-3.50	-4.50	-0.50	-1.50	2.60	1.60
	9-29	-3.60	-4.60	-0.90	-1.90	2.40	1.40
	33-61	-4.20	-5.20	-1.40	-2.40	1.70	0.70
	65-85	-4.00	-5.00	-1.30	-2.30	1.80	0.80
	89	-4.00	-5.00	-1.20	-2.20	1.80	0.80
	93	-3.90	-4.90	-1.20	-2.20	1.90	0.90
	97-113	-4.20	-5.20	-1.20	-2.20	1.90	0.90
	117-181	-4.20	-5.20	-1.50	-2.50	1.80	0.80
	185	-4.80	-5.80	-2.40	-3.40	0.80	-0.20
	189-225	-5.10	-6.10	-2.50	-3.50	0.80	-0.20
	229	-4.80	-5.80	-2.20	-3.20	1.10	0.10
	233	NS	NS	NS	NS	NS	NS
	3	-3.60	-4.60	-1.30	-2.30	1.80	0.80
	11	-3.40	-4.40	-0.90	-1.90	2.50	1.50
6 GHz WIFI (40MHz BW) LP	19-27	-3.60	-4.60	-0.90	-1.90	2.40	1.40
	35-59	-4.30	-5.30	-1.60	-2.60	1.70	0.70
	67-75	-4.10	-5.10	-1.30	-2.30	1.80	0.80
	83	-4.00	-5.00	-1.20	-2.20	1.80	0.80
	91	-4.00	-5.00	-1.20	-2.20	1.80	0.80
	99-107	-4.20	-5.20	-1.20	-2.20	1.90	0.90
	115	-4.20	-5.20	-1.30	-2.30	1.90	0.90
	123-179	-4.40	-5.40	-1.50	-2.50	1.80	0.80
	187	-4.80	-5.80	-2.40	-3.40	0.80	-0.20
	195-219	-5.10	-6.10	-2.50	-3.50	0.80	-0.20
	227	-5.10	-6.10	-2.20	-3.20	1.10	0.10
	7	-3.60	-4.60	-0.80	-1.80	1.70	0.70
	23	-3.80	-4.80	-0.90	-1.90	2.40	1.40
	39-55	-4.40	-5.40	-1.30	-2.30	1.90	0.90
6 GHz WIFI (80MHz BW) LP	71	-4.40	-5.40	-1.30	-2.30	1.40	0.40
	87	-4.30	-5.30	-1.30	-2.30	1.80	0.80
	103	-4.20	-5.20	-1.30	-2.30	1.90	0.90
	119	-4.40	-5.40	-1.30	-2.30	1.80	0.80
	135-167	-4.30	-5.30	-1.20	-2.20	1.80	0.80
	183	-5.10	-6.10	-2.20	-3.20	1.00	0.00
	199	-5.10	-6.10	-2.10	-3.10	1.00	0.00
	215	-4.90	-5.90	-2.50	-3.50	1.00	0.00
	15	-3.80	-4.80	-0.80	-1.80	1.80	0.80
	47	-4.20	-5.20	-1.40	-2.40	1.70	0.70
6 GHz WIFI (160MHz BW) LP	79	-4.40	-5.40	-1.30	-2.30	1.80	0.80
	111	-4.10	-5.10	-1.30	-2.30	1.70	0.70
	143	-4.40	-5.40	-1.70	-2.70	1.70	0.70
	175	-4.80	-5.80	-2.70	-3.70	0.60	-0.40
	207	-5.20	-6.20	-2.50	-3.50	0.90	-0.10

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 12 of 61

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 5T					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-8.40	-9.40	-6.10	-7.10	-3.10	-4.10
	5	-8.40	-9.40	-5.50	-6.50	-2.20	-3.20
	9-29	-8.40	-9.40	-5.70	-6.70	-2.40	-3.40
	33-61	-8.60	-9.60	-6.00	-7.00	-2.70	-3.70
	65-85	-8.10	-9.10	-5.50	-6.50	-2.20	-3.20
	89	-8.10	-9.10	-5.30	-6.30	-2.20	-3.20
	93	-7.90	-8.90	-5.20	-6.20	-2.10	-3.10
	97-113	-8.60	-9.60	-5.60	-6.60	-2.60	-3.60
	117-181	-8.50	-9.50	-5.80	-6.80	-2.60	-3.60
	185	-8.80	-9.80	-6.40	-7.40	-3.20	-4.20
	189-225	-8.80	-9.80	-6.10	-7.10	-2.90	-3.90
	229	-8.40	-9.40	-5.80	-6.80	-2.70	-3.70
	233	NS	NS	NS	NS	NS	NS
	3	-8.40	-9.40	-6.10	-7.10	-3.10	-4.10
6 GHz WIFI (40MHz BW) LP	11	-8.30	-9.30	-5.70	-6.70	-2.30	-3.30
	19-27	-8.40	-9.40	-5.70	-6.70	-2.40	-3.40
	35-59	-8.70	-9.70	-6.00	-7.00	-2.70	-3.70
	67-75	-8.40	-9.40	-5.40	-6.40	-2.20	-3.20
	83	-8.30	-9.30	-5.50	-6.50	-2.20	-3.20
	91	-8.10	-9.10	-5.30	-6.30	-2.20	-3.20
	99-107	-8.60	-9.60	-5.60	-6.60	-2.60	-3.60
	115	-8.50	-9.50	-5.60	-6.60	-2.40	-3.40
	123-179	-8.70	-9.70	-5.80	-6.80	-2.60	-3.60
	187	-9.00	-10.00	-6.40	-7.40	-3.20	-4.20
	195-219	-8.80	-9.80	-6.10	-7.10	-2.90	-3.90
	227	-8.70	-9.70	-5.90	-6.90	-2.70	-3.70
	7	-8.60	-9.60	-5.60	-6.60	-3.10	-4.10
	23	-8.60	-9.60	-5.70	-6.70	-2.40	-3.40
	39-55	-8.80	-9.80	-5.80	-6.80	-2.60	-3.60
6 GHz WIFI (80MHz BW) LP	71	-8.40	-9.40	-5.60	-6.60	-2.60	-3.60
	87	-8.30	-9.30	-5.50	-6.50	-2.20	-3.20
	103	-8.60	-9.60	-5.70	-6.70	-2.50	-3.50
	119	-8.70	-9.70	-5.90	-6.90	-2.50	-3.50
	135-167	-8.60	-9.60	-5.60	-6.60	-2.50	-3.50
	183	NS	NS	-6.20	-7.20	-3.00	-4.00
	199	-8.80	-9.80	-5.80	-6.80	-2.60	-3.60
	215	-8.70	-9.70	-6.10	-7.10	-2.70	-3.70
	15	-8.60	-9.60	-5.80	-6.80	-2.40	-3.40
	47	-8.80	-9.80	-5.90	-6.90	-2.70	-3.70
6 GHz WIFI (160MHz BW) LP	79	-8.40	-9.40	-5.70	-6.70	-2.20	-3.20
	111	-8.70	-9.70	-6.00	-7.00	-2.60	-3.60
	143	-8.70	-9.70	-6.00	-7.00	-2.60	-3.60
	175	NS	NS	-6.70	-7.70	-3.40	-4.40
	207	-8.80	-9.80	-6.10	-7.10	-2.70	-3.70

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 13 of 61

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5T						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-5.50	-6.50	-3.20	-4.20	-0.20	-1.20
	5	-5.50	-6.50	-2.60	-3.60	0.70	-0.30
	9-29	-5.50	-6.50	-2.80	-3.80	0.50	-0.50
	33-61	-5.80	-6.80	-3.20	-4.20	0.10	-0.90
	65-85	-5.40	-6.40	-2.80	-3.80	0.50	-0.50
	89	-5.40	-6.40	-2.60	-3.60	0.50	-0.50
	93	-5.20	-6.20	-2.50	-3.50	0.60	-0.40
	97-113	-5.80	-6.80	-2.80	-3.80	0.20	-0.80
	117-181	-5.70	-6.70	-3.00	-4.00	0.20	-0.80
	185	-6.10	-7.10	-3.70	-4.70	-0.50	-1.50
	189-225	-6.30	-7.30	-3.60	-4.60	-0.40	-1.40
	229	-5.90	-6.90	-3.30	-4.30	-0.20	-1.20
	233	NS	NS	NS	NS	NS	NS
	3	-5.50	-6.50	-3.20	-4.20	-0.20	-1.20
6 GHz WIFI (40MHz BW) LP	11	-5.40	-6.40	-2.80	-3.80	0.60	-0.40
	19-27	-5.50	-6.50	-2.80	-3.80	0.50	-0.50
	35-59	-5.90	-6.90	-3.20	-4.20	0.10	-0.90
	67-75	-5.70	-6.70	-2.70	-3.70	0.50	-0.50
	83	-5.60	-6.60	-2.80	-3.80	0.50	-0.50
	91	-5.40	-6.40	-2.60	-3.60	0.50	-0.50
	99-107	-5.80	-6.80	-2.80	-3.80	0.20	-0.80
	115	-5.70	-6.70	-2.80	-3.80	0.40	-0.60
	123-179	-5.90	-6.90	-3.00	-4.00	0.20	-0.80
	187	-6.30	-7.30	-3.70	-4.70	-0.50	-1.50
	195-219	-6.30	-7.30	-3.60	-4.60	-0.40	-1.40
	227	-6.20	-7.20	-3.40	-4.40	-0.20	-1.20
	7	-5.70	-6.70	-2.70	-3.70	-0.20	-1.20
	23	-5.70	-6.70	-2.80	-3.80	0.50	-0.50
	39-55	-6.00	-7.00	-3.00	-4.00	0.20	-0.80
6 GHz WIFI (80MHz BW) LP	71	-5.70	-6.70	-2.90	-3.90	0.10	-0.90
	87	-5.60	-6.60	-2.80	-3.80	0.50	-0.50
	103	-5.80	-6.80	-2.90	-3.90	0.30	-0.70
	119	-5.90	-6.90	-3.10	-4.10	0.30	-0.70
	135-167	-5.80	-6.80	-2.80	-3.80	0.30	-0.70
	183	-6.40	-7.40	-3.50	-4.50	-0.30	-1.30
	199	-6.30	-7.30	-3.30	-4.30	-0.10	-1.10
	215	-6.20	-7.20	-3.60	-4.60	-0.20	-1.20
	15	-5.70	-6.70	-2.90	-3.90	0.50	-0.50
	47	-6.00	-7.00	-3.10	-4.10	0.10	-0.90
	79	-5.70	-6.70	-3.00	-4.00	0.50	-0.50
	111	-5.90	-6.90	-3.20	-4.20	0.20	-0.80
	143	-5.90	-6.90	-3.20	-4.20	0.20	-0.80
	175	-6.50	-7.50	-4.00	-5.00	-0.70	-1.70
	207	-6.30	-7.30	-3.60	-4.60	-0.20	-1.20
Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5T						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-8.20	-9.20	-5.40	-6.40	-2.30	-3.30
	65-85	-8.00	-9.00	-5.30	-6.30	-2.20	-3.20
	89	-8.00	-9.00	-5.20	-6.20	-2.20	-3.20
	93	-7.90	-8.90	-5.20	-6.20	-2.10	-3.10
	97-113	-8.20	-9.20	-5.20	-6.20	-2.10	-3.10
	117-181	-8.20	-9.20	-5.50	-6.50	-2.20	-3.20
	185	-8.80	-9.80	-6.40	-7.40	-3.20	-4.20
	189-225	NS	NS	-6.50	-7.50	-3.20	-4.20
	229	-8.80	-9.80	-6.20	-7.20	-2.90	-3.90
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-8.30	-9.30	-5.60	-6.60	-2.30	-3.30
	67-75	-8.10	-9.10	-5.30	-6.30	-2.20	-3.20
	83	-8.00	-9.00	-5.20	-6.20	-2.20	-3.20
	91	-8.00	-9.00	-5.20	-6.20	-2.20	-3.20
	99-107	-8.20	-9.20	-5.20	-6.20	-2.10	-3.10
	115	-8.20	-9.20	-5.30	-6.30	-2.10	-3.10
	123-179	-8.40	-9.40	-5.50	-6.50	-2.20	-3.20
	187	-8.80	-9.80	-6.40	-7.40	-3.20	-4.20
	195-219	NS	NS	-6.50	-7.50	-3.20	-4.20
	227	NS	NS	-6.20	-7.20	-2.90	-3.90
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-8.40	-9.40	-5.30	-6.30	-2.10	-3.10
	71	-8.40	-9.40	-5.30	-6.30	-2.60	-3.60
6 GHz WIFI (80MHz BW) VLP	87	-8.30	-9.30	-5.30	-6.30	-2.20	-3.20
	103	-8.20	-9.20	-5.30	-6.30	-2.10	-3.10
	119	-8.40	-9.40	-5.30	-6.30	-2.20	-3.20
	135-167	-8.30	-9.30	-5.20	-6.20	-2.20	-3.20
	183	NS	NS	-6.20	-7.20	-3.00	-4.00
	199	NS	NS	-6.10	-7.10	-3.00	-4.00
	215	-8.90	-9.90	-6.50	-7.50	-3.00	-4.00
	15	NS	NS	NS	NS	NS	NS
	47	-8.20	-9.20	-5.40	-6.40	-2.30	-3.30
	79	-8.40	-9.40	-5.30	-6.30	-2.20	-3.20
	111	-8.10	-9.10	-5.30	-6.30	-2.30	-3.30
	143	-8.40	-9.40	-5.70	-6.70	-2.30	-3.30
	175	-8.80	-9.80	-6.70	-7.70	-3.40	-4.40
	207	NS	NS	-6.50	-7.50	-3.10	-4.10

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 14 of 61

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5T						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	NS	NS	-6.70	-7.70
	65-85	NS	NS	NS	NS	-6.20	-7.20
	89	NS	NS	NS	NS	-6.20	-7.20
	93	NS	NS	NS	NS	-6.10	-7.10
	97-113	NS	NS	NS	NS	-6.60	-7.60
	117-181	NS	NS	NS	NS	-6.60	-7.60
	185	NS	NS	NS	NS	-7.20	-8.20
	189-225	NS	NS	NS	NS	-6.90	-7.90
	229	NS	NS	NS	NS	-6.70	-7.70
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	NS	NS	-6.70	-7.70
	67-75	NS	NS	NS	NS	-6.20	-7.20
	83	NS	NS	NS	NS	-6.20	-7.20
	91	NS	NS	NS	NS	-6.20	-7.20
	99-107	NS	NS	NS	NS	-6.60	-7.60
	115	NS	NS	NS	NS	-6.40	-7.40
	123-179	NS	NS	NS	NS	-6.60	-7.60
	187	NS	NS	NS	NS	-7.20	-8.20
	195-219	NS	NS	NS	NS	-6.90	-7.90
	227	NS	NS	NS	NS	-6.70	-7.70
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	-6.60	-7.60
6 GHz WIFI (80MHz BW) VLP	71	NS	NS	NS	NS	-6.60	-7.60
	87	NS	NS	NS	NS	-6.20	-7.20
	103	NS	NS	NS	NS	-6.50	-7.50
	119	NS	NS	NS	NS	-6.50	-7.50
	135-167	NS	NS	NS	NS	-6.50	-7.50
	183	NS	NS	NS	NS	-7.00	-8.00
	199	NS	NS	NS	NS	-6.60	-7.60
	215	NS	NS	NS	NS	-6.70	-7.70
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	NS	NS	-6.70	-7.70
	79	NS	NS	NS	NS	-6.20	-7.20
	111	NS	NS	NS	NS	-6.60	-7.60
	143	NS	NS	NS	NS	-6.60	-7.60
	175	NS	NS	NS	NS	-7.40	-8.40
	207	NS	NS	NS	NS	-6.70	-7.70
Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5T						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-7.20	-8.20	-3.90	-4.90
	65-85	NS	NS	-6.80	-7.80	-3.50	-4.50
	89	NS	NS	-6.60	-7.60	-3.50	-4.50
	93	NS	NS	-6.50	-7.50	-3.40	-4.40
	97-113	NS	NS	-6.80	-7.80	-3.80	-4.80
	117-181	NS	NS	-7.00	-8.00	-3.80	-4.80
	185	NS	NS	-7.70	-8.70	-4.50	-5.50
	189-225	NS	NS	-7.60	-8.60	-4.40	-5.40
	229	NS	NS	-7.30	-8.30	-4.20	-5.20
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	-7.20	-8.20	-3.90	-4.90
	67-75	NS	NS	-6.70	-7.70	-3.50	-4.50
	83	NS	NS	-6.80	-7.80	-3.50	-4.50
	91	NS	NS	-6.60	-7.60	-3.50	-4.50
	99-107	NS	NS	-6.80	-7.80	-3.80	-4.80
	115	NS	NS	-6.80	-7.80	-3.60	-4.60
	123-179	NS	NS	-7.00	-8.00	-3.80	-4.80
	187	NS	NS	-7.70	-8.70	-4.50	-5.50
	195-219	NS	NS	-7.60	-8.60	-4.40	-5.40
	227	NS	NS	-7.40	-8.40	-4.20	-5.20
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	-7.00	-8.00	-3.80	-4.80
6 GHz WIFI (80MHz BW) VLP	71	NS	NS	-6.90	-7.90	-3.90	-4.90
	87	NS	NS	-6.80	-7.80	-3.50	-4.50
	103	NS	NS	-6.90	-7.90	-3.70	-4.70
	119	NS	NS	-7.10	-8.10	-3.70	-4.70
	135-167	NS	NS	-6.80	-7.80	-3.70	-4.70
	183	NS	NS	-7.50	-8.50	-4.30	-5.30
	199	NS	NS	-7.30	-8.30	-4.10	-5.10
	215	NS	NS	-7.60	-8.60	-4.20	-5.20
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	-7.10	-8.10	-3.90	-4.90
	79	NS	NS	-7.00	-8.00	-3.50	-4.50
	111	NS	NS	-7.20	-8.20	-3.80	-4.80
	143	NS	NS	-7.20	-8.20	-3.80	-4.80
	175	NS	NS	-8.00	-9.00	-4.70	-5.70
	207	NS	NS	-7.60	-8.60	-4.20	-5.20

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 15 of 61

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5T						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.50	9.50	13.25	12.25	13.25	12.25
	5	10.50	9.50	13.25	12.25	13.25	12.25
	9-29	10.50	9.50	13.25	12.25	13.25	12.25
	33-61	10.50	9.50	13.00	12.00	13.00	12.00
	65-85	10.50	9.50	12.75	11.75	12.75	11.75
	89	10.50	9.50	12.75	11.75	12.75	11.75
	93	10.50	9.50	12.75	11.75	12.75	11.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	10.00	9.00	12.00	11.00	12.00	11.00
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.50	9.50	13.25	12.25	13.25	12.25
	11	10.50	9.50	13.25	12.25	13.25	12.25
	19-27	10.50	9.50	13.25	12.25	13.25	12.25
6 GHz WIFI (40MHz BW) SP	35-59	10.50	9.50	13.00	12.00	13.00	12.00
	67-75	10.50	9.50	12.75	11.75	12.75	11.75
	83	10.50	9.50	12.75	11.75	12.75	11.75
	91	10.50	9.50	12.75	11.75	12.75	11.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	10.00	9.00	12.00	11.00	12.00	11.00
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.50	9.50	13.25	12.25	13.25	12.25
	23	10.50	9.50	13.25	12.25	13.25	12.25
	39-55	10.50	9.50	13.00	12.00	13.00	12.00
	71	10.50	9.50	12.75	11.75	12.75	11.75
	87	10.50	9.50	12.75	11.75	12.75	11.75
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) SP	135-167	10.00	9.00	12.00	11.00	12.00	11.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.50	9.50	13.25	12.25	13.25	12.25
	47	10.50	9.50	13.00	12.00	13.00	12.00
	79	10.50	9.50	12.75	11.75	12.75	11.75
	111	NS	NS	NS	NS	NS	NS
	143	10.00	9.00	12.00	11.00	12.00	11.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS
Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5T						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	7.50	6.50	10.50	9.50	13.25	12.25
	5	7.50	6.50	10.50	9.50	13.25	12.25
	9-29	7.50	6.50	10.50	9.50	13.25	12.25
	33-61	7.50	6.50	10.50	9.50	13.00	12.00
	65-85	7.50	6.50	10.50	9.50	12.75	11.75
	89	7.50	6.50	10.50	9.50	12.75	11.75
	93	7.50	6.50	10.50	9.50	12.75	11.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	7.00	6.00	10.00	9.00	12.00	11.00
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	7.50	6.50	10.50	9.50	13.25	12.25
	11	7.50	6.50	10.50	9.50	13.25	12.25
	19-27	7.50	6.50	10.50	9.50	13.25	12.25
6 GHz WIFI (40MHz BW) SP	35-59	7.50	6.50	10.50	9.50	13.00	12.00
	67-75	7.50	6.50	10.50	9.50	12.75	11.75
	83	7.50	6.50	10.50	9.50	12.75	11.75
	91	7.50	6.50	10.50	9.50	12.75	11.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	7.00	6.00	10.00	9.00	12.00	11.00
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	7.50	6.50	10.50	9.50	13.25	12.25
	23	7.50	6.50	10.50	9.50	13.25	12.25
	39-55	7.50	6.50	10.50	9.50	13.00	12.00
	71	7.50	6.50	10.50	9.50	12.75	11.75
	87	7.50	6.50	10.50	9.50	12.75	11.75
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) SP	135-167	7.00	6.00	10.00	9.00	12.00	11.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	7.50	6.50	10.50	9.50	13.25	12.25
	47	7.50	6.50	10.50	9.50	13.00	12.00
	79	7.50	6.50	10.50	9.50	12.75	11.75
	111	NS	NS	NS	NS	NS	NS
	143	7.00	6.00	10.00	9.00	12.00	11.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 16 of 61

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 5T						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	7.50	6.50	10.50	9.50	13.25	12.25
	5	7.50	6.50	10.50	9.50	13.25	12.25
	9-29	7.50	6.50	10.50	9.50	13.25	12.25
	33-61	7.50	6.50	10.50	9.50	13.00	12.00
	65-85	7.50	6.50	10.50	9.50	12.75	11.75
	89	7.50	6.50	10.50	9.50	12.75	11.75
	93	7.50	6.50	10.50	9.50	12.75	11.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	7.00	6.00	10.00	9.00	12.00	11.00
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) SP	3	7.50	6.50	10.50	9.50	13.25	12.25
	11	7.50	6.50	10.50	9.50	13.25	12.25
	19-27	7.50	6.50	10.50	9.50	13.25	12.25
	35-59	7.50	6.50	10.50	9.50	13.00	12.00
	67-75	7.50	6.50	10.50	9.50	12.75	11.75
	83	7.50	6.50	10.50	9.50	12.75	11.75
	91	7.50	6.50	10.50	9.50	12.75	11.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	7.00	6.00	10.00	9.00	12.00	11.00
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) SP	7	7.50	6.50	10.50	9.50	13.25	12.25
	23	7.50	6.50	10.50	9.50	13.25	12.25
	39-55	7.50	6.50	10.50	9.50	13.00	12.00
	71	7.50	6.50	10.50	9.50	12.75	11.75
	87	7.50	6.50	10.50	9.50	12.75	11.75
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	7.00	6.00	10.00	9.00	12.00	11.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	15	7.50	6.50	10.50	9.50	13.25	12.25
	47	7.50	6.50	10.50	9.50	13.00	12.00
	79	7.50	6.50	10.50	9.50	12.75	11.75
	111	NS	NS	NS	NS	NS	NS
	143	7.00	6.00	10.00	9.00	12.00	11.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 17 of 61

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 3b					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-0.50	-1.50	1.60	0.60	4.40	3.40
	5	-0.90	-1.90	2.00	1.00	5.30	4.30
	9-29	-0.90	-1.90	1.90	0.90	5.10	4.10
	33-61	-0.30	-1.30	2.10	1.10	5.40	4.40
	65-85	0.70	-0.30	3.30	2.30	6.60	5.60
	89	0.70	-0.30	3.50	2.50	6.60	5.60
	93	0.90	-0.10	3.60	2.60	6.70	5.70
	97-113	-0.30	-1.30	2.60	1.60	5.60	4.60
	117-181	-0.10	-1.10	2.50	1.50	5.70	4.70
	185	0.00	-1.00	2.70	1.70	6.00	5.00
	189-225	0.60	-0.40	3.40	2.40	6.50	5.50
	229	1.20	0.20	3.80	2.80	6.70	5.70
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-0.90	-1.90	1.60	0.60	4.40	3.40
	11	-0.80	-1.80	1.90	0.90	5.20	4.20
	19-27	-0.90	-1.90	1.90	0.90	5.10	4.10
	35-59	-0.60	-1.60	2.10	1.10	5.40	4.40
	67-75	0.40	-0.60	3.40	2.40	6.60	5.60
	83	0.50	-0.50	3.30	2.30	6.60	5.60
	91	0.70	-0.30	3.50	2.50	6.60	5.60
	99-107	-0.40	-1.40	2.60	1.60	5.60	4.60
	115	-0.10	-1.10	2.60	1.60	5.80	4.80
	123-179	-0.10	-1.10	2.50	1.50	5.70	4.70
	187	-0.20	-1.20	2.60	1.60	6.00	5.00
	195-219	0.60	-0.40	3.40	2.40	6.50	5.50
	227	1.00	0.00	3.50	2.50	6.70	5.70
	7	-1.10	-2.10	2.00	1.00	4.40	3.40
	23	-1.00	-2.00	1.90	0.90	5.10	4.10
6 GHz WIFI (80MHz BW) LP	39-55	-0.70	-1.70	2.30	1.30	5.50	4.50
	71	0.70	-0.30	3.20	2.20	6.60	5.60
	87	0.60	-0.40	3.30	2.30	6.60	5.60
	103	-0.40	-1.40	2.60	1.60	5.80	4.80
	119	-0.40	-1.40	2.30	1.30	5.90	4.90
	135-167	-0.30	-1.30	2.70	1.70	5.80	4.80
	183	-0.20	-1.20	2.70	1.70	5.80	4.80
	199	0.60	-0.40	3.60	2.60	6.90	5.90
	215	0.70	-0.30	3.60	2.60	6.70	5.70
	15	-1.10	-2.10	1.70	0.70	5.10	4.10
6 GHz WIFI (160MHz BW) LP	47	-0.70	-1.70	2.20	1.20	5.50	4.50
	79	0.40	-0.60	3.10	2.10	6.60	5.60
	111	-0.50	-1.50	2.20	1.20	5.70	4.70
	143	-0.20	-1.20	2.50	1.50	5.80	4.80
	175	-0.40	-1.40	2.60	1.60	5.80	4.80
	207	0.90	-0.10	3.40	2.40	6.80	5.80

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 18 of 61

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 3b						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-8.40	-9.40	-6.10	-7.10	-3.10	-4.10
	5	-8.40	-9.40	-5.50	-6.50	-2.20	-3.20
	9-29	-8.40	-9.40	-5.70	-6.70	-2.40	-3.40
	33-61	-8.60	-9.60	-6.00	-7.00	-2.70	-3.70
	65-85	-8.10	-9.10	-5.50	-6.50	-2.20	-3.20
	89	-8.10	-9.10	-5.30	-6.30	-2.20	-3.20
	93	-7.90	-8.90	-5.20	-6.20	-2.10	-3.10
	97-113	-8.60	-9.60	-5.60	-6.60	-2.60	-3.60
	117-181	-8.50	-9.50	-5.80	-6.80	-2.60	-3.60
	185	-8.80	-9.80	-6.40	-7.40	-3.20	-4.20
	189-225	-8.80	-9.80	-6.10	-7.10	-2.90	-3.90
	229	-8.40	-9.40	-5.80	-6.80	-2.70	-3.70
	233	NS	NS	NS	NS	NS	NS
	3	-8.40	-9.40	-6.10	-7.10	-3.10	-4.10
	11	-8.30	-9.30	-5.70	-6.70	-2.30	-3.30
6 GHz WIFI (40MHz BW) LP	19-27	-8.40	-9.40	-5.70	-6.70	-2.40	-3.40
	35-59	-8.70	-9.70	-6.00	-7.00	-2.70	-3.70
	67-75	-8.40	-9.40	-5.40	-6.40	-2.20	-3.20
	83	-8.30	-9.30	-5.50	-6.50	-2.20	-3.20
	91	-8.10	-9.10	-5.30	-6.30	-2.20	-3.20
	99-107	-8.60	-9.60	-5.60	-6.60	-2.60	-3.60
	115	-8.50	-9.50	-5.60	-6.60	-2.40	-3.40
	123-179	-8.70	-9.70	-5.80	-6.80	-2.60	-3.60
	187	-9.00	-10.00	-6.40	-7.40	-3.20	-4.20
	195-219	-8.80	-9.80	-6.10	-7.10	-2.90	-3.90
	227	-8.70	-9.70	-5.90	-6.90	-2.70	-3.70
	7	-8.60	-9.60	-5.60	-6.60	-3.10	-4.10
	23	-8.60	-9.60	-5.70	-6.70	-2.40	-3.40
	39-55	-8.80	-9.80	-5.80	-6.80	-2.60	-3.60
	71	-8.40	-9.40	-5.60	-6.60	-2.60	-3.60
	87	-8.30	-9.30	-5.50	-6.50	-2.20	-3.20
6 GHz WIFI (80MHz BW) LP	103	-8.60	-9.60	-5.70	-6.70	-2.50	-3.50
	119	-8.70	-9.70	-5.90	-6.90	-2.50	-3.50
	135-167	-8.60	-9.60	-5.60	-6.60	-2.50	-3.50
	183	NS	NS	-6.20	-7.20	-3.00	-4.00
	199	-8.80	-9.80	-5.80	-6.80	-2.60	-3.60
	215	-8.70	-9.70	-6.10	-7.10	-2.70	-3.70
	15	-8.60	-9.60	-5.80	-6.80	-2.40	-3.40
	47	-8.80	-9.80	-5.90	-6.90	-2.70	-3.70
	79	-8.40	-9.40	-5.70	-6.70	-2.20	-3.20
	111	-8.70	-9.70	-6.00	-7.00	-2.60	-3.60
6 GHz WIFI (160MHz BW) LP	143	-8.70	-9.70	-6.00	-7.00	-2.60	-3.60
	175	NS	NS	-6.70	-7.70	-3.40	-4.40
	207	-8.80	-9.80	-6.10	-7.10	-2.70	-3.70

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 19 of 61

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 3b						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-5.50	-6.50	-3.20	-4.20	-0.20	-1.20
	5	-5.50	-6.50	-2.60	-3.60	0.70	-0.30
	9-29	-5.50	-6.50	-2.80	-3.80	0.50	-0.50
	33-61	-5.80	-6.80	-3.20	-4.20	0.10	-0.90
	65-85	-5.40	-6.40	-2.80	-3.80	0.50	-0.50
	89	-5.40	-6.40	-2.60	-3.60	0.50	-0.50
	93	-5.20	-6.20	-2.50	-3.50	0.60	-0.40
	97-113	-5.80	-6.80	-2.80	-3.80	0.20	-0.80
	117-181	-5.70	-6.70	-3.00	-4.00	0.20	-0.80
	185	-6.10	-7.10	-3.70	-4.70	-0.50	-1.50
	189-225	-6.30	-7.30	-3.60	-4.60	-0.40	-1.40
	229	-5.90	-6.90	-3.30	-4.30	-0.20	-1.20
	233	NS	NS	NS	NS	NS	NS
	3	-5.50	-6.50	-3.20	-4.20	-0.20	-1.20
	11	-5.40	-6.40	-2.80	-3.80	0.60	-0.40
	19-27	-5.50	-6.50	-2.80	-3.80	0.50	-0.50
6 GHz WIFI (40MHz BW) LP	35-59	-5.90	-6.90	-3.20	-4.20	0.10	-0.90
	67-75	-5.70	-6.70	-2.70	-3.70	0.50	-0.50
	83	-5.60	-6.60	-2.80	-3.80	0.50	-0.50
	91	-5.40	-6.40	-2.60	-3.60	0.50	-0.50
	99-107	-5.80	-6.80	-2.80	-3.80	0.20	-0.80
	115	-5.70	-6.70	-2.80	-3.80	0.40	-0.60
	123-179	-5.90	-6.90	-3.00	-4.00	0.20	-0.80
	187	-6.30	-7.30	-3.70	-4.70	-0.50	-1.50
	195-219	-6.30	-7.30	-3.60	-4.60	-0.40	-1.40
	227	-6.20	-7.20	-3.40	-4.40	-0.20	-1.20
	7	-5.70	-6.70	-2.70	-3.70	-0.20	-1.20
	23	-5.70	-6.70	-2.80	-3.80	0.50	-0.50
	39-55	-6.00	-7.00	-3.00	-4.00	0.20	-0.80
	71	-5.70	-6.70	-2.90	-3.90	0.10	-0.90
	87	-5.60	-6.60	-2.80	-3.80	0.50	-0.50
	103	-5.80	-6.80	-2.90	-3.90	0.30	-0.70
	119	-5.90	-6.90	-3.10	-4.10	0.30	-0.70
6 GHz WIFI (80MHz BW) LP	135-167	-5.80	-6.80	-2.80	-3.80	0.30	-0.70
	183	-6.40	-7.40	-3.50	-4.50	-0.30	-1.30
	199	-6.30	-7.30	-3.30	-4.30	-0.10	-1.10
	215	-6.20	-7.20	-3.60	-4.60	-0.20	-1.20
	15	-5.70	-6.70	-2.90	-3.90	0.50	-0.50
	47	-6.00	-7.00	-3.10	-4.10	0.10	-0.90
	79	-5.70	-6.70	-3.00	-4.00	0.50	-0.50
	111	-5.90	-6.90	-3.20	-4.20	0.20	-0.80
	143	-5.90	-6.90	-3.20	-4.20	0.20	-0.80
	175	-6.50	-7.50	-4.00	-5.00	-0.70	-1.70
	207	-6.30	-7.30	-3.60	-4.60	-0.20	-1.20
Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 3b						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-4.30	-5.30	-1.90	-2.90	1.40	0.40
	65-85	-3.30	-4.30	-0.70	-1.70	2.60	1.60
	89	-3.30	-4.30	-0.50	-1.50	2.60	1.60
	93	-3.10	-4.10	-0.40	-1.40	2.70	1.70
	97-113	-4.30	-5.30	-1.40	-2.40	1.60	0.60
	117-181	-4.10	-5.10	-1.50	-2.50	1.70	0.70
	185	-4.00	-5.00	-1.30	-2.30	2.00	1.00
	189-225	-3.40	-4.40	-0.60	-1.60	2.50	1.50
	229	-2.80	-3.80	-0.20	-1.20	2.70	1.70
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	35-59	-4.60	-5.60	-1.90	-2.90	1.40	0.40
	67-75	-3.60	-4.60	-0.60	-1.60	2.60	1.60
	83	-3.50	-4.50	-0.70	-1.70	2.60	1.60
	91	-3.30	-4.30	-0.50	-1.50	2.60	1.60
	99-107	-4.40	-5.40	-1.40	-2.40	1.60	0.60
	115	-4.10	-5.10	-1.40	-2.40	1.80	0.80
	123-179	-4.10	-5.10	-1.50	-2.50	1.70	0.70
	187	-4.20	-5.20	-1.40	-2.40	2.00	1.00
	195-219	-3.40	-4.40	-0.60	-1.60	2.50	1.50
	227	-3.00	-4.00	-0.50	-1.50	2.70	1.70
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-4.70	-5.70	-1.70	-2.70	1.50	0.50
	71	-3.30	-4.30	-0.80	-1.80	2.60	1.60
	87	-3.40	-4.40	-0.70	-1.70	2.60	1.60
	103	-4.40	-5.40	-1.40	-2.40	1.80	0.80
	119	-4.40	-5.40	-1.70	-2.70	1.90	0.90
6 GHz WIFI (80MHz BW) VLP	135-167	-4.30	-5.30	-1.30	-2.30	1.80	0.80
	183	-4.20	-5.20	-1.30	-2.30	1.80	0.80
	199	-3.40	-4.40	-0.40	-1.40	2.90	1.90
	215	-3.30	-4.30	-0.40	-1.40	2.70	1.70
	15	NS	NS	NS	NS	NS	NS
	47	-4.70	-5.70	-1.80	-2.80	1.50	0.50
	79	-3.60	-4.60	-0.90	-1.90	2.60	1.60
	111	-4.50	-5.50	-1.80	-2.80	1.70	0.70
	143	-4.20	-5.20	-1.50	-2.50	1.80	0.80
	175	-4.40	-5.40	-1.40	-2.40	1.80	0.80
	207	-3.10	-4.10	-0.60	-1.60	2.80	1.80

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 20 of 61

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 3b						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	NS	NS	-6.70	-7.70
	65-85	NS	NS	NS	NS	-6.20	-7.20
	89	NS	NS	NS	NS	-6.20	-7.20
	93	NS	NS	NS	NS	-6.10	-7.10
	97-113	NS	NS	NS	NS	-6.60	-7.60
	117-181	NS	NS	NS	NS	-6.60	-7.60
	185	NS	NS	NS	NS	-7.20	-8.20
	189-225	NS	NS	NS	NS	-6.90	-7.90
	229	NS	NS	NS	NS	-6.70	-7.70
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	NS	NS	-6.70	-7.70
	67-75	NS	NS	NS	NS	-6.20	-7.20
	83	NS	NS	NS	NS	-6.20	-7.20
	91	NS	NS	NS	NS	-6.20	-7.20
	99-107	NS	NS	NS	NS	-6.60	-7.60
	115	NS	NS	NS	NS	-6.40	-7.40
	123-179	NS	NS	NS	NS	-6.60	-7.60
	187	NS	NS	NS	NS	-7.20	-8.20
	195-219	NS	NS	NS	NS	-6.90	-7.90
	227	NS	NS	NS	NS	-6.70	-7.70
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	-6.60	-7.60
6 GHz WIFI (80MHz BW) VLP	71	NS	NS	NS	NS	-6.60	-7.60
	87	NS	NS	NS	NS	-6.20	-7.20
	103	NS	NS	NS	NS	-6.50	-7.50
	119	NS	NS	NS	NS	-6.50	-7.50
	135-167	NS	NS	NS	NS	-6.50	-7.50
	183	NS	NS	NS	NS	-7.00	-8.00
	199	NS	NS	NS	NS	-6.60	-7.60
	215	NS	NS	NS	NS	-6.70	-7.70
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	NS	NS	-6.70	-7.70
	79	NS	NS	NS	NS	-6.20	-7.20
	111	NS	NS	NS	NS	-6.60	-7.60
	143	NS	NS	NS	NS	-6.60	-7.60
	175	NS	NS	NS	NS	-7.40	-8.40
	207	NS	NS	NS	NS	-6.70	-7.70
Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 3b						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-7.20	-8.20	-3.90	-4.90
	65-85	NS	NS	-6.80	-7.80	-3.50	-4.50
	89	NS	NS	-6.60	-7.60	-3.50	-4.50
	93	NS	NS	-6.50	-7.50	-3.40	-4.40
	97-113	NS	NS	-6.80	-7.80	-3.80	-4.80
	117-181	NS	NS	-7.00	-8.00	-3.80	-4.80
	185	NS	NS	-7.70	-8.70	-4.50	-5.50
	189-225	NS	NS	-7.60	-8.60	-4.40	-5.40
	229	NS	NS	-7.30	-8.30	-4.20	-5.20
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	-7.20	-8.20	-3.90	-4.90
	67-75	NS	NS	-6.70	-7.70	-3.50	-4.50
	83	NS	NS	-6.80	-7.80	-3.50	-4.50
	91	NS	NS	-6.60	-7.60	-3.50	-4.50
	99-107	NS	NS	-6.80	-7.80	-3.80	-4.80
	115	NS	NS	-6.80	-7.80	-3.60	-4.60
	123-179	NS	NS	-7.00	-8.00	-3.80	-4.80
	187	NS	NS	-7.70	-8.70	-4.50	-5.50
	195-219	NS	NS	-7.60	-8.60	-4.40	-5.40
	227	NS	NS	-7.40	-8.40	-4.20	-5.20
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	-7.00	-8.00	-3.80	-4.80
6 GHz WIFI (80MHz BW) VLP	71	NS	NS	-6.90	-7.90	-3.90	-4.90
	87	NS	NS	-6.80	-7.80	-3.50	-4.50
	103	NS	NS	-6.90	-7.90	-3.70	-4.70
	119	NS	NS	-7.10	-8.10	-3.70	-4.70
	135-167	NS	NS	-6.80	-7.80	-3.70	-4.70
	183	NS	NS	-7.50	-8.50	-4.30	-5.30
	199	NS	NS	-7.30	-8.30	-4.10	-5.10
	215	NS	NS	-7.60	-8.60	-4.20	-5.20
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	-7.10	-8.10	-3.90	-4.90
	79	NS	NS	-7.00	-8.00	-3.50	-4.50
	111	NS	NS	-7.20	-8.20	-3.80	-4.80
	143	NS	NS	-7.20	-8.20	-3.80	-4.80
	175	NS	NS	-8.00	-9.00	-4.70	-5.70
	207	NS	NS	-7.60	-8.60	-4.20	-5.20

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 21 of 61

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 3b						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	7.50	6.50	10.50	9.50	12.50	11.50
	5	7.50	6.50	10.50	9.50	12.50	11.50
	9-29	7.50	6.50	10.50	9.50	12.50	11.50
	33-61	7.50	6.50	10.50	9.50	12.00	11.00
	65-85	7.50	6.50	10.50	9.50	13.50	12.50
	89	7.50	6.50	10.50	9.50	13.50	12.50
	93	7.50	6.50	10.50	9.50	13.50	12.50
	97-113	NS	NS	NS	NS	NS	NS
	117-181	7.00	6.00	10.00	9.00	13.00	12.00
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	7.50	6.50	10.50	9.50	12.50	11.50
	11	7.50	6.50	10.50	9.50	12.50	11.50
	19-27	7.50	6.50	10.50	9.50	12.50	11.50
6 GHz WIFI (40MHz BW) SP	35-59	7.50	6.50	10.50	9.50	12.00	11.00
	67-75	7.50	6.50	10.50	9.50	13.50	12.50
	83	7.50	6.50	10.50	9.50	13.50	12.50
	91	7.50	6.50	10.50	9.50	13.50	12.50
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	7.00	6.00	10.00	9.00	13.00	12.00
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	7.50	6.50	10.50	9.50	12.50	11.50
	23	7.50	6.50	10.50	9.50	12.50	11.50
	39-55	7.50	6.50	10.50	9.50	12.00	11.00
	71	7.50	6.50	10.50	9.50	13.50	12.50
	87	7.50	6.50	10.50	9.50	13.50	12.50
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) SP	135-167	7.00	6.00	10.00	9.00	13.00	12.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	7.50	6.50	10.50	9.50	12.50	11.50
	47	7.50	6.50	10.50	9.50	12.00	11.00
	79	7.50	6.50	10.50	9.50	13.50	12.50
	111	NS	NS	NS	NS	NS	NS
	143	7.00	6.00	10.00	9.00	13.00	12.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS
Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 3b						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	7.50	6.50	10.50	9.50	12.50	11.50
	5	7.50	6.50	10.50	9.50	12.50	11.50
	9-29	7.50	6.50	10.50	9.50	12.50	11.50
	33-61	7.50	6.50	10.50	9.50	12.00	11.00
	65-85	7.50	6.50	10.50	9.50	13.50	12.50
	89	7.50	6.50	10.50	9.50	13.50	12.50
	93	7.50	6.50	10.50	9.50	13.50	12.50
	97-113	NS	NS	NS	NS	NS	NS
	117-181	7.00	6.00	10.00	9.00	13.00	12.00
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	7.50	6.50	10.50	9.50	12.50	11.50
	11	7.50	6.50	10.50	9.50	12.50	11.50
	19-27	7.50	6.50	10.50	9.50	12.50	11.50
6 GHz WIFI (40MHz BW) SP	35-59	7.50	6.50	10.50	9.50	12.00	11.00
	67-75	7.50	6.50	10.50	9.50	13.50	12.50
	83	7.50	6.50	10.50	9.50	13.50	12.50
	91	7.50	6.50	10.50	9.50	13.50	12.50
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	7.00	6.00	10.00	9.00	13.00	12.00
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	7.50	6.50	10.50	9.50	12.50	11.50
	23	7.50	6.50	10.50	9.50	12.50	11.50
	39-55	7.50	6.50	10.50	9.50	12.00	11.00
	71	7.50	6.50	10.50	9.50	13.50	12.50
	87	7.50	6.50	10.50	9.50	13.50	12.50
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) SP	135-167	7.00	6.00	10.00	9.00	13.00	12.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	7.50	6.50	10.50	9.50	12.50	11.50
	47	7.50	6.50	10.50	9.50	12.00	11.00
	79	7.50	6.50	10.50	9.50	13.50	12.50
	111	NS	NS	NS	NS	NS	NS
	143	7.00	6.00	10.00	9.00	13.00	12.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 22 of 61

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 3b						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	7.50	6.50	10.50	9.50	12.50	11.50
	5	7.50	6.50	10.50	9.50	12.50	11.50
	9-29	7.50	6.50	10.50	9.50	12.50	11.50
	33-61	7.50	6.50	10.50	9.50	12.00	11.00
	65-85	7.50	6.50	10.50	9.50	13.50	12.50
	89	7.50	6.50	10.50	9.50	13.50	12.50
	93	7.50	6.50	10.50	9.50	13.50	12.50
	97-113	NS	NS	NS	NS	NS	NS
	117-181	7.00	6.00	10.00	9.00	13.00	12.00
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	7.50	6.50	10.50	9.50	12.50	11.50
	11	7.50	6.50	10.50	9.50	12.50	11.50
6 GHz WIFI (40MHz BW) SP	19-27	7.50	6.50	10.50	9.50	12.50	11.50
	35-59	7.50	6.50	10.50	9.50	12.00	11.00
	67-75	7.50	6.50	10.50	9.50	13.50	12.50
	83	7.50	6.50	10.50	9.50	13.50	12.50
	91	7.50	6.50	10.50	9.50	13.50	12.50
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	7.00	6.00	10.00	9.00	13.00	12.00
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	7.50	6.50	10.50	9.50	12.50	11.50
	23	7.50	6.50	10.50	9.50	12.50	11.50
	39-55	7.50	6.50	10.50	9.50	12.00	11.00
	71	7.50	6.50	10.50	9.50	13.50	12.50
	87	7.50	6.50	10.50	9.50	13.50	12.50
6 GHz WIFI (80MHz BW) SP	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	7.00	6.00	10.00	9.00	13.00	12.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	7.50	6.50	10.50	9.50	12.50	11.50
	47	7.50	6.50	10.50	9.50	12.00	11.00
	79	7.50	6.50	10.50	9.50	13.50	12.50
	111	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	143	7.00	6.00	10.00	9.00	13.00	12.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 23 of 61

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-0.50	-1.50	1.60	0.60	4.40	3.40
	5	-0.90	-1.90	2.00	1.00	5.30	4.30
	9-29	-0.90	-1.90	1.90	0.90	5.10	4.10
	33-61	-0.30	-1.30	2.10	1.10	5.40	4.40
	65-85	0.70	-0.30	3.30	2.30	6.60	5.60
	89	0.70	-0.30	3.50	2.50	6.60	5.60
	93	0.90	-0.10	3.60	2.60	6.70	5.70
	97-113	-0.30	-1.30	2.60	1.60	5.60	4.60
	117-181	-0.10	-1.10	2.50	1.50	5.70	4.70
	185	0.00	-1.00	2.70	1.70	6.00	5.00
	189-225	0.60	-0.40	3.40	2.40	6.50	5.50
	229	1.20	0.20	3.80	2.80	6.70	5.70
	233	NS	NS	NS	NS	NS	NS
	3	-0.90	-1.90	1.60	0.60	4.40	3.40
6 GHz WIFI (40MHz BW) LP	11	-0.80	-1.80	1.90	0.90	5.20	4.20
	19-27	-0.90	-1.90	1.90	0.90	5.10	4.10
	35-59	-0.60	-1.60	2.10	1.10	5.40	4.40
	67-75	0.40	-0.60	3.40	2.40	6.60	5.60
	83	0.50	-0.50	3.30	2.30	6.60	5.60
	91	0.70	-0.30	3.50	2.50	6.60	5.60
	99-107	-0.40	-1.40	2.60	1.60	5.60	4.60
	115	-0.10	-1.10	2.60	1.60	5.80	4.80
	123-179	-0.10	-1.10	2.50	1.50	5.70	4.70
	187	-0.20	-1.20	2.60	1.60	6.00	5.00
	195-219	0.60	-0.40	3.40	2.40	6.50	5.50
	227	1.00	0.00	3.50	2.50	6.70	5.70
	7	-1.10	-2.10	2.00	1.00	4.40	3.40
	23	-1.00	-2.00	1.90	0.90	5.10	4.10
	39-55	-0.70	-1.70	2.30	1.30	5.50	4.50
6 GHz WIFI (80MHz BW) LP	71	0.70	-0.30	3.20	2.20	6.60	5.60
	87	0.60	-0.40	3.30	2.30	6.60	5.60
	103	-0.40	-1.40	2.60	1.60	5.80	4.80
	119	-0.40	-1.40	2.30	1.30	5.90	4.90
	135-167	-0.30	-1.30	2.70	1.70	5.80	4.80
	183	-0.20	-1.20	2.70	1.70	5.80	4.80
	199	0.60	-0.40	3.60	2.60	6.90	5.90
	215	0.70	-0.30	3.60	2.60	6.70	5.70
	15	-1.10	-2.10	1.70	0.70	5.10	4.10
	47	-0.70	-1.70	2.20	1.20	5.50	4.50
6 GHz WIFI (160MHz BW) LP	79	0.40	-0.60	3.10	2.10	6.60	5.60
	111	-0.50	-1.50	2.20	1.20	5.70	4.70
	143	-0.20	-1.20	2.50	1.50	5.80	4.80
	175	-0.40	-1.40	2.60	1.60	5.80	4.80
	207	0.90	-0.10	3.40	2.40	6.80	5.80

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 24 of 61

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-8.40	-9.40	-6.10	-7.10	-3.10	-4.10
	5	-8.40	-9.40	-5.50	-6.50	-2.20	-3.20
	9-29	-8.40	-9.40	-5.70	-6.70	-2.40	-3.40
	33-61	-8.60	-9.60	-6.00	-7.00	-2.70	-3.70
	65-85	-8.10	-9.10	-5.50	-6.50	-2.20	-3.20
	89	-8.10	-9.10	-5.30	-6.30	-2.20	-3.20
	93	-7.90	-8.90	-5.20	-6.20	-2.10	-3.10
	97-113	-8.60	-9.60	-5.60	-6.60	-2.60	-3.60
	117-181	-8.50	-9.50	-5.80	-6.80	-2.60	-3.60
	185	-8.80	-9.80	-6.40	-7.40	-3.20	-4.20
	189-225	-8.80	-9.80	-6.10	-7.10	-2.90	-3.90
	229	-8.40	-9.40	-5.80	-6.80	-2.70	-3.70
	233	NS	NS	NS	NS	NS	NS
	3	-8.40	-9.40	-6.10	-7.10	-3.10	-4.10
6 GHz WIFI (40MHz BW) LP	11	-8.30	-9.30	-5.70	-6.70	-2.30	-3.30
	19-27	-8.40	-9.40	-5.70	-6.70	-2.40	-3.40
	35-59	-8.70	-9.70	-6.00	-7.00	-2.70	-3.70
	67-75	-8.40	-9.40	-5.40	-6.40	-2.20	-3.20
	83	-8.30	-9.30	-5.50	-6.50	-2.20	-3.20
	91	-8.10	-9.10	-5.30	-6.30	-2.20	-3.20
	99-107	-8.60	-9.60	-5.60	-6.60	-2.60	-3.60
	115	-8.50	-9.50	-5.60	-6.60	-2.40	-3.40
	123-179	-8.70	-9.70	-5.80	-6.80	-2.60	-3.60
	187	-9.00	-10.00	-6.40	-7.40	-3.20	-4.20
	195-219	-8.80	-9.80	-6.10	-7.10	-2.90	-3.90
	227	-8.70	-9.70	-5.90	-6.90	-2.70	-3.70
	7	-8.60	-9.60	-5.60	-6.60	-3.10	-4.10
	23	-8.60	-9.60	-5.70	-6.70	-2.40	-3.40
	39-55	-8.80	-9.80	-5.80	-6.80	-2.60	-3.60
6 GHz WIFI (80MHz BW) LP	71	-8.40	-9.40	-5.60	-6.60	-2.60	-3.60
	87	-8.30	-9.30	-5.50	-6.50	-2.20	-3.20
	103	-8.60	-9.60	-5.70	-6.70	-2.50	-3.50
	119	-8.70	-9.70	-5.90	-6.90	-2.50	-3.50
	135-167	-8.60	-9.60	-5.60	-6.60	-2.50	-3.50
	183	NS	NS	-6.20	-7.20	-3.00	-4.00
	199	-8.80	-9.80	-5.80	-6.80	-2.60	-3.60
	215	-8.70	-9.70	-6.10	-7.10	-2.70	-3.70
	15	-8.60	-9.60	-5.80	-6.80	-2.40	-3.40
	47	-8.80	-9.80	-5.90	-6.90	-2.70	-3.70
6 GHz WIFI (160MHz BW) LP	79	-8.40	-9.40	-5.70	-6.70	-2.20	-3.20
	111	-8.70	-9.70	-6.00	-7.00	-2.60	-3.60
	143	-8.70	-9.70	-6.00	-7.00	-2.60	-3.60
	175	NS	NS	-6.70	-7.70	-3.40	-4.40
	207	-8.80	-9.80	-6.10	-7.10	-2.70	-3.70

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 25 of 61

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-5.50	-6.50	-3.20	-4.20	-0.20	-1.20
	5	-5.50	-6.50	-2.60	-3.60	0.70	-0.30
	9-29	-5.50	-6.50	-2.80	-3.80	0.50	-0.50
	33-61	-5.80	-6.80	-3.20	-4.20	0.10	-0.90
	65-85	-5.40	-6.40	-2.80	-3.80	0.50	-0.50
	89	-5.40	-6.40	-2.60	-3.60	0.50	-0.50
	93	-5.20	-6.20	-2.50	-3.50	0.60	-0.40
	97-113	-5.80	-6.80	-2.80	-3.80	0.20	-0.80
	117-181	-5.70	-6.70	-3.00	-4.00	0.20	-0.80
	185	-6.10	-7.10	-3.70	-4.70	-0.50	-1.50
	189-225	-6.30	-7.30	-3.60	-4.60	-0.40	-1.40
	229	-5.90	-6.90	-3.30	-4.30	-0.20	-1.20
	233	NS	NS	NS	NS	NS	NS
	3	-5.50	-6.50	-3.20	-4.20	-0.20	-1.20
	11	-5.40	-6.40	-2.80	-3.80	0.60	-0.40
	19-27	-5.50	-6.50	-2.80	-3.80	0.50	-0.50
6 GHz WIFI (40MHz BW) LP	35-59	-5.90	-6.90	-3.20	-4.20	0.10	-0.90
	67-75	-5.70	-6.70	-2.70	-3.70	0.50	-0.50
	83	-5.60	-6.60	-2.80	-3.80	0.50	-0.50
	91	-5.40	-6.40	-2.60	-3.60	0.50	-0.50
	99-107	-5.80	-6.80	-2.80	-3.80	0.20	-0.80
	115	-5.70	-6.70	-2.80	-3.80	0.40	-0.60
	123-179	-5.90	-6.90	-3.00	-4.00	0.20	-0.80
	187	-6.30	-7.30	-3.70	-4.70	-0.50	-1.50
	195-219	-6.30	-7.30	-3.60	-4.60	-0.40	-1.40
	227	-6.20	-7.20	-3.40	-4.40	-0.20	-1.20
	7	-5.70	-6.70	-2.70	-3.70	-0.20	-1.20
	23	-5.70	-6.70	-2.80	-3.80	0.50	-0.50
	39-55	-6.00	-7.00	-3.00	-4.00	0.20	-0.80
	71	-5.70	-6.70	-2.90	-3.90	0.10	-0.90
	87	-5.60	-6.60	-2.80	-3.80	0.50	-0.50
	103	-5.80	-6.80	-2.90	-3.90	0.30	-0.70
	119	-5.90	-6.90	-3.10	-4.10	0.30	-0.70
6 GHz WIFI (80MHz BW) LP	135-167	-5.80	-6.80	-2.80	-3.80	0.30	-0.70
	183	-6.40	-7.40	-3.50	-4.50	-0.30	-1.30
	199	-6.30	-7.30	-3.30	-4.30	-0.10	-1.10
	215	-6.20	-7.20	-3.60	-4.60	-0.20	-1.20
	15	-5.70	-6.70	-2.90	-3.90	0.50	-0.50
	47	-6.00	-7.00	-3.10	-4.10	0.10	-0.90
	79	-5.70	-6.70	-3.00	-4.00	0.50	-0.50
	111	-5.90	-6.90	-3.20	-4.20	0.20	-0.80
	143	-5.90	-6.90	-3.20	-4.20	0.20	-0.80
	175	-6.50	-7.50	-4.00	-5.00	-0.70	-1.70
	207	-6.30	-7.30	-3.60	-4.60	-0.20	-1.20
Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-4.30	-5.30	-1.90	-2.90	1.40	0.40
	65-85	-3.30	-4.30	-0.70	-1.70	2.60	1.60
	89	-3.30	-4.30	-0.50	-1.50	2.60	1.60
	93	-3.10	-4.10	-0.40	-1.40	2.70	1.70
	97-113	-4.30	-5.30	-1.40	-2.40	1.60	0.60
	117-181	-4.10	-5.10	-1.50	-2.50	1.70	0.70
	185	-4.00	-5.00	-1.30	-2.30	2.00	1.00
	189-225	-3.40	-4.40	-0.60	-1.60	2.50	1.50
	229	-2.80	-3.80	-0.20	-1.20	2.70	1.70
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	35-59	-4.60	-5.60	-1.90	-2.90	1.40	0.40
	67-75	-3.60	-4.60	-0.60	-1.60	2.60	1.60
	83	-3.50	-4.50	-0.70	-1.70	2.60	1.60
	91	-3.30	-4.30	-0.50	-1.50	2.60	1.60
	99-107	-4.40	-5.40	-1.40	-2.40	1.60	0.60
	115	-4.10	-5.10	-1.40	-2.40	1.80	0.80
	123-179	-4.10	-5.10	-1.50	-2.50	1.70	0.70
	187	-4.20	-5.20	-1.40	-2.40	2.00	1.00
	195-219	-3.40	-4.40	-0.60	-1.60	2.50	1.50
	227	-3.00	-4.00	-0.50	-1.50	2.70	1.70
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-4.70	-5.70	-1.70	-2.70	1.50	0.50
	71	-3.30	-4.30	-0.80	-1.80	2.60	1.60
	87	-3.40	-4.40	-0.70	-1.70	2.60	1.60
	103	-4.40	-5.40	-1.40	-2.40	1.80	0.80
	119	-4.40	-5.40	-1.70	-2.70	1.90	0.90
6 GHz WIFI (80MHz BW) VLP	135-167	-4.30	-5.30	-1.30	-2.30	1.80	0.80
	183	-4.20	-5.20	-1.30	-2.30	1.80	0.80
	199	-3.40	-4.40	-0.40	-1.40	2.90	1.90
	215	-3.30	-4.30	-0.40	-1.40	2.70	1.70
	15	NS	NS	NS	NS	NS	NS
	47	-4.70	-5.70	-1.80	-2.80	1.50	0.50
	79	-3.60	-4.60	-0.90	-1.90	2.60	1.60
	111	-4.50	-5.50	-1.80	-2.80	1.70	0.70
	143	-4.20	-5.20	-1.50	-2.50	1.80	0.80
	175	-4.40	-5.40	-1.40	-2.40	1.80	0.80
	207	-3.10	-4.10	-0.60	-1.60	2.80	1.80

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 26 of 61

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	NS	NS	-6.70	-7.70
	65-85	NS	NS	NS	NS	-6.20	-7.20
	89	NS	NS	NS	NS	-6.20	-7.20
	93	NS	NS	NS	NS	-6.10	-7.10
	97-113	NS	NS	NS	NS	-6.60	-7.60
	117-181	NS	NS	NS	NS	-6.60	-7.60
	185	NS	NS	NS	NS	-7.20	-8.20
	189-225	NS	NS	NS	NS	-6.90	-7.90
	229	NS	NS	NS	NS	-6.70	-7.70
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	NS	NS	-6.70	-7.70
	67-75	NS	NS	NS	NS	-6.20	-7.20
	83	NS	NS	NS	NS	-6.20	-7.20
	91	NS	NS	NS	NS	-6.20	-7.20
	99-107	NS	NS	NS	NS	-6.60	-7.60
	115	NS	NS	NS	NS	-6.40	-7.40
	123-179	NS	NS	NS	NS	-6.60	-7.60
	187	NS	NS	NS	NS	-7.20	-8.20
	195-219	NS	NS	NS	NS	-6.90	-7.90
	227	NS	NS	NS	NS	-6.70	-7.70
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	-6.60	-7.60
6 GHz WIFI (80MHz BW) VLP	71	NS	NS	NS	NS	-6.60	-7.60
	87	NS	NS	NS	NS	-6.20	-7.20
	103	NS	NS	NS	NS	-6.50	-7.50
	119	NS	NS	NS	NS	-6.50	-7.50
	135-167	NS	NS	NS	NS	-6.50	-7.50
	183	NS	NS	NS	NS	-7.00	-8.00
	199	NS	NS	NS	NS	-6.60	-7.60
	215	NS	NS	NS	NS	-6.70	-7.70
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	NS	NS	-6.70	-7.70
	79	NS	NS	NS	NS	-6.20	-7.20
	111	NS	NS	NS	NS	-6.60	-7.60
	143	NS	NS	NS	NS	-6.60	-7.60
	175	NS	NS	NS	NS	-7.40	-8.40
	207	NS	NS	NS	NS	-6.70	-7.70
6 GHz WIFI (160MHz BW) VLP	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	-6.70	-7.70
	71	NS	NS	NS	NS	-6.20	-7.20
	87	NS	NS	NS	NS	-6.60	-7.60
	103	NS	NS	NS	NS	-6.60	-7.60
	119	NS	NS	NS	NS	-6.60	-7.60
	135-167	NS	NS	NS	NS	-6.60	-7.60
	183	NS	NS	NS	NS	-7.00	-8.00
	199	NS	NS	NS	NS	-6.60	-7.60
	215	NS	NS	NS	NS	-6.70	-7.70
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	NS	NS	-6.70	-7.70
	79	NS	NS	NS	NS	-6.20	-7.20
	111	NS	NS	NS	NS	-6.60	-7.60
	143	NS	NS	NS	NS	-6.60	-7.60
	175	NS	NS	NS	NS	-7.40	-8.40
	207	NS	NS	NS	NS	-6.70	-7.70

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 27 of 61

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	7.50	6.50	10.25	9.25	10.25	9.25
	5	7.50	6.50	10.25	9.25	10.25	9.25
	9-29	7.50	6.50	10.25	9.25	10.25	9.25
	33-61	7.50	6.50	10.50	9.50	10.75	9.75
	65-85	7.50	6.50	10.50	9.50	12.50	11.50
	89	7.50	6.50	10.50	9.50	12.50	11.50
	93	7.50	6.50	10.50	9.50	12.50	11.50
	97-113	NS	NS	NS	NS	NS	NS
	117-181	7.00	6.00	10.00	9.00	11.00	10.00
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	7.50	6.50	10.25	9.25	10.25	9.25
	11	7.50	6.50	10.25	9.25	10.25	9.25
	19-27	7.50	6.50	10.25	9.25	10.25	9.25
6 GHz WIFI (40MHz BW) SP	35-59	7.50	6.50	10.50	9.50	10.75	9.75
	67-75	7.50	6.50	10.50	9.50	12.50	11.50
	83	7.50	6.50	10.50	9.50	12.50	11.50
	91	7.50	6.50	10.50	9.50	12.50	11.50
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	7.00	6.00	10.00	9.00	11.00	10.00
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	7.50	6.50	10.25	9.25	10.25	9.25
	23	7.50	6.50	10.25	9.25	10.25	9.25
	39-55	7.50	6.50	10.50	9.50	10.75	9.75
	71	7.50	6.50	10.50	9.50	12.50	11.50
	87	7.50	6.50	10.50	9.50	12.50	11.50
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) SP	135-167	7.00	6.00	10.00	9.00	11.50	10.50
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	7.50	6.50	10.25	9.25	10.25	9.25
	47	7.50	6.50	10.50	9.50	10.75	9.75
	79	7.50	6.50	10.50	9.50	12.50	11.50
	111	NS	NS	NS	NS	NS	NS
	143	7.00	6.00	10.00	9.00	11.50	10.50
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS
Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	7.50	6.50	10.25	9.25	10.25	9.25
	5	7.50	6.50	10.25	9.25	10.25	9.25
	9-29	7.50	6.50	10.25	9.25	10.25	9.25
	33-61	7.50	6.50	10.50	9.50	10.75	9.75
	65-85	7.50	6.50	10.50	9.50	12.50	11.50
	89	7.50	6.50	10.50	9.50	12.50	11.50
	93	7.50	6.50	10.50	9.50	12.50	11.50
	97-113	NS	NS	NS	NS	NS	NS
	117-181	7.00	6.00	10.00	9.00	11.00	10.00
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	7.50	6.50	10.25	9.25	10.25	9.25
	11	7.50	6.50	10.25	9.25	10.25	9.25
	19-27	7.50	6.50	10.25	9.25	10.25	9.25
6 GHz WIFI (40MHz BW) SP	35-59	7.50	6.50	10.50	9.50	10.75	9.75
	67-75	7.50	6.50	10.50	9.50	12.50	11.50
	83	7.50	6.50	10.50	9.50	12.50	11.50
	91	7.50	6.50	10.50	9.50	12.50	11.50
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	7.00	6.00	10.00	9.00	11.00	10.00
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	7.50	6.50	10.25	9.25	10.25	9.25
	23	7.50	6.50	10.25	9.25	10.25	9.25
	39-55	7.50	6.50	10.50	9.50	10.75	9.75
	71	7.50	6.50	10.50	9.50	12.50	11.50
	87	7.50	6.50	10.50	9.50	12.50	11.50
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) SP	135-167	7.00	6.00	10.00	9.00	11.50	10.50
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	7.50	6.50	10.25	9.25	10.25	9.25
	47	7.50	6.50	10.50	9.50	10.75	9.75
	79	7.50	6.50	10.50	9.50	12.50	11.50
	111	NS	NS	NS	NS	NS	NS
	143	7.00	6.00	10.00	9.00	11.50	10.50
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 28 of 61

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	7.50	6.50	10.25	9.25	10.25	9.25
	5	7.50	6.50	10.25	9.25	10.25	9.25
	9-29	7.50	6.50	10.25	9.25	10.25	9.25
	33-61	7.50	6.50	10.50	9.50	10.75	9.75
	65-85	7.50	6.50	10.50	9.50	12.50	11.50
	89	7.50	6.50	10.50	9.50	12.50	11.50
	93	7.50	6.50	10.50	9.50	12.50	11.50
	97-113	NS	NS	NS	NS	NS	NS
	117-181	7.00	6.00	10.00	9.00	11.00	10.00
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	7.50	6.50	10.25	9.25	10.25	9.25
6 GHz WIFI (40MHz BW) SP	11	7.50	6.50	10.25	9.25	10.25	9.25
	19-27	7.50	6.50	10.25	9.25	10.25	9.25
	35-59	7.50	6.50	10.50	9.50	10.75	9.75
	67-75	7.50	6.50	10.50	9.50	12.50	11.50
	83	7.50	6.50	10.50	9.50	12.50	11.50
	91	7.50	6.50	10.50	9.50	12.50	11.50
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	7.00	6.00	10.00	9.00	11.00	10.00
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	7.50	6.50	10.25	9.25	10.25	9.25
	23	7.50	6.50	10.25	9.25	10.25	9.25
	39-55	7.50	6.50	10.50	9.50	10.75	9.75
6 GHz WIFI (80MHz BW) SP	71	7.50	6.50	10.50	9.50	12.50	11.50
	87	7.50	6.50	10.50	9.50	12.50	11.50
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	7.00	6.00	10.00	9.00	11.50	10.50
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	7.50	6.50	10.25	9.25	10.25	9.25
	47	7.50	6.50	10.50	9.50	10.75	9.75
	79	7.50	6.50	10.50	9.50	12.50	11.50
	111	NS	NS	NS	NS	NS	NS
	143	7.00	6.00	10.00	9.00	11.50	10.50
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	15	7.50	6.50	10.25	9.25	10.25	9.25
	47	7.50	6.50	10.50	9.50	10.75	9.75
	79	7.50	6.50	10.50	9.50	12.50	11.50
	111	NS	NS	NS	NS	NS	NS
	143	7.00	6.00	10.00	9.00	11.50	10.50
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

J.2.2 Maximum 802.11be MRU Time-Averaged Output Power

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b											
		MIMO	MIMO	MIMO	MIMO	MIMO	MIMO	MIMO	MIMO	MIMO	MIMO	MIMO	MIMO
		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WIFI 20 MHz Bandwidth	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	6	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	9	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	14	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WIFI 20 MHz Bandwidth	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	6	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	9	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	14	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 1b											
		MIMO	MIMO	MIMO	MIMO	MIMO	MIMO	MIMO	MIMO	MIMO	MIMO	MIMO	MIMO
		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WIFI 20 MHz Bandwidth	36	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	40	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	44	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	48	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	52	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	56	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	60	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	64	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	68	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	72	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	76	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	80	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	84	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	88	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	92	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WIFI 20 MHz Bandwidth	96	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	100	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	104	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	108	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	112	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	116	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	120	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	124	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	128	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	132	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	136	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	140	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	144	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	148	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	152	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WIFI 20 MHz Bandwidth	156	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	160	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	164	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	168	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	172	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	176	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	180	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	184	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	188	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	192	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	196	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	200	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	204	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	208	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	212	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	216	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3462

RF EXPOSURE REPORT

Approved by:
Technical Manager

DUT Type:
Tablet Device

APPENDIX J:
Page 29 of 61

[illegible]

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 30 of 61

[illegible]

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 31 of 61



Mode	Channel	EIRP 802.11 (Maximum in dBm) - Antenna 3b											
		MEMO CSD		MEMO CSD		MEMO CSD		MEMO CSD		MEMO CSD		MEMO CSD	
		52.26T (Maximum)	52.26T (Desired)	126.26T (Maximum)	126.26T (Desired)	466T.24T (Maximum)	Total	466T.24T (Desired)	466T.466T (Maximum)	466T.466T (Desired)	466T.466T.24T (Maximum)	466T.466T.24T (Desired)	
5 GHz WRT 20 MHz Bandwidth	36	13.50	13.50	13.50	13.50								
	40	13.50	13.50	13.50	13.50								
	44	13.50	13.50	13.50	13.50								
	48	13.50	13.50	13.50	13.50								
	52	13.50	13.50	13.50	13.50								
	56	13.50	13.50	13.50	13.50								
	60	13.50	13.50	13.50	13.50								
	64	13.50	13.50	13.50	13.50								
	68	13.50	13.50	13.50	13.50								
	72	13.50	13.50	13.50	13.50								
	76	13.50	13.50	13.50	13.50								
	80	13.50	13.50	13.50	13.50								
	84	13.50	13.50	13.50	13.50								
	88	13.50	13.50	13.50	13.50								
	92	13.50	13.50	13.50	13.50								
	96	13.50	13.50	13.50	13.50								
	100	13.50	13.50	13.50	13.50								
	104	13.50	13.50	13.50	13.50								
	108	13.50	13.50	13.50	13.50								
	112	13.50	13.50	13.50	13.50								
	116	13.50	13.50	13.50	13.50								
5 GHz WRT 40 MHz Bandwidth	120	13.50	13.50	13.50	13.50								
	124	13.50	13.50	13.50	13.50								
	128	13.50	13.50	13.50	13.50								
	132	13.50	13.50	13.50	13.50								
	136	13.50	13.50	13.50	13.50								
	140	13.50	13.50	13.50	13.50								
	144	13.50	13.50	13.50	13.50								
	148	13.50	13.50	13.50	13.50								
	152	13.50	13.50	13.50	13.50								
	156	13.50	13.50	13.50	13.50								
	160	13.50	13.50	13.50	13.50								
	164	13.50	13.50	13.50	13.50								
	168	13.50	13.50	13.50	13.50								
	172	13.50	13.50	13.50	13.50								
	176	13.50	13.50	13.50	13.50								
	180	13.50	13.50	13.50	13.50								
	184	13.50	13.50	13.50	13.50								
	188	13.50	13.50	13.50	13.50								
	192	13.50	13.50	13.50	13.50								
	196	13.50	13.50	13.50	13.50								
	5 GHz WRT 80 MHz Bandwidth	200	13.50	13.50	13.50	13.50							
204		13.50	13.50	13.50	13.50								
208		13.50	13.50	13.50	13.50								
212		13.50	13.50	13.50	13.50								
216		13.50	13.50	13.50	13.50								
220		13.50	13.50	13.50	13.50								
224		13.50	13.50	13.50	13.50								
228		13.50	13.50	13.50	13.50								
232		13.50	13.50	13.50	13.50								
236		13.50	13.50	13.50	13.50								
240		13.50	13.50	13.50	13.50								
244		13.50	13.50	13.50	13.50								
248		13.50	13.50	13.50	13.50								
252		13.50	13.50	13.50	13.50								
256		13.50	13.50	13.50	13.50								
260		13.50	13.50	13.50	13.50								
264		13.50	13.50	13.50	13.50								
268		13.50	13.50	13.50	13.50								
272		13.50	13.50	13.50	13.50								
276		13.50	13.50	13.50	13.50								
5 GHz WRT 160 MHz Bandwidth		280	13.50	13.50	13.50	13.50							
	284	13.50	13.50	13.50	13.50								
	288	13.50	13.50	13.50	13.50								
	292	13.50	13.50	13.50	13.50								
	296	13.50	13.50	13.50	13.50								
	300	13.50	13.50	13.50	13.50								
	304	13.50	13.50	13.50	13.50								
	308	13.50	13.50	13.50	13.50								
	312	13.50	13.50	13.50	13.50								
	316	13.50	13.50	13.50	13.50								
	320	13.50	13.50	13.50	13.50								
	324	13.50	13.50	13.50	13.50								
	328	13.50	13.50	13.50	13.50								
	332	13.50	13.50	13.50	13.50								
	336	13.50	13.50	13.50	13.50								
	340	13.50	13.50	13.50	13.50								
	344	13.50	13.50	13.50	13.50								
	348	13.50	13.50	13.50	13.50								
	352	13.50	13.50	13.50	13.50								
	356	13.50	13.50	13.50	13.50								
	360	13.50	13.50	13.50	13.50								
5 GHz WRT 320 MHz Bandwidth	364	13.50	13.50	13.50	13.50								
	368	13.50	13.50	13.50	13.50								
	372	13.50	13.50	13.50	13.50								
	376	13.50	13.50	13.50	13.50								
	380	13.50	13.50	13.50	13.50								
	384	13.50	13.50	13.50	13.50								
	388	13.50	13.50	13.50	13.50								
	392	13.50	13.50	13.50	13.50								
	396	13.50	13.50	13.50	13.50								
	400	13.50	13.50	13.50	13.50								
	404	13.50	13.50	13.50	13.50								
	408	13.50	13.50	13.50	13.50								
	412	13.50	13.50	13.50	13.50								
	416	13.50	13.50	13.50	13.50								
	420	13.50	13.50	13.50	13.50								
	424	13.50	13.50	13.50	13.50								
	428	13.50	13.50	13.50	13.50								
	432	13.50	13.50	13.50	13.50								
	436	13.50	13.50	13.50	13.50								
	440	13.50	13.50	13.50	13.50								
	444	13.50	13.50	13.50	13.50								
448	13.50	13.50	13.50	13.50									
452	13.50	13.50	13.50	13.50									
456	13.50	13.50	13.50	13.50									
460	13.50	13.50	13.50	13.50									
464	13.50	13.50	13.50	13.50									
468	13.50	13.50	13.50	13.50									
472	13.50	13.50	13.50	13.50									
476	13.50	13.50	13.50	13.50									
480	13.50	13.50	13.50	13.50									
484	13.50	13.50	13.50	13.50									
488	13.50	13.50	13.50	13.50									
492	13.50	13.50	13.50	13.50									
496	13.50	13.50	13.50	13.50									
500	13.50	13.50	13.50	13.50									
504	13.50	13.50	13.50	13.50									
508	13.50	13.50	13.50	13.50									
512	13.50	13.50	13.50	13.50									
516	13.50	13.50	13.50	13.50									
520	13.50	13.50	13.50	13.50									
524	13.50	13.50	13.50	13.50									
528	13.50	13.50	13.50	13.50									
532	13.50	13.50	13.50	13.50									
536	13.50	13.50	13.50	13.50									
540	13.50	13.50	13.50	13.50									
544	13.50	13.50	13.50	13.50									
548	13.50	13.50	13.50	13.50									
552	13.50	13.50	13.50	13.50									
556	13.50	13.50	13.50	13.50									
560	13.50	13.50	13.50	13.50									
564	13.50	13.50	13.50	13.50									
568	13.50	13.50	13.50	13.50									
572	13.50	13.50	13.50	13.50									
576	13.50	13.50	13.50	13.50									
580	13.50	13.50	13.50	13.50									
584	13.50	13.50	13.50	13.50									
588	13.50	13.50	13.50	13.50									
592	13.50	13.50	13.50	13.50									
596	13.50	13.50	13.50	13.50									
600	13.50	13.50	13.50	13.50									
604	13.50	13.50	13.50	13.									

[illegible]

[illegible]

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 34 of 61

[illegible]

FCC ID: BCGA3462

RF EXPOSURE REPORT

Approved by:
Technical Manager

DUT Type:
Tablet Device

APPENDIX J:
Page 35 of 61

[illegible]

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 36 of 61

Node	Channel	802.11a (2.4GHz) ISM - America US				802.11b (2.4GHz) ISM - America US		802.11g (2.4GHz) ISM - America US		802.11n (2.4GHz) ISM - America US		802.11ac (2.4GHz) ISM - America US		802.11ax (2.4GHz) ISM - America US					
		Channel	Frequency (MHz)	Bandwidth (MHz)	Power (mW)	Channel	Frequency (MHz)	Bandwidth (MHz)	Power (mW)	Channel	Frequency (MHz)	Bandwidth (MHz)	Power (mW)	Channel	Frequency (MHz)	Bandwidth (MHz)	Power (mW)		
Node 1 (802.11a) (Dynamic WDS) AP	1	2.412	20	100	2.412	20	100	2.412	20	100	2.412	20	100	2.412	20	100	2.412	20	100
	2	2.424	20	100	2.424	20	100	2.424	20	100	2.424	20	100	2.424	20	100	2.424	20	100
	3	2.436	20	100	2.436	20	100	2.436	20	100	2.436	20	100	2.436	20	100	2.436	20	100
	4	2.448	20	100	2.448	20	100	2.448	20	100	2.448	20	100	2.448	20	100	2.448	20	100
	5	2.460	20	100	2.460	20	100	2.460	20	100	2.460	20	100	2.460	20	100	2.460	20	100
	6	2.472	20	100	2.472	20	100	2.472	20	100	2.472	20	100	2.472	20	100	2.472	20	100
	7	2.484	20	100	2.484	20	100	2.484	20	100	2.484	20	100	2.484	20	100	2.484	20	100
	8	2.496	20	100	2.496	20	100	2.496	20	100	2.496	20	100	2.496	20	100	2.496	20	100
	9	2.508	20	100	2.508	20	100	2.508	20	100	2.508	20	100	2.508	20	100	2.508	20	100
	10	2.520	20	100	2.520	20	100	2.520	20	100	2.520	20	100	2.520	20	100	2.520	20	100
Node 2 (802.11a) (Dynamic WDS) AP	1	2.412	20	100	2.412	20	100	2.412	20	100	2.412	20	100	2.412	20	100	2.412	20	100
	2	2.424	20	100	2.424	20	100	2.424	20	100	2.424	20	100	2.424	20	100	2.424	20	100
	3	2.436	20	100	2.436	20	100	2.436	20	100	2.436	20	100	2.436	20	100	2.436	20	100
	4	2.448	20	100	2.448	20	100	2.448	20	100	2.448	20	100	2.448	20	100	2.448	20	100
	5	2.460	20	100	2.460	20	100	2.460	20	100	2.460	20	100	2.460	20	100	2.460	20	100
	6	2.472	20	100	2.472	20	100	2.472	20	100	2.472	20	100	2.472	20	100	2.472	20	100
	7	2.484	20	100	2.484	20	100	2.484	20	100	2.484	20	100	2.484	20	100	2.484	20	100
	8	2.496	20	100	2.496	20	100	2.496	20	100	2.496	20	100	2.496	20	100	2.496	20	100
	9	2.508	20	100	2.508	20	100	2.508	20	100	2.508	20	100	2.508	20	100	2.508	20	100
	10	2.520	20	100	2.520	20	100	2.520	20	100	2.520	20	100	2.520	20	100	2.520	20	100
Node 3 (802.11a) (Dynamic WDS) AP	1	2.412	20	100	2.412	20	100	2.412	20	100	2.412	20	100	2.412	20	100	2.412	20	100
	2	2.424	20	100	2.424	20	100	2.424	20	100	2.424	20	100	2.424	20	100	2.424	20	100
	3	2.436	20	100	2.436	20	100	2.436	20	100	2.436	20	100	2.436	20	100	2.436	20	100
	4	2.448	20	100	2.448	20	100	2.448	20	100	2.448	20	100	2.448	20	100	2.448	20	100
	5	2.460	20	100	2.460	20	100	2.460	20	100	2.460	20	100	2.460	20	100	2.460	20	100
	6	2.472	20	100	2.472	20	100	2.472	20	100	2.472	20	100	2.472	20	100	2.472	20	100
	7	2.484	20	100	2.484	20	100	2.484	20	100	2.484	20	100	2.484	20	100	2.484	20	100
	8	2.496	20	100	2.496	20	100	2.496	20	100	2.496	20	100	2.496	20	100	2.496	20	100
	9	2.508	20	100	2.508	20	100	2.508	20	100	2.508	20	100	2.508	20	100	2.508	20	100
	10	2.520	20	100	2.520	20	100	2.520	20	100	2.520	20	100	2.520	20	100	2.520	20	100
Node 4 (802.11a) (Dynamic WDS) AP	1	2.412	20	100	2.412	20	100	2.412	20	100	2.412	20	100	2.412	20	100	2.412	20	100
	2	2.424	20	100	2.424	20	100	2.424	20	100	2.424	20	100	2.424	20	100	2.424	20	100
	3	2.436	20	100	2.436	20	100	2.436	20	100	2.436	20	100	2.436	20	100	2.436	20	100
	4	2.448	20	100	2.448	20	100	2.448	20	100	2.448	20	100	2.448	20	100	2.448	20	100
	5	2.460	20	100	2.460	20	100	2.460	20	100	2.460	20	100	2.460	20	100	2.460	20	100
	6	2.472	20	100	2.472	20	100	2.472	20	100	2.472	20	100	2.472	20	100	2.472	20	100
	7	2.484	20	100	2.484	20	100	2.484	20	100	2.484	20	100	2.484	20	100	2.484	20	100
	8	2.496	20	100	2.496	20	100	2.496	20	100	2.496	20	100	2.496	20	100	2.496	20	100
	9	2.508	20	100	2.508	20	100	2.508	20	100	2.508	20	100	2.508	20	100	2.508	20	100
	10	2.520	20	100	2.520	20	100	2.520	20	100	2.520	20	100	2.520	20	100	2.520	20	100
Node 5 (802.11a) (Dynamic WDS) AP	1	2.412	20	100	2.412	20	100	2.412	20	100	2.412	20	100	2.412	20	100	2.412	20	100
	2	2.424	20	100	2.424	20	100	2.424	20	100	2.424	20	100	2.424	20	100	2.424	20	100
	3	2.436	20	100	2.436	20	100	2.436	20	100	2.436	20	100	2.436	20	100	2.436	20	100
	4	2.448	20	100	2.448	20	100	2.448	20	100	2.448	20	100	2.448	20	100	2.448	20	100
	5	2.460	20	100	2.460	20	100	2.460	20	100	2.460	20	100	2.460	20	100	2.460	20	100
	6	2.472	20	100	2.472	20	100	2.472	20	100	2.472	20	100	2.472	20	100	2.472	20	100
	7	2.484	20	100	2.484	20	100	2.484	20	100	2.484	20	100	2.484	20	100	2.484	20	100
	8	2.496	20	100	2.496	20	100	2.496	20	100	2.496	20	100	2.496	20	100	2.496	20	100
	9	2.508	20	100	2.508	20	100	2.508	20	100	2.508	20	100	2.508	20	100	2.508	20	100
	10	2.520	20	100	2.520	20	100	2.520	20	100	2.520	20	100	2.520	20	100	2.520	20	100
Node 6 (802.11a) (Dynamic WDS) AP	1	2.412	20	100	2.412	20	100	2.412	20	100	2.412	20	100	2.412	20	100	2.412	20	100
	2	2.424	20	100	2.424	20	100	2.424	20	100	2.424	20	100	2.424	20	100	2.424	20	100
	3	2.436	20	100	2.436	20	100	2.436	20	100	2.436	20	100	2.436	20	100	2.436	20	100
	4	2.448	20	100	2.448	20	100	2.448	20	100	2.448	20	100	2.448	20	100	2.448	20	100
	5	2.460	20	100	2.460	20	100	2.460	20	100	2.460	20	100	2.460	20	100	2.460	20	100
	6	2.472	20	100	2.472	20	100	2.472	20	100	2.472	20	100	2.472	20	100	2.472	20	100
	7	2.484	20	100	2.484	20	100	2.484	20	100	2.484	20	100	2.484	20	100	2.484	20	100
	8	2.496	20	100	2.496	20	100	2.496	20	100	2.496	20	100	2.496	20	100	2.496	20	100
	9	2.508	20	100	2.508	20	100	2.508	20	100	2.508	20	100	2.508	20	100	2.508	20	100
	10	2.520	20	100	2.520	20	100	2.520	20	100	2.520	20	100	2.520	20	100	2.520	20	100
Node 7 (802.11a) (Dynamic WDS) AP	1	2.412	20	100	2.412	20	100	2.412	20	100	2.412	20	100	2.412	20	100	2.412	20	100
	2	2.424	20	100	2.424	20	100	2.424	20	100	2.424	20	100	2.424	20	100	2.424	20	100
	3	2.436	20	100	2.436	20	100	2.436	20	100	2.436	20	100	2.436	20	100	2.436	20	100
	4	2.448	20	100	2.448	20	100	2.448	20	100	2.448	20	100	2.448	20	100	2.448	20	100
	5	2.460	20	100	2.460	20	100	2.460	20	100	2.460	20	100	2.460	20	100	2.460	20	100
	6	2.472	20	100	2.472	20	100	2.472	20	100	2.472	20	100	2.472	20	100	2.472	20	100
	7	2.484	20	100	2.484	20	100	2.484	20	100	2.484	20	100	2.484	20	100	2.484	20	100
	8	2.496	20	100	2.496	20	100	2.496	20	100	2.496	20	100	2.496	20	100	2.496	20	100
	9	2.508	20	100	2.508	20	100	2.508	20	100	2.508	20	100	2.508	20	100	2.508	20	100
	10	2.520	20	100	2.520	20	100	2.520	20	100	2.520	20	100	2.520	20	100	2.520	20	100
Node 8 (802.11a) (Dynamic WDS) AP	1	2.412	20	100	2.412	20	100	2.412	20	100	2.412	20	100	2.412	20	100	2.412	20	100
	2	2.424	20	100	2.424	20	100	2.424	20	100	2.424	20	100	2.424	20	100	2.424	20	100
	3	2.436	20	100	2.436	20	100	2.436	20	100	2.436	20	100	2.436	20	100	2.436	20	100
	4	2.448	20	100	2.448	20	100	2.448	20	100	2.448	20	100	2.448	2				



Mode	Channel	SAR 002.11 (Measurement in dBm) - Antenna B3									
		SAR				Types					
		SAR_267 (Measurement)	SAR_267 (Measurement)	SAR_267 (Measurement)	SAR_267 (Measurement)	RF27_267 (Measurement)	RF27_267 (Measurement)	RF27_4837 (Measurement)	RF27_4837 (Measurement)	RF27_4837_2412 (Measurement)	RF27_4837_2412 (Measurement)
6 GHz WRT (SARs WRT) VLP	1	50	50	50	50						
	2	50	50	50	50						
	3	50	50	50	50						
	4	50	50	50	50						
	5	50	50	50	50						
	6	50	50	50	50						
	7	50	50	50	50						
	8	50	50	50	50						
	9	50	50	50	50						
	10	50	50	50	50						
	11	50	50	50	50						
	12	50	50	50	50						
6 GHz WRT (SARs WRT) VLP	13	50	50	50	50						
	14	50	50	50	50						
	15	50	50	50	50						
	16	50	50	50	50						
	17	50	50	50	50						
	18	50	50	50	50						
	19	50	50	50	50						
	20	50	50	50	50						
	21	50	50	50	50						
	22	50	50	50	50						
	23	50	50	50	50						
	24	50	50	50	50						
6 GHz WRT (SARs WRT) VLP	25	50	50	50	50						
	26	50	50	50	50						
	27	50	50	50	50						
	28	50	50	50	50						
	29	50	50	50	50						
	30	50	50	50	50						
	31	50	50	50	50						
	32	50	50	50	50						
	33	50	50	50	50						
	34	50	50	50	50						
	35	50	50	50	50						
	36	50	50	50	50						
6 GHz WRT (SARs WRT) VLP	37	50	50	50	50						
	38	50	50	50	50						
	39	50	50	50	50						
	40	50	50	50	50						
	41	50	50	50	50						
	42	50	50	50	50						
	43	50	50	50	50						
	44	50	50	50	50						
	45	50	50	50	50						
	46	50	50	50	50						
	47	50	50	50	50						
	48	50	50	50	50						
6 GHz WRT (SARs WRT) VLP	49	50	50	50	50						
	50	50	50	50	50						
	51	50	50	50	50						
	52	50	50	50	50						
	53	50	50	50	50						
	54	50	50	50	50						
	55	50	50	50	50						
	56	50	50	50	50						
	57	50	50	50	50						
	58	50	50	50	50						
	59	50	50	50	50						
	60	50	50	50	50						
6 GHz WRT (SARs WRT) VLP	61	50	50	50	50						
	62	50	50	50	50						
	63	50	50	50	50						
	64	50	50	50	50						
	65	50	50	50	50						
	66	50	50	50	50						
	67	50	50	50	50						
	68	50	50	50	50						
	69	50	50	50	50						
	70	50	50	50	50						
	71	50	50	50	50						
	72	50	50	50	50						
6 GHz WRT (SARs WRT) VLP	73	50	50	50	50						
	74	50	50	50	50						
	75	50	50	50	50						
	76	50	50	50	50						
	77	50	50	50	50						
	78	50	50	50	50						
	79	50	50	50	50						
	80	50	50	50	50						
	81	50	50	50	50						
	82	50	50	50	50						
	83	50	50	50	50						
	84	50	50	50	50						
6 GHz WRT (SARs WRT) VLP	85	50	50	50	50						
	86	50	50	50	50						
	87	50	50	50	50						
	88	50	50	50	50						
	89	50	50	50	50						
	90	50	50	50	50						
	91	50	50	50	50						
	92	50	50	50	50						
	93	50	50	50	50						
	94	50	50	50	50						
	95	50	50	50	50						
	96	50	50	50	50						
6 GHz WRT (SARs WRT) VLP	97	50	50	50	50						
	98	50	50	50	50						
	99	50	50	50	50						
	100	50	50	50	50						
	101	50	50	50	50						
	102	50	50	50	50						
	103	50	50	50	50						
	104	50	50	50	50						
	105	50	50	50	50						
	106	50	50	50	50						
	107	50	50	50	50						
	108	50	50	50	50						
6 GHz WRT (SARs WRT) VLP	109	50	50	50	50						
	110	50	50	50	50						
	111	50	50	50	50						
	112	50	50	50	50						
	113	50	50	50	50						
	114	50	50	50	50						
	115	50	50	50	50						
	116	50	50	50	50						
	117	50	50	50	50						
	118	50	50	50	50						
	119	50	50	50	50						
	120	50	50	50	50						
6 GHz WRT (SARs WRT) VLP	121	50	50	50	50						
	122	50	50	50	50						
	123	50	50	50	50						
	124	50	50	50	50						
	125	50	50	50	50						
	126	50	50	50	50						
	127	50	50	50	50						
	128	50	50	50	50						
	129	50	50	50	50						
	130	50	50	50	50						
	131	50	50	50	50						
	132	50	50	50	50						
6 GHz WRT (SARs WRT) VLP	133	50	50	50	50						
	134	50	50	50	50						
	135	50	50	50	50						
	136	50	50	50	50						
	137	50	50	50	50						
	138	50	50	50	50						
	139	50	50	50	50						
	140	50	50	50	50						
	141	50	50	50	50						
	142	50	50	50	50						
	143	50	50	50	50						
	144	50	50	50	50						
6 GHz WRT (SARs WRT) VLP	145	50	50	50	50						
	146	50	50	50	50						
	147	50	50	50	50						
	148	50	50	50	50						
	149	50	50	50	50						
	150	50	50	50	50						
	151	50	50	50	50						
	152	50	50	50	50						
	153	50	50	50	50						
	154	50	50	50	50						
	155	50	50	50	50						
	156	50	50	50	50						
6 GHz WRT (SARs WRT) VLP	157	50	50	50	50						
	158	50	50	50	50						
	159	50	50	50	50						
	160	50	50	50	50						
	161	50	50	50	50						
	162	50	50	50	50						
	163	50	50	50	50						
	164	50	50	50	50						
	165	50	50	50	50						
	166	50	50	50	50						
	167	50	50	50	50						
	168	50	50	50	50						
6 GHz WRT (SARs WRT) VLP	169	50	50	50	50						
	170	50	50	50	50						
	171	50	50	50	50						
	172	50	50	50	50						
	173	50	50	50	50						
	174	50	50	50	50						
	175	50	50	50	50						
	176	50	50	50	50						
	177	50	50	50	50						
	178	50	50	50	50						
	179	50	50	50	50						
	180	50	50	50	50						
6 GHz WRT (SARs WRT) VLP	181	50	50	50	50						
	182	50	50	50	50						
	183	50	50	50	50						
	184	50	50	50	50						
	185	50	50	50	50						
	186	50	50	50	50						
	187	50	50	50	50						
	188	50	50	50	50						
	189	50	50	50	50						
	190	50	50	50	50						
	191	50	50	50	50						
	192	50	50	50	50						
6 GHz WRT (SARs WRT) VLP	193	50	50	50	50						
	194	50	50	50	50						
	195	50	50	50	50						
	196	50	50	50	50						
	197	50	50	50	50						
	198	50	50	50	50						
	199	50	50	50	50						
	200	50	50	50	50						
	201	50	50	50	50						
	202	50	50	50	50						
	203	50	50	50	50						
	204	50	50	50	50						
6 GHz WRT (SARs WRT) VLP	205	50	50	50	50						
	206	50	50	50	50						
	207	50	50	50	50						
	208	50	50	50	50						
	209	50	50	50	50						
	210	50	50	50	50						
	211	50	50	50	50						
	212	50	50	50	50						
	213	50	50	50	50						
	214	50	50	50	50						
	215	50	50	50	50						
	216	50	50	50	50						
6 GHz WRT (SARs WRT) VLP	217	50	50	50	50						
	218	50	50	50	50						
	219	50	50	50	50						
	220	50	50	50	50						
	221	50	50	50	50						
	222	50	50	50	50						
	223	50	50	50	50						
	224	50	50	50	50						
	225	50	50	50	50						
	226	50	50	50	50						
	227	50	50	50	50						
	228	50	50	50	50						
6 GHz WRT (SARs WRT) VLP	229	50	50	50	50						
	230	50	50	50	50						
	231	50	50	50	50						
	232	50	50	50	50						
	233	50	50	50	50						
	234	50	50	50	50						
	235	50	50	50	50						
	236	50	50	50	50						
	237	50	50	50	50						
	238	50	50	50	50						
	239	50	50	50	50						
	240	50	50	50	50						
6 GHz WRT (SARs WRT) VLP	241	50	50	50	50						
	242	50	50	50	50						
	243	50	50	50	50						
	244	50	50	50	50						
	245	50	50	50	50						
	246	50	50	50	50						
	247	50	50	50	50						
	248	50	50	50	50						
	249	50	50	50	50						
	250	50	50	50	50						
	251	50	50	50	50						
	252	50	50	50	50						
6 GHz WRT (SARs WRT) VLP	253	50	50	50	50						
	254	50	50	50	50						
	255	50	50	50	50						
	256	50	50	50	50						
	257	50	50	50	50						
	258	50	50	50	50						
	259	50	50	50	50						
	260	50	50	50	50						
	261	50	50	50	50						
	262	50	50	50	50						
	263	50	50	50	50						
	264	50	50	50	50						
6 GHz WRT (SARs WRT) VLP	265	50	50	50	50						
	266	50	50	50	50						
	267	50	50	50	50						
	268	50	50	50	50						
	269	50	50	50	50						
	270	50	50	50	50						
	271	50	50	50	50						
	272	50	50	50	50						
	273	50	50	50	50						
	274	50	50	50	50						
	275	50	50	50	50						
	276	50	50	50	50						
6 GHz WRT (SARs WRT) VLP	277	50	50	50	50						
	278	50	50	50	50						
	279	50	50	50	50						
	280	50	50	50	50						
	281	50	50	50	50						
	282	50	50	50	50						
	283	50	50	50	50						
	284	50	50	50	5						

Mode	Channel	W300 400.11 (Maximumed in dBm) - Antenna 30					W300 400.11 (Maximumed in dBm) - Antenna 30					W300 400.11 (Maximumed in dBm) - Antenna 30				
		W300 400.11 (Maximumed in dBm)	W300 400.11 (Maximumed in dBm)	W300 400.11 (Maximumed in dBm)	W300 400.11 (Maximumed in dBm)	W300 400.11 (Maximumed in dBm)	W300 400.11 (Maximumed in dBm)	W300 400.11 (Maximumed in dBm)	W300 400.11 (Maximumed in dBm)	W300 400.11 (Maximumed in dBm)	W300 400.11 (Maximumed in dBm)	W300 400.11 (Maximumed in dBm)	W300 400.11 (Maximumed in dBm)	W300 400.11 (Maximumed in dBm)	W300 400.11 (Maximumed in dBm)	W300 400.11 (Maximumed in dBm)
6 GHz W300 (30MHz BW) DP	1	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	2	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	3	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	4	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	5	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	6	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	7	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	8	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	9	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	10	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
6 GHz W300 (30MHz BW) DP	11	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	12	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	13	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	14	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	15	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	16	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	17	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	18	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	19	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	20	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
6 GHz W300 (30MHz BW) DP	21	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	22	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	23	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	24	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	25	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	26	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	27	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	28	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	29	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
6 GHz W300 (30MHz BW) DP	31	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	32	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	33	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	34	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	35	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	36	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	37	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	38	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	39	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	40	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
6 GHz W300 (30MHz BW) DP	41	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	42	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	43	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	44	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	45	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	46	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	47	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	48	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	49	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	50	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30

FCC ID: BCGA3462

RF EXPOSURE REPORT

Approved by:
Technical Manager

DUT Type:
Tablet Device

APPENDIX J:
Page 39 of 61

J.3 IEEE 802.11ax RU Target Powers

Table J-1
Maximum 2.4 GHz 802.11ax RU Output Power – Ant 3a

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			0	4	8
2412	1	26T	11.53	11.54	11.59
2437	6	26T	11.66	11.54	11.87
2462	11	26T	11.88	11.97	11.60
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			37	38	40
2412	1	52T	13.69	14.40	13.87
2437	6	52T	14.92	14.88	15.01
2462	11	52T	13.29	12.99	13.18
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			53	54	x
2412	1	106T	14.03	13.51	
2437	6	106T	17.55	18.15	
2462	11	106T	12.91	12.98	

Table J-2
Maximum 2.4 GHz 802.11ax RU Output Power – Ant 1a

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			0	4	8
2412	1	26T	11.28	11.88	11.95
2437	6	26T	12.05	12.17	12.40
2462	11	26T	11.60	12.15	10.74
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			37	38	40
2412	1	52T	13.65	14.10	14.18
2437	6	52T	15.13	14.91	15.16
2462	11	52T	14.68	14.26	13.67
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			53	54	x
2412	1	106T	14.10	14.03	
2437	6	106T	18.14	17.96	
2462	11	106T	14.38	14.48	

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 41 of 61

Table J-3
Maximum 5 GHz 802.11ax RU Output Power – Ant 5T

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	1	5180	36	26T	10.35	10.06	10.20
		5200	40	26T	10.53	10.23	10.54
		5220	44	26T	10.41	10.15	10.62
		5240	48	26T	10.63	10.19	10.53
	3	5745	149	26T	10.46	10.20	10.15
		5785	157	26T	10.15	10.14	10.05
		5825	165	26T	10.41	10.10	10.07
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	13.59	13.01	13.12
		5200	40	52T	13.69	13.69	13.58
		5220	44	52T	13.18	13.28	13.01
		5240	48	52T	13.16	13.68	13.01
	2A	5260	52	52T	13.00	13.17	13.25
		5280	56	52T	13.24	13.04	13.23
		5300	60	52T	13.65	13.04	13.12
		5320	64	52T	13.51	13.46	13.01
	2C	5500	100	52T	13.66	13.22	13.48
		5600	120	52T	13.56	13.06	13.03
		5580	124	52T	13.05	13.61	13.14
		5720	144	52T	13.58	13.59	13.47
	3	5745	149	52T	13.21	13.64	13.02
		5785	157	52T	13.51	13.01	13.02
		5825	165	52T	13.12	13.35	13.16
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	15.68	15.35	
		5200	40	106T	16.34	16.13	
		5220	44	106T	16.48	16.63	
		5240	48	106T	16.36	16.06	
	2A	5260	52	106T	16.51	16.13	
		5280	56	106T	16.10	16.17	
		5300	60	106T	16.45	16.13	
		5320	64	106T	16.36	16.38	
	2C	5500	100	106T	14.70	14.60	
		5600	120	106T	16.17	16.62	
		5620	124	106T	16.21	16.17	
		5720	144	106T	16.46	16.62	
	3	5745	149	106T	16.05	16.45	
		5785	157	106T	16.58	16.41	
		5825	165	106T	16.16	16.45	

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 42 of 61

Table J-4
Maximum 5 GHz 802.11ax RU Output Power – Ant 3b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	1	5180	36	26T	7.26	7.18	7.70
		5200	40	26T	7.65	7.69	7.62
		5220	44	26T	7.35	7.39	7.34
		5240	48	26T	7.31	7.37	7.45
	3	5745	149	26T	7.57	7.04	7.01
		5785	157	26T	7.19	7.55	7.44
		5825	165	26T	7.13	7.58	7.03
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	10.38	10.51	10.44
		5200	40	52T	10.05	10.57	10.62
		5220	44	52T	10.18	10.21	10.25
		5240	48	52T	10.05	10.31	10.09
	2A	5260	52	52T	10.24	10.03	10.54
		5280	56	52T	10.52	10.53	10.59
		5300	60	52T	10.31	10.57	10.65
		5320	64	52T	10.43	10.13	10.07
	2C	5500	100	52T	10.36	10.36	10.20
		5600	120	52T	10.06	10.43	10.27
		5580	124	52T	10.17	10.06	10.45
		5720	144	52T	10.09	10.51	10.06
	3	5745	149	52T	10.66	10.68	10.64
		5785	157	52T	10.41	10.04	10.06
		5825	165	52T	10.47	10.49	10.43
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	13.66	13.34	
		5200	40	106T	13.36	13.07	
		5220	44	106T	13.67	13.14	
		5240	48	106T	13.13	13.12	
	2A	5260	52	106T	13.02	13.56	
		5280	56	106T	13.44	13.69	
		5300	60	106T	13.08	13.13	
		5320	64	106T	13.69	13.03	
	2C	5500	100	106T	13.15	13.38	
		5600	120	106T	13.53	13.26	
		5620	124	106T	13.70	13.28	
		5720	144	106T	13.07	13.64	
	3	5745	149	106T	13.67	13.32	
		5785	157	106T	13.57	13.18	
		5825	165	106T	13.16	13.54	

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 43 of 61

Table J-5
Maximum 5 GHz 802.11ax RU Output Power – Ant 1b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	1	5180	36	26T	6.75	7.80	7.00
		5200	40	26T	7.02	7.98	7.11
		5220	44	26T	6.99	7.05	7.14
		5240	48	26T	7.07	7.96	7.19
	3	5745	149	26T	6.52	7.40	6.47
		5785	157	26T	6.58	7.45	6.54
		5825	165	26T	6.51	7.33	6.43
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
20MHz BW	1	5180	36	52T	10.09	10.65	10.28
		5200	40	52T	10.21	10.67	10.33
		5220	44	52T	10.25	10.71	10.42
		5240	48	52T	10.32	10.74	10.37
	2A	5260	52	52T	10.30	10.59	10.34
		5280	56	52T	10.29	10.72	10.37
		5300	60	52T	10.29	10.67	10.27
		5320	64	52T	10.24	10.56	10.20
	2C	5500	100	52T	9.92	10.34	10.02
		5600	120	52T	10.14	10.65	10.29
		5580	124	52T	10.24	10.69	10.32
		5720	144	52T	9.83	10.20	9.91
	3	5745	149	52T	9.70	10.00	9.59
		5785	157	52T	9.66	10.05	9.62
		5825	165	52T	9.74	9.94	9.64
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
20MHz BW	1	5180	36	106T	12.90	13.07	
		5200	40	106T	13.37	13.41	
		5220	44	106T	13.36	13.42	
		5240	48	106T	13.28	13.54	
	2A	5260	52	106T	13.49	13.41	
		5280	56	106T	13.41	13.43	
		5300	60	106T	13.45	13.43	
		5320	64	106T	13.37	13.34	
	2C	5500	100	106T	13.04	13.14	
		5600	120	106T	13.26	13.31	
		5620	124	106T	13.23	13.32	
		5720	144	106T	13.07	12.94	
	3	5745	149	106T	12.85	12.84	
		5785	157	106T	12.74	12.73	
		5825	165	106T	12.70	12.67	

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 44 of 61

Table J-6
Maximum 6 GHz 802.11ax RU Output Power – Ant 5T

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	5	5955	1	26T	9.89	9.58	10.01
		6175	45	26T	9.52	9.54	9.80
		6195	49	26T	9.52	9.97	9.61
		6415	93	26T	9.63	10.41	9.45
	6	6435	97	26T	-5.14	-4.85	-4.33
		6475	105	26T	-5.17	-4.69	-4.22
		6515	113	26T	-4.78	-4.74	-4.27
	7	6535	117	26T	9.44	9.68	9.25
		6695	149	26T	9.42	9.64	9.39
		6875	185	26T	-5.21	-5.67	-5.61
	8	6895	189	26T	-5.95	-5.86	-5.75
		6995	209	26T	-5.43	-5.43	-5.25
		7015	213	26T	-5.41	-5.69	-5.39
		7115	233	26T	NS	NS	NS
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
20MHz BW	5	5955	1	52T	12.93	12.72	12.95
		6195	49	52T	12.50	12.95	12.58
		6415	93	52T	12.09	12.39	12.00
	6	6435	97	52T	-1.82	-1.53	-2.01
		6475	105	52T	-1.92	-1.79	-1.78
		6515	113	52T	-1.64	-1.51	-2.19
	7	6535	117	52T	11.50	11.85	11.43
		6695	149	52T	11.65	11.98	11.63
		6875	185	52T	-2.75	-3.13	-2.92
	8	6895	189	52T	-2.87	-3.46	-3.30
		6995	209	52T	-2.97	-3.16	-3.29
		7015	213	52T	-2.51	-3.13	-3.32
		7115	233	52T	NS	NS	NS
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
20MHz BW	5	5955	1	106T	13.05	13.11	
		6175	45	106T	12.79	12.87	
		6195	49	106T	12.75	12.76	
		6415	93	106T	12.25	12.22	
	6	6435	97	106T	1.42	1.02	
		6475	105	106T	1.56	1.16	
		6515	113	106T	1.04	1.44	
	7	6535	117	106T	11.72	11.68	
		6695	149	106T	11.81	11.81	
		6875	185	106T	-0.01	0.27	
	8	6895	189	106T	0.31	0.35	
		6995	209	106T	0.76	0.46	
		7015	213	106T	0.27	0.44	
		7115	233	106T	NS	NS	

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 45 of 61

Table J-7
Maximum 6 GHz 802.11ax RU Output Power – Ant 3b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	20MHz BW	5	5955	1	26T	6.46	7.21
6175			45	26T	6.44	7.37	6.46
6195			49	26T	6.36	7.26	6.37
6415			93	26T	5.63	6.67	5.80
6		6435	97	26T	-0.62	-0.70	-0.57
		6475	105	26T	-0.62	-0.71	-0.54
		6515	113	26T	-0.54	-0.75	-0.43
7		6535	117	26T	5.53	6.51	5.47
		6695	149	26T	6.20	6.99	6.02
		6875	185	26T	-0.72	-0.49	-0.18
8		6895	189	26T	0.25	0.30	0.20
		6995	209	26T	0.22	-0.33	0.17
	7015	213	26T	0.09	-0.32	0.00	
	7115	233	26T	NS	NS	NS	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	20MHz BW	5	5955	1	52T	9.47	9.74
6195			49	52T	9.59	9.97	9.60
6415			93	52T	8.96	9.35	9.07
6		6435	97	52T	1.21	1.49	1.08
		6475	105	52T	1.23	1.63	1.21
		6515	113	52T	1.36	1.53	1.21
7		6535	117	52T	8.74	9.09	8.66
		6695	149	52T	9.32	9.63	9.26
		6875	185	52T	2.25	2.60	2.12
8		6895	189	52T	2.19	2.43	1.96
		6995	209	52T	2.27	2.41	2.13
		7015	213	52T	2.34	2.51	2.06
	7115	233	52T	NS	NS	NS	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	20MHz BW	5	5955	1	106T	11.65	11.54
6175			45	106T	11.67	11.71	
6195			49	106T	11.58	11.65	
6415			93	106T	11.97	12.03	
6		6435	97	106T	4.42	4.32	
		6475	105	106T	4.48	4.36	
		6515	113	106T	4.44	4.40	
7		6535	117	106T	11.98	11.88	
		6695	149	106T	12.39	12.30	
		6875	185	106T	4.81	4.71	
8		6895	189	106T	5.25	5.14	
		6995	209	106T	5.35	5.22	
	7015	213	106T	5.43	5.24		
	7115	233	106T	NS	NS		

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 46 of 61

Table J-8
Maximum 6 GHz 802.11ax RU Output Power – Ant 1b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	20MHz BW	5	5955	1	26T	6.56	7.36
6175			45	26T	6.32	7.25	6.39
6195			49	26T	6.24	7.29	6.38
6415			93	26T	5.69	6.59	5.73
6		6435	97	26T	-1.33	-0.32	-1.20
		6475	105	26T	-0.84	-0.80	-0.70
		6515	113	26T	-0.72	-0.73	-0.75
7		6535	117	26T	5.13	5.97	5.04
		6695	149	26T	5.25	6.16	5.15
		6875	185	26T	-0.93	-0.12	-1.11
8		6895	189	26T	-0.63	0.15	-0.82
		6995	209	26T	0.24	0.22	0.25
	7015	213	26T	0.16	0.14	0.12	
	7115	233	26T	NS	NS	NS	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	20MHz BW	5	5955	1	52T	9.45	9.78
6195			49	52T	9.25	9.66	9.23
6415			93	52T	8.86	9.17	8.86
6		6435	97	52T	1.72	2.14	1.80
		6475	105	52T	1.68	2.08	1.72
		6515	113	52T	1.52	1.99	1.54
7		6535	117	52T	8.38	8.71	8.21
		6695	149	52T	8.34	8.68	8.35
		6875	185	52T	2.22	2.45	2.06
8		6895	189	52T	2.22	2.39	2.04
		6995	209	52T	2.48	2.71	2.29
		7015	213	52T	2.47	2.73	2.34
	7115	233	52T	NS	NS	NS	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	20MHz BW	5	5955	1	106T	9.60	9.48
6175			45	106T	9.46	9.46	
6195			49	106T	9.37	9.41	
6415			93	106T	11.00	10.92	
6		6435	97	106T	4.38	4.30	
		6475	105	106T	4.31	4.25	
		6515	113	106T	4.14	4.07	
7		6535	117	106T	9.41	9.43	
		6695	149	106T	9.68	9.54	
		6875	185	106T	4.95	4.85	
8		6895	189	106T	5.39	5.19	
		6995	209	106T	5.58	5.47	
	7015	213	106T	5.58	5.42		
	7115	233	106T	NS	NS		

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 47 of 61

J.3 IEEE 802.11ax MRU Target Powers

Table J-9
Maximum 2.4 GHz 802.11ax MRU Output Power – Ant 3a

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			71	72	x
2412	1	52T + 26T	14.03	14.13	
2437	6	52T + 26T	16.55	16.84	
2462	11	52T + 26T	12.86	12.96	
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			82	x	x
2412	1	106T + 26T	14.23		
2437	6	106T + 26T	18.15		
2462	11	106T + 26T	12.63		

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 48 of 61

Table J-10
Maximum 2.4 GHz 802.11ax MRU Output Power – Ant 1a

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			71	72	x
2412	1	52T + 26T	13.89	13.51	
2437	6	52T + 26T	16.38	16.05	
2462	11	52T + 26T	14.15	14.82	
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			82	x	x
2412	1	106T + 26T	14.40		
2437	6	106T + 26T	18.60		
2462	11	106T + 26T	14.11		

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 49 of 61

Table J-11
Maximum 5 GHz 802.11ax MRU Output Power – Ant 5T

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
20MHz BW	1	5180	36	52T + 26T	15.21	15.26	
		5200	40	52T + 26T	15.40	15.30	
		5220	44	52T + 26T	15.32	15.36	
		5240	48	52T + 26T	15.40	15.39	
	2A	5260	52	52T + 26T	15.50	15.14	
		5280	56	52T + 26T	14.97	14.51	
		5300	60	52T + 26T	15.18	14.63	
		5320	64	52T + 26T	14.85	15.44	
	2C	5500	100	52T + 26T	14.69	14.96	
		5600	120	52T + 26T	15.34	15.19	
		5620	124	52T + 26T	15.20	15.00	
		5720	144	52T + 26T	15.17	15.01	
	3	5745	149	52T + 26T	15.21	15.07	
		5785	157	52T + 26T	15.28	15.12	
		5825	165	52T + 26T	15.36	15.16	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	1	5180	36	106T + 26T	15.72		
		5200	40	106T + 26T	17.07		
		5220	44	106T + 26T	17.10		
		5240	48	106T + 26T	17.16		
	2A	5260	52	106T + 26T	17.27		
		5280	56	106T + 26T	17.30		
		5300	60	106T + 26T	17.27		
		5320	64	106T + 26T	16.80		
	2C	5500	100	106T + 26T	14.88		
		5600	120	106T + 26T	16.90		
		5620	124	106T + 26T	16.93		
		5720	144	106T + 26T	16.87		
	3	5745	149	106T + 26T	16.98		
		5785	157	106T + 26T	17.02		
		5825	165	106T + 26T	17.04		

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	1	5210	42	484T + 242T	12.35	12.16	12.22	12.56
160MHz BW	2A	5290	58	484T + 242T	13.01	12.95	12.97	13.46
	2C	5530	106	484T + 242T	11.98	11.72	11.88	12.28
		5610	122	484T + 242T	14.61	14.53	14.77	15.31
		5690	138	484T + 242T	17.91	17.36	17.52	18.01
	3	5775	155	484T + 242T	15.52	15.27	15.41	16.00
	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	1	5250	50	996T + 484T + 242T	12.85	12.49	12.87	13.25
	2C	5570	114	996T + 484T + 242T	12.06	11.75	12.15	12.38

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 51 of 61

Table J-12
Maximum 5 GHz 802.11ax RU Output Power – Ant 3b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
20MHz BW	1	5180	36	52T + 26T	12.17	11.99	
		5200	40	52T + 26T	11.95	12.10	
		5220	44	52T + 26T	11.93	12.18	
		5240	48	52T + 26T	11.66	12.10	
	2A	5260	52	52T + 26T	11.80	11.89	
		5280	56	52T + 26T	12.08	11.66	
		5300	60	52T + 26T	11.80	11.65	
		5320	64	52T + 26T	11.81	11.99	
	2C	5500	100	52T + 26T	12.005	11.87	
		5600	120	52T + 26T	11.856	11.85	
		5620	124	52T + 26T	11.709	11.70	
		5720	144	52T + 26T	12.116	11.77	
	3	5745	149	52T + 26T	11.918	11.58	
		5785	157	52T + 26T	11.693	11.80	
		5825	165	52T + 26T	12.005	12.03	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	1	5180	36	106T + 26T	14.04		
		5200	40	106T + 26T	13.54		
		5220	44	106T + 26T	13.90		
		5240	48	106T + 26T	13.90		
	2A	5260	52	106T + 26T	13.70		
		5280	56	106T + 26T	13.63		
		5300	60	106T + 26T	13.61		
		5320	64	106T + 26T	14.02		
	2C	5500	100	106T + 26T	13.67		
		5600	120	106T + 26T	13.68		
		5620	124	106T + 26T	13.59		
		5720	144	106T + 26T	14.00		
	3	5745	149	106T + 26T	13.55		
		5785	157	106T + 26T	13.58		
		5825	165	106T + 26T	14.07		

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	1	5210	42	484T + 242T	12.25	12.24	12.14	12.42
160MHz BW	2A	5290	58	484T + 242T	12.92	12.95	12.97	13.14
	2C	5530	106	484T + 242T	10.60	10.62	10.65	10.66
		5610	122	484T + 242T	13.75	13.68	13.96	14.18
		5690	138	484T + 242T	14.52	14.56	14.57	14.58
	3	5775	155	484T + 242T	14.01	13.84	14.05	14.12
	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	1	5250	50	996T + 484T + 242T	12.63	12.66	12.57	12.78
	2C	5570	114	996T + 484T + 242T	10.52	10.55	10.57	10.60

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 53 of 61

Table J-13
Maximum 5 GHz 802.11ax RU Output Power – Ant 1b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
20MHz BW	1	5180	36	52T + 26T	12.08	12.06	
		5200	40	52T + 26T	12.25	12.11	
		5220	44	52T + 26T	12.29	12.10	
		5240	48	52T + 26T	12.30	12.15	
	2A	5260	52	52T + 26T	12.37	12.10	
		5280	56	52T + 26T	12.27	12.07	
		5300	60	52T + 26T	12.24	12.07	
		5320	64	52T + 26T	12.19	12.02	
	2C	5500	100	52T + 26T	11.53	11.39	
		5600	120	52T + 26T	12.19	12.00	
		5620	124	52T + 26T	12.24	12.10	
		5720	144	52T + 26T	11.74	11.65	
	3	5745	149	52T + 26T	11.62	11.51	
		5785	157	52T + 26T	11.64	11.41	
		5825	165	52T + 26T	11.51	11.36	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	1	5180	36	106T + 26T	13.85		
		5200	40	106T + 26T	13.89		
		5220	44	106T + 26T	13.82		
		5240	48	106T + 26T	13.75		
	2A	5260	52	106T + 26T	13.96		
		5280	56	106T + 26T	14.04		
		5300	60	106T + 26T	13.98		
		5320	64	106T + 26T	13.91		
	2C	5500	100	106T + 26T	13.35		
		5600	120	106T + 26T	13.85		
		5620	124	106T + 26T	13.95		
		5720	144	106T + 26T	13.56		
	3	5745	149	106T + 26T	13.41		
		5785	157	106T + 26T	13.41		
		5825	165	106T + 26T	13.37		

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	1	5210	42	484T + 242T	11.38	11.57	11.56	12.30
160MHz BW	2A	5290	58	484T + 242T	12.26	12.39	12.44	13.24
	2C	5530	106	484T + 242T	9.89	10.12	10.04	10.80
		5610	122	484T + 242T	13.42	13.15	13.23	14.03
		5690	138	484T + 242T	15.75	15.36	15.32	16.02
	3	5775	155	484T + 242T	12.88	12.77	12.92	13.75
	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	1	5250	50	996T + 484T + 242T	12.57	12.23	12.78	13.20
	2C	5570	114	996T + 484T + 242T	10.03	10.03	10.50	10.90

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 55 of 61

Table J-14
Maximum 6 GHz 802.11ax RU Output Power – Ant 5T

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
20MHz BW	5	5955	1	52T + 26T	12.26	12.76	
		6175	45	52T + 26T	12.94	12.99	
		6195	49	52T + 26T	12.91	12.88	
		6415	93	52T + 26T	12.51	12.32	
	6	6435	97	52T + 26T	0.06	-0.22	
		6475	105	52T + 26T	-0.12	-0.14	
		6515	113	52T + 26T	0.18	-0.42	
	7	6535	117	52T + 26T	11.97	11.79	
		6695	149	52T + 26T	11.69	11.89	
		6875	185	52T + 26T	-0.90	-1.18	
	8	6895	189	52T + 26T	-1.14	-0.91	
		6995	209	52T + 26T	-1.30	-1.03	
		7015	213	52T + 26T	-0.93	-1.23	
		7115	233	52T + 26T	NS	NS	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
20MHz BW	5	5955	1	106T + 26T	13.12		
		6175	45	106T + 26T	12.89		
		6195	49	106T + 26T	12.80		
		6415	93	106T + 26T	12.30		
	6	6435	97	106T + 26T	2.09		
		6475	105	106T + 26T	1.90		
		6515	113	106T + 26T	1.74		
	7	6535	117	106T + 26T	11.81		
		6695	149	106T + 26T	11.83		
		6875	185	106T + 26T	1.01		
	8	6895	189	106T + 26T	0.98		
		6995	209	106T + 26T	1.34		
		7015	213	106T + 26T	0.96		
		7115	233	106T + 26T	NS		

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
80MHz BW	5	5985	7	484T + 242T	12.71	12.48	12.75	13.14
		6145	39	484T + 242T	12.30	12.13	12.28	12.68
		6225	55	484T + 242T	12.18	12.00	12.08	12.52
		6385	87	484T + 242T	11.90	11.67	11.81	12.23
	6	6465	103	484T + 242T	9.01	9.08	9.13	9.30
	7	6545	119	484T + 242T	9.27	9.03	9.07	9.29
		6705	151	484T + 242T	11.52	11.32	11.53	11.99
		6865	183	484T + 242T	7.82	7.90	8.06	8.21
	8	6945	199	484T + 242T	8.02	8.01	8.04	8.20
		7025	215	484T + 242T	7.85	7.94	7.82	7.98
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
160MHz BW	5	6025	15	996T + 484T + 242T	12.86	12.74	13.04	13.10
		6185	47	996T + 484T + 242T	12.53	12.27	12.65	12.68
		6345	79	996T + 484T + 242T	12.07	11.83	12.20	12.41
	6	6505	111	996T + 484T + 242T	11.64	11.72	11.88	11.92
	7	6665	143	996T + 484T + 242T	11.66	11.42	11.75	11.84
		6825	175	996T + 484T + 242T	11.23	11.07	11.43	11.71
	8	6985	207	996T + 484T + 242T	10.71	10.42	10.77	10.89

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 57 of 61

Table J-15
Maximum 6 GHz 802.11ax RU Output Power – Ant 3b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
20MHz BW	5	5955	1	52T + 26T	11.44	11.27	
		6175	45	52T + 26T	11.46	11.38	
		6195	49	52T + 26T	11.50	11.31	
		6415	93	52T + 26T	10.99	10.81	
	6	6435	97	52T + 26T	3.63	3.47	
		6475	105	52T + 26T	3.71	3.48	
		6515	113	52T + 26T	3.61	3.48	
	7	6535	117	52T + 26T	10.83	10.51	
		6695	149	52T + 26T	11.22	11.09	
		6875	185	52T + 26T	3.84	3.59	
	8	6895	189	52T + 26T	4.58	4.28	
		6995	209	52T + 26T	4.57	4.38	
		7015	213	52T + 26T	4.71	4.39	
		7115	233	52T + 26T	NS	NS	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	5	5955	1	106T + 26T	11.71		
		6175	45	106T + 26T	11.78		
		6195	49	106T + 26T	11.74		
		6415	93	106T + 26T	12.54		
	6	6435	97	106T + 26T	5.06		
		6475	105	106T + 26T	5.03		
		6515	113	106T + 26T	5.05		
	7	6535	117	106T + 26T	12.51		
		6695	149	106T + 26T	12.93		
		6875	185	106T + 26T	5.66		
	8	6895	189	106T + 26T	6.34		
		6995	209	106T + 26T	6.47		
		7015	213	106T + 26T	6.52		
		7115	233	106T + 26T	NS		

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 58 of 61

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
80MHz BW	5	5985	7	484T + 242T	11.19	11.22	11.31	11.74
		6145	39	484T + 242T	10.44	10.53	10.59	11.09
		6225	55	484T + 242T	10.43	10.50	10.58	11.16
		6385	87	484T + 242T	11.98	12.22	12.17	13.00
	6	6465	103	484T + 242T	11.33	11.52	11.62	12.51
	7	6545	119	484T + 242T	11.49	11.66	11.77	12.36
		6705	151	484T + 242T	13.00	13.17	13.22	14.04
		6865	183	484T + 242T	11.33	11.48	11.67	12.46
	8	6945	199	484T + 242T	10.92	11.17	11.25	12.07
		7025	215	484T + 242T	10.94	11.14	11.27	12.03
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
160MHz BW	5	6025	15	996T + 484T + 242T	11.48	11.29	11.70	12.11
		6185	47	996T + 484T + 242T	10.86	10.76	11.18	11.54
		6345	79	996T + 484T + 242T	12.32	12.23	12.67	13.12
	6	6505	111	996T + 484T + 242T	13.57	13.24	13.85	14.24
	7	6665	143	996T + 484T + 242T	13.65	13.36	13.85	14.26
		6825	175	996T + 484T + 242T	13.99	13.46	14.07	14.46
	8	6985	207	996T + 484T + 242T	11.46	11.28	11.77	12.16

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 59 of 61

Table J-16
Maximum 6 GHz 802.11ax RU Output Power – Ant 1b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
20MHz BW	5	5955	1	52T + 26T	9.90	9.68	
		6175	45	52T + 26T	9.73	9.62	
		6195	49	52T + 26T	9.73	9.62	
		6415	93	52T + 26T	10.85	10.63	
	6	6435	97	52T + 26T	3.63	3.53	
		6475	105	52T + 26T	3.57	3.37	
		6515	113	52T + 26T	3.37	3.25	
	7	6535	117	52T + 26T	9.79	9.56	
		6695	149	52T + 26T	9.88	9.63	
		6875	185	52T + 26T	3.89	3.62	
	8	6895	189	52T + 26T	4.63	4.29	
		6995	209	52T + 26T	4.85	4.60	
		7015	213	52T + 26T	4.83	4.55	
		7115	233	52T + 26T	NS	NS	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
20MHz BW	5	5955	1	106T + 26T	9.70		
		6175	45	106T + 26T	9.60		
		6195	49	106T + 26T	9.53		
		6415	93	106T + 26T	11.18		
	6	6435	97	106T + 26T	5.00		
		6475	105	106T + 26T	4.91		
		6515	113	106T + 26T	4.81		
	7	6535	117	106T + 26T	9.54		
		6695	149	106T + 26T	9.68		
		6875	185	106T + 26T	5.73		
	8	6895	189	106T + 26T	6.43		
		6995	209	106T + 26T	6.65		
		7015	213	106T + 26T	6.66		
		7115	233	106T + 26T	NS		

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 60 of 61

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
80MHz BW	5	5985	7	484T + 242T	9.07	9.04	9.16	9.74
		6145	39	484T + 242T	9.17	9.25	9.36	9.89
		6225	55	484T + 242T	9.12	9.26	9.34	9.97
		6385	87	484T + 242T	10.07	10.27	10.39	11.21
	6	6465	103	484T + 242T	8.89	9.08	9.20	9.82
	7	6545	119	484T + 242T	8.70	8.81	8.94	9.47
		6705	151	484T + 242T	9.06	9.20	9.30	10.01
		6865	183	484T + 242T	9.20	9.41	9.47	10.23
	8	6945	199	484T + 242T	11.38	11.22	11.43	12.26
		7025	215	484T + 242T	11.20	11.20	11.28	12.15
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
160MHz BW	5	6025	15	996T + 484T + 242T	9.37	9.19	9.64	9.89
		6185	47	996T + 484T + 242T	9.69	9.67	10.11	10.37
		6345	79	996T + 484T + 242T	10.69	10.68	11.12	11.61
	6	6505	111	996T + 484T + 242T	9.20	9.07	9.54	9.89
	7	6665	143	996T + 484T + 242T	9.84	9.64	10.11	10.53
		6825	175	996T + 484T + 242T	10.27	10.00	10.48	10.74
	8	6985	207	996T + 484T + 242T	11.87	11.30	11.84	12.13

FCC ID: BCGA3462	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 61 of 61