



Mode	802.11a
Data Rate	54Mbps
Distance of Measurement	3 Meters
Operating Frequency	7115MHz
Channel	233




Plot 7-582 Antenna 3b Radiated Integrated Band Edge (Peak – UNII Band 8)



Plot 7-583 Antenna 3b Radiated Integrated Band Edge (Average – UNII Band 8)


Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	5955MHz
Channel	1



Plot 7-584 Antenna 3b Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 218 of 265

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7095MHz
Channel	229




Plot 7-585 Antenna 3b Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7115MHz
Channel	233



Plot 7-586 Antenna 3b Radiated Integrated Band Edge (Peak – UNII Band 8)




Plot 7-587 Antenna 3b Radiated Integrated Band Edge (Average – UNII Band 8)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 219 of 265


7.7.8 Antenna 3b Radiated Band Edge Measurements (40MHz BW)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	5965MHz
Channel	3



Plot 7-588 Antenna 3b Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6005MHz
Channel	11




Plot 7-589 Antenna 3b Radiated Lower Band Edge (Peak & Average – UNII Band 5)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 220 of 265

V 11.0 5/2025

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7085MHz
Channel	227




Plot 7-590 Antenna 3b Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3462 IC: 579C-A3462	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 221 of 265

V 11.0 5/2025


7.7.9 Antenna 3b Radiated Band Edge Measurements (80MHz BW)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	5985MHz
Channel	7



Plot 7-591 Antenna 3b Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6065MHz
Channel	23



Plot 7-592 Antenna 3b Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 222 of 265

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6945MHz
Channel	199



Plot 7-593 Antenna 3b Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7025MHz
Channel	215




Plot 7-594 Antenna 3b Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 223 of 265


7.7.10 Antenna 3b Radiated Band Edge Measurements (160MHz BW)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6025MHz
Channel	15



Plot 7-595 Antenna 3b Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6185MHz
Channel	47




Plot 7-596 Antenna 3b Radiated Lower Band Edge (Peak & Average – UNII Band 5)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 224 of 265


V 11.0 5/2025

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6825MHz
Channel	175



Plot 7-597 Antenna 3b Radiated Upper Band Edge (Peak & Average – UNII Band 7)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6985MHz
Channel	207




Plot 7-598 Antenna 3b Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 225 of 265


7.7.11 Antenna 1b Radiated Band Edge Measurements (20MHz BW)

Mode	802.11a
Data Rate	54Mbps
Distance of Measurement	3 Meters
Operating Frequency	5955MHz
Channel	1



Plot 7-599 Antenna 1b Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode	802.11a
Data Rate	54Mbps
Distance of Measurement	3 Meters
Operating Frequency	7095MHz
Channel	229




Plot 7-600 Antenna 1b Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 226 of 265

Mode	802.11a
Data Rate	54Mbps
Distance of Measurement	3 Meters
Operating Frequency	7115MHz
Channel	233




Plot 7-601 Antenna 1b Radiated Integrated Band Edge (Peak – UNII Band 8)



Plot 7-602 Antenna 1b Radiated Integrated Band Edge (Average – UNII Band 8)


Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	5955MHz
Channel	1



Plot 7-603 Antenna 1b Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 227 of 265

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7095MHz
Channel	229




Plot 7-604 Antenna 1b Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7115MHz
Channel	233



Plot 7-605 Antenna 1b Radiated Integrated Band Edge (Peak – UNII Band 8)




Plot 7-606 Antenna 1b Radiated Integrated Band Edge (Average – UNII Band 8)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 228 of 265


7.7.12 Antenna 1b Radiated Band Edge Measurements (40MHz BW)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	5965MHz
Channel	3



Plot 7-607 Antenna 1b Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6005MHz
Channel	11




Plot 7-608 Antenna 1b Radiated Lower Band Edge (Peak & Average – UNII Band 5)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 229 of 265

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel

802.11be-SU
 MCS11
 3 Meters
 7085MHz
 227




Plot 7-609 Antenna 1b Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 230 of 265

V 11.0 5/2025

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11be-SU
 MCS11
 3 Meters
 6945MHz
 199



Plot 7-612 Antenna 1b Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel

802.11be-SU
 MCS11
 3 Meters
 7025MHz
 215




Plot 7-613 Antenna 1b Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 232 of 265

V 11.0 5/2025


7.7.14 Antenna 1b Radiated Band Edge Measurements (160MHz BW)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6025MHz
Channel	15



Plot 7-614 Antenna 1b Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6185MHz
Channel	47




Plot 7-615 Antenna 1b Radiated Lower Band Edge (Peak & Average – UNII Band 5)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 233 of 265

V 11.0 5/2025

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11be-SU
 MCS11
 3 Meters
 6825MHz
 175



Plot 7-616 Antenna 1b Radiated Upper Band Edge (Peak & Average – UNII Band 7)

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel


802.11be-SU
 MCS11
 3 Meters
 6985MHz
 207




Plot 7-617 Antenna 1b Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 234 of 265

Mode	802.11a
Data Rate	54Mbps
Distance of Measurement	3 Meters
Operating Frequency	7115MHz
Channel	233




Plot 7-620 CDD Primary Radiated Integrated Band Edge (Peak – UNII Band 8)



Plot 7-621 CDD Primary Radiated Integrated Band Edge (Average – UNII Band 8)


Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	5955MHz
Channel	1



Plot 7-622 CDD Primary Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 236 of 265

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7095MHz
Channel	229




Plot 7-623 CDD Primary Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7115MHz
Channel	233



Plot 7-624 CDD Primary Radiated Integrated Band Edge (Peak – UNII Band 8)




Plot 7-625 CDD Primary Radiated Integrated Band Edge (Average – UNII Band 8)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 237 of 265


7.7.16 CDD Primary Radiated Band Edge Measurements (40MHz BW)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	5965MHz
Channel	3



Plot 7-626 CDD Primary Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6005MHz
Channel	11




Plot 7-627 CDD Primary Radiated Lower Band Edge (Peak & Average – UNII Band 5)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 238 of 265

V 11.0 5/2025

Mode
Data Rate
Distance of Measurement
Operating Frequency
Channel

802.11be-SU
 MCS11
 3 Meters
 7085MHz
 227




Plot 7-628 CDD Primary Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 239 of 265

V 11.0 5/2025


7.7.17 CDD Primary Radiated Band Edge Measurements (80MHz BW)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	5985MHz
Channel	7



Plot 7-629 CDD Primary Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6065MHz
Channel	23




Plot 7-630 CDD Primary Radiated Lower Band Edge (Peak & Average – UNII Band 5)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 240 of 265


V 11.0 5/2025

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6945MHz
Channel	199



Plot 7-631 CDD Primary Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7025MHz
Channel	215




Plot 7-632 CDD Primary Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 241 of 265


7.7.18 CDD Primary Radiated Band Edge Measurements (160MHz BW)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6025MHz
Channel	15



Plot 7-633 CDD Primary Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6185MHz
Channel	47




Plot 7-634 CDD Primary Radiated Lower Band Edge (Peak & Average – UNII Band 5)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 242 of 265


V 11.0 5/2025

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6825MHz
Channel	175



Plot 7-635 CDD Primary Radiated Upper Band Edge (Peak & Average – UNII Band 7)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6985MHz
Channel	207




Plot 7-636 CDD Primary Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 243 of 265


7.7.19 CDD Diversity Radiated Band Edge Measurements (20MHz BW)

Mode	802.11a
Data Rate	54Mbps
Distance of Measurement	3 Meters
Operating Frequency	5955MHz
Channel	1



Plot 7-637 CDD Diversity Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode	802.11a
Data Rate	54Mbps
Distance of Measurement	3 Meters
Operating Frequency	5975MHz
Channel	5



Plot 7-638 CDD Diversity Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 244 of 265

Mode	802.11a
Data Rate	54Mbps
Distance of Measurement	3 Meters
Operating Frequency	7095MHz
Channel	229




Plot 7-639 CDD Diversity Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Mode	802.11a
Data Rate	54Mbps
Distance of Measurement	3 Meters
Operating Frequency	7115MHz
Channel	233




Plot 7-640 CDD Diversity Radiated Integrated Band Edge (Peak – UNII Band 8)



Plot 7-641 CDD Diversity Radiated Integrated Band Edge (Average – UNII Band 8)


FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 245 of 265

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	5955MHz
Channel	1



Plot 7-642 CDD Diversity Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7095MHz
Channel	229




Plot 7-643 CDD Diversity Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 246 of 265

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7115MHz
Channel	233



Plot 7-644 CDD Diversity Radiated Integrated Band Edge (Peak – UNII Band 8)




Plot 7-645 CDD Diversity Radiated Integrated Band Edge (Average – UNII Band 8)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 247 of 265


7.7.20 CDD Diversity Radiated Band Edge Measurements (40MHz BW)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	5965MHz
Channel	3



Plot 7-646 CDD Diversity Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6005MHz
Channel	11




Plot 7-647 CDD Diversity Radiated Lower Band Edge (Peak & Average – UNII Band 5)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 248 of 265

V 11.0 5/2025

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7085MHz
Channel	227




Plot 7-648 CDD Diversity Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 249 of 265


7.7.21 CDD Diversity Radiated Band Edge Measurements (80MHz BW)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	5985MHz
Channel	7



Plot 7-649 CDD Diversity Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6065MHz
Channel	23




Plot 7-650 CDD Diversity Radiated Lower Band Edge (Peak & Average – UNII Band 5)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 250 of 265


V 11.0 5/2025

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6945MHz
Channel	199



Plot 7-651 CDD Diversity Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7025MHz
Channel	215




Plot 7-652 CDD Diversity Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 251 of 265


7.7.22 CDD Diversity Radiated Band Edge Measurements (160MHz BW)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6025MHz
Channel	15



Plot 7-653 CDD Diversity Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6185MHz
Channel	47




Plot 7-654 CDD Diversity Radiated Lower Band Edge (Peak & Average – UNII Band 5)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 252 of 265


V 11.0 5/2025

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6825MHz
Channel	175



Plot 7-655 CDD Diversity Radiated Upper Band Edge (Peak & Average – UNII Band 7)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6985MHz
Channel	207



Plot 7-656 CDD Diversity Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 253 of 265

V 11.0 5/2025

7.8 Radiated Spurious Emissions – Below 1GHz

§15.209; RSS-Gen [8.9]

Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for radiated spurious emissions. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR and Table 7 of RSS-Gen (8.10) must not exceed the limits shown in Table 7-106 per Section 15.209 and RSS-Gen (8.9).

Frequency	Field Strength [μV/m]	Measured Distance [Meters]
0.009 – 0.490 MHz	2400/F (kHz)	300
0.490 – 1.705 MHz	24000/F (kHz)	30
1.705 – 30.00 MHz	30	30
30.00 – 88.00 MHz	100	3
88.00 – 216.0 MHz	150	3
216.0 – 960.0 MHz	200	3
Above 960.0 MHz	500	3

Table 7-106. Radiated Limits

Test Procedures Used

ANSI C63.10:2020 + Cor. 1:2023 + C63.10a:2024 + Errata to C63.10a:2024

Test Settings

Quasi-Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. VBW = 300kHz
4. Detector = quasi-peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 254 of 265

V 11.0 5/2025

Test Setup

The EUT and measurement equipment were set up as shown in the diagrams below.




Figure 7-7. Radiated Test Setup < 30MHz




Figure 7-8. Radiated Test Setup < 1GHz

FCC ID: BCGA3462 IC: 579C-A3462			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 255 of 265	

V 11.0 5/2025

Test Notes

1. All emissions lying in restricted bands specified in §15.205 and RSS-Gen (8.10) are below the limit shown in Table 7-106.
2. The broadband receive antenna is manipulated through vertical and horizontal polarizations during the tests. The EUT is manipulated through three orthogonal planes. For below 30MHz the loop antenna was positioned in 3 orthogonal planes (X front, Y side, Z top) to determine the orientation resulting in the worst case emissions.
3. This unit was tested with its standard battery.
4. The spectrum is investigated using a peak detector and final measurements are recorded using CISPR quasi peak detector on emissions that were within 6dB of the limit.
5. Emissions were measured at a 3 meter test distance.
6. Emissions are investigated while operating on the center channel of the mode, band, and modulation that produced the worst case results during the transmitter spurious emissions testing.
7. No spurious emissions were detected within 20dB of the limit below 30MHz.
8. The results recorded using the broadband antenna is known to correlate with the results obtained by using a tuned dipole with an acceptable degree of accuracy. The VSWR for the measurement antenna was found to be less than 2:1.
9. Both configurations below were investigated, and the worst case has been reported.
 - a. EUT powered by AC/DC adaptor via USB-C cable with wire charger
 - b. EUT powered by host PC via USB-C cable with wire charger
10. All antenna configurations were investigated and only the worst case is reported.
11. The unit was tested with all possible modes and only the highest emission is reported.

Sample Calculations


Determining Spurious Emissions Levels

- Field Strength Level $_{[dB\mu V/m]} = \text{Analyzer Level}_{[dBm]} + 107 + \text{AFCL}_{[dB/m]}$
- $\text{AFCL}_{[dB/m]} = \text{Antenna Factor}_{[dB/m]} + \text{Cable Loss}_{[dB]} - \text{Preamp Gain}_{[dB]}$
- $\text{Margin}_{[dB]} = \text{Field Strength Level}_{[dB\mu V/m]} - \text{Limit}_{[dB\mu V/m]}$

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 256 of 265

V 11.0 5/2025

7.8.1 CDD Primary Radiated Spurious Emissions Measurements (Below 1GHz)



Plot 7-657. Radiated Spurious Emissions below 1GHz CDD Primary, 802.11be, Ch.45 with AC/DC adapter


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
35.43	Max-Peak	V	100	-	-59.22	-18.10	29.67	40.00	-10.33
86.49	Max-Peak	V	100	-	-58.51	-20.77	27.73	40.00	-12.27
115.05	Max-Peak	H	200	-	-62.21	-19.00	25.79	43.50	-17.71
183.15	Max-Peak	H	200	-	-51.70	-19.38	35.92	43.50	-7.58
226.35	Max-Peak	H	100	-	-60.57	-17.23	29.20	46.00	-16.80
877.45	Max-Peak	H	100	-	-72.64	-4.88	29.49	46.00	-16.51

Table 7-107. Radiated Spurious Emissions Measurement below 1GHz CDD Primary, 802.11be, Ch.45 with AC/DC adapter

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 257 of 265

V 11.0 5/2025

7.8.2 CDD Diversity Radiated Spurious Emissions Measurements (Below 1GHz)



Plot 7-658. Radiated Spurious Emissions below 1GHz CDD Diversity, 802.11be, Ch.45 with AC/DC adapter

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
35.79	Max-Peak	V	100	-	-59.40	-17.89	29.72	40.00	-10.28
85.41	Max-Peak	V	100	-	-58.09	-20.95	27.96	40.00	-12.04
112.95	Max-Peak	H	300	-	-61.46	-18.64	26.90	43.50	-16.60
177.45	Max-Peak	H	200	-	-52.42	-19.70	34.89	43.50	-8.61
244.35	Max-Peak	H	100	-	-61.57	-16.40	29.03	46.00	-16.97
866.05	Max-Peak	V	300	-	-72.52	-4.74	29.74	46.00	-16.26

Table 7-108. Radiated Spurious Emissions Measurement below 1GHz CDD Diversity, 802.11be, Ch.45 with AC/DC adapter

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 258 of 265

V 11.0 5/2025

7.9 AC Line-Conducted Emissions Measurement

§15.407; RSS-Gen [8.8]

Test Overview and Limit

All AC line conducted spurious emissions are measured with a receiver connected to a grounded LISN while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for AC Line conducted spurious emissions. Only the conducted emissions of the configuration that produced the worst case emissions are reported in this section.

All conducted emissions must not exceed the limits shown in the table below, per Section 15.207 and RSS-Gen (8.8).

Frequency of emission (MHz)	Conducted Limit (dB μ V)	
	Quasi-peak	Average
0.15 – 0.5	66 to 56*	56 to 46*
0.5 – 5	56	46
5 – 30	60	50

Table 7-109. Conducted Limits

*Decreases with the logarithm of the frequency.

Test Procedures Used

ANSI C63.10:2020 + Cor. 1:2023 + C63.10a:2024 + Errata to C63.10a:2024, Section 6.2

Test Settings

Quasi-Peak Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

Average Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = RMS
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

FCC ID: BCGA3462 IC: 579C-A3462	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 259 of 265

V 11.0 5/2025

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-9. Test Instrument & Measurement Setup

Test Notes

1. All modes of operation were investigated and the worst-case emissions are reported. The emissions found were not affected by the choice of channel used during testing.
2. Both configurations below were investigated, and the worst case has been reported.
 - a. EUT powered by AC/DC adaptor via USB-C cable with wire charger
 - b. EUT powered by host PC via USB-C cable with wire charger
3. The limit for an intentional radiator from 150kHz to 30MHz are specified in 15.207 and RSS-Gen (8.8).
4. $\text{Corr. (dB)} = \text{Cable loss (dB)} + \text{LISN insertion factor (dB)}$
5. $\text{QP/AV Level (dB}\mu\text{V)} = \text{QP/AV Analyzer/Receiver Level (dB}\mu\text{V)} + \text{Correction Factor (dB)}$
6. $\text{Margin (dB)} = \text{QP/AV Level (dB}\mu\text{V)} - \text{QP/AV Limit (dB}\mu\text{V)}$
7. Traces shown in plots are made using quasi-peak and average detectors.
8. Deviations to the Specifications: None.
9. The unit was tested with all possible modes and only the highest emission is reported.

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 260 of 265

V 11.0 5/2025




Plot 7-659. AC Line Conducted Plot with 802.11be CDD Primary – Ch.45 (L1), with AC/DC adapter

Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.17	FINAL	---	36.12	55.17	-19.05	L1	GND
0.17	FINAL	49.94	---	65.17	-15.23	L1	GND
0.25	FINAL	---	29.25	51.79	-22.54	L1	GND
0.25	FINAL	44.87	---	61.79	-16.92	L1	GND
0.50	FINAL	---	23.00	46.00	-23.00	L1	GND
0.50	FINAL	37.34	---	56.00	-18.66	L1	GND
1.33	FINAL	30.93	---	56.00	-25.07	L1	GND
1.33	FINAL	---	16.21	46.00	-29.79	L1	GND
5.07	FINAL	25.24	---	60.00	-34.76	L1	GND
5.07	FINAL	---	13.02	50.00	-36.98	L1	GND
16.45	FINAL	---	10.04	50.00	-39.96	L1	GND
16.45	FINAL	15.71	---	60.00	-44.29	L1	GND

Table 7-110. AC Line Conducted Data with 802.11be CDD Primary – Ch. 45 (L1) with AC/DC adapter

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 261 of 265

V 11.0 5/2025



Plot 7-660. AC Line Conducted Plot with 802.11be CDD Primary – Ch. 45 (N), with AC/DC adapter


Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.17	FINAL	---	37.39	55.17	-17.78	N	GND
0.17	FINAL	51.41	---	65.17	-13.76	N	GND
0.25	FINAL	---	29.70	51.79	-22.09	N	GND
0.25	FINAL	45.45	---	61.79	-16.34	N	GND
0.51	FINAL	---	22.82	46.00	-23.18	N	GND
0.51	FINAL	37.99	---	56.00	-18.01	N	GND
1.33	FINAL	32.50	---	56.00	-23.50	N	GND
1.33	FINAL	---	16.53	46.00	-29.47	N	GND
5.08	FINAL	28.65	---	60.00	-31.35	N	GND
5.08	FINAL	---	17.91	50.00	-32.09	N	GND
8.43	FINAL	---	14.42	50.00	-35.58	N	GND
8.43	FINAL	21.04	---	60.00	-38.96	N	GND

Table 7-111. AC Line Conducted Data with 802.11be CDD Primary – Ch. 45 (N), with AC/DC adapter

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 262 of 265

V 11.0 5/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-661. AC Line Conducted Plot with 802.11be CDD Diversity – Ch.45 (L1), with AC/DC adapter

Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.17	FINAL	---	37.55	55.17	-17.62	L1	GND
0.17	FINAL	51.50	---	65.17	-13.67	L1	GND
0.25	FINAL	---	29.80	51.79	-21.99	L1	GND
0.25	FINAL	45.50	---	61.79	-16.29	L1	GND
0.50	FINAL	38.26	---	56.00	-17.74	L1	GND
0.50	FINAL	---	23.26	46.00	-22.74	L1	GND
1.33	FINAL	32.59	---	56.00	-23.41	L1	GND
1.33	FINAL	---	16.71	46.00	-29.29	L1	GND
5.08	FINAL	---	18.34	50.00	-31.66	L1	GND
5.08	FINAL	29.14	---	60.00	-30.86	L1	GND
16.50	FINAL	---	10.84	50.00	-39.16	L1	GND
16.50	FINAL	16.57	---	60.00	-43.43	L1	GND

Table 7-112. AC Line Conducted Data with 802.11be CDD Diversity – Ch. 45 (L1) with AC/DC adapter

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 263 of 265

V 11.0 5/2025



Plot 7-662. AC Line Conducted Plot with 802.11be CDD Diversity – Ch. 45 (N), with AC/DC adapter

Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.17	FINAL	---	38.78	55.17	-16.39	N	GND
0.17	FINAL	52.68	---	65.17	-12.49	N	GND
0.25	FINAL	---	31.42	51.79	-20.37	N	GND
0.25	FINAL	46.97	---	61.79	-14.82	N	GND
0.50	FINAL	---	23.58	46.00	-22.42	N	GND
0.50	FINAL	38.08	---	56.00	-17.92	N	GND
1.33	FINAL	---	31.29	56.00	-24.71	N	GND
1.33	FINAL	---	16.60	46.00	-29.40	N	GND
5.08	FINAL	24.91	---	60.00	-35.09	N	GND
5.08	FINAL	---	12.82	50.00	-37.18	N	GND
16.50	FINAL	---	7.52	50.00	-42.48	N	GND
16.50	FINAL	13.91	---	60.00	-46.09	N	GND

Table 7-113. AC Line Conducted Data with 802.11be CDD Diversity – Ch. 45 (N), with AC/DC adapter

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 264 of 265

V 11.0 5/2025

8.0 CONCLUSION

The data collected relate only the item(s) tested and show that the **Apple Tablet Device FCC ID: BCGA3462** and **IC: 579C-A3462** is in compliance with Part 15 Subpart E (15.407) of the FCC Rules and RSS-248 of the Innovation, Science and Economic Development Canada Rules.

FCC ID: BCGA3462 IC: 579C-A3462		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2509100082-24-R3.BCG	Test Dates: 9/15/2025 - 12/10/2025	EUT Type: Tablet Device	Page 265 of 265

V 11.0 5/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.